U. S. DEPARTMENT OF LABOR

JAMES J. DAVIS, Secretary

CHILDREN'S BUREAU

GRACE ABBOTT, Chief

INFANT MORTALITY

RESULTS OF A FIELD STUDY IN BALTIMORE, MD. BASED ON BIRTHS IN ONE YEAR

Ву

ANNA ROCHESTER

Bureau Publication No. 119



WASHINGTON
GOVERNMENT PRINTING OFFICE
1923

INFANT MORTALITY

OWING TO LIMITED APPROPRIATIONS FOR PRINTING, IT IS NOT POSSIBLE TO DISTRIBUTE THIS BULLETIN IN LARGE QUANTITIES. ADDITIONAL COPIES MAY BE PROCURED FROM THE SUPERINTENDENT OF DOCUMENTS GOVERNMENT PRINTING OFFICE WASHINGTON, D. C.

40 CENTS PER COPY

2

362,7 U58C *119

CONTENTS.

Letter of transmittal.	Page 1
Introduction	44
brethod and purpose of the study	0
The bables surroundings	00 %
Datamore	
Mothers color and nationality	00 0
Foreign-born white families.	48-34
Colored families	00
Social questions arising from differences in color and nationality	32
Fathers' earnings and occupations.	01 10
Fathers' earnings and family income	34-42
Fathers' occupations	0.0
Irregularity of fathers' employment	36
Home conditions.	39
Rental and sanitation.	
Space and size of household.	42
Variations in size of family	45
Employment of mothers	46
Prevalence of employment.	47-53
Occupations.	48
Care of the infant.	50
Prevalence of artificial feeding.	
Summary.	53
The deaths.	54
Age at death	
Causes of death.	58
Early infancy and malformations.	
Gastric and intestinal diseases.	59
Respiratory diseases	61
Other communicable diseases.	
Other causes.	64
Summary.	66
Feeding and infant mortality.	67
Social and economic factors in infant mortality. 7	69
Nationality and mortality	7–132
Nationality and cause of death	
Social factors in the variation of rates by nationality.	78
Native white and colored families	
Native white and foreign-born white families.	80
Polish and foreign-born Jewish families.	85
Summary	88
Summary Poverty and infant mortality	93
Poverty and infant mortality	
Fathers' earnings and mortality rates.	94
Type of feeding and mortality in the several earnings groups	97
Living conditions affecting mortality in the poorer families	100
Poverty as a direct factor in infant mortality.	104
Summary	105

a	Page.
Social and economic factors in infant mortality—Continued.	
Neighborhoods, dwellings, and infant mortality	106
Wards	111 114
Dwellings	111-114
Room congestion	111
Sanitary equipment	113
Summary.	114
Employment of mothers and infant mortality	114-131
Employment during pregnancy of 1915	115
Employment of mothers after birth occurring in 1915	120
Employment away from home at any time	127
Summary	130
Relation of infant mortality to the mother's illiteracy or inability to spea	k
English	131
Physical factors in infant mortality	133–152
Order of birth, age of mother, and interval between births.	133-146
Order of birth.	133
Age of mother	137
Interval between births	139
Summary	145
Plural births	146
Premature births	149
Sex of infant	
Maternal deaths	150
Stillbirths	153
Illegitimate births	155_176
Illegitimate births	155_158
The mothers.	155
Color and nativity	156
Employment	156
Age	157
Civil condition at confinement	
Previous births	157
Literacy	158
The fathers	158
The births.	. 159–160
Place of confinement and attendant at birth	159
Prenatal care	159
Conditions during year after birth	. 160–167
Relation of mothers and fathers	160
Where the mothers lived	161
Civil condition of mother at one year after confinement	162
Maternal deaths	164
Economic status of the mothers	164
Where the babies lived	165
Summary of social background	167
Mortality among illegitimate infants	. 168-175
White and colored infants	169
Age at death and stated cause of death	170
Employment of mother	170
Poverty	171
Conditions peculiar to illegitimacy	171
Infant feeding	174
Stillbirths and miscarriages.	175
General summary	
The live of middle in the contract of the cont	

	Appendix II. The babies in families which could not be studied	Page. 185 189
	Appendix III. Infant mortality and stillbirth rates in this study and in Baltimore City as a whole. Appendix IV. Method by which median earnings and median rentals are esti-	193
	mated from data available in the present study.	197
	Appendix V. Method by which infant mortality rate is computed for infants having a specified type of feeding; explanation of terms "expected deaths"	
	and "expected rates"	9-202
	Computed rate by type of feeding	199
	Expected deaths	201
	Appendix VI. Prevalence of prenatal care and extent to which the infants in the	
	study were reached by infant-welfare work	3-222
	Organizations giving prenatal care	203
	Prevalence of prenatal care	204
	Prenatal care and poverty	205
	Prenatal care and color and nationality	206
	Prenatal care and wards	208
	Grade of prenatal care	208
	Confinement care	
	Hospital facilities. Attendant at birth.	211
	Visits by attendant during confinement period.	211
	Nursing care	213 213
	Infant-welfare work 218	
i	Organizations doing infant-welfare work.	218
	Infants reached by infant-welfare work.	219
	Appendix VII. Tables	
		001
	TABLES. and they selled the selled of the se	
	Table 1. Infant mortality rates in the United States birth-registration area, in	
	certain foreign countries, in Baltimore and certain foreign cities, and in cities	
	(population 100,000 or more) in the United States birth-registration area, 1916.	223
	Table 2. Legitimacy of birth, inclusion in and exclusion from, and reason for	000
	exclusion from detailed study; total registered births in Baltimore in 1915	223
	Table 3. Ward of residence, by color and nationality of mother; scheduled legitimate live births in Baltimore in 1915	224
	Table 4. Sanitary condition of dwelling, by ward of residence; infants born in	444
	1915 who lived at least two weeks in dwellings studied	224
	Table 5. Earnings of father, by ward of residence and color of mother; live	221
	births in 1915.	226
	Table 6. Monthly rental, by ward of residence; infants born in 1915 who lived	220
	at least two weeks in rented dwellings studied	228
	Table 7. Tenure of dwelling, by ward of residence; infants born in 1915 who	
	lived at least two weeks in dwellings studied	229
	Table 8. Tenure of dwelling, by color and nationality of mother; infants born	
	in 1915 who lived at least two weeks in dwellings studied	229
	Table 9. Tenure of dwelling, by earnings of father; infants born in 1915 who	
	lived at least two weeks in dwellings studied	230
	Table 10. Dwellings in building; infants born in 1915 who lived at least two	
	weeks in dwellings studied	230
	Table 11. Color, nativity, and mother tongue of population in Baltimore and	
	in Continental United States, 1910	230

	Page.
Table 12. Years of residence of mother in the United States, by nationality of	HOE DA
mother: births in 1915 to oreign-born white mothers	231
Table 13. Ability to speak English, by literacy and nationality of mother;	DV. TANK
births in 1915 to foreign-born white mothers of non-English-speaking nation-	007
alties	231
Table 14. Ability to speak English, by years in the United States and nation-	
ality of mother; births in 1915 to foreign-born white mothers of non-English-	232
speaking nationalities	202
Table 15. Literacy of mother, by color and nationality of mother and earnings	232
of father; births in 1915	202
ality of mother; births in 1915 to foreign-born white mothers of non-English-	
speaking nationalities	232
Table 17. Occupation group of father, by color and nativity of mother; births	
in 1915.	233
Table 18. Infant mortality and stillbirth rates, by earnings of father, and color	
and nationality of mother: births in 1915	234
Table 19 Earnings of father, by occupation; births in 1915	236
Table 20. Earnings of father, by occupation group of father and color and	
nativity of mother: births in 1915	238
Table 21. Estimated median earnings of father, by occupation group of father	278
and color and nativity of mother: births in 1915	240
Table 22. Earnings of father, by regularity of his employment, and by color and	0.10
nativity of mother; births in 1915	240
Table 23. Duration of nonemployment, by earnings of father, and by color and	947
nativity of mother; births in 1915	241
Table 24. Cause of nonemployment of father, by color and nativity of mother;	242
births in 1915	
births in 1915 in families with fathers unemployed because work was not	
available	242
Table 26. Source of family income, by earnings of father; births in 1915	243
Table 27. Source of family income, by family earnings; births in 1915	243
Table 28. Earnings of father as sole source of family income, by amount of his	
earnings and color and nativity of mother; births in 1915	244
Table 29 Family earnings by earnings of father; births in 1915	244
Table 30. Earnings of mother, by color and nativity; births in 1915 to mothers	
employed within year after birth of infant	245
Table 31 Monthly rental, by color and nationality of mother; infants born in	0.45
1915 who lived at least two weeks in rented dwellings studied	245
Table 32. Monthly rental, by earnings of father; infants born in 1915 who lived	246
at least two weeks in rented dwellings studied.	240
Table 33. Estimated median rental, by estimated median earnings of father and	246
by color and nationality of mother; births in 1915.	210
Table 34. Sanitary arrangements of dwelling, by color and nationality of mother and earnings of father; infants born in 1915 who lived at least two weeks in	
	247
dwellings studied	
by color and nativity of mother; infants born in 1915 who lived at least two	
weeks in dwellings studied	440
Table 36 Average number of persons per room, by size of household and color	
and nationality of mother; infants born in 1915 who lived at least two weeks	100 B S CO.
in dwellings studied	251

		Page.
1	Table 37. Average number of persons per room, by earnings of father and color and nativity of mother; infants born in 1915 who lived at least two weeks in	rage.
	dwellings studied	252
	nativity of mother; single births in 1915	253
	in 1915 to foreign-born white mothers	253
	in 1915 who lived at least two weeks in dwellings studied	254
	nationality of mother; live births in 1915	254
	mothers not employed within year after birth. Table 43. Type of feeding, by month of life of infant, and by literacy and color	255
	and nativity of mother; infants born in 1915	255
	1915 to Jewish, Polish, and Italian mothers. Table 45. Prevalence of artificial feeding, by month of life of infant, and by literacy and nationality of mother; infants born in 1915 to Jewish, Polish,	256
	and Italian mothers. Table 46. Prevalence of mixed feeding and artificial feeding, by month of life of infant, and by place of employment and color and nationality of mother;	256
	infants born in 1915 to mothers employed within year after birth	257
	Table 48. Infant deaths, by cause of death, with reference to classification numbers in International List of Causes of Death; deaths among legitimate live births in 1915, Baltimore study, and total deaths in United States death-regis-	257
	tration area in 1915	258
	of mother; live births in 1915	259
	1915 Table 51. Infant deaths, by age at death, and by color and nationality of	260
	mother; live births in 1915	261
	Table 53. Infant mortality rates, by calendar month of birth and cause of	262
	death; live births in 1915	263
	area, 1915, and legitimate group in Baltimore study	264
	age at death; England and Wales, 1891 to 1917	264
	Table 57. Infant deaths from epidemic and communicable diseases per 1,000 live births, by age at death and cause of death; Baltimore City, 1915 and 1916, cities of birth-registration area, 1915, and legitimate group in Baltimore	264
	study	265

	Page.
Table 58. Monthly death rates, by type of feeding, and by color and nationality	stile
of mother; infants born in 1915. Table 59. Monthly death rates, by type of feeding, and by earnings of father	266-
and color and nativity of mother; infants born in 1915. Table 60. Computed infant mortality rates, by type of feeding, and by earn-	268
ings of father and color and nativity of mother; infants born in 1915	276
ality of mother; infants born in 1915 to foreign-born white mothers Table 62. Monthly death rates, by type of feeding, month of life and cause of	277
death; infants born in 1915	278
death of infant and color of mother; infants born in 1915	278
Table 64. Death rates from each month to end of first year, by month in which artificial feeding began; infants born in 1915 and artificially fed during some	
part of first year of life. Table 65. Computed (annual) infant mortality rates, by month in which arti-	278
ficial feeding began; infants born in 1915	279
Table 66. Monthly death rates, by month of life, and by month in which artificial feeding began; infants born in 1915, and artificially fed	279
Table 67. Weaning before end of first year of life, by color and nationality of	210
mother; infants born in 1915 and surviving at one year	279
born in 1915 and surviving at one year	280
mother; births in 1915	280
Table 70. Infant mortality and stillbirth rates, by color and nationality of mother; births, all pregnancies.	001
Table 71. Infant mortality rates, by cause of death, and by color and nation-	281
ality of mother; live births in 1915. Table 72. Excess mortality among infants of Polish mothers over that among	281
infants of other foreign-born white mothers when the effect of greater proportion of employed among Polish mothers is eliminated; infants of Polish	
mothers not employed away from home during infant's lifetime Table 73. Stillbirth rates, by earnings of father and color and nativity of mother;	282
births in 1915.	282
Table 74. Infant mortality rates, by earnings of father and color and nativity of mother; live births in 1915	283
Table 75. Infant mortality rates, by earnings of father and color and nativity	200
of mother; live births, all pregnancies. Table 76. Stillbirth rates, by earnings of father and color and nativity of mother;	283
births, all pregnancies	284
Table 77. Neonatal infant mortality rates, earnings of father, and color and nationality of mother; live births in 1915	285
Table 78. Infant mortality rates, by cause of death, earnings of father, and	a canar
color and nationality of mother; live births in 1915	286
births in 1915.	287
Table 80. Type of feeding, by month of life and earnings of father and color and nativity of mother; infants born in 1915.	288
Table 81. Type of feeding, by month of life and by nationality; infants born in	
1915 to foreign-born white mothers	289

	Dama
Table 82. Relative mortality among infants in families where the father earned \$450 to \$549 in comparison with that among infants in families where the father earned \$550 to \$849, when effect of differences in type of feeding is	Page.
eliminated; infants born in 1915 to foreign-born white mothers. Table 83. Infant mortality rates in favored group, by earnings of father and color and nativity of mother; live births in 1915.	289
Table 84. Death rates in favored group per 100 (infants who lived at least two weeks), by average number of persons per room and earnings of father; infants born in 1915 to white mothers, who lived at least two weeks in dwell-	290
ings studied	290 291
Table 86. Excess mortality in overcrowded dwellings, with effect of differences in father's earnings eliminated; infants (born in 1915 to native white mothers)	
who lived at least two weeks in dwellings with one or more persons per room Table 87. Excess mortality, by ward of residence and cause of death, over mortality expected when differences due to color and nationality are eliminated; live births in 1915.	291
Table 88. Excess mortality in overcrowded dwellings, with effect of differences in father's earnings eliminated; infants (born in 1915 to foreign-born white mothers) who lived at least two weeks in dwellings with less than one and	292
with two or more persons per room. Table 89. Excess mortality in overcrowded dwellings, with effect of differences in nationality eliminated; infants (born in 1915 to foreign-born white mothers)	292
who lived at least two weeks in dwellings studied. Table 90. Per cent of infant deaths, by average number of persons per room, earnings of father, and color and nativity of mother; infants born in 1915 who	293
lived at least two weeks in dwellings studied	293
born in 1915 who lived at least two weeks in dwellings studied	294
ries) and births in 1915. Table 93. Employment of mother at any time after marriage, during pregnancy of 1915, or during lifetime of infant born in 1915, by place of employment and nationality; foreign-born white mothers (maternal histories) and births in	295
Table 94. Employment of mother away from home after marriage, by number of births, earnings of father, and color and nativity of mother; mothers	296
(maternal histories). Table 95. Employment of mother during pregnancy, or within 12 months after	296
the birth, by color of mother; live births in 1915. Table 96. Occupation of mother and employment away from home before and after marriage, by color and nationality; mothers (maternal histories)	297
Table 97. Occupation, by time of employment away from home and color and nationality of mother; mothers (maternal histories)	297 299
Table 98. Occupation and place of employment of mother during pregnancy, by color and nationality; births in 1915.	300
Table 99. Occupation of mother, by place and time of employment; live births in 1915 to mothers employed. Table 100. Employment of mother during pregnancy of 1915 and during life-	302
time of infant, by color and nationality; births in 1915.	302

M 11 101 77 1	Page.
Table 101. Employment of mother during pregnancy of 1915, by employment after the birth, at home and away from home, by color of mother; live births	to find
in 1915. Table 102. Infant mortality rates, by mother's employment away from home during pregnancy or within year after birth, earnings of father, and color	303
and nativity of mother; live births in 1915. Table 103. Infant mortality rates (by cause of death) and stillbirth rates, by employment of mother during pregnancy and color and nativity of mother;	304
births in 1915. Table 104. Excess infant mortality (by cause of death) and stillbirth rates	305
among infants of mothers employed during pregnancy, over those expected when effect of differences in color and nationality and earnings of father is eliminated; births in 1915.	306
Table 105. Prevalence of premature births, by employment during pregnancy and color and nativity of mother; live births in 1915	307
Table 106. Infant mortality rates, by cause of death and by employment of mother during pregnancy and color and nativity; full-term live births in 1915.	308
Table 107. Interval between cessation of work and confinement, by occupation and color of mother; births in 1915 to mothers employed during pregnancy.	308
Table 108. Infant deaths under 1 month per 1,000 live births and stillbirth rates, by interval between cessation of work and confinement, color of mother, and	
place of employment; births in 1915 to mothers employed during pregnancy Table 109. Age of infant when mother began work, by place of mother's employment and color and nationality of mother; infants born in 1915 to mothers	309
employed during infant's first year of life, and subsequent infant deaths Table 110. Excess mortality among infants of mothers employed during infant's lifetime, by time of resumption of work, place of employment, and color and	310
nationality of mother, over mortality expected when effect of differences in color and nationality of mother is eliminated; infants born in 1915 to mothers employed during infant's lifetime.	070
Table 111. Excess mortality among infants of mothers employed during infant's lifetime, by place of employment, over mortality expected when effect of	313
differences in infants' ages and in fathers' earnings is eliminated; infants born in 1915 to native white and to colored mothers.	314
Table 112. Nationality of mother, by place of her employment and age of infant when mother began work; infants born in 1915 to mothers employed during	
infant's lifetime	314
ployed during infant's lifetime	315
away both during pregnancy and within year after the birth Table 115. Excess mortality among infants of mothers employed away from home during infant's lifetime, by mother's employment during pregnancy and age of infant when mother resumed work, over mortality expected when effect of differences in mother's color and nationality, and father's earnings is eliminated; infants of mothers employed away from home during infant's	316
Table 116. Infant survivors and infant deaths, by type of feeding, month of life, place of mother's employment, and color and nationality of mother; infants of mothers employed during infant's lifetime.	316
manto or mothers employed during mant s metime	317

		Page.
	Table 117. Excess mortality among infants of mothers employed during infant's lifetime, by place of employment, over mortality expected when effect of differences in type feeding, in color and nationality and (in native white families) in earnings of father are eliminated; infants of mothers employed	
	during infant's lifetime	323
	pregnancies	324
	color and nativity of mother, and earnings of father; births, all pregnancies. Table 120. Infant mortality rates, by number of births to mother, her employ-	325
	ment away from home, and color and nativity; live births, all pregnancies Table 121. Infant mortality rates (by cause of death) and stillbirth rates, by employment of mother away from home, during pregnancy and after birth,	326
	and by color and nativity of mother; births in 1915. Table 122. Excess mortality among infants of mothers employed away from home, by time of mother's employment, over mortality expected when effect of differences in number of births to mother, color and nativity of mother,	327
	and earnings of father are eliminated; live births, all pregnancies	328
4	ployed away from home at some time prior to birth in 1915	329
	birth. Table 125. Excess mortality and stillbirth rates among infants of mothers employed away from home, by age of mother when she began work, over average rates after effect of differences of color and nativity is eliminated; births, all	330
	pregnancies Table 126. Excess mortality (by cause of death) and stillbirth rates among infants of mothers employed away from home, by age of mother when she began work, over average rates after effect of differences of color and nativity is	331
	eliminated; births in 1915	331
	color and nationality of mother; live births in 1915	
	eliminated; births in 1915 to illiterate mothers	333
	mothers of non-English-speaking nationalities. Table 130. Relative mortality among infants of mothers not able to speak English, as compared with mortality expected on the basis of average rates, when effect of differences in mother's color and nationality and father's earnings is eliminated; live births in 1915 to foreign-born white mothers	333
	unable to speak English	
	and surviving two weeks. Table 132. Infant mortality and stillbirth rates, by order of birth; births in	334
	1015 and births all pregnancies	335

	Page.
Table 133. Infant mortality and stillbirth rates, by order of birth and color of mother; single births in 1915, and single births, all pregnancies, to mothers	
who reported no plural births. Table 134. Stillbirth rates, by number of births to mothers, order of pregnancy, and color of mother; single births, all pregnancies, to mothers who reported	335
no plural births. Table 135. Infant mortality rates, by number of births to mother, order of pregnancy, and color of mother; single live births, all pregnancies, to mothers	336
who reported no plural births. Table 136. Excess mortality among infants of mothers reporting large numbers of births over mortality expected at average rates when effect of differences in color and nativity and father's earnings is eliminated; live births, all	337
pregnancies. Table 137. Infant mortality rates, by order of birth and earnings of father; single	338
live births in 1915 and all live births, all pregnancies. Table 138. Infant mortality rates, by order of birth, earnings of father, and color	338
and nativity of mother; single live births in 1915. Table 139. Infant mortality rates, by order of birth, earnings of father (detailed	339
groups), single live births in 1915 to native white mothers	339
Table 140. Premature birth, by order of birth; live births in 1915	340
1915, second and later in order of birth	340
birth; single births in 1915	340
Table 143. Infant mortality rates, by age, color, and nativity of mother; live	
births in 1915 and live births, all pregnancies.	341
Table 144. Stillbirth rates, by age, color, and nativity of mother; births in 1915. Table 145. Stillbirth rates, by age of mother and earnings of father; single births	341
in 1915 and all births, all pregnancies. Table 146. Infant mortality rates, by age of mother and earnings of father; sin-	342
gle live births in 1915 and all live births, all pregnancies	343
live births in 1915. Table 148. Premature births, by age, color, and nativity of mother; live births in	343
Table 149. Stillbirth rates, by order of birth and age of mother; births in 1915,	344
and births, all pregnancies. Table 150. Infant mortality rates, by order of birth and age of mother; live	344
births in 1915, and live births, all pregnancies. Table 151. Infant mortality rates, by order of birth and age and color of	345
mother; single live births in 1915, and all live births, all pregnancies Table 152. Infant mortality rates, by order of birth, age of mother, and earn-	346
ings of father; live births, all pregnancies. Table 153. Infant mortality rates from specified causes, by age of mother and	347
order of birth; single live births in 1915. Table 154. Stillbirth and infant mortality rates, by interval since preceding birth, earnings of father, and color and nativity of mother; births in 1915,	347
second and later in order of birth	348
Table 155. Infant mortality and stillbirth rates, by interval since preceding birth and period of gestation; births in 1915	350
Table 156. Interval since preceding birth, by earnings of father and color	300
and nativity of mother; live births in 1915, second and later in order of birth.	351

	Page.
Table 157. Number of mother's pregnancies, by duration of mother's married life and earnings of father; live births, all pregnancies.	352
Table 158. Infant mortality rates, by number of mother's pregnancies, dura-	
tion of married life and earnings of father; live births, all pregnancies Table 159. Infant mortality rates, by interval between birth in 1915 and preceding birth; live births in 1915, second and later in order of birth, and live	353
births preceding single births in 1915	354
single births in 1915	354
1915 and infant deaths subsequent to commencement of pregnancy	355
1915 to mothers pregnant within year after birth. Table 163. Monthly death rates, by month of life and by pregnancy of mother	356
during infant's first year of life; live births in 1915	357
infant's lifetime; infants born in 1915. Table 165. Prevalence of interval under two years between births, by order of birth; single live births in 1915, second and later in order of birth and all	357
live births, all pregnancies. Table 166. Interval between births, by age of mother; single live births in	357
1915, second and later in order of birth. Table 167. Infant mortality rates from specified causes and stillbirth rates, by order of birth and interval since preceding birth; single births in 1915, second	358
and later in order of birth. Table 168. Infant mortality rates from specified causes and stillbirth rates, by age of mother and interval since preceding birth; single births in 1915, second	358
and later in order of birth. Table 169. Infant mortality rates from specified causes, by age of mother, order of birth, and interval since preceding birth; single live births in 1915,	359
second and later in order of birth. Table 170. Prevalence of plural births, by color and nativity of mother; births	360
in 1915 and births, all pregnancies. Table 171. Infant mortality, stillbirth, and miscarriage rates, by color and	201
nativity of mother; single and plural births in 1915. Table 172. Infant mortality, stillbirth, and miscarriage rates, by color and	901
nativity of mother; single and plural births, all pregnancies. Table 173. Infant mortality, stillbirth, and miscarriage rates, by character of	201
plural birth; plural births in 1915 and all pregnancies. Table 174. Prevalence of plural births, by age of mother; births in 1915 and	304
births, all pregnancies. Table 175. Prevalence of plural births, by order of birth; births in 1915 and	
births, all pregnancies. Table 176. Prevalence of plural births, by age of mother and order of birth	. 004
births in 1915. Table 177. Prevalence of plural births, by occurrence of previous plural births	. 505
Table 177. Prevalence of plural births, by occurrence of provides partial all pregnancies.	363

Table 178. Prevalence of prematurity, by single and plural births; births in	Page
1915	- 262
Table 179. Infant mortality rates, by single and plural births and prematurity; births in 1915	363
Table 180. Type of feeding, by month of life; infants born of plural births	364
Table 181. Infant mortality and stillbirth rates, by period of gestation; births	364
Table 182. Infant mortality rates, by period of gestation and color and nativity	364
of mother; live births in 1915. Table 183. Infant mortality and stillbirth rates, by sex of infant and color and nativity of mother; births in 1915.	365
Table 184 Mescalinites have the state of the	365
Table 184. Masculinity, by color and nationality of mother; births in 1915 Table 185. Miscarriages, stillbirths, and infant deaths, by interval between confinement and death of mother and by period of gestation; births in 1915	366
to mothers who died within year following confinement. Table 186. Death of mother, by period elapsing after confinement and cause of mother's death; births in 1915 to mothers who died within year following	367
Table 187. Stillbirths, miscarriages, and infant deaths, by color and nationality	367
of mother; births in 1915 and births, all pregnancies. Table 188. Stillbirth and miscarriage rates, by color and nationality of mother;	368
births in 1915 and births, all pregnancies. Table 189. Miscarriage rates, by earnings of father and color and nativity of	368
mother; births in 1915 and births, all pregnancies. Table 190. Stillbirth and miscarriage rates, by employment of mother away	368
from home and color and nativity; births, all pregnancies. Table 191. Legitimacy of birth and scheduling of illegitimate births, by color of methor; total resistant high in 1915.	369
of mother; total registered births in 1915	369
Table 193. Occupation of mother during pregnancy, by color of mother; illegitimate births in 1915.	370
Table 194. Occupation of mother during pregnancy, by occupation during year after birth; scheduled illegitimate births in 1915.	370
Table 195. Occupation during pregnancy, by age of mother; illegitimate births in 1915.	371
Table 196. Age of mother, by color; illegitimate births in 1915.	371
Table 197. Marital condition at confinement and one year later, by color of mother; scheduled illegitimate births in 1915.	372
Table 198. Order of birth, by color of mother; total and scheduled illegitimate births in 1915.	372
Table 199. Order of birth, by color of mother and legitimacy; scheduled illegitimate births in 1915, and previous births to mothers of scheduled	373
illegitimate births in 1915	374
gitimate births in 1915. Table 201. Occupation of father, by color of mother; illegitimate births in 1915.	375
Table 202. Age of mother, by age of father and color of mother: illegitimate	375
births in 1915. Table 203. Place of confinement, by legitimacy of birth; total and scheduled births in 1915.	376
births in 1915.	377

Table 204. Attendant at birth, by color of mother; scheduled legitimate and	Page
illegitimate births in 1915.	377
Table 205. Prenatal care, by color of mother; mothers of scheduled legitimate	
and illegitimate births in 1915	378
Table 206. Mother's mode of living during whole or greater part of year after	
confinement, by color of mother; scheduled illegitimate births in 1915	378
Table 207. Earnings of father or contributions to the support of mother or child	
during year following birth of infant, and mode of living, by color of mother;	
scheduled illegitimate births in 1915	379
Table 208. Contribution of father to the support of mother or child during year	
following birth of infant, by mode of living, and by color of mother; scheduled	
illegitimate births in 1915	380
Table 209. Mortality among mothers during year after confinement, by cause	
of death and color; mothers of scheduled legitimate and illegitimate births in 1915	
	381
Table 210. Earnings of mother, by period worked during year after confine-	9 .
ment and type of remuneration; scheduled illegitimate births in 1915	382
Table 211. Mother's and infant's mode of living during year after birth, by color of mother; scheduled illegitimate infants born in 1915 and surviving	
at least 2 weeks	000
Table 212. Infant mortality and stillbirth rates, by employment of mother	383
away from home during pregnancy, and color of mother; scheduled legiti-	
mate and illegitimate births and total illegitimate births in 1915.	904
Table 213. Age at death, by color of mother; deaths among illegitimate live	384
births in 1915	205
Table 214. Deaths per 1,000 live births, by age at death and color of mother;	385
total illegitimate and scheduled legitimate live births in 1915	385
Table 215. Cause of death, by color of mother; deaths among illegitimate live	900
births in 1915	385
Table 216. Infant mortality rates, by cause of death and color of mother; total	000
illegitimate and scheduled legitimate live births in 1915	386
Table 217. Cause of death, by age at death; infant deaths among illegitimate	
live births in 1915.	386
Table 218. Age of infant when mother began work, by color of mother; scheduled	
legitimate and illegitimate infants born in 1915. Table 219. Per cent of premature births and stillbirths and infant mortality	387
rates among full-term births, by employment of mother during pregnancy;	
scheduled legitimate and illegitimate births in 1915	207
Table 220. Infant mortality and stillbirth rates, by literacy and color of mother;	387
scheduled illegitimate births in 1915.	388
Table 221. Infant mortality rates, by mode of living and earnings of father or	300
contributions to the support of mother or child during year following hirth	
of infant; scheduled illegitimate live births in 1915	388
Table 222. Per cent of infant deaths, by separation of infant from mother, and	8/12
color of mother; illegitimate infants born in 1915 and surviving at 3 months and	
at 6 months of age.	389
Table 223. Infant mortality rates, by place of confinement; total and scheduled illegitimate live births in 1915	000
Table 224. Infant mortality rates, by infant's place of residence and color of	389
mother; scheduled illegitimate live births in 1915.	200
Table 225. Death rate per 1,000 infants, by removals of infant; scheduled	390
illegitimate infants born in 1915 and surviving at 3 months and at 6 months	
of age	390
Table 226. Type of feeding, by month of life, and by color of mother; scheduled	
legitimate and illegitimate infants born in 1915.	391

Table 227. Computed mortality rates for first 10 months of life, by type of feeding and color of mother; scheduled legitimate and illegitimate live	Page.
births in 1915	391
CHARTS.	
Chart I. Rental and sanitary condition of dwellings	44
Chart II. Per cent of mothers gainfully employed away from home, by fathers'	48
earnings	100
home, by color and nativity	52 57
Chart V. Infant deaths, by calendar month	58
Chart VI. Monthly death rates, by type of feeding.	70
Chart VII. Computed infant mortality rates during first 10 months of life per	
1,000 infants fed, by type of feeding and cause of death	71
began	73
Chart IX. Infant mortality rates, by color and nationality	77
Chart X. Infant mortality rates from all causes, by fathers' earnings, for infants of native white, foreign-born white, and colored mothers	80
Chart XI. Infant mortality rates from early infancy, by fathers' earnings, for	
infants of native white, foreign-born white, and colored mothers	86
Chart XII. Infant mortality rates from gastric and intestinal diseases, by fathers' earnings, for infants of native white, foreign-born white, and colored	
mothers	87
diseases, by fathers' earnings, for infants of native white, foreign-born white,	07
and colored mothers.	87
Chart XIV. Infant mortality rates, by fathers' earnings among infants of "favored group" and all other infants	102
Chart XV. Death rates among infants surviving two weeks, by fathers' earn-	110
ings and room congestion	110
actual rates compared with rates expected on the basis of the fathers' earnings	1001
and the mothers' color and nationality	115
Chart XVII. Infant mortality rates under 1 month of age and stillbirth rates, by interval between the mothers' cessation of work and confinement of	
mothers employed away from home during pregnancy	119
Chart XVIII. Infant mortality rates from early infancy and from all other	
causes, by order of birth; single births in 1915	135
Chart XIX. Infant mortality rates from all causes for each order of birth group, according to age of mother; all single births and single births following pre-	
ceding births by two years or longer, 1915	137
Chart XX. Infant mortality rates from early infancy for each order of birth	
group, according to age of mother; all single births and single births following	de la
preceding births by two years or longer, 1915	138
Chart XXI. Infant mortality rates from early infancy and from all causes for certain order of birth groups, by interval since preceding birth; single births	0
in 1915	144
Chart XXII. Per cent of deaths before end of first year of life among illegitimate infants surviving at 3 months of age, according to separation from	A COLUMN
mate iniants surviving at 5 months of age, according to separation from	
MAP	
Infant mortality in Baltimore by wards	24

LETTER OF TRANSMITTAL.

UNITED STATES DEPARTMENT OF LABOR, CHILDREN'S BUREAU, Washington, February 21, 1922.

SIR: There is transmitted herewith a study of infant mortality in

Baltimore, Md.

It is the eighth and in many respects the most important of the unique and valuable series of infant mortality studies which the Children's Bureau made while Julia C. Lathrop was its chief. Because Baltimore is the largest city studied by the bureau, the number of births is larger, and a more detailed comparison has been possible than in other studies.

Dr. Grace Meigs Crowder was medical adviser during this investigation; Estelle B. Hunter was in charge of the field work; Emma Duke and Dr. Robert M. Woodbury planned the statistical tabulation; and Anna Rochester organized the material and wrote the report. In the analysis, the "method of expected deaths" developed by Prof. Harald Westergaard was applied under the direction of Doctor Woodbury to isolate the effects of the several causal factors.

It is a pleasure to record that conditions have improved in Baltimore since the investigation was made. The city now has a bureau of child hygiene, and the opportunities for prenatal care have been increased; and, as everywhere, the corollary has been a downward trend in the infant mortality rate. The evidence which this report adds to those already made as to conditions which affect the mortality rate among infants under 1 year of age, will, it is believed, be of value to all communities that are at work on this problem.

Respectfully submitted.

GRACE ABBOTT, Chief.

Hon. JAMES J. DAVIS, Secretary of Labor. 101351°-23--2

17

LETTER OF TRANSMITTAL

United Street Breaking of the

Sec. There is reasonated belowing a way of interior account in

BAK moone High

It is the eighth and in many copports the bost topological risk to support the string property of the support topological to the support topological t

The three Meige 4 product was engined active a dampe for monthly gation. Recailed B. Hanterwas back argent she active at a regular and gard Dr. Rehert M. Woodbury planned the estimated be explored and Auna Rechester organized the making a survivors be expended in the start size that "method of argument rightly and are appeared by the damped any Northway Bod. Harder B estimate the effection of the conduction of the conduction of the conduction.

It is a plagame to provid that conditions have party up the all many more since the investigation was made. The only up the all many of child by group, and the approximation for prefixed some raw classy increased; and, as everywhere and condition has been a shownward result in the inflate mortality rate. The oxidence while the report adds to those absendy made as to conditions while other ones more that y care in all was a wife in a being a long to the providing of the many of the providing and the providing of the providing of

Islander office to see of

THE SAME ANTIGHTY, OF STREET

for June J. Davis.
Stanley y Ealth

W. C. MARTINI

INFANT MORTALITY, BALTIMORE, MD.

INTRODUCTION.

Baltimore is the eighth city in which the Children's Bureau has made an intensive field study of infant mortality. Not only do the Baltimore findings strengthen conclusions indicated in the earlier studies, but they have also a unique significance because of the detailed analysis made possible by the large number of births included in the study and because Baltimore differs in certain ways from the seven

Baltimore is the largest of the cities studied by the bureau. The population, shown by the Federal census of 1910 to be 558,485, is estimated to have been 599,817 on July 1, 1915, the middle of the calendar year covered by the study.1 It is the first city studied in which the negro population was large enough to permit analysis of the high infant mortality rate among negro babies. In fact, the composite of native white, foreign-born white, and negro elements in Baltimore was similar to that in the United States as a whole.

In the cities previously studied, some one industry predominated, but not so in Baltimore. It is not only a shipping center but also a manufacturing city producing a great variety of wares.

Baltimore is also the first city studied in which extensive infantwelfare work, including opportunity for prenatal instruction and supervision, had been carried on for several years. Hospital provision for maternity care was also relatively well developed.

In Baltimore the mortality was not markedly higher than the mortality in the birth-registration area of the United States. But this in turn is definitely higher than the mortality in certain other countries. Even when the negro births-which showed uniformly higher mortality than white births—are eliminated from consideration, the Baltimore infant mortality rate in 1916 was not only twice as high as the rate for New Zealand (and markedly higher than the rates for the cities of New Zealand) but also higher than the rates in a number of European and American cities, including London and New York. On the other hand, a number of American cities showed approximately the same mortality as Baltimore and others a higher mortality than Baltimore.2

In its population, the variety of its industries, and the rate of infant mortality prevailing, Baltimore may be regarded as a typical American city with a typical problem in relation to infant mortality.

¹ U. S. Bureau of the Census, Bulletin No. 133, p. 22. ² See Table 1, Appendix VII, p. 223.

METHOD AND PURPOSE OF THE STUDY.

The study is based primarily on the registered births (including stillbirths and miscarriages) occurring in Baltimore during the year 1915 3 and the deaths among these infants within 12 months after birth (in 1915 or 1916). The information was secured in part from the birth certificates and death certificates on file with the Baltimore Department of Public Safety, subdepartment of health, and in larger measure from the mothers who were visited by women agents of the bureau as soon as possible after the first anniversary of the baby's birth.4 In addition, information was secured from the mothers about all their babies and the deaths (or stillbirths or miscarriages) among these earlier births.

The babies born in 1915 fall into two main groups—the 13,484 legitimate and the 1,124 illegitimate.5 As the study progressed, each of these two groups had to be further divided.

Among the legitimate it was found that the families of 1,466 could not be located in Baltimore or were known to have moved away; the families of 381 were omitted as nonresidents; and for 24 babies whose families were found, and who were residents of Baltimore, detailed information was not available. Such facts as are known about these 1,871 excluded births have been analyzed and are discussed in Appendix II.5a Therefore the normal group of legitimate births whose home surroundings were studied in detail and whose infant mortality rate is given with precision includes 11,613, or 86 per cent, of the registered legitimate births.6

More difficult to trace were the 1,124 illegitimate births. Only 679, or 60.4 per cent of these could be located and information secured about their surroundings and care. Such items as were given on the birth certificates and the known deaths in Baltimore or elsewhere are, however, analyzed for the larger group of all illegitimate births. The material on illegitimate infants is presented in a special section of the report.

The infant mortality rate among the legitimate babies whose histories were traced throughout the year was 103.5 per 1,000 live births. The rates for the other groups were unsatisfactory, but the known deaths among the illegitimate babies indicate a rate about three times as high as the rate in the normal group.7

³ For discussion of birth registration in Baltimore, see Appendix I, p. 185.

⁴ The father, provided he was able and willing to give the information, might be interviewed if the mother was not at home or if it was otherwise inexpedient to see the mother; others (as custodians or relatives living with the baby's family) might be interviewed (1) when the parents were dead or it was impossible to see them; (2) when the relation of such persons to the family and their information were such that there was no question as to their knowledge of facts; and (3) when their reliability was otherwise unques-

⁵ In addition there were 28 stillbirths or miscarriages whose legitimacy was not reported and for whom no information could be secured.

⁵a See p. 189.

See Table 2, Appendix VII, p. 223.
 See Table VII, p. 170. For mortality among excluded legitimate births, see Appendix II, p. 189. For mortality among illegitimate infants, see p. 168.

No rate is offered as exact for Baltimore as a whole.⁸ Even the rate for the group of families studied in detail can not be considered an exact rate for all legitimate babies in Baltimore. While all the nationalities living in Baltimore, all grades of economic status, and mothers working and not working for wages are represented in the large group on which the main body of the study is based, their distribution in the group may not be identical with their distribution in the families about which information was not secured.

But the study is directly related to the city. Certain items were noted about the houses in which the babies born in 1915 lived and civic conditions affecting their health. Families in which either mother or baby was away from Baltimore surroundings four months or more during the year were excluded from the detailed study, even when the facts about them were clear. The facts about earlier births or "maternal histories" are not, however, so directly related to Baltimore.

Many known social factors in infant mortality were present in Baltimore—poverty, gainful employment for married women, imperfect sanitation, room congestion, and artificial feeding of young babies. Whether these were more or less prevalent in Baltimore than elsewhere is a question outside the scope of the present study, the aim of which is, rather, to show how these factors, and others, were related to infant mortality among the Baltimore babies about whom detailed information was available.

Statements of nationality or color are uniformly based on the color or nationality (mother tongue) of the mother. For example, in the discussion of fathers' occupations and earnings, the fathers are sometimes referred to as native white, foreign-born white, Jewish, etc., to avoid constant repetition of some such cumbersome phrase as "fathers of babies born to native white mothers."

In the distribution of certain factors—the percentage of "mothers" or "fathers" or "families" of whom one or another statement is made in the text—the presence of plural births is disregarded. It is assumed that the number of births and the number of mothers, etc., are identical. The actual error involved is slight, but it should be remembered that data are based, for example, not on "mothers employed" but on "births to mothers employed."

 $^{^8}$ The relation of the rates given in this study to rates for the city as a whole is discussed in Appendix III, p. 193.

⁹ Intermarriage between white and colored is forbidden in Maryland. In the study of infant mortality in Waterbury, Conn., an analysis was made of the nationality of the mother in relation to that of the father. In 87 per cent (1,911 ases) of the total 2,197 cases, the nationality of the fathers was the same as that of the mothers. Infant Mortality: Results of a Field Study in Waterbury, Conn., Based on Births in One Year, by Estelle B. Hunter, Children's Bureau publication No. 29, p. 116.

"No rate is character as a following the analysis of the state of the constant of the constant

But the amin's directly related to the city, it evain held were noticed among the houses in which the indices here in 1915 beed and sit is conditioned affecting their health. Framilies in which either makes to condition of laby was away from Belandors surrounding forements of more directly than the detailed from the detailed study of their conditions and the condition of the condition which were about them were about the matter about entire for the facts about them were about not translated for the facts about them were their however, so then the allowed the facts and the facts are not however, so the other allowed the facts and the facts are not however, so the other allowed the facts and the facts are not however, so the other allowed the facts and the facts are not however, so the other and the facts are facts and the facts and the facts are not the facts are not the facts and the facts are not the facts are not the facts are not the facts and the facts are not the facts are not the facts are not the facts and the facts are not the facts are not the facts and the facts are not thand are not the facts are not the facts are not the facts are not

Many homes wear there's in infant morality was present in Dalthours prevent, and a suplet fortunation prevent, and a suplet fortunation provent, and artificial feeding of North individual Northern those were trace of less prevalent in Listemanic and an also being the fortunation of the prevent and and a literature of where is satured to show how these factors, and others the related to take a saturation and allow the saturation of the prevent and others were related to take a strong the Baltimore balts allowed the saturation was a middle.

representation of the collection of the mailton of branch or the collection of the collection of the mailton of the mailton of the mailton of the collection of the collection

In the distributed of the production of a percentage of a normal of the marks of the percentage of a more or more restricted and the marks of the process of percentage is descented. It is associated that the process of the fact the number of more restributed that the process of the percentage and the number of more restricted to a signal that the process of the percentage is a signal of the process of the percentage of the

artistical in committee and the form of the control of the control

partition from the property of the control of the c

THE BABIES' SURROUNDINGS.

BALTIMORE.

In 1729 the inhabitants of Baltimore County addressed a petition to the general assembly for the erection of a town upon the Patapsco River. About 70 years later (in 1797) the town was incorporated as Baltimore City with a population of 20,000 persons. The settlement centered about the water front, and many houses of the shipbuilders, merchants, and sea captains of these early days still stand in the district east of the Fallsway. With the growth of the last century, the "old families" have moved away from the water front, wharves and warehouses have been extended, and the homes of the leaders in former days have passed to the immigrants of vesterday.

Commercially the water front has remained of primary importance to Baltimore. The city has spread far to the north and west of the original settlement, and freight yards and factories have carried business into other parts of the city, but the center of business life is still near the river. In the fourth ward, which lies at the head of the basin, just south and east of the physical center of the 30 square miles of Baltimore City, 10 are the city hall and the customhouse, the newspapers, banks, and business offices, and, along the water front, docks, warehouses, and factories. East and south of the fourth ward docks and warehouses extend along the entire shore; and the irregular contour, especially marked in the southern districts, increases enormously the water front available to a comparatively small and compact territory.

But at the time of this study business did not monopolize the eight wards of the water front.¹¹ The more prosperous residents had moved to the north, but the poorest native white families and colonies of the foreign born remained. The negroes lived mainly in other sections of the city, but in the fourth ward and the twenty-second ward (directly south of the fourth) a considerable percentage of the births were colored. In the eight water-front wards were born more than one-third of the Baltimore babies of 1915.¹²

The foreign neighborhoods extended into two other wards—the eighteenth ward, just west of the fourth, and the fifth ward, just east of the fourth and north of the third. In these two small adja-

¹⁰ Before the annexation of additional territory on January 1, 1919.

¹¹ Wards 1, 2, 3, 4, 21, 22, 23, 24. For the tabulations on which following statements are based see Tables 3, 4, 5, 6, and 7, Appendix VII, pp. 224 to 229.

^{12&}quot;Baltimore" in this study refers to the 24 wards of Baltimore City as it was before the annexation of surrounding territory, January 1, 1919.

cent wards and the eight wards of the water front were more than two-thirds of the Baltimore births to foreign-born white mothers and all the foreign neighborhoods except the Bohemian colony near the Johns Hopkins Hospital. In these 10 wards, also, were nearly two-thirds (65.8 per cent) of the white babies whose fathers earned less than \$550 during the year after the birth in 1915.

for the erection of a town open the range of large was far argument.	Live births.			
Class.	Baltimore City (24	The 10 wards.1		
sendiamon de gras la morant quant pun de diverto. Dil 1901 mare la escala fixen asold in Suinte		Number.	Per cent.	
Total.	10,797	4,581	42.4	
Foreign-born white mothers	2,753 2,130	1,899 1,402	69. 0 65. 8	

¹ Wards 1, 2, 3, 4, 5, 18, 21, 22, 23, and 24.


The largest distinctively foreign neighborhoods lay east of the fourth ward. Crossing the Fallsway eastward on Baltimore Street, one stepped from the business of the fourth ward into a district of dwellings and small shops from which the main currents of city life seemed singularly remote. In the fifth ward and the third ward which lay north and south of East Baltimore Street at this point, only 13 per cent of the babies were born to native white mothers. Almost half were foreign-born Jewish and one-fifth were Italian.

Just south of East Baltimore Street, in the third ward, were the blocks described in detail as the Albemarle Street district in the 1907 study of housing conditions in Baltimore. Except that between 1907 and 1915 the sewer had been built and many, though not all, of the toilets in the third ward had been connected, that report gives a true picture of the neighborhood when the babies studied were born—one-family dwellings used as tenements; extensions crowding the lots and reducing light and air to a minimum; poorly paved yards reeking with waste water (the gutters in many streets still ran with surface drainage); and live stock in congested sheds or cellars, chicken slaughterhouses, stables, and manure piles adding their odors to the general stench.


Farther south and east in the third ward the neighborhood shifted; the Jewish signs were less frequent and the Polish colony began. The Polish colony was nearer the water front in the third ward, and in the second ward and the first which follow on the east.

A typical neighborhood in the Polish colony is described in the 1907 housing report referred to above. Here also the one-family

¹³ Housing Conditions in Baltimore, a study under direction of Association for the Improvement of the Condition of the Poor and Charity Organization Society, Baltimore, 1907.



101351°-23. (To face p. 24.)



house of an earlier day was the prevailing type of tenement. In lot congestion and in neglect of necessary repairs, the report found this neighborhood slightly better than the Albemarle district, and there were no chicken slaughterhouses. Dampness, however, in cellars and yards was no less prevalent.

A much smaller Polish colony lived across the Basin, in the eastern part of the twenty-fourth ward in the district known as Locust Point. Behind the railroad piers, the dry docks, and the grain elevators which line the water front, and separated from the western part of the ward by railroad tracks and, at the time of this study, by a wide stretch of unbuilt land, lived this isolated community, made up largely of Poles and other foreigners working on the water front and in the big industrial plants of the districts. The lack of sanitation and the filthy condition of the streets in this district were conspicuous. In the twenty-fourth ward as a whole considerably more than half the babies were in homes which had no sewer connection. The streets is the sanitation of the streets in this district were conspicuous.

In the foreign neighborhoods west and south of the business center of the fourth ward, ¹⁶ the largest single group of foreign-born families was the Lithuanian, and 91 of the 100 babies of Lithuanian mothers in Baltimore lived in the fourth or the twenty-second ward or just west of these in the eighteenth or the twenty-first ward. Almost no Polish families lived in the wards west and south of the central business district, and foreign-born Jewish families were slightly less numerous than Italian families. In the twenty-second ward, also, were the blocks selected in the 1907 housing study to show the worst conditions in negro dwellings in Baltimore. But there were fewer births to colored mothers than to foreign-born white mothers in this ward.

The largest negro neighborhood lay northwest of the downtown business district. More than half the births in the seventeenth ward (which adjoined to the north the western part of the fourth ward) were colored; and this ward, with the fourteenth which lay beyond it to the north and the eleventh ward which adjoined them both on the east, included almost one-third of the total number of negro births in Baltimore.

¹⁴ The tabulations do not show how the 447 live births to native white mothers and the 158 live births to foreign-born white mothers were divided between the Locust Point district and the western part of the ward. But the Locust Point district was popularly supposed to be chiefly foreign and the western part of the ward chiefly native born.

¹⁵ See Table 4, Appendix VII, p. 224.

¹⁶ Wards 4, 18, 21, 22, 23, and 24 except Locust Point.

TABLE I .- Ward of residence; live births to colored mothers in 1915.

to one or me store to the country repairs, the report bound		Live births to colored mothers.		
Ward group.	Number.	Per cent distrib- ution.		
Total.	1, 305	100.00		
Wards 11, 14, 17 Wards 15, 16, 18, 22 All other wards ¹	414 338 553	31. 7 25. 9 42. 4		

¹ Wards in which less than one-fifth of the births were to colored mothers.

Certain alleys in the seventeenth ward were described in the 1907 study of housing conditions in Baltimore as typical of negro alley dwellings in the city. This study showed space to be less congested in the Negro alleys than in the Jewish and Polish districts east of the Fallsway. But it found a higher percentage of dwellings seriously out of repair, and it referred especially to the lack of decent toilet facilities and to the filthy dampness of the alleyways. At the time of this study the percentage of babies born into homes which lacked sewer connection was more than twice as high in the seventeenth ward as that in any one of the four poorest white wards. 17

Around these districts, where the poorest homes predominated and where native white families were in the minority, the city stretched out to the east, to the north, and to the west. The small downtown district of fashion and wealth lay directly north of the fourth ward—a narrow belt in the eleventh ward—between the negro district on the west and the steep slope that dropped to the factories and railroad tracks along the Fallsway on the east. The other choice residential districts were to the north and northwest of this, about Druid Hill Park and toward the Johns Hopkins University and beyond.¹⁸

In no ward, however, did births among the well-to-do predominate, and no ward was without a quota of foreign-born and negro families.¹⁹

Baltimore has been called a city of homes. The present study offers no basis for comparing Baltimore with other cities in respect to the prevalence of one-family houses, but it was found that slightly more than two-thirds (68 per cent) of the infants whose dwellings were studied lived in one-dwelling buildings and only 3 per cent lived in buildings of five or more dwellings.²⁰ Twenty-eight per cent of

¹⁷ Wards 2, 3, 5, and 22 showed median earnings of the fathers under \$650. For exact percentages of dwellings with sewer connection in the several wards, see Table 4, Appendix VII, p. 225.

¹⁸ Of the 197 live births in families where the father earned \$2,850 and over, 134, or 68 per cent, lived in the eleventh ward, or in the twelfth, thirteenth, fourteenth, or fifteenth wards to the north or northwest of the eleventh ward. Of the 44 infants surviving at least two weeks who lived in rented dwellings with rental of \$50 or more a month, 42 lived in these five wards. See Tables 5 and 6, Appendix VII, pp. 226 and 228.

¹⁹ See Tables 3 and 5, Appendix VII, pp. 224 and 226.

²⁰ See Table 10, Appendix VII, p. 230.

the families owned the dwellings in which they lived, but behind this average percentage there were wide variations in the different wards and in the different earnings groups. Speaking generally, the higher the fathers' earnings and the higher the economic level within a ward the higher was the percentage of families owning the dwelling in which they lived. This percentage rose to 50 per cent and 56 per cent, respectively, among the families throughout the city where the fathers earned \$1,250 to \$1,849, and \$1,850 and over. Wards 1, 6, 7, 9, 15, and 16 also showed more than one-third of the infants in families who owned their dwellings. But these should be contrasted with the seven wards (4, 5, 11, 17, 18, 22, and 23) where only 15 per cent or less owned their dwellings, and the very small percentages of homes owned by families in the lower earnings groups.²¹

Baltimore is built on the alley plan, and in these narrow back streets lived a considerable percentage of the population, especially of the negroes. The evils of unpaved and dirty alleys were recognized by the city officials, and in 1916, during the epidemic of poliomyelitis, a systematic flushing of the alleys was attempted. Paving of the alleys was gradually being pushed, but the Municipal Journal stated in February, 1917, that 800 alleys were then under contract to be paved and in addition 1,279 alleys had not yet been paved nor contracted for. Alley dwellings have not been tabulated separately in the present study, but they unquestionably housed many of the colored babies and many of the babies in the poorest white families.

The sewerage system of Baltimore was opened in 1911. Of the 10,336 infants whose dwellings are included in the present study, 2,364, or 23 per cent, had toilets not connected with the sewer. The great majority of these dwellings were in wards which included open blocks and outlying districts. The tabulations do not show how many of the dwellings without sewer connection were in open blocks and how many in thickly settled parts of these wards. It was found, however, that in 13 wards having no outlying districts, 598 infants lived in dwellings without sewer connection, and the percentage having no sewer connection varied in these 13 wards from 1 per cent in the fourth ward to 35 per cent in the nineteenth ward and 37 per cent in the first ward.²²

During 1916 a vigorous clean-up campaign was inaugurated, the Women's Civic League and the Women's Cooperative Civic League working with the city departments to secure the cooperation of householders throughout the city in more efficient handling of garbage and other refuse. In 1916 a city ordinance was enacted requiring householders to use covered metal cans for garbage awaiting collection.

²¹ See Tables 7 and 9, Appendix VII, pp. 229 and 230. 22 See Table 4, Appendix VII, p. 225.

mothers' color and nationality.

The group of Baltimore births includes nearly 7,000 native white families, nearly 3,000 white families in which the mother was of foreign birth, and more than 1,000 negro families. Or, in exact percentages, 62 per cent of the births were to native white mothers, 25 per cent to foreign-born white mothers, and 13 per cent to negro mothers.²³

TABLE II.—Color and nativity of mother; births in 1915.

or vertices the transfer the Plant of 23 where only 15 per		Births in 1915.	
Color and nativity of mother.	Number.	Per cent distribu- tion.	
Total	11, 195	100.0	
Native white, Foreign-born white. Colored	6, 937 2, 837 1, 421	62. 0 25. 3 12. 6	

Foreign-born white families.

The tabulations do not show how many of the native white mothers were of foreign parentage and what foreign stocks predominated; but in 1910, according to the Federal census, more than one-third (34 per cent) of the native white population of all ages and both sexes was of foreign or mixed parentage. The principal groups were, in the order named, German, English and Celtic (chiefly Irish), Jewish, and Polish. Together these groups comprised almost 90 per cent of the total number of native white persons of foreign or mixed parentage and about 30 per cent of the total native white population.²⁴

In 1910 the same four groups predominated among the foreign-born population in Baltimore that have been noted among the native white population of foreign or mixed parentage. The order of numerical importance was somewhat different, however, with the Jewish and Polish groups each larger than the English and Celtic (chiefly Irish) group. The German group was both actually and relatively smaller among the foreign-born white population than among the native white population of foreign or mixed parentage. In the present study, based on births in Baltimore during the year 1915, the group of foreign-born German mothers was smaller than the groups of foreign-born Jewish, Polish, or Italian mothers.

Certain important elements in the foreign-born population of the United States were not sufficiently represented in Baltimore to appear in the present study. For example, the detailed study of legitimate

²⁸ See Tablé 69, Appendix VII, p. 280.

²⁴ See Table 11, Appendix VII, p. 230.

births includes 21 births to foreign-born mothers of western European nationalities other than German or English and Celtic, and 77 to mothers of eastern European nationalities other than Polish, Bohemian, and Lithuanian. In the analysis of conditions and mortality rates in the foreign-born families—that is, among infants of foreign-born white mothers-discussion will cover mainly the Jewish, Polish, and Italian groups.

Table III .- Nationality of mother; births in 1915 to foreign-born white mothers.

Nationality of mother.	Births ¹ to foreign- born white mothers.		to replace the studies at	Births 1 to foreign- born white mothers.	
	Num- ber.	Per cent distri- bution.	Nationality of mother.	Num- ber.	Per cent distri- bution.
Total	2,894	100.0	Bohemian.	112 105	3.9
Jewish. Polish. Italian German. Irish. English, Scotch, and English- Canadian.	1, 011 655 440 331 101	34. 9 22. 6 15. 2 11. 4 3. 5	Russian. Other western European 2. Othereastern European 3. All other 4.	24 21 53	1.8

1 Includes miscarriages.

Norwegian, 5 French, 3 Dutch, 2 Swedish, 2 Spanish, 1 Danish.
19 Greek, 13 Magyar, 6 Serbian, 5 Slovak, 4 Rumanian, 4 Ruthenian, 2 Slavic (not otherwise specified).
3 French-Canadian, 1 Arabian.

The length of time these different groups had been in the United States reflects the general shifts in the tide of immigration. More than 25 per cent of the German, Bohemian, and English and Celtic mothers had been here 20 years or longer,25 and less than half had come during the last 10 years.

Length of residence of mother in the United States.	Per cent distribution of births a in 1915.			
	German mothers.	English and Celtic mothers.	Bohemian mothers.	
Total	100.0	100.0	100.0	
Under 10 years	34.7 24.7 39.3 1.3	28. 3 41. 3 29. 0 1. 4	39. 3 29. 5 30. 4 0. 8	

a Includes miscarriages.

Among the Lithuanians and Italians and the 102 mothers of various nationalities (Russians, other eastern Europeans, "other western Europeans," and "all other") more than half had come to the United States within 10 years and, except among the Lithuanians, more

²⁵ The difference between these three groups should be noted.

than one-third had come within 5 years. The Jewish and Polish immigration had been more evenly distributed over a long period of years than any other, with more mothers who had come during the last 10 years than during the 10 years next preceding, but also with a high percentage who had been in the United States 20 years or more.²⁶

The groups which had been longest in the United States were least separated from the life of the community. Their economic status approached that of the native white American; the mothers more generally spoke English; and the families lived not in the poorest neighborhoods where the foreign born predominate, but in wards of average prosperity, where more than half the births were to native white mothers.

Table IV.—Median earnings of fathers and percentage of mothers unable to speak English, by color and nationality of mother; live births in 1915.

Color and nationality of mother.	Median earnings of fathers.a	Per cent of mothers unable to speak English.b	Color and nationality of mother.	Median earnings of fathers.a	Per cent of mothers unable to speak English.b
Native white. Foreign-born white. English and Celtic. German. Bohemian. Jewish.	\$796 619 781 718 703 664	37.3 14.4 17.9 18.4	Foreign-born white—Contd. Polish Lithuanian Italian All other Colored	\$555 525 540 671 474	63. 5 71. 4 66. 0 43. 1 0. 1

 a Based on births, not including miscarriages except for English and Celtic, Bohemian, Lithuanian, and "all other foreign." For method by which median earnings are computed, see Appendix IV, p. 197. b Based on births, not including miscarriages except for Bohemian, Lithuanian, "all other foreign," and colored.

Nationality of mother.	Births a in 1915.	Estimated median residenceof motherin United States.	
and near two wa	t deriver to	Years.	Months.
English and Celtic German Bohemian Jewish Polish Lithuanian Italian All other foreign-born white	138 331 112 1 011 655 105 440 102	14 14 12 10 9 8 7 5	6 2 6 5 8

a Includes miscarriages.

The median conceals, however, the important fact that 20 per cent of the Poles and only 6 per cent of the Lithuanians had been in this country 20 years or longer. For detailed tabulation see Table 12, Appendix VII, p. 231.

26 The median residence in the United States reported by the several groups offers a convenient summary of their relation on this point.

While, on the whole, the nationality groups varied in these respects according to the median periods that they had been in the United States, three exceptions appear—among the Italians, the Bohemians, and the mixed group of "all other foreign."

The Italian families, among whom relatively more had come within the last five years than the Lithuanians, reported higher median earnings than the Lithuanians and a slightly smaller percentage of mothers unable to speak English. The Italians were also more

widely scattered through the city than the Lithuanians.27

The Bohemian families, who belonged to the older immigration and whose economic status was far above that of the recent immigrants, had stayed mainly in one district. Of the 107 live births to Bohemian mothers, 93, or 87 per cent, were in the three wards about Johns Hopkins Hospital, a distinct colony in wards where, on the whole, native white families predominated.²⁸ On the other hand, the Bohemian families had a higher percentage owning their homes than any other group in Baltimore—not only higher than any other foreign-born group, but also more than twice as high as the native white group: Bohemians, 73 per cent; native white families, 31 per cent.

The mixed group of "all other foreign" families, in spite of the shortest median period in the United States, had higher median earnings than any other foreign group except the English and Celtic, German, and Bohemian, and fewer mothers unable to speak English than the Poles, Italians, and Lithuanians. It will be remembered that about one-fifth of the "all other foreign" families were western Europeans of the older immigration, but in the main this group consisted of Russians and southeastern Europeans. In this group, also, the percentage of families owning their homes (33 per cent) was about equal to the percentage among the native white families (31 per cent) and higher than that among any other foreign group except the Bohemians (73 per cent) and the Germans (47 per cent).²⁹

Furthermore, while the variations in the extent to which foreignborn mothers had learned English correspond roughly with the variations in the length of time that the groups had been in the United States, certain marked differences persist when a comparison is made of the mothers in each nationality who had been in the United States less than 5 years, or those who had been here 10 years and

²⁷ Of the 100 Lithuanians, 91 were in a compact neighborhood made up of parts of 4 contiguous wards, while 16 wards reported no birth to a Lithuanian mother. Of the 412 Italians, 50 per cent were in the 2 wards just east of the Fallsway (the third and the fifth), 26 per cent were in the other wards of the water front (wards 1, 2, 4, 21, 22, 23, and 24), and the remainder were distributed throughout the city. Only 3 wards (the ninth, eleventh, and the thirteenth) reported no live birth to an Italian mother. See Table 3, Appendix VII, p. 224.

²⁸ Wards 6, 7, and 8. See Table 3, Appendix VII, p. 224.

²⁹ For percentages of homes owned in the several groups, see Table 8, Appendix VII, p. 229.

over. In each comparison, a relatively high percentage of the Poles and of the Italians and a relatively low percentage of the Jews spoke no English.30 The fact that illiteracy was far more prevalent among the Poles and Italians than among the other foreign born may account in part for their failure to learn English. For within each nationality31 a higher percentage of mothers spoke English among those who could

read and write than among the illiterate.

Illiteracy, inability to speak English, and poverty seemed to go hand in hand. Not only were there more mothers who could not read and write, more mothers who could not speak English, and more very poor families among the recent immigrants (especially the Italians and the Poles) than among the Jews and the older immigration, but within each nationality, also, the poorer the fathers the higher the percentages of mothers who were cut off from the community by inability to speak English or by inability to read in any language.32

Colored families.

The proportion of negroes in the population of Baltimore at the census of 1910 was somewhat greater than that in the United States as a whole and decidedly above the average for the cities of 500,000 or more population-15 per cent in Baltimore, 11 per cent in the United States, and 3 per cent in the large cities. In actual number of negroes Baltimore ranked in 1910 as the fourth city of the United States.33

Practically all the negroes in Baltimore were of native birth, and most of them were born in Maryland. Nine per cent of the negroes in Maryland in 1910 had come from Virginia; 87 per cent were native in Maryland; and less than 1 per cent had come from any other State. What proportion of the negroes had been born in Baltimore is not known. The increase in negro population in Baltimore from 1900 to 1910 accompanying a decrease in negro population in the State of Maryland as a whole indicates a drift from the country to the city.34

Shifting of the colored population within the city was limited at the time of this study by a segregation ordinance, which prohibited any colored person from moving into a block occupied wholly by white persons (and vice versa). This ordinance had been passed in 1913 and was in force until it became invalid through the decision

³⁰ See Table 14, Appendix VII, p. 232.

³¹ Based on data for Jewish, Polish, Italian, German and "all other foreign" (including Lithuanian). See Table 13, Appendix VII, p. 231.

³² See Tables 15 and 16, Appendix VII, p. 232.

³⁸ Negro population: Washington, 94,446; New York, 91,709; New Orleans, 89,262; Baltimore, 84,749; Philadelphia, 84,459; Memphis, 52,441. See U. S. Bureau of the Census, Vol. I, Population statistics 1910,

³⁴ U. S. Bureau of the Census, Thirteenth Census of the United States, 1910, Vol. II, Population statistics, p. 837; Bulletin 129, Negroes in the United States, 1915, pp. 14 and 58.

of the United States Supreme Court in the Louisville segregation case.³⁵ The rentals paid by colored families were excessively high.

Only 6 per cent of the colored families included in the study owned the dwellings in which they lived. This percentage was smaller than the corresponding figure in the poorest families, all nationalities combined, and smaller than in any one of the foreign groups.³⁶

Illiteracy was more prevalent among the negroes in Baltimore—13 per cent illiterate—than among the negroes in any other city having 500,000 population or over at the 1910 census. Only St. Louis approached it, with 12 per cent of the negroes illiterate.³⁷ A comparison of the negroe mothers and the native white mothers included in the detailed study also indicates the neglect of education for the negroes. Thus, 12 per cent of the negroe mothers as against 2 per cent of the native white mothers were unable to read and write. In the poorest native white families, where the percentage of illiteracy rose above the average (to 6 per cent in families with fathers earning less than \$450, and 5 per cent in families with fathers earning \$450 but less than \$550), it was much lower than the percentage in the negro families.

In Baltimore separate schools and playgrounds were provided for white and colored children, but the colored leaders interviewed by the agents of the bureau referred to the fact that provision for their children was inferior to that for white children. They pointed out the lack of a colored industrial school in Baltimore and the absence of provision for mental defectives.

Negroes in Baltimore had political representation; the seventeenth ward had for some years been represented by a negro in the city council. Several organizations of colored people were found working for improvement of education, of civic conditions, and of health conditions. The Federated Charities had enlisted the cooperation of colored leaders.

Such agencies as the hospitals, the Babies' Milk Fund Association, and the Children's Aid Society were serving both the white and the colored population.

Social questions arising from differences in color and nationality.

Isolation of a group from the life of the community as a whole may or may not affect the physical welfare of the babies of the group. If it deprives men of economic opportunity, because they can not pass barriers of language or of color, the babies born into their homes will pay with a high mortality the price of the fathers' poverty. If it cuts off women from the services of nurses and hos-

^{**} Buchanan v. Warley, 245 U. S. 60, reversing Harris v. City of Louisville, 165 Ky. 539. Decided Nov. 5, 1917.

⁸⁶ See Tables 8 and 9, Appendix VII, pp. 229 and 230.
27 U. S. Bureau of the Census, Bulletin 129, p. 102.

^{101351°-23---3}

pitals and from opportunities to learn fundamental principles of the hygiene of maternity and infancy, the babies of the isolated group will suffer from their mothers' ignorance and lack of care. If, on the other hand, the foreign mother steps outside of her colony merely to exchange the traditions of the Old World for the habits of her American neighbors, without guidance from a trained adviser, her contact with the community will be of doubtful value to her baby.

Several items in the data collected throw light on the contacts with the community established by the groups of foreign born and by the negroes in Baltimore. It is possible to examine the occupations in which the fathers in foreign and negro families were engaged and their earnings, as compared with the earnings of fathers in the native white families in the same occupations; to compare the dwellings which, whether from choice or necessity, were occupied by the several groups, and the home conditions into which the babies were born; and to note how white and colored mothers were supplementing the fathers' earnings and the extent to which they were going out into the community to work. It has already been noted how many mothers were unable to read and write, and how many of the foreign-born white mothers spoke no English. It is interesting to see how the knowledge of English had reacted upon the customs of the foreign born in regard to infant feeding; and to what extent the community agencies for instruction in hygiene and for medical care were serving the mothers in the several groups.

FATHERS' EARNINGS AND OCCUPATIONS.

The native white families were the most well-to-do and the negro families were the poorest in the city, while the foreign-born groups varied in economic status from English and Celtic,38 whose earnings were only a little lower than the earnings in the native white families, to the Lithuanians, whose earnings were considerably above the earnings of the colored fathers. In the native white group, however, less than half the fathers earned as much as \$850. The percentage of fathers earning at least \$850 ranged from 42 per cent (based on total births) of all in the native white families to 4 per cent of all in the colored families.39 It may be fairly assumed that at the time of this study the difference between \$850 and \$1,850 marked the difference between a minimum of subsistence and a fair standard of comfort. Four per cent of the families (total births) lived at the comfort level: among the native white families, 6 per cent; and among the colored families, two-tenths of 1 per cent. That is to say, of the 10,797 liveborn babies only 431 were in families where the father earned so much as \$1,850.

⁸⁸ Including Irish, Scotch, and Welsh.

³⁹ See Table 20, Appendix VII, pp. 238-239.

Fathers' earnings and family income.

The father's earnings are used as the index to the family's economic status because they are the normal source of the family income, and the assumption in the United States is that a man's earnings will be sufficient to meet the needs of wife and children. In Baltimore, the father's earnings were in fact the main source of income and usually determined the family's economic status. Fifty-five per cent of the births were in families without income from any source except the father's earnings, and 23 per cent in families where the father's earnings were supplemented only by earnings of wife or children; 4 per cent, where the family's earnings were supplemented by earnings of other relatives living in the household, or by money from pensions, or compensation allowances, and 10 per cent, where the cash earnings of the family were supplemented by gifts or by meals given in part payment for services rendered. Only 7 per cent were in families with any income from insurance, investments, or rents from tenants outside the family's dwellings.40

Where the father's earnings were below the level of decent subsistence (reckoned at \$850 at pre-war prices), the family income also was usually below \$850. In this study 7,171 births were in families where the father earned less than \$850; of these, 3,672 had no other source of income except the father's earnings, and 2,753 reported earnings from other members of the household 41 in such amounts that the aggregate earnings of the family remained below \$850. Only 109 of the families where the father earned under \$850 had total earnings from all wage earners in the family amounting to \$1,250 or more, and four-fifths of the families whose total earnings were under \$850 had no other source of income. In all, then, 7,171 births, or 64 per cent of all studied, were in families where the fathers earned less than \$850; and at least 5,249 births, or 47 per cent of all, were in families where the total family income was also less than \$850. In addition, 1,336 births, or 12 per cent, were in families where the aggregate earnings were under \$850, but were supplemented by meals, gifts, or income from other sources.

The amount of income received from insurance, investments, or rents was not asked, but simply whether the family received income from such sources. It should be noted, however, that in no fathers' earnings group under \$1,250 did so many as 10 per cent of the families report income from such sources. Where the fathers earned \$1,250 but less than \$1,850, 11 per cent reported income from insurance, investments, or rents, and where the fathers earned \$1,850 or over, 21 per cent.⁴²

⁴⁰ See Tables 26, 27, and 28, Appendix VII, pp. 243-244.

⁴¹ Including, besides earnings, pensions, compensation allowances, and alimony, where these were reported.

⁴² Tables 26, 27, and 28, Appendix VII, pp. 243-244.

The exact amounts received from family earnings apart from the father's earnings are not tabulated in detail. It is known, however, that more than half the mothers who worked within the year after the baby's birth earned less than \$150.43 And considering only families where fathers' earnings were supplemented by earnings of other members of the family, when earnings are classified in five groups (under \$550, \$550 to \$849, \$850 to \$1,249, \$1,250 to \$1,849, and \$1,850 and over), it is found that about one-third of the families fell in a higher earnings group on the basis of aggregate earnings than that in which they belonged on the basis of fathers' earnings.44

Except where the father's earnings by themselves approached the level of comfort, the great majority of the families (93 per cent) were dependent on their own exertions for support. And the amounts earned by wife and children, when these were employed, were usually too small to lift the family to a definitely higher economic level than that provided by the father's earnings.

Fathers' occupations.

The differences in the earnings of the fathers in the native white, foreign-born white, and the colored groups reflect differences in the kinds of work the fathers did and in the regularity of their employment. It was commonly stated that negro workers were paid lower wages than white workers in the same occupations. The tabulations do not furnish exact evidence on this point, but they do show unmistakably that the annual earnings of negro workers were lower than the annual earnings of white workers in the same occupations. Occasional striking instances of difference in pay for white men and colored men doing the same work were noted by the bureau agents.

The census classification of occupations according to subdivisions of the great fields of manufacturing, trade, transportation, clerical occupations, domestic and personal service, public service, agriculture and animal husbandry, extraction of minerals, and professional and semiprofessional pursuits, throws little light on the economic status of the persons engaged in them. In the present study, therefore, the occupations of the fathers have first been classified according to this method and then regrouped according to the median earnings of the fathers in each occupation. This further grouping gives five classes of occupations in which median earnings were: I, under \$550; II, \$550 to \$649; III, \$650 to \$849; IV, \$850 to \$1,049; and V, \$1,050 and over.

⁴⁸ See Table 30, Appendix VII, p. 245.

⁴⁴ Four thousand seven hundred and thirty-six births were in families where fathers' earnings were supplemented by family earnings and the amounts of the fathers' earnings and the aggregate earnings were known. Sixty-five per cent fell in the same earnings group on both bases. See Tables 26 and 29, Appendix VII, pp. 243 and 244.

⁴⁵ For the method by which median earnings are computed, see Appendix IV, p. 197.

In Group I (under \$550)^a were cannery operatives; laborers, except those employed in public service; janitors and elevator men; servants, except waiters; and the small number engaged in "agriculture, animal husbandry, and extraction of minerals." In Group II (\$550 to \$649)^a were all factory operatives, except cannery workers; shoemakers and tailors; deliverymen and chauffeurs, teamsters, and expressmen; waiters; and laborers employed in public service. The total number of births with fathers in these two groups of occupations was 5,292, or 47 per cent of all births studied.

Groups III (\$650 to \$849)a and IV (\$850 to \$1,049)a included all the other types of skilled manual labor-blacksmiths, boilermakers, skilled mechanics in the building trades, engineers and firemen in industrial establishments, and barbers, with median earnings \$650 to \$849; compositors, electricians, machinists, conductors and railway trainmen, and express, telegraph and telephone employees, with median earnings \$850 to \$1,049. (No type of manual labor showed median earnings so high as \$1,050.) In Group III (median earnings \$650 to \$849) were included also men engaged in clerical occupations, saloon keepers and bartenders, and unclassified employees designated as "others" in manufacturing and mechanical occupations, in trade, in transportation, and in public service. Group IV (median earnings \$850 to \$1,049) included in addition to the more highly paid manual workers, salesmen and commercial travelers, firemen and policemen, proprietors and managers of hotels, pool rooms, etc., and retail and wholesale dealers, together with officials and managers in retail and wholesale trade. The number of births in families representing these two groups of occupations was a trifle smaller than the number in the more poorly paid occupations, and totaled 4,972, or 44 per cent, of all the births studied.

Group V (median earnings \$1,050 and over) was made up of men in six types of occupations—builders and contractors; manufacturers, proprietors, officials, etc., in manufacturing and mechanical industries; bankers, brokers, and real estate and insurance agents; proprietors, officials, and managers of transportation; public-service officials and inspectors; and men engaged in professional and semi-professional pursuits. Six per cent of the births in the study were in families of this group.

Two hundred and eight, or 2 per cent, of the births were in families where the father had no occupation (including seven births in families living on own income). Seventeen births, or less than 1 per cent, were in families where the occupation of the father was not reported.⁴⁶

The most poorly paid occupations—with median earnings under \$550—included more than half the fathers in the colored group,

a Median earnings.

b See Table 17, Appendix VII, p. 233.

almost one-fifth of the fathers in the foreign-born white, and almost one-twelfth of the fathers in the native white.⁴⁷ In the next occupation group—with median earnings between \$550 and \$650—were approximately one-third of the fathers in the colored group, more than two-fifths of the fathers in the foreign-born white, and more than one-fourth of the fathers in the native white. Together these two groups of occupations, where more than half the fathers earned less than \$650 and very few individual workers earned so much as \$1,250, included 84.7 per cent of the fathers in the colored group, 59.2 per cent of the fathers in the foreign-born white, and 34.7 per cent of the fathers in the native white.⁴⁸

More than half the fathers in the native white group and more than one-third of the fathers in the foreign-born white were in occupation Groups III and IV, mainly skilled manual occupations, with median earnings between \$650 and \$1,050. Only 8.1 per cent of the colored fathers were in this group.

The supervisory and professional occupations—Group V, with median earnings above \$1,050—included less than 10 per cent of the fathers in the native white group; 4.7 per cent of the fathers in the foreign-born white, and 1.6 per cent of the fathers in the colored.

The earnings of all fathers engaged in each occupation are included in the computation of these medians, but when the earnings of the three color and nativity groups are considered separately a marked difference in median earnings appears even within each group of occupations. The earnings were highest in the native white and lowest in the colored group. For example, in the poorly paid and mainly unskilled occupations of Group I, the median earnings of the native white were approximately \$560, the median earnings of the foreign-born white approximately \$483, and the median earnings of the colored group were approximately \$452. Again, in the occupations of Group II, with median earnings for all workers studied falling between \$550 and \$650, the median earnings of the native white group were approximately \$654, of the foreign-born white, \$585, and of the colored, \$489.49

It appears, therefore, that relatively more of the fathers in the negro than of the fathers in the white group, and relatively more of the fathers in the foreign-born white than of the fathers in the native white group, were employed in the most unskilled and poorly paid occupations. And, among men doing the same type of work, the earnings of the native white were higher and the earnings of the negro were lower than the earnings of the foreign born.

 $^{^{47}}$ The reader is reminded that the groups are based on the color and nativity of mother.

⁴⁸ See Table 17, Appendix VII, p. 233.

⁴⁹ See Tables 20 and 21, Appendix VII, pp. 238 and 240. Median earnings are estimated from known distribution in earnings groups under \$450, \$450 to \$549, \$550 to \$649, \$650 to \$849, etc. For method, see Appendix IV, p. 197.

The actual difference in economic level comes out even more strongly when the earnings are compared without reference to the fathers' occupations. For all occupations combined, the median earnings in the native white group were \$796; in the foreign-born white, \$618; in the colored, \$474. In the native white group, 55.3 per cent of the fathers earned less than \$850 (in addition to 1.4 per cent who earned nothing); in the foreign-born white group, 73.9 per cent of the fathers earned less than \$850 (besides 1.9 per cent who earned nothing); and in the colored group, 87.3 per cent of the fathers earned less than \$850 (besides 5.2 per cent who earned nothing). Or, comparing the earnings in the several groups with the amount which the infant mortality rates seem to indicate as the minimum for providing the necessities of health and well-being, it appears that in the native white group 5.5 per cent earned at least \$1,850; in the foreign-born white group 2.2 per cent earned at least \$1,850; and in the colored group 0.2 per cent earned at least \$1,850.50

Table V.—Earnings of father by color and nativity of mother; per cent distribution of births in 1915.

		Per cent distribution.			
Earnings of father.	Total		Births to-		
Earnings of facility	births.	Native white mothers.	Foreign- born white mothers.	Colored mothers.	
Total	100.0	100.0	100.0	100.0	
Under \$650 \$650-\$849. \$850-\$1,849. \$1,850 and over. No earnings.	41.8 22.2 27.9 4.0 2.0 2.0	29.7 25.6 36.0 5.5 1.4 1.9	53.1 20.8 20.2 2.2 1.9 1.8	78. 5 8. 8 4. 2 0. 2 5. 2 3. 1	

Irregularity of fathers' employment.

The fathers in the native white group were more steadily employed than the fathers in the foreign-born or the colored groups, 66 per cent reporting employment throughout the year, as against 47 per cent among the foreign born and 46 per cent among the negroes. Nonemployment is discussed in the present study from the point of view of the family and includes not only the father's unemployment from lack of work or from illness but also any period during which he was not contributing to the support of the family because of desertion or death. Irregularity of employment has been considered in computing the father's earnings, and earnings refer in every

⁵⁰ The reader is again reminded that these figures refer to pre-war prices and earnings. For more detailed tabulation of father's earnings by color and nationality, see Table 18, Appendix VII, p. 234.

⁵¹ See Table 23, Appendix VII, p. 241.

case to amounts actually received during the year following the birth of the infant in 1915.⁵²

Relatively more nonemployment was ascribed to lack of work and to illness among the fathers in the foreign-born white than among the fathers in the negro group; and among the fathers in the negro group the number "nonemployed" for other reasons, including desertion of the family, was relatively high.

Table VI.—Per cent of fathers "nonemployed" by cause of nonemployment and color and nativity of mother; births in 1915.

against a the action of the state of the sta		Per cent of fathers non- employed.			
Color and nativity of mother.	Cause o	f nonempl	oyment.		
The first term of the first te	Work not avail- able.	Illness.	Other causes (including desertion).		
Total	32. 4	6.4	2.6		
Native white	26. 0 44. 0 40. 5	6.1 7.9 5.2	2. 0 1. 6 7. 6		

¹ See Table 24, Appendix VII, p. 242.

Comparing those in each group whose nonemployment was ascribed to lack of work and for whom the period of nonemployment was definitely stated, it is found that relatively more of the foreign born than of the native, whether white or colored, were out of work for six months or more—12 per cent of the unemployed foreign born, 6 per cent of the unemployed native white, and 5 per cent of the unemployed negroes.⁵³

The nonemployment from other causes, including illness and desertion, was, in each group, of somewhat longer duration than the nonemployment from lack of work, and when all nonemployment, from whatever cause, is considered together it appears that the period of nonemployment was at least six months for 12.5 per cent of the irregularly employed fathers in the native white group, for 16.2 per cent of the irregularly employed fathers in the foreignborn white group, and for 21.7 per cent of the irregularly employed fathers in the colored group.

⁵² In the majority of cases the computations were based on reports made by the mothers of the weekly or the monthly wages and the time out of work. In the study of infant mortality in Manchester, N. H., similar reports of fathers' earnings were tested with pay-roll data; it was found that on the whole the mothers' statements were substantially correct, with perhaps a slight tendency to overstatement. See Infant Mortality. Results of a Field Study in Manchester, N. H., Based on Births in One Year, by Beatrice Sheets Duncan and Emma Duke, Children's Bureau publication No. 20, pp. 15 and 16.

⁵³ See Table 25, Appendix VII, p. 242.

Table VII.—Duration of nonemployment of father by color and nativity of mother; births in 1915 with fathers reporting duration of nonemployment.

Short on the process of the plant of the process of		Per cent distribution of fathers nonemployed.			
Duration of nonemployment of father.	Native white group.	Foreign- born white group.	Colored group.		
Total	100.0	100.0	100.0		
Under 3 months6 months and over	69. 4 18. 1 12. 5	54. 3 29. 5 16. 2	59. 0 19. 4 21. 7		

¹ Based on births.

The extent to which nonemployment was responsible for low earnings among the fathers in the native white, the foreign-born white, and the colored groups is indicated by the following figures.

Among all the fathers in the native white group earning less than \$450 during the year, 10 per cent were steadily employed and 27.2 per cent were nonemployed for at least six months; in the foreignborn white group earning less than \$450 during the year, 12.2 per cent were steadily employed and 19.4 per cent were nonemployed for at least 6 months; but in the colored group, 32.2 per cent of those earning less than \$450 were steadily employed throughout the year and only 7.9 per cent were nonemployed for six months or more. (In each color and nativity group there were also a considerable number reported as nonemployed but with no report as to the period of nonemployment. This number was 14.8 per cent of the native white, 19.7 per cent of the foreign-born white, and 18.2 per cent of the colored fathers, respectively, in the group earning less than \$450.) In the next earnings groups, where the fathers earned from \$450 to \$549 or from \$550 to \$649, relatively more of the fathers in the colored than of the fathers in the white group were steadily employed, and fewer of the fathers in the colored than of the fathers in the white group were without employment for three months or more. But in these earnings groups there was far more nonemployment among the fathers in the foreign-born group than among those in the native white group. In the higher earnings groups, where more steady employment was reported among all types of families, the total number of colored fathers was small.

Again, it is possible to compare, roughly, the median earnings of all fathers in the native white, the foreign-born white, and the colored groups with the median earnings of those fathers in the same groups who were steadily employed. The smallest difference appears in the colored group and the largest difference in the foreign-born white group, in spite of the fact, already noted, that on the whole

in these two groups the percentage of fathers irregularly employed was practically identical.

Table VIII.—Median earnings of fathers steadily employed compared with all fathers, by color and nativity of mother; births in 1915.

		Median earnings.1		
Color and nativity of mother.	Fathers steadily em- ployed.	All fathers.		
Total	\$825	\$70		
Native white	888 785 511	796 618 474		

¹ Estimated from distribution of births in earnings groups "under \$450," "\$450 to \$549," "\$550 to \$649," "\$650 to \$849," "\$850 to \$1,049," etc. See Tables 22 and 23, Appendix VII, pp. 240 and 241.

Two things seem apparent, even from this unsatisfactory analysis: First, that in the pre-war days to which the data refer the foreign-born white man and the colored man were less regularly employed than the native white man; and, second, that from the nature of the occupations in which he was engaged and the rate at which he was paid, the colored man who was steadily employed remained in the same low earnings class with the colored man who was not steadily employed.

HOME CONDITIONS.

Many of the most important phases of home conditions do not lend themselves to tabulation, and yet a rough index for the comparison of the babies' homes among the native white families, the larger groups of foreign white families, and the negro families is afforded by such items as the rental paid, the sanitary arrangements of the dwellings, and the relative sizes of dwellings and households.

Rental and sanitation.

The lowest median rental, \$5.83 per month, was found among the Polish families; the highest, \$13.25 per month, among the English and Celtic.⁵⁴ In the three other groups it ran from \$8.42 among the Italian families to \$11.83 among the native white families. Three hundred and fifty babies, or 5 per cent of those living in dwellings for which cash rent of a known amount was paid, were in dwellings rented at less than \$5 a month. The proportion rose to 39 per cent among the Poles and dropped to 2 per cent among the Jews and the Negroes.

⁵⁴ The Lithuanians paid a rental slightly higher than the Poles, and the English and Celtic paid a rental slightly higher than the Negroes. For all other housing items these two nationalities are included in the group of "all other foreign," and this group, as a whole, paid a rental lower than the negroes and higher than the Poles.

The 350 dwellings rented at less than \$5 a month were scattered throughout the city. At least 1 was reported for every ward, but only in seven wards were there as many as 10 such dwellings. Almost three-fourths were in wards 1, 2, and 3, and in these wards they formed a considerable percentage of all the dwellings.

Taking the city as a whole, one-half of all the families studied

reported a rental of less than \$15 a month.


Differences in rental usually reflect a difference in economic status, but a comparison of the median rental with the median earnings of the fathers in each of the color and nationality groups reveals two variations: Among the Negroes, the group with the lowest earnings, is found next to the highest median rental, amounting to 33 per cent of their median earnings; among the Poles, with earnings lower than any other group except the Lithuanians, Italians, and Negroes, was found a median rental so low that it amounted to only 13 per cent of their median earnings. The native white families, the Jewish families, and the Italians were paying in median rental 18 per cent, 17 per cent, and 19 per cent, respectively, of their median earnings.⁵⁵

But the amount of rental is less important than the dwelling it procures. Considering the three items, sewer connection, a toilet for the exclusive use of the family, and a bath tub, as roughly indicating a fair standard of convenience and sanitation, it is found that the Polish families had by far the poorest dwellings, 12 per cent possessing none and only 6 per cent possessing all these arrangements. Of the native white families, 51 per cent lived in dwellings provided with these three arrangements, 42 per cent of the Jewish families had them, and only 20 per cent of the Italian families lived in such dwellings. That this reflected in part the relative prosperity of the native white families and was not due wholly to their insistence on a certain standard of living was indicated by the dwellings occupied by families in which the father earned under \$650 during the year. The percentage of native white homes with the three conveniences dropped to 29, the Jewish to 25, and the Italian to 12. And in this economic group relatively more of the native white homes than of the Jewish, Italian, or Negro homes had none of these conveniences, the exact percentages being 6 among the native white families, 3 among the Italians and Negroes, and 2 among the Jews.⁵⁶

Among the Negroes, as a whole, in spite of their paying a higher median rental than any other group except the English and Celtic, the percentage of dwellings provided with the three stated sanitary arrangements was lower than among the native white or the Jewish families. It has been commonly believed that a negro tenant pays more than a white tenant for similar accommodations. These find-

⁶⁵ See Tables 31, 32, and 33, Appendix VII, pp. 245 and 246. 66 See Table 34, Appendix VII, p. 247.

ings confirm this belief so far as the city of Baltimore is concerned. Among the native white families living in rented dwellings, 24 per cent paid \$15 or more per month, and 51 per cent of all native white families lived in dwellings having bathtub, sewer connection, and a



toilet for the exclusive use of the family; among the negro families 34 per cent of those living in rented dwellings paid \$15 or more per month, but only 33 per cent of all the negro families lived in dwellings provided with these arrangements.⁵⁷

⁵⁷ See Tables 31 and 34, Appendix VII, pp. 245 and 247.

Space and size of household.

So far as space is concerned, the native white families, as the most prosperous, fared better than any others. In actual number of rooms per dwelling, the median negro home, with six rooms, was the same as the median dwelling among native white families, but the median negro household numbered six persons, and the median native white household numbered only four persons, so the margin of space in negro homes was considerably less than in the native white homes. More cramped than either of these groups were the households of the foreign born, where the median dwelling of four rooms accommodated a median household of four persons. (The kitchen was counted as a room, but the bathroom was not.)

Within the foreign group itself, variations were found both in the size of the dwelling and in the number of persons it accommodated. The medians in the Jewish families were the same as those for the entire foreign group; in the Italian families the number of rooms was the same but the median household numbered five instead of four. The Polish families had the smallest and most congested dwellings, with a median of three rooms and four persons. The "other foreign"—including the German, Bohemian, English and Celtic, and all other families—reported the same median space in their dwellings as the native white families—six rooms and four persons.

Further analysis shows that the percentage of families who reported one or more persons per room, exclusive of the baby born during 1915, ranged from 36 per cent among the native white families to 89 per cent among the Polish families. The Italians stood nearest to the Polish in their room congestion, with 72 per cent reporting one or more persons per room; then the Jewish families with 63 per cent, the Negroes with 54 per cent, and the group of "other foreign" with 49 per cent.

Thirty-one per cent of the babies in Polish families were housed in dwellings with two or more persons per room; among the Italians 14 per cent, and among the Jewish families 9 per cent, were housed in such congested quarters.

In each group, the percentage of families reporting one or more persons per room increased with the size of the household, but it was not only large households that had no margin of space. The households of four persons or less showed similar variations in the native white, the foreign white, and the negro families—18 per cent of such native white families, 31 per cent of such negro families, and 50 per cent of such foreign families were living one or more persons per room. And for each size of household, there were markedly higher percentages reporting two or more persons per room among the foreign families, and especially among the Poles, than among other groups.

In each race and nativity group room congestion was greatest in the poorest households; but, again, at each economic level the native white and the negro families had relatively more rooms in their dwellings than the foreign families.58

Variations in size of family.

Closely related to the variations in the size of household are the variations in the numbers of children born to the mothers of the several nationalities. But they do not correspond exactly, because of differences in the stillbirth and infant mortality rates, and differences in custom regarding the presence in the household of relatives and lodgers. Thus the Polish and Italian mothers reported on the average more births and (in spite of high mortality among the Polish) more children surviving the first year of life than any other nationality. But the average households of the Jewish, the Polish, and the "other foreign" groups were approximately the same; and of all the foreign born, only the Italians with their high percentage of families keeping lodgers showed a definitely larger average household.⁵⁹ The negro mothers also reported a large average number of births but relatively fewer children surviving their first year. The negro households, however, were larger, on the average, than any others.

TABLE IX.—Size of family by nationality of mother; births 1 in 1915.

Color and nationality of mother.	Average number of births ¹ to mother. ²	Average number of child- ren sur- viving 1 year. ²	Average number of per- sons per dwell- ing.3
Native white Foreign-born white. Jewish. Polish Italian. All other Colored.	3.08	2. 48	4. 48
	4.11	3. 36	4. 77
	3.89	3. 35	4. 70
	4.51	3. 54	4. 66
	4.35	3. 49	5. 19
	3.39	3. 18	4. 73
	4.13	2. 88	5. 79

¹ Includes miscarriages.

Encluding 1915 birth. Average derived from Table 70, Appendix VII, p. 281.

Excluding 1915 infant, but including parents. Average derived from data shown in Table 35, Appendix VII, p. 248.

Analyzing the average number of births to the mothers, the extent to which the groups vary from one another is more clearly seen. The number of mothers who had borne seven or more children ranged from 10 per cent of all in the native white group to 26 per cent of all in the Polish group.

 58 See Tables 35, 36, and 37, Appendix VII, pp. 248 to 252.

⁵⁹ Two nationality groups—the Lithuanians and the small unclassified group of "all other foreign" made up mainly of immigrants who had recently arrived from southeastern Europe—showed a higher percentage of families keeping lodgers than the Italian showed. But the housing data for these two groups with 191 infants have not been separately analyzed. In comparison with every other group the Italians had the highest percentages keeping any lodgers (18.3 per cent) or keeping 3 or more lodgers (4.8 per cent). See Table 40, Appendix VII, p. 254.

The mothers in the poorest families bore more children than the prosperous mothers. This difference was more marked among the native white mothers, who had an average of 3.1 children in families in which the fathers earned less than \$550 a year and 2.5 in families in which the fathers earned \$1,250 or over, than among the foreign-born mothers, who had an average of 4 children in families having earnings of less than \$550 a year and 3.8 in families having earnings of \$1,250 or over. 60

Associated with this question of the size of the family is a variation in the length of the interval between births. From the three sets of data on this point included in the tabulations, it appears that the average interval between births was shorter in the poorer families than in the well-to-do, and shorter among the colored families than among native white families of the same economic level. The Polish and Italian mothers—the groups with the largest families—seem to have had the shortest interval and the Jewish mothers the longest interval between births. But it appears also that the intervals between the first birth and the second and between the second birth and the third tended to be somewhat shorter than those between births later than the third, except that the intervals between births in very large families (of 10 or more) were the shortest of all.⁶¹

EMPLOYMENT OF MOTHERS.

In Baltimore, as in other cities studied by the Children's Bureau, it was mainly the wives of men whose earnings were insufficient for the family's needs who were gainfully employed away from home during the critical time of pregnancy or the normal nursing period. Tracing the mother's record back for the entire period of her marriage, as the Baltimore tabulations for the first time allow, it is found that for the large number of women who had worked away from home at some time after marriage the same relation holds: The lower the earnings ⁶² of the men, the higher the proportion of women going out to work.

⁶⁰ Considering live births, stillbirths, and miscarriages, the averages in the native white families were 5 under \$550 and 2.8 at \$1,250 or over and in the foreign white families 4.7 under \$550 and 4.1 at \$1,250 or over. See Tables 38 and 39, Appendix VII, p. 253.

⁶¹ See Tables 41, 156, 157, and 165, Appendix VII, pp. 254, 351, and 357.

⁶² This statement is based on the assumption that, in general, the earnings of the father during the year following the birth of a baby in 1915 correctly indicate the family's economic status in previous years also.


Table X.—Employment of mother away from home, by earnings of father and color and nativity of mother; births 1 in 1915.

in a partie of the control of the co	Per cent ² of mothers employed away from home during pregnancy.		
Earnings of father.	Native white mothers.	Foreign- born white mothers.	Colored mothers.
Total	5.5	11.4	44.9
Under \$450 \$450-\$549 \$550-\$649 \$650-\$849 \$850-\$1,049 \$1,050-\$1,249 \$1,050-\$1,249 No earnings.	15.5 12.5 7.6 4.1 2.0 1.2 1.1 20.4	18.5 14.6 14.7 7.8 2.8 2.9 .9 24.5	50. 9 41. 3 36. 5 34. 8

¹ Includes miscarriages

² Based on births, including miscarriages. Not shown where base is less than 50.

CHART II.—Per cent of mothers gainfully employed away from home, by fathers' earnings.



Prevalence of employment.

Relatively more colored women than white women, and relatively more foreign-born women than native women, worked outside their homes. But in each of these three groups separately it is found that in descending the scale of fathers' earnings, there was a steady increase in the percentage of mothers gainfully employed away from home at any time after marriage, or during the pregnancy of 1915, or during the first 12 months of the baby's life time.⁶³

⁶³ For detailed tabulation see Table 92, Appendix VII, p. 295.

Another indication of the economic pressure that is usually present when married women go to work outside their homes is given by the fact that the percentage of women reporting such employment rose steadily with the number of children in the family. At each economic level within each of the three race and nativity groups, the percentage of mothers who had worked outside their homes since their marriage was higher among those who had borne seven or more children than among others. And in families where the father earned less than \$850, the percentage of mothers who had worked outside their homes since marriage was higher among those who had borne from four to six children than among those who had borne less than four.⁶⁴

Table XI.—Time of employment of mother away from home; live births in 1915.

	Live births.	
Time of employment of mother.	Number.	Per cent distribu- tion. 1
Total	10,797	100.0
Mothers never gainfully employed away from home. Mothers gainfully employed away from home. Before marriage only. After marriage but only prior to pregnancy of 1915. During pregnancy of 1915 or within 12 months after infant's birth. Mothers for whom employment was not reported.	8,507 6,011 945	21. 1 78. 8 55. 7 8. 8 14. 4

¹ Not shown when less than one-tenth of 1 per cent.

In all, 8,507 live-born babies, or 79 per cent of those studied, were born to mothers who had been at some time gainfully employed outside their homes. Over one-half of all the mothers had gone out to work before they were 16 years old, and over one-fourth before they were 14. But many of these mothers had had no outside employment after marriage, and others did not go out to work during the pregnancy of 1915 nor within 12 months after the birth of a baby in that year.

Of the 10,797 babies studied, 1,229, or 11 per cent, were born to mothers who worked outside their homes during pregnancy; more than one-half, of these mothers resumed work outside the home after the baby's birth—594 during the baby's lifetime and 104 after the baby's death. The mothers of 322 babies, or 3 per cent of all, went out to work within 12 months of the baby's birth, although they had not been so employed during pregnancy—261 during the baby's lifetime, and 61 after the baby's death. All but 22 of these 322 mothers had been gainfully employed away from home at some previous time.

⁶⁴ See Table 94, Appendix VII, p. 296. 101351°—23——4

Occupations.

The white mothers working away from home were mainly factory operatives; the negro mothers were mainly domestic servants, charwomen, and laundresses.⁸⁶

Table XII.—Occupation of mother, by color; births in 1915 to mothers employed away from home during pregnancy.\(^1\)

Occupation of mother during 1915 pregnancy.	Births to mothers employed away from home.		Occupation of mother during 1915 pregnancy.		o mothers yed away ome.
	White.	Colored.		White.	Colored.
All	688	629	Charwork, laundering, etc Domestic service	49 22	363 194
Factory operatives: Canning, shucking Clothing Other factory	315 99 121	6 23 12	Other occupations	82	31

¹ The statements that follow in text are based on births, Table 98, Appendix VII, p. 300.

Among the cannery workers Polish women predominated, and almost one-third were native white women; the other cannery workers, a very small number in all, represented every nationality group except the Jewish.

Approximately two-fifths of the clothing workers were native white women and the remainder were about evenly divided among the Negroes, the Lithuanians, and a scattered group representing every nationality except the English and Celtic.

Of the workers in "other factories," four-fifths were native white women.

These numbers represent widely varying percentages of mothers employed away from home in the several race and nationality groups, as custom and economic status within the group sent more mothers or fewer out to work. At one extreme, with the largest numbers going out to work, were the Negroes and Poles; at the other extreme, the Jewish and Italian women.

Of the native white mothers, 14 per cent had worked away from home after marriage, 6 per cent during their pregnancy of 1915, and 4 per cent during the first 12 months of the infant's life. Among the Jewish mothers, these percentages dropped to 7 per cent, 1 per cent, and less than 1 per cent; among the Negroes they rose to 67 per cent, 45 per cent, and 32 per cent.⁶⁷

For the period of the 1915 pregnancy and the 12 months after the birth of a baby in that year, the gainful employment of mothers within their own homes has also been tabulated. Except among

⁶⁵ See Table 101, Appendix VII, p. 303. 66 See Tables 96, 97, and 98, Appendix VII, pp. 297-300.

the Poles and the Negroes, more mothers worked at home than away from home. And considering together employment at home and away it is found that the native white mothers, instead of the Jewish mothers, reported the least employment during the pregnancy of 1915. The percentage employed among the Jews rose to a point just above the average for the city, and among the Italians considerably higher. The Negroes and Poles still headed the list with the highest proportions of mothers gainfully employed. 68

Relatively few mothers reported doing "home work" given out by a factory. The 174 mothers 69 (just 2 per cent of all) who reported having sewed at home on work given out by a factory during the 1915 pregnancy were Italians (69), native white women (37), Poles (22), Lithuanians (17), Jews (15), and others (14). Only among the Italians and the Lithuanians did these numbers represent more than 4 per cent of the mothers, but here they rose to 16 per cent of all. Of the 124 mothers employed at "other home work," 3 mothers—native white—were working for a factory and 12 were probably doing factory work. These 12 included 2 Italian mothers making lace and embroidering, one Jewish mother "making crab cakes at home," one colored mother mending feed bags, and 8 native white mothers making Christmas ornaments, flowers, brushes, etc.

The principal home occupations among the white mothers were keeping lodgers and helping in the husband's business; among the negro mothers, laundering.

Table XIII.—Occupation of mother, by color; births in 1915 to mothers employed at home during pregnancy.

Occupation of mother during	Births to mothers employed at home.		Occupation of mother during	Births to mothers employed at home.	
1915 pregnancy.	White. mothers.	Colored mothers.	lored 1915 pregnancy.	White mothers.	Colored mothers.
All occupations	1,397	355	Sewing (not for factory)	55	22
Keeping lodgers	670 167	46 1	Helping in husbands' business. Doing other home work	68 333 104	269 3 14

Keeping lodgers was most prevalent among four of the foreign groups. In the small mixed group of "other foreign," 19 per cent of the mothers were so engaged; of the English and Celtic mothers, 15 per cent; and of the Lithuanian mothers and the Italian mothers, 14 per cent. But these groups were small, and together they reported only 115 of the 732 mothers who kept lodgers. In actual numbers, the

⁶⁷ See Tables 92 and 93, Appendix VII, pp. 295 and 296.


⁶⁸ See Table 100, Appendix VII, p. 302.

⁶⁰ Births. Table 98, Appendix VII, p. 300.

native white mothers led, with 422 keeping lodgers—a large number but a small percentage (6 per cent) of the total number of native white mothers. The other 195 mothers keeping lodgers were scattered among the other nationalities, with percentages in each group varying from 3 per cent of the Negro mothers to 9 per cent of the German mothers.

Helping the husband's business was the chief occupation reported by Jewish mothers, of whom 163, or 16 per cent, were so engaged. These Jewish mothers and 107 native white mothers constituted more than three-fourths of all the women helping in the husband's business. Both actually and relatively the numbers were small in the other groups, ranging from less than 1 per cent of the negroes to 10 per cent of the mixed group of "other foreign."

CHART III.—Per cent of mothers gainfully employed at home and away from home, by color and nativity.



It has been noted that fewer mothers were employed outside their homes after the birth of the baby than during the pregnancy of 1915. This decrease accompanies an increase in the number gainfully employed within their homes. Even omitting from consideration the mothers who resumed or began work only after the death of the baby born in 1915, this increase in work at home persists.⁷⁰

Table XIV.—Time and place of employment of mother; live births in 1915 to mothers employed.

The state of the second st	Live birt	ths to mot ployed.	thers em-
Place of employment.	During		the first er birth.
2DV = 0	preg- nancy.	At any time.	During lifetime of infant.
Total.	2,911	3,035	2,784
Employed away from home. Employed at home	1,229 1,682	1, 020 2, 015	855 1,929

⁷º For details of shifting from employment to nonemployment and from employment away to employment at home and vice versa, see Table 101, Appendix VII, p. 303.

In each nationality without exception ⁷¹ this change in the distribution of working mothers is found—relatively more working at home and relatively fewer working away during the lifetime of the infant than during pregnancy. Among the Negroes and the Poles, however, in spite of this increase in employment at home, work away continued to be more prevalent than work at home.

Whether the mother works at home or away is a matter of great

importance to her baby's welfare.

From the infant mortality rates, which will be discussed in detail in a later section, ⁷² it appears that the work away from home increased the hazard to the baby, while work at home, so far as the Baltimore figures show, was accompanied by no excess in the infant mortality rate. Whether the mother at home regulated her own conditions of work so that strain during pregnancy was avoided, and ill effects were not too serious to be outweighed by the benefit of addition to the family income, is an open question. It does appear that the mothers who worked at home breast fed their babies to about the same extent as mothers at the same economic level who were not gainfully employed.

The high percentage of Negro mothers and Polish mothers employed away from home and the very low percentages of Jewish and Italian mothers so employed may reasonably be considered one factor in the high infant mortality rates among Negro and Polish babies and the

low infant mortality rates among Jewish and Italian babies.

CARE OF THE INFANT.

Prevalence of artificial feeding.

One baby in 11 was deprived of breast milk during the first month of life; 1 baby in 5 had been weaned before the end of the third month; and by the ninth month, 1 baby in 3 was having only artificial food.

Behind these average percentages for all babies born in 1915 were certain marked variations among the several groups. More babies were artificially fed in the prosperous families than among the less well-to-do, and more babies were artificially fed in the native white families than in the foreign-born white or the negro families.

On the other hand, mixed feeding—that is, the supplementing of the mother's milk with cow's milk or other food—was less common during the early months of infancy among the native white families than elsewhere. But even with the relatively high percentages of babies mixed fed in the other groups, there were also higher percentages having only breast feeding among the babies of foreign-born white mothers than among the babies of native white mothers and, omitting

72 See page 114.

n Native white, Negro, Jewish, Polish, Italian, and all other foreign (German, Bohemian, English and Celtic, Lithuanian, and "other foreign" combined).

the babies of mothers gainfully employed, higher percentages having only breast feeding among the babies of colored mothers than among the babies of native white mothers. These comparisons hold true not only for the several groups as a whole, but also for native white, foreign-born white, and colored families of the same economic levels.

The feeding was tabulated separately for the three largest foreignborn groups. The Polish and Italian babies showed approximately the same distribution among the three types of feeding, with a slight difference in favor of the Italian babies. Among the babies of Jewish mothers, on the other hand, during the third month and later, the percentages having mixed feeding were markedly high. As compared with the Polish babies, the Jewish babies showed slightly less artificial feeding at the first, third, and sixth months of life and markedly less breast feeding during the sixth month and later. As compared with the Italian babies, the Jewish babies showed practically no difference in the extent of artificial feeding, but markedly less breast feeding from the third month onward.⁷³

It is worth noting that the Italian and Polish mothers who had learned to speak English were more likely to wean their babies during the early months than the Italian and Polish mothers who had not learned to speak English, while exactly the reverse was true of the Jewish mothers. And more of the Polish mothers who could read and write than of the illiterate Polish mothers were weaning their babies during the early months, while among the Italian mothers as well as the Jewish mothers there was less artificial feeding when the mothers could read and write than when they were illiterate.

Among the native mothers, both white and colored, the illiterate women were less likely than the others to give their babies breast milk and no other food during the early months. In both groups the illiterate mothers showed a high percentage of babies whose nursing by their mothers was supplemented by other food. And among the illiterate native white mothers the percentage of babies weaned in the early months was also above the average.⁷⁴

Within each race and nationality group the greatest prevalence of artificial feeding occurred in families where the mother was gainfully employed away from home.⁷⁵

SUMMARY.

The Baltimore group included considerable numbers of colored births and of births to foreign-born Jewish, Polish, and Italian mothers. Other foreign groups were also represented, but their numbers were too few to permit a separate detailed analysis.

⁷³ See Tables 42, 80, and 81, Appendix VII, pp. 255, 288, and 289.

⁷⁴ See Tables 43, 44, and 45, Appendix VII, pp. 255 and 256.

⁷⁵ See Table 46, Appendix VII, p. 257. The relation of the mother's employment to her way of feeding her baby is discussed in detail in the section on Employment of Mothers and Infant Mortality, p. 124.

Artificial feeding of young babies, poverty, poor housing, and employment of mothers away from home are four important factors in infant mortality the relation of which to mortality rates will be discussed in detail in the later sections of the report.

In Baltimore artificial feeding was more prevalent among the native white mothers than among the foreign-born mothers or the colored mothers. It was more prevalent among the well-to-do than among the very poor white mothers, although it was greatly increased in certain poor groups by the mothers' employment away from home. Except among the foreign-born Jewish families, the foreign-born mother who spoke English was more likely to wean her baby during the early months than the foreign-born mother who spoke no English. In spite of the relatively high percentage of mothers employed in the Polish group there was no marked difference in the prevalence of artificial feeding among the Poles, the Italians, and the foreign-born Jewish mothers when these groups are considered as a whole.

Almost two-thirds of the births studied were in families where the fathers earned less than \$850 a year. Four per cent were in families where the fathers earned \$1,850 or over. Economic conditions were worst among the colored families. These fathers were employed mainly in unskilled and poorly paid occupations and their annual earnings were lower than the earnings of white fathers in similar kinds of work. On the other hand, the colored families paid higher rentals than white families for houses with corresponding type of sanitation. In the colored group the median rental was approximately one-third of the median earnings of the fathers; in the white groups it was less than one-fifth.

The foreign-born fathers also earned less than the native white fathers, because of difference in type of occupation and lower earnings from similar types of occupations. But no foreign-born group (except the small group of Lithuanians) was so poor as the colored

group.

The foreign-born families lived in poorer dwellings and had greater room congestion than the native white families. But when native and foreign-born families of corresponding economic levels are compared, it appears that the foreign-born families had approximately the same sanitary equipment as native white families with similar earnings. The greatest room congestion and the lowest rentals were found in the Polish group.

More than one-fifth of the families lived in dwellings without sewer connections, and a considerable number of these were in wards with no outlying, thinly settled districts. The percentage of dwellings having no sewer connection was higher in the seventeenth and eighteenth wards than in any other ward with no outlying district.


About one mother in seven worked away from home during pregnancy or during the lifetime of the baby within 12 months after the birth. Such employment was most prevalent among the Negro and Polish mothers and in these groups 45 per cent and 33 per cent, respectively, worked away from home during pregnancy. In every group the percentage of mothers employed away was greatest in the poorest families and decreased steadily with increase in the fathers' earnings. The principal occupation among white mothers employed away from home was factory work—chiefly in canneries for the Poles, and for others chiefly in clothing factories. Domestic service was the principal occupation among colored mothers.

The interplay of these social conditions in relation to variations in the infant mortality rates in the several groups offers the main subject for the following sections. Even this brief survey of the field suggests certain reasons for the excessive mortality among babies of Polish mothers and babies of colored mothers.

THE DEATHS.

Of the 10,797 live-born babies in the normal Baltimore group, 1,117, or approximately 1 in 10, died during the first year of life; 477 died during the first month, 337 between the second month and the sixth, and 303 between the seventh month and the twelfth.

Seven-eighths of all the deaths were ascribed to the three main



groups of infant diseases, and the total infant mortality rate, 103.5 per 1,000 live births, is made up as follows:

Table I.—Infant mortality rates, by cause of death; live births in 1915.1

Cause of death.	Infant . mor- tality rate.	Cause of death.	Infant mor- tality rate.
All causes	103. 5	Early infancy. Epidemic and other communicable dis-	37.7
Gastric and intestinal diseases	29. 1 19. 7 3. 6	eases	6. 7 6. 7


¹ For detailed tabulation, see Table 48, Appendix VII, p. 258.

More babies died during the hot months from July to September and during the month of March than at any other season. Omitting the seasonal deaths (from gastric and intestinal diseases and from

respiratory diseases), it is found that in March there were 71 deaths from other causes, while in the other months the number of deaths from other causes ranged from 56 in April to 39 in January.

AGE AT DEATH.

In the Baltimore group, as in the death-registration area of the United States and in the cities of the birth-registration area, slightly over two-fifths of all infant deaths occurred in the first month of life. Roughly, one may say that in Baltimore of every 1,000 babies



born alive, 103 died during the first year; 56 died during the first three months (37 of these failed to survive the first two weeks); 19 died during the fourth, fifth, or sixth month; 15, during the seventh, eighth, or ninth month, and 13, during the last three months of the first year. A glance at the deaths by single months reveals the fact that although, in general, the number of deaths decreased month by month, more babies died in the fifth month and in the sixth month than in the second, third, or fourth. In the seventh month the number of deaths was strikingly less than in any preceding month.⁷⁶

to the conservation of the bar was a more

⁷⁶ See Table 50, Appendix VII, p. 260.

Table II.—Deaths per 1,000 live births, by age at death; comparison of Baltimore and cities in the birth-registration area.

	Deaths per 1,000 live births.			Deaths per 1,000 live births.	
Age at death.	Balti- more.	Cities in the birth- registra- tion area (1915).	Age at death.	Balti- more.	Cities in the birth- registra- tion area (1915).
Total	103.5	103.3	1 month, under 2	6.0	9.2
Under 3 months Under 2 weeks	56. 0 37. 0 7. 1	60. 4 35. 4 8. 0	3 months, under 6	19. 4 15. 1 13. 0	18. 1 14. 0 10. 9

In the cities of the birth-registration area in 1915 the total infant mortality rate (103.3 per 1,000 live births) was practically identical with the rate for the Baltimore group (103.5 per 1,000 live births). But the Baltimore rate was higher than that for the other cities during the first two weeks of life and during each three-month period after the first three months.⁷⁷

CAUSES OF DEATH.

Early infancy and malformations.

In Baltimore, as in the cities of the birth-registration area, the causes of death peculiar to early infancy were responsible for more babies' deaths than any other group of diseases. Among the Baltimore babies 407 deaths were assigned to premature birth, congenital debility, or injuries at birth, and in addition 39 babies born with malformations died early in their first year. These causes together showed an infant mortality rate of 41.3 per 1,000 live births. More than three-fourths (78.5 per cent) of these deaths occurred within 2 weeks of birth, many of them within 24 hours; 40 deaths assigned to early infancy or malformations, or 9 per cent of all deaths from these causes, occurred after the second month. The deaths after the second month included none of those due to injuries at birth, and

⁷⁸ So far as information could be secured, a list of defects of infants born alive is shown in the following tabular statement:

Nature of defect.	Number.	Rate per 1,000 live births.	Nature of defect.	Number.	Rate per 1,000 live births.	
Cleft palate. Harelip. Additional finger or toe. Missing finger or toe. Club foot. Paralysis of limb Hydrocephalus.	6 9 13 3 3 1 4	0.6 .8 1.2 .3 .3 .1	Imperfectly developed head. Spina bifida. Monster Lack of opening of rectum. Congenital disease of heart. Blind.	7 4 2 1 38 1	0.6 .4 .2 .1 3.5	

⁷⁷ For detailed tabulation see Table 47, Appendix VII, p. 257.

only 2 of those due to prematurity. But 9 of the 39 babies who died from malformations and 29 of the 138 who died from congenital debility had struggled safely through the first two months and died later in the year.⁷⁹

The death rate from malformations (3.6 per 1,000) was lower than the corresponding rate (6.1 per 1,000) in the cities of the birth-registration area. For the causes peculiar to early infancy the Baltimore rate was higher than that in the birth-registration cities. Even omitting from the Baltimore group the colored babies with their specially high death rate from these diseases, the Baltimore rate was still somewhat above the rate for the other cities.

Table III.—Infant mortality rates from causes peculiar to early infancy, by color and nativity of mother; comparison of Baltimore and cities of the birth-registration area (1915).

Color and nativity of mother, and area.	Live births.	Infant mortal- ity rate from early infancy.
Cities of birth-registration area (1915). Baltimore study White mothers. Native. Foreign-born. Colored mothers.	1 481, 496 10, 797 9, 492 6, 739 2, 753 1, 305	35. 0 37. 7 36. 0 38. 1 30. 9 49. 8

¹ Includes 471,144 white and 10,352 colored infants. U. S. Bureau of the Census, Birth Statistics, 1915. First annual report, p. 10.

Only for the babies of foreign-born mothers did the Baltimore rate from early infancy drop below that for all the cities of the birth-registration area combined.

The deaths from causes peculiar to early infancy were more evenly distributed through the different seasons than deaths from gastric and intestinal diseases or deaths from respiratory diseases; and yet in the Baltimore group it was found that more babies died from causes peculiar to early infancy in March, April, and November than in other months and noticeably few in January. The variations in the numbers of births occurring in the several months do not account for these differences, for the infant mortality rate from this group of causes was exceptionally high among babies born in March, April, or November and exceptionally low among babies born in January. In discussing these diseases, Dr. Grace L. Meigs says:

"No more than a guess can be made as to the degree to which these diseases can be prevented. * * * Two problems are here involved: (1) The ignorance of the prospective mother in the care of

⁷⁹ See Table 50, Appendix VII, p. 260.

⁸⁰ See Tables 52 and 53, Appendix VII, pp. 262 and 263.

herself during pregnancy; (2) improper care by physician and midwife during pregnancy and at birth." 81

The present study will show the extent to which in the Baltimore group the death rate from causes peculiar to early infancy varied not only with the color and nativity of the mother, but also with the family's means, with the work the mother did, and the number of children she had borne.

Gastric and intestinal diseases.

Second in importance as a cause of death were the diarrheal diseases, from which 308 babies in the Baltimore families died under 1 year of age. The six deaths from diseases of the stomach were included with these in the group of gastric and intestinal diseases, and the combined infant mortality rate was 29.1 per 1,000 live births. In the deaths from these causes there was the least variation in rates between the native, foreign-born, and colored groups as a whole.⁸² Each of the three in the Baltimore study showed a rate somewhat higher than the rate in the cities of the birth-registration area.

Color and nativity of mother, and area. In gastr	fant mortality rate from ic and intestinal diseases.
Cities of birth-registration area (1915)	26. 6
Baltimore study	29. 1
Native white mothers	28. 8
Foreign-born white mothers	29. 1
Colored mothers	30. 7

These deaths occurred at every month of age within the first year of life. The hazard was less during the first two months than later and for these early months the rate in the Baltimore group was below the rate in the cities of the birth-registration area. The monthly death rate from gastric and intestinal diseases, in the Baltimore group reached its maximum during the sixth month. Or, if the four three-month periods of the first year of life are considered, the lowest infant mortality rate from gastric and intestinal diseases is found during the first quarter and the highest rate during the second quarter.83 Quite different was the distribution of such infant deaths among all babies under 1 year of age in all cities of the birthregistration area during 1915. There the rate from gastric and intestinal diseases was highest during the first three months of life and decreased steadily and markedly through the remainder of the first year. For each age period except the first three months the Baltimore group had a higher rate than the babies in these other cities, and it may be noted that the highest rate reached by the Baltimore group

88 See Tables 50 and 54, Appendix VII, pp. 260 and 264.

⁸¹ Grace L. Meigs, M. D.: Other Factors in Infant Mortality than the Milk Supply and Their Control, in American Journal of Public Health, Vol. VI, No. 8.

⁸² Table 49, Appendix VII, p, 259. Important variations in rate occur within the foreign group, which will be discussed in the comparison of the several nationalities. Compare page 78.

(during the second three months) was higher than the maximum reached in the other cities (during the first three months). A comparison with the death rate under 1 year from gastric and intestinal diseases in Baltimore City during the calendar year 1915 shows a distribution of deaths similar to that in the group studied in detail and unlike that in the cities of the birth-registration area.

Gastric and intestinal diseases are, of course, largely seasonal. Disregarding for a moment differences between the two summers, it appears that for the Baltimore group, while no calendar month was without infant deaths assigned to these diseases, the months from July to October had 243 such deaths, or 77.4 per cent of them all. August had the highest number of deaths, 89, and July followed with 78.84

The summer of 1916, which was the period of special exposure for most of the older babies in the Baltimore group, was exceptionally dry, so and the city death records showed more deaths under 2 years of age from diarrhea and enteritis during 1916 than during 1915, when the younger babies in the Baltimore group were especially exposed to gastric and intestinal disorders. This might account for an exceptionally high percentage of such deaths occurring during the later months of life. It could have no bearing upon the high mortality during the months from the third to the sixth.

Deaths from these causes are considered the most immediately preventable of all infant deaths, since the disorders from which they result are directly related to wrong feeding and improper care. That these disorders are gradually being controlled and prevented throughout the country is indicated by the mortality statistics for the death-registration area.

The total number of infant deaths in the death registration States as of 1910 (exclusive of North Carolina) decreased from 135,020 in 1910 to 119,349 in 1917. There is no reason to assume a corresponding decrease in the annual number of births within the same area, since a possible decrease in birth rate would have been more than offset by an increase in population. Therefore, the shift in percent distribution of deaths by cause of death indicates, primarily, a decrease in the mortality from the causes which show a decreasing percentage of the total infant deaths.

On the other hand, whether the mortality from causes which show an increasing percentage of the total deaths has actually increased or merely remained constant while the deaths from other causes have decreased can not be determined without a comparison of deaths and births.⁸⁶

⁸⁴ See Chart V, p. 58, and Table 52, Appendix VII, p. 262.

⁸⁵ See Table 56, Appendix VII, p. 264.

⁸⁸ A comparison of infant births and deaths is possible for the birth-registration area as of 1915, exclusive of Rhode Island. The infant mortality rate from gastric and intestinal diseases was 24.6 in 1915, 25.1 in 1916, and then fell to 23.4 in 1917, 23.2 in 1918, and 19.0 in 1919. Compiled from U. S. Bureau of the Census, Birth Statistics, 1915 to 1919.

Table IV.—Changes in per cent of infant deaths from certain causes in the death-registration area, as of 1910 (exclusive of North Carolina), 1910 to 1917.

	Per cent of infant deaths from specified causes.			Carlo Messal	Per cent of infant deaths from specified causes.			
Years.	Gastric and intestinal diseases. Early infancy and malformations. Years. Years.	Gastric and in- testinal diseases.	Early infancy and malformations.	All other causes.				
1917. 1916. 1915. 1914.	23. 7 24. 3 23. 4 24. 5	41.4 41.2 41.9 41.4	34. 8 34. 6 34. 6 34. 2	1913. 1912. 1911. 1910.	26. 1 25. 3 27. 0 30. 6	39. 8 39. 5 37. 1 30. 7	34. 2 35. 0 35. 7 38. 7	

(U. S. Bureau of the Census, Mortality Statistics, 1917, p. 64.)

Marked variations in the rates from gastric and intestinal diseases occurred within the native white group and among the several nationalities in the Baltimore study. How these variations were related to methods of feeding and to home conditions will be discussed in later sections of this report. The very low rates prevailing in certain groups tend to confirm the belief that these disorders can be largely prevented by breast feeding, and by good care and surroundings.

Respiratory diseases.

To the third important group of infant diseases—pneumonia, bronchitis, and broncho-pneumonia—were assigned 213 deaths among the Baltimore infants, an infant mortality rate of 19.7 per 1,000 live births. The hazard from these diseases persists throughout the first year of life, but the rate was highest (3.5) during the first month and decreased slightly as the year progressed. More than one-sixth of the babies who died of respiratory diseases were less than 1 month old, and more than three-fifths of them were less than 6 months old. In the cities of the birth-registration area there was a similar slight decrease in these deaths as babies grew older, but the proportions of the deaths from respiratory diseases occurring in the early months of age were not quite so high as in the Baltimore group. During each three-month period except the last the rate was higher in Baltimore than in the cities of the birth-registration area.⁸⁷

As in the deaths from gastric and intestinal diseases, there was a seasonal variation, but the greatest numbers of deaths from respiratory diseases were in February (33) and March (32), and the least were in August (7). The five calendar months, January, February, March, April, and December, had 129 such deaths, two and one-third times as many as the five months from July to November.

These deaths were very unevenly distributed among the different families studied. Relatively more than three times as many occurred

⁸⁷ See Table 47, Appendix VII, p. 257.

among the colored babies as among the white babies. Or, specifically, of the 1,305 babies born to colored mothers, 64 died from respiratory diseases—49 per 1,000 live births; of the 9,492 babies born to white mothers, 149 died from respiratory diseases—15.7 per 1,000 live births. Among the babies of foreign-born mothers the rate (20.7) was higher than among the babies of native white mothers. It should be mentioned that respiratory diseases are often complications of acute contagious diseases, especially of whooping cough and measles, and as shown later, whooping cough was more prevalent among colored than among white babies.⁸⁸

This element of the infant death rate has been considered difficult to touch; the definite attempt to reach it is the development of only the last few years. But, again, the low rates found in certain groups suggest that many of the deaths from respiratory diseases might be prevented.⁸⁹ Here, too, the chief weapons are improvement in the standard of living and the education of the mother. She must learn that breast milk and plenty of fresh air increase the baby's power of resistance; that the baby must not be exposed to infection from a person suffering from a cold; and that respiratory infections in the baby must receive early treatment.

Other communicable diseases.

About 1 in 15 of the infant deaths were ascribed to the other communicable diseases, which included whooping cough, with 18 deaths, tuberculosis, 15 deaths, and syphilis, 14 deaths. The other 25 deaths in this classification were scattered among several causes—measles 8, influenza 7, erysipelas 4, diphtheria and croup 4, and scarlet fever and dysentery each 1. Altogether these diseases showed an infant mortality rate of 6.7 per 1,000 live births, which was somewhat less than the corresponding rate (8.5 per 1,000) in cities in the birth-registration area in 1915.90

The 14 deaths assigned to syphilis occurred in the earliest months of life—10 in the first month and only 1 after the third month. Deaths from this cause, like those assigned to early infancy, are directly related to the condition of the mother and the condition of the infant at birth. Their prevention depends directly upon the care and treatment of the mother during pregnancy, and confinement.

⁸⁸ But if both causes are stated on the death certificate the death is ascribed to the epidemic rather than to the respiratory cause. See U. S. Bureau of the Ceusus, Manual of International Causes of Death, pp. 18-20; also U. S. Bureau of the Census, List of Joint Causes of Death.

 $^{^{80}}$ A marked reduction in infant mortality from respiratory diseases in New Zealand during the past 15 years from 10 per 1,000 births in 1905–1909 to 4.6 in 1915–1918, has accompanied the development of infant-welfare work in that country.

⁹⁰ See Tables 47, 48, 49, and 50, Appendix VII, pp. 257 to 260.

⁹¹ In addition to these deaths assigned to syphilis, an unknown number due to syphilis or other venereal infection are probably included in the early deaths assigned to "prematurity," "congenital debility," "diseases ill defined and unknown," and other causes.

The deaths assigned to other communicable diseases increased in the later months of life, and 24, or almost two-fifths of all, occurred among babies more than 9 months old. Among babies from 6 to 12 months old the death rate was practically the same in the Baltimore group and in the cities of the birth-registration area for other communicable diseases.

While it is necessary to guard against using the rates for the group studied as true and complete for the city of Baltimore, it is found nevertheless that on this point the experience of the group was similar to that shown by all registered infant deaths in Baltimore during 1915 and 1916—low death rates for communicable diseases other than syphilis, with a diminishing difference between Baltimore and the other cities as babies passed from early infancy to the later months of their first year.

Variations in rates from these diseases were found within the Baltimore group. Except for the three diseases—whooping cough, tuberculosis, and syphilis—the total numbers of deaths were too small to justify analysis, and, even for these three causes, slight variations in rates would not be significant. But when it is found that the babies of colored mothers died from whooping cough at the rate of 5.4 per 1,000 live births and that this rate was 3 times as high as the rate (1.8) among babies of foreign-born white mothers and 6 times as high as the rate (0.9) among babies of native white mothers, it becomes apparent that this difference in rate reflects a real difference in conditions and care. Again, the rate from deaths assigned to syphilis was 11 times as high among babies of colored mothers (7.7 per 1,000) as among babies of foreign-born white mothers (0.7), and 26 times as high as the rate (0.3) among babies of native white mothers.

For tuberculosis the babies of foreign-born mothers had the most favorable rate (0.4 per 1,000). The colored babies had a rate (3.1 per 1,000) more than twice as high as the babies of native white mothers (1.4 per 1,000). This indication that relatively more colored babies than white babies died from tuberculosis was confirmed by the much

101351°-23--5

⁹² This can not be ascribed to the fact that measles and whooping cough were more prevalent in Baltimore during 1916 than during 1915. While 17 of the 26 babies in this group who died from one of these diseases had passed the sixth month of life, more than half the infant deaths from measles and whooping cough recorded for the year 1915 in the cities of the birth-registration area were in this same age period. See Table 50, Appendix VII, p. 260.

⁹³ This may in part reflect a difference in the extent to which deaths from syphilis were assigned to other causes in registering deaths of white persons and deaths of colored persons. It has been shown in other studies that venereal infection is more prevalent among the negroes in Baltimore than among the white population. J. Whitridge Williams: The Limitations and Possibilities of Prenatal Care based upon the study of 705 feetal deaths occurring in 10,000 consecutive admissions to the obstetrical department of the Johns Hopkins Hospital, pp. 32-48, especially pp. 33-35, American Association for Study and Prevention of Infant Mortality, fifth annual meeting, Boston, 1914; J. Whitridge Williams: The Significance of Syphilis in Prenatal Care and in the Causation of Feetal Deaths, in New York State Journal of Medicine, 1920, Vol. XX, pp. 252-259.

greater difference between the white and colored death rates from tuberculosis at all ages in Baltimore.94

The prevention of communicable diseases in infancy is not only a general community health problem but another challenge to all efforts to insure babies breast feeding and good home care. It is also, in large part, a problem of the sound condition and good care of the mother during pregnancy and confinement.

The deaths from such diseases, even where the rate was highest, were few in relation to infant deaths from all causes, and yet they did increase the total infant mortality rate in the group. If no babies had died from these diseases the rate for babies of white mothers would have been 90.6 per 1,000 instead of 95.9 and for babies of colored mothers 141. 7 instead of 158.6.

Other causes.

Of the remaining 72 scattered deaths which completed the toll within the group, 10 were assigned to external causes, 7 to causes entered as ill defined or unknown, 10 to meningitis, and 15 to "convulsions." Little variation within the group was found in relation to these deaths. The colored babies had more than their share of deaths from external causes, with a rate of 2.3 per 1,000, as against

Year, and			Year, and	Estimated population	Deaths from tuberculosis. b		
color of mother.	of Balti- more, July 1.a	Number.	Per 1,000 population.	color of mother.	of Balti- more, July 1.a	Number.	Per 1,000 population.
White: 1915 1916	496, 682 501, 155	798 812	1.60 1.62	Colored: 1915 1916	87,923 88,466	489 509	5. 56 5. 75

Information was secured from various agencies in Baltimore about the mothers shown by their record to have had tuberculosis, either at the time of the birth during 1915 or at some earlier time. This was undoubtedly an incomplete statement of the total number of cases, but it offers a bit of evidence about the increase in hazard to infants whose mothers had had tuberculosis.

		Infant deaths.				
Condition of mothers.	Live births.	From tuberculosis.		From all other causes.		
		Num- ber.	Infant mortality rate.	Number.	Infant mortality rate.	
Mothers with tuberculosis	96 10,701	3 12	31.3 1.1	23 1,079	239. 6 100. 8	

Note that while infant mortality from "all other causes" was higher when the mother had tuberculosis than when she did not have tuberculosis, the difference was especially marked in the mortality from tuberculosis.

a U. S. Bureau of the Census, Bulletin 133, p. 37. b U. S. Bureau of the Census, Mortality Statistics, 1915, p. 570; 1916, p. 420.

0.7 per 1,000 among the white babies, but the whole number of such deaths (10) was too small to be significant. Plainly, however, deaths from external causes usually reflect lack of proper care of the baby.

Of the other 62 deaths, 24, or about two-fifths, occurred in the first month of life, and 50, or nearly four-fifths, occurred during the first six months of life. It seems likely that many of these early deaths were closely related to the deaths classified as due to causes peculiar to early infancy and could have been prevented only by better care of the mother before her baby's birth.

SUMMARY.

The total infant mortality in the Baltimore group was approximately equal to the mortality reported for the cities of the birth-registration area during 1915. The Baltimore group had a rate somewhat higher than this general rate for deaths during the first two weeks and after the first three months of infancy, and lower than this general rate for deaths among infants 2 weeks but less than 3 months old. 95

The Baltimore rate for causes peculiar to early infancy, which was slightly above that for the birth-registration cities, was relatively high during the first two weeks of life and relatively low thereafter.

The Baltimore rate for gastric and intestinal diseases, which for the year as a whole was above the rate in the birth-registration cities, was lower than the rate elsewhere during the first two months and higher than the rate elsewhere during the remainder of the year. It was especially high among babies in their fourth, fifth, and sixth months of life.

The Baltimore rate for respiratory diseases was relatively high for the year as a whole and was not at any period lower than the rate in the birth-registration cities. The excess in the Baltimore rate appeared chiefly among babies 3 months but less than 9 months old, but also for the relatively few deaths from these diseases among babies under 2 weeks of age the Baltimore rate was higher than the rate elsewhere.

The Baltimore rates for communicable diseases and for the ill-defined and "all other" causes were below the rates for the birth-registration cities.

In each group of deaths, except those from malformations, the rates among colored babies were higher than the rates among white babies. Other variations that accompanied differences in economic and social conditions will appear in the development of the discussion.

⁹⁵ The reader is again reminded that in comparing the rates in the Baltimore group with the cities of the birth-registration area, the rates used as a standard of comparison were almost twice as high as the rates which had prevailed during recent years in the cities of New Zealand. And even where the rate for the Baltimore group as a whole was "relatively low," it was still above the New Zealand rate.

The total infant mortality in the Baltimore group was higher than that in the groups studied by the bureau in Brockton, Akron, and Saginaw, and lower than that in the groups studied by the bureau in Waterbury, New Bedford, Johnstown, and Manchester. The Baltimore rate from gastric and intestinal diseases was markedly higher than the rates in the three other cities with a lower total mortality. The Baltimore rate from the causes peculiar to early infancy was higher than the corresponding rates in New Bedford and in Akron. Saginaw and Brockton showed lower mortality from respiratory and other communicable diseases.

Table V.—Infant mortality rates from specified causes; cities studied by the Children's Bureau.

	Infant mortality rate.					
City.	All	causes.	Gastric and intestinal diseases.	Respiratory and other communi- cable diseases.	Early infancy.	
Johnstown Manchester New Bedford. Brockton. Waterbury Akron. Saginaw. Baltimore.		134.0 165.0 130.3 96.7 122.7 85.7 84.6 103.5	32.8 63.3 48.3 12.4 41.0 20.4 8.2 29.1	38. 3 29. 4 36. 7 21. 5 26. 6 16. 0 15. 3 26. 4	39. 6 39. 6 29. 6 37. 2 38. 7 28. 9 37. 7 37. 7	

FEEDING AND INFANT MORTALITY.

It has become a truism that babies who are nursed through the greater part of the first year have a lower mortality than babies who are weaned prematurely or are never nursed at all, and that babies who are given during their early months other food in addition to breast milk face a greater hazard than babies who have breast milk only. The extent of the variation is greatly modified by the conditions under which artificial feeding is given and the nature of the food. It is true, also, as shown in later sections of the report, that breastfed babies in the poorest families have a higher mortality than artificially-fed babies in the most prosperous families, but within each group, distinct and homogeneous in race or nationality and in economic status, an excessive hazard persists among artificially-fed babies as compared with breast-fed babies in the same group.

In these studies "breast feeding" refers to those babies who at the specified age were receiving breast milk and no artificial food whatever. "Artificial feeding" refers to those babies who were receiving no breast milk at all. "Mixed feeding" refers to babies who were being nursed but were having other food besides. No attempt has been made to distinguish among the various kinds of artificial food such as cow's milk (raw or Pasteurized), condensed or evaporated

milk, proprietary foods, bread or other solid foods, etc. 96

The feeding of each baby was recorded and classified separately

for each of the 12 months of the first year.97

Any comparison of mortality must, therefore, be based primarily on the monthly death rates of the three groups of babies—the breast-fed group, which diminished from month to month as babies were given other food, and the mixed-fed and artificially-fed groups, which increased correspondingly. But from the monthly death rates an annual rate, per 1,000 babies fed, may be computed in order to compare the total hazards to breast-fed and other babies.98

97 When a shift from one type of feeding to another occurred within the month the month was assigned to the type of feeding which predominated. In most of the tabulations of feeding and mortality, however, the feeding after the ninth month was disregarded; infants surviving at the beginning of the tenth month and deaths among them were classified according to the feeding recorded for the ninth month.

98 For the method of computation of annual rate per 1,000 babies fed, see Appendix V, p. 199.

[%] The milk situation in Baltimore during 1915 and 1916 was generally recognized as unsatisfactory. Raw milk, inadequately safeguarded by regulation and inspection of dairies, and "loose milk" were sold under insanitary conditions. Pasteurization was voluntarily carried on by certain large dairies but without standardization of the process. The sale of milk from diseased cows was prohibited, but city health authorities found, year by year, a considerable number of herds which had not been tuberculin tested. A new ordinance intended to remedy these conditions was passed in 1917, to become effective June 1 of that year. (Municipal Journal, Feb. 9, 1917, p. 7.)

Table I.—Monthly death rates, by type of feeding and month of life; infants born in 1915.


Month of life.	Deaths per 1,000 infants surviving at beginning of month.	Deaths per 1,000 infants fed in specified way.			
		Breast fed.	Mixed fed.	Artificially fed.	
First Second Third Fourth Fifth Sixth Seventh Eighth Ninth Tenth to twelfth (average)	1 44. 2 6. 3 6. 1 6. 1 7. 0 7. 6 5. 6 5. 6 5. 2 4. 8	15. 0 3. 9 2. 4 2. 3 3. 4 2. 2 1. 7 2. 2 2. 8 2. 7	42.7 6.6 9.5 5.4 5.6 4.0 3.2 3.3 3.1 2.3	55. 3 18. 6 18. 4 16. 5 20. 6 13. 7 11. 8 9. 8	

¹ The rate per 1,000 infants fed was 19.3; 269, or 24.9 per 1,000 live births, died not fed.

CHART VI.—Monthly death rates, by type of feeding. Rate per 1,000. 60 50 40 30 20 10 Mo. 1st. 2d. 3d. 4th. 5th. 6th. 7th. 8th. 9th. 10th. 11th. 12th. Breast-fed babies

Artificially-fed babies Babies having mixed feeding Comparing, first, the monthly death rates, it is found that at each month up to the ninth the babies artificially fed had the highest mortality, and that during the last three months of the first year the babies who had been artificially fed in the earlier months continued to show a higher mortality than the babies who had had breast feeding or mixed feeding through the ninth month. The breast-fed babies showed a monthly death rate of 15 per 1,000 babies fed in the first month, 3.9 per 1,000 babies fed in the second month, and thereafter a fairly constant rate ranging from 1.7 to 3.4 per

CHART VII.—Computed infant mortality rates during first 10 months of life per 1,000 infants fed, by type of feeding and cause of death.



1,000 in each month to the end of the year. The artificially-fed babies showed a monthly death rate of 55.3 per 1,000 babies fed in the first month, 18.9 per 1,000 babies fed in the second month, and a slowly diminishing rate in the succeeding months which touched 9.6 per 1,000 in the tenth to twelfth month. A break in the fall occurred, however, in the sixth month, when the mortality among artificially-fed babies rose to 20.6 per 1,000. The babies having mixed feeding showed the greatest difference between the first and later months. Their rate in the first month, 42.7 per 1,000, approaches the rate for artificially-fed babies; from the second month to the ninth it continued higher than the rate for breast-fed babies

though with a diminishing difference. From the tenth month to the end of the year the babies who had had mixed feeding during the ninth month or earlier had approximately the same mortality as the babies who had been breast fed throughout that period.⁹⁰

Or, comparing the computed annual rates per 1,000 infants fed, it appears that, on the whole, the hazard to babies having mixed feeding was twice as great, and the hazard to babies artificially fed was more than four times as great, as the hazard to babies who were breast fed. The excess hazard to artificially-fed babies as compared with breast-fed babies in the same group rose to a still higher point in the poorest families and dropped somewhat in the most prosperous families, but in no group did the excess hazard among artificially-fed babies disappear.¹

The greatest difference appeared in the mortality from gastric and intestinal diseases. Considering the deaths during the first 10 months (computed rates per 1,000 infants fed), it is found that the rate from gastric and intestinal diseases varied from 75.1 among artificially-fed babies to 6.3 among breast-fed babies, while the rate from all other causes combined varied from 108.8 to 32.9.2

The age at which a baby is weaned bears directly upon the hazard he must encounter. At each month, the percentage of subsequent deaths was highest among babies who had been artificially fed during the first month. And, in general, the later the artificial feeding was begun the smaller the percentage of subsequent deaths among the survivors at the beginning of any specified month. There was an apparent exception to this in a relatively high percentage of subsequent deaths among babies whose artificial feeding began in the sixth or the seventh month. But they were few in number, and the rates, apparently higher than the corresponding rates among babies weaned in the fourth or the fifth month, may easily be due to chance variation.³

Another method of comparing the relative hazard of weaning at different ages is shown in Chart VIII, in which yearly rates are computed for infants weaned at different ages. In computing the rates, it has been arbitrarily assumed that infants were mixed-fed during

⁹⁹ See Tables 58 and 59, Appendix VII, pp. 266 and 268.


¹ The average excess hazard among artificially-fed babies as compared with breast-fed babies is probably a slight understatement of the true average excess. The artificially-fed babies included a relatively large proportion of babies in the most prosperous families and relatively more of the babies in native white families and fewer of the babies in foreign-born white families than are included in the breast-fed group. The average hazard to artificially-fed babies was based, therefore, on a group weighted a little more favorably than the breast-fed group, in relation to nationality and fathers' earnings. But whether the average hazard to artificially-fed babies was four times as great or more than five times as great is, after all, of little moment. See Table 60, Appendix VII, p. 276.

<sup>See Table 63, Appendix VII, p. 278.
See Table 64, Appendix VII, p. 278.</sup>

the month preceding the month in which artificial feeding began, and breast fed during the earlier months.⁴ The infant mortality rate per 1,000 for babies artificially fed from birth was 251.1. For infants mixed fed during the first, and artificially fed from the second to the

CHART VIII.-Infant mortality rates, by month of life in which artificial feeding began.

Rate per 1,000 fed.



twelfth month, the rate per 1,000 fed was 170.5; while for those breast fed the first eight or nine months and artificially fed only from the tenth or eleventh months, the rate per 1,000 fed was only 48.2. The rates descend with two slight breaks in the regularity—the

⁴ In the computation, average monthly death rates by type of feeding and, for those artificially fed, by the month in which feeding began, have been used as the basis of computation. For further explanation of method, see Appendix V, p. 199.

babies weaned in the sixth seem to have a slightly higher rate than those weaned in the fifth month, but the number of cases upon which the monthly rates are based are small; and the differences are slight among the babies weaned in the eighth, ninth, and later months (eighth month, 49.8; ninth, 53.6; tenth or eleventh, 48.2).5

Furthermore, analysis of the monthly death rates among artificially fed babies, grouped according to the month in which artificial feeding began, shows that except among babies artificially fed from the first month, the highest monthly death rate within each group occurred after the babies had been artificially fed for at least a month.6 Moreover, there was no consistent decrease in the hazard during the latter months of the first year among babies artificially fed during the early months. And the decrease in monthly death rate, from month to month, among all babies artificially fed during each specified month reflects in considerable part the shifting into the artificially-fed group of babies who had had breast feeding, or mixed feeding, during their early months and the consequent lowering of the average mortality among artificially-fed babies by the more favorable rates among these later-weaned babies.

Practically, this lends great importance to the fact that of the 4,025 babies who were artificially fed within 12 months after birth, 24 per cent were artificially fed from the first month, and 2,082, or 52 per cent, were artificially fed before the fourth month. Only 850. or 21 per cent, were weaned during the eighth month or later.7

On the other hand, of all the 9,680 babies surviving at 1 year of age, considerably less than one-half (37 per cent) had been completely weaned. But this percentage varied markedly in the several nationalities and the several earnings groups—ranging from 23 per cent among the Poles to 46 per cent among the Lithuanians, and from 30 per cent in families where the fathers earned from \$450 to \$549 to 63 per cent in families where the fathers earned \$2,850 or over.8 The present study does not attempt to follow the babies into their second year nor to draw conclusions about the relation between a too long continuance of nursing and the welfare of the infants after the first year of life.

The Baltimore findings, therefore, conform to the accepted theory that artificial food given during the early months increases the hazards of infancy, and that babies having in the early months breast milk and other food besides, face a greater hazard than babies who are breast fed only, but a lesser hazard than babies who are artificially fed only. They show that the effect of artificial feeding was most marked in gastric and intestinal diseases, but that for

⁵ See Table 65, Appendix VII, p. 279.
⁷ See Table 65, Appendix VII, p. 279.

⁶ See Table 66, Appendix VII, p. 279.

⁸ See Tables 67 and 68, Appendix VII, pp. 279 and 280.


other causes of death, also, the artificially-fed babies had a higher mortality during each month of life than the breast-fed babies. The effect of artificial feeding appeared most markedly after the baby had been deprived of breast milk for at least a month.

Artificial feeding, as it was practiced in Baltimore, meant in large measure artificial feeding during the early months. More than half the babies weaned during their first year had been weaned before the end of their third month, and more than three-fourths before the end of the seventh month. The earlier the baby was weaned the greater the hazard he encountered during his first year.

SOCIAL AND ECONOMIC FACTORS IN INFANT MORTALITY.

NATIONALITY AND MORTALITY.

It has been noted that the mortality from all causes and from each cause separately except the gastric and intestinal diseases and malformations was markedly higher among the colored babies than among the white babies in the Baltimore group. Differences quite as marked appear within the white families studied, when



they are divided according to the nationality of the mother. It is true that the foreign-born white families, considered as a single group, showed the same mortality as the native white families—95.9 per 1,000. But the babies of Jewish mothers had the lowest mortality in Baltimore—51 per 1,000—and the Polish babies the highest—163.2 per 1,000. (The rate among colored babies, it will be remembered was 158.6 per 1,000.) The other nationality groups—

Italian, German, English and Celtic, Bohemian, Lithuanian, and all other foreign born—had rates ranging from 120 per 1,000 among the Lithuanians to 87.4 per 1,000 among the Italians, but the numbers of live births within each of these other nationality groups were small and the variations shown may not be significant.

Table I.—Infant mortality rates, by color and nationality of mother; live births in 1915 and live births, all pregnancies.

Let man all the second	Live birth	ns in 1915.	Live births, all preg- nancies.		
Color and nationality of mother.	Number.	Infant mortality rate.	Number.	Infant mortality rate.	
Total	10,797	103. 5	34,844	119.3	
White. Native. Soriegn born. Jewish. Polish. Italian German. All other. English and Celtic. Bohemian. Lithuanian Other Colored.	9, 492 6, 739 2, 753 961 625 412 318 437 132 107 100 98 1, 305	95. 9 95. 9 95. 9 51. 0 163. 2 87. 4 94. 3 107. 6 113. 6 93. 5 120. 0 102. 0 158. 6	30, 440 19, 696 10, 744 3, 561 2, 681 1, 701 1, 313 1, 488 529 387 252 320 4, 404	111. 9 110. 9 113. 7 65. 2 163. 7 111. 1 125. 7 132. 4 132. 3 124. 0 162. 7 118. 7	

Infant mortality rates based on all live births from all pregnancies, to these mothers, showed the same general relation: The Polish and Negro babies had the highest rates; the Jewish babies had the lowest rates; the foreign born as a whole had approximately the same rate as the native white.⁹

Nationality and cause of death.

Behind the equal total rates for babies of native white mothers and babies of all foreign-born white mothers, there were two marked differences between these groups. For causes peculiar to early infancy, the babies of native white mothers had a rate higher than the babies of the foreign born as a whole and higher than the babies in any single group of the foreign born except the Polish. But for respiratory and other communicable diseases the babies of the native white mothers had a rate lower than the babies of the foreign born as a whole and lower than the babies in any single group of the foreign born except the Jewish.

⁹ For detailed tabulations see Tables 69 and 70, Appendix VII, pp. 280 and 281.

Table II.—Infant mortality rates from specified causes, by nationality of mother; live births in 1915.

	Infant mortality rate.							
Color and nationality of mother.	All causes.	Gastric and intes- tinal diseases.	Respiratory and other communicable diseases.	Early infancy.	All other causes.			
Total	103.5	29.1	26, 4	37.7	10. 3			
Native white. Foreign-born white Jewish. Polish Italian All other Colored.	95. 9 95. 9 51. 0 163. 2 87. 4 102. 2 158. 6	28. 8 29. 1 9. 4 68. 8 9. 7 31. 9 30. 7	18. 4 27. 2 15. 6 33. 6 31. 6 34. 6 65. 9	38, 1 30, 9 22, 9 43, 2 34, 0 29, 1 49, 8	10. § 8. 7 3. 1 17. 6 12. 1 6. 6 12. 3			

Again, behind the excessively high rates which were approximately the same for Polish babies and Negro babies were marked differences in the rates from the principal causes of death. The high rate among the Polish babies was chiefly due to an excessive rate (68.8) from gastric and intestinal diseases, but their deaths from early infancy (43.2 per 1,000) and from respiratory and communicable diseases (33.6 per 1,000) were also above the average. Among the colored babies, on the other hand, the rate from gastric and intestinal diseases (30.7) was practically the same as the average for all Baltimore babies studied, but the rate from respiratory and other communicable diseases (65.9) was excessively high and the rate from early infancy (49.8) was higher than the corresponding rate in the Polish group.

The very low rate among babies of Jewish mothers appears in each group of causes. At one point only was it equaled by the rate in any other group: The babies of Italian mothers, whose total mortality was considerably higher than the mortality among babies of Jewish mothers, had the same low rate as the Jewish babies from gastric and intestinal diseases.


The deaths from scattered and unspecified causes (which make up the rates shown in the sixth column of Table II) were too few in the several foreign-born groups to justify detailed comparison. It may be noted, however, that again the Polish babies show the highest rate and the babies of Jewish mothers the lowest rate.

Social factors in the variation of rates by nationality.

Do the differences in social and economic conditions under which the several groups were living account for these variations? Or are the variations related to other differences in home life or in physical vigor which can not be analyzed in a study like the present one? The relation which the several social factors seem to bear in themselves to infant mortality will be discussed in later sections. The present section will merely review briefly the items, already noted about the distribution of these factors within each of the principal race and nationality groups, and indicate the points at which varia-

Chart X.—Infant mortality rates from all causes, by fathers' earnings, for infants of native white, foreignborn white, and colored mothers.

Infant



tions in rate seem to coincide with or to run counter to the differences in social condition.

Native white and colored families.—The most obvious differences in social conditions in native white and colored families were the excessively high percentages of colored fathers earning the lowest wages and of colored mothers gainfully employed, and the greater prevalence in colored families of many births to a mother and of births following a preceding birth by an interval of less than two years.

As a corollary to the poverty in colored families, their dwellings were poorer than those occupied by native white families. But in relation to room congestion and sanitary equipment of the dwelling—the main points on housing which in the present study have been exactly tabulated—the percentage of colored babies living in unfavorable dwellings was not quite so high as the percentage of native white babies, when families at the same economic level are compared. Housing as a factor distinct from poverty is therefore omitted from this comparison of infant mortality rates in native white and colored families.¹⁰

Six aspects of the relative rates among babies of native white mothers and babies of colored mothers will be considered: (a) Were the higher rates among colored babies due wholly or partly to the greater poverty of their families? (b) Were they due to the larger families and the shorter intervals between births in the colored group? (c) Were they due to a combination of poverty and prevalence of mothers' employment away from home? (d) Were they due to poverty and artificial feeding? (e) Were they due to a lack of trained care for mothers and babies? (f) Is there a difference in mortality that persists when all these factors have been considered?

(a) So far as rates can be computed for colored babies whose fathers earned more than the very lowest wages (that is, at least \$450), the rates were somewhat higher for colored babies than for babies in native white families of the same earnings groups, but these differences were far less than the difference between the native white and colored groups as a whole. And in the families where the father earned less than \$450 the difference disappeared, the babies of native white mothers showing a rate of 164.8 and the babies of colored mothers a rate of 163.7.

Table III.—Infant mortality rates, by father's earnings; infants born in 1915 to native white and colored mothers.

	Native whi	te mothers.	Colored mothers.		
Earnings of father.	Live births.	Infant mortality rate.a	Live births.	Infant mortality rate.a	
Total	6,739	95. 9	1,305	158.6	
Under \$450. \$450 - \$549. \$550 - \$849. \$650 - \$849. \$850 and over. No earnings. Not reported.	449 644 908 1,726 2,797 88 127	164. 8 128. 9 107. 9 95. 6 69. 0	507 356 152 121 59 69 41	163.7 168.5 138.2 115.7	

a Not shown where base is less than 100.

101351°--23----6

¹⁰ On housing conditions among the negroes in Baltimore, see p. 42 ff.

A large part of the difference in mortality, but not all, is evidently due to the greater poverty of the colored families.

(b) In every group a short interval since the preceding birth was accompanied by a relatively high mortality. The percentage of short-interval births was considerably higher among the colored families, but when all short-interval births are eliminated and native white and colored families in which the fathers earned under \$550 are compared, it appears that the colored babies had a somewhat higher mortality than the white babies. The short-interval births, considered by themselves, on the other hand, showed approximately the same mortality in white and colored families of this low-earnings level. In general, it would seem, therefore, that the greater prevalence of short intervals between births in colored families contributed to the high mortality among colored infants, but that in the lowest earnings group the mortality in native white families was greater from other causes, which counterbalanced the longer intervals in white families.

Table IV.—Excess mortality among infants of colored mothers, when effect of greater prevalence of short intervals between births is eliminated; infants of native white and colored mothers.

	Per cent of live births with interval of less than 2 years.	Infant mortality rate.		
Color and nativity of mother and earnings of father.		Live births with inter- val of less than 2 years.	Live births with inter- val of 2 years or over.	
Total: Native white Colored. Under \$550: Native white Colored	25. 5 33. 5 27. 9 35. 7	138. 0 188. 9 205. 6 207. 0	88. 6 141. 4 134. 1 142. 2	

Again, considering all earnings groups together, more than twice as high a percentage of colored babies as of babies in native white families were seventh or later in order of birth. But the distinctive hazards to these babies of the later orders of birth evidently combined with other factors to raise the total mortality among colored babies and themselves played a minor part in the total rate. The difference in rates between the later born and the earlier born was less among the colored babies than among the babies of native white mothers, the colored rate remaining high, even when babies seventh or later in order of birth were eliminated from the comparison. The part played by large families and short intervals between births in the total mortality among the colored infants seems to have been, therefore, of small importance.

Table V.—Excess mortality among infants of colored mothers, when effect of greater prevalence of births of late orders is eliminated; infants born in 1915 to native white and colored mothers.

Color and nativity of mother and earnings of father.	Per cent of live births, seventh or later.1	Infant mortality rate.		
		Births, seventh or later.	Births, sixth or earlier.1	
Total: Native white Colored Under \$550:	9.8	132. 6	84.3	
	20.0	152. 3	146.9	
Native white. Colored.	14.5	163.4	127. 5	
	20.8	170.5	150. 3	

¹ Based on single issues only. See Table 138, Appendix VII, p. 339.

(c) It is plain that in some way the mothers' employment was a factor in the excessive mortality of colored babies, for when all mothers employed away from home during pregnancy or within 12 months after the birth in 1915 are eliminated from the comparison, the total mortality rates among the colored babies and the babies in native white families of the same earnings groups become almost identical, with a slight difference in favor of the colored babies.¹¹

Table VI.—Relative mortality among infants of white and colored mothers, when effect of greater prevalence of employment is eliminated; infants born in 1915 to native white and colored mothers not employed away from home.

in think I have open have to a	Live births to mothers not employed away from home.1						
Earnings of father.	Native whi	te mothers.	Colored mothers.				
	Live births.	Infant mortality rate.	Live births.	Infant mortality rate.			
Under \$450. \$450-\$549. \$550-\$849.	329 548 2, 467	130.7 131.4 94.4	217 184 160	124. 4 108. 7 93. 8			

¹ During pregnancy or within 12 months after the birth of a baby in 1915. Compare Table 102, Appendix VII, p. 304.

(d) More colored babies than babies of native white mothers were nursed by their mothers. The higher mortality among colored babies as compared with white babies (when working mothers are included) can not be attributed to an excess of artificial feeding in the colored group; and the equivalent rates among colored babies and babies of native white mothers (when working mothers are not included) occur in spite of markedly more favorable feeding among the colored babies than among the babies of native white mothers.

¹¹ The relation of mothers' employment to mortality is discussed in detail in another section of the report, pp. 114 to 131.

Throughout, whether working mothers are included or not in the comparison, the hazard to breast-fed colored babies or to artificially-fed colored babies, was greater than the hazard to babies of native, white mothers reporting the same type of feeding.

Table VII.—Excess mortality among infants of colored mothers, when effect of differences in type of feeding and mother's employment is eliminated; infants of native white and of colored mothers in families where the father earned under \$550.

	Computed mortality rates among infants born in 1915 in families where the father earned under \$550.					
Type of feeding and nonemployment of mother.	For first 10 1,000 inf	months per ants fed.	For second to te months per 1,000 fants surviving at ginning of sec month.1			
to the second of	Native white mothers.	Colored mothers.	Native white.	Colored.		
All mothers: Breast. Mixed Artificial Mothers not employed: Breast. Mixed. Artificial	36. 7 100. 3 268. 8 32. 2 107. 1 259. 3	73. 3 127. 9 375. 7 79. 3 131. 4 448. 9	11. 8 107. 1 196. 8	53. 2 13. 8 204. 5		

¹ By eliminating deaths during the first month—the period in which most of the deaths from prenatal causes occur—the effect of the greater prevalence of employment during pregnancy among the colored mothers is, at least in part, neutralized. Rate not computed for all mothers.

(e) The infant-welfare agencies in Baltimore reached during the period of this study more of the colored mothers than of the native white mothers in Baltimore. This subject is discussed in detail in Appendix VI, 11a but it should be noted here that comparison of native white and colored families at the same economic level showed a higher percentage of colored mothers than of white mothers receiving prenatal care of Grades A and B and trained nursing care at confinement, and a larger percentage of colored babies than of white babies receiving supervision from infant-welfare agencies. The percentage of cases dropped by the infant-welfare agencies because the mother failed to cooperate was smaller in the colored group than in any other.

(f) Among the colored babies, then, the greater poverty of the fathers (with the attendant evil of poor housing), the more general employment of the mothers, the tendency toward larger families and shorter intervals between births, and the wider prevalence of venereal disease indicated by the high mortality assigned to syphilis, were increasing mortality, while mothers' nursing of their babies, prenatal care, and instruction and supervision received from infant-welfare

¹¹a See p. 203.

agencies were tending to reduce mortality. As the net result, the mortality from gastric and intestinal diseases—which responds most readily to breast feeding and intelligent care—was relatively low; the mortality from early infancy—which was especially increased by mothers' employment away from home during pregnancy and by the prevalence of venereal disease—was checked by prenatal care from rising to the excessively high rate found in the poorest native white families; and the mortality from respiratory diseases and other communicable diseases, which tends always to rise with poverty, was almost twice as high among the colored babies in the poorest families, as among babies in native white families of the same economic level, suggesting a less protection from exposure to contagious diseases or a lower resistance in the colored families.

Table VIII.—Infant mortality rates, by cause of death, earnings of father, and color of mother; live births in 1915.

	Infant mortality rate.2							
Earnings of father.	Gastric and intes- tinal diseases.		Respiratory and other communicable diseases.		Early infancy.			
	Native white mothers.	Colored mothers.	Native white mothers.	Colored mothers.	Native white mothers.	Colored mothers.		
Total	28. 9	30, 7	18. 4	65. 9	38.1	49. 8		
Under \$450	51. 2 34. 2 14. 7	33. 5 28. 6	37. 9 21. 0 11. 4	71. 0 55. 6	62. 4 41. 5 31. 1	47. 3 54. 1		

¹ See Table 78, Appendix VII, p. 286.

In relation to each group of causes, the greater poverty of the colored families was by itself a factor in their high average mortality. The average mortality in the native white families represented throughout a balance between a high rate in the poor families and a low rate in the prosperous families; but the average in the colored families was not tempered by lower rates in some favored group, since there were almost no "prosperous" colored families.¹²


Native white and foreign-born white families.—The foreign-born group itself presents so wide a diversity in rates that the social and economic differences between the foreign-born group as a whole and the native white group may be discussed briefly. Three points stand out: The fathers' earnings were much lower among the foreign born than the native white; the percentage of mothers employed away from home was slightly higher among the foreign born than the native white, whether a comparison is made of families at all economic levels

² Not shown where base is less than 100.

¹² Three live births to colored mothers were in families where the father earned \$1,850 or over; 11, where the father earned \$1,250 to \$1,849.

combined or only of those in both groups in which fathers' earnings were identical; and room congestion was more common in the foreign-born families than in native white families having the same economic status. In addition, relatively more of the foreign-born white mothers than of the native white mothers had borne seven or more children; but the difference on this point is reduced when corresponding earning groups are compared; and the foreign-born white mothers as a whole, seem not to have had shorter intervals between births than the native white mothers.

Chart XI.—Infant mortality rates from early infancy, by fathers' earnings, for infants of native white, foreign-born white, and colored mothers.



Except for the relatively high mortality from respiratory and other communicable diseases among the babies of the foreign-born mothers, the comparative rates in the foreign-born and native white families ran counter to that which might have been expected from these social conditions if no other factors had been present. For example, comparing only those families in which the fathers earned under \$650, it is found that there was among the babies of native white mothers the higher mortality from early infancy, in spite of a relatively low percentage of employment away from home, and the higher mortality from gastric and intestinal diseases, in spite of less congested dwellings. The total mortality, in families with earnings

CHART XII.—Infant mortality rates from gastric and intestinal diseases, by fathers' earnings, for infants of native white, foreign-born white, and colored mothers.





CHART XIII.—Infant mortality rates from respiratory and other communicable diseases, by fathers' earnings, for infants of native white, foreign-born white, and colored mothers.



under \$650, was definitely higher among the babies of native white mothers than among the babies of the foreign born.¹³

Table IX.—Infant mortality rates, by cause of death, nativity of mother, and earnings of father; live births in 1915 to white mothers.

	Infant mortality rate.						
Nativity of mother and earnings of father.	All causes.	Gastric and in- testinal diseases.	Respiratory and other communicable diseases.	Early infancy.	All other diseases.		
Total: Native white mothers Foreign-born white mothers Under \$650: Native white mothers Foreign-born white mothers	95. 9 95. 9 127. 4 106. 4	28. 8 29. 1 45. 5 36. 2	18. 4 27. 2 24. 0 30. 7	38.1 30.9 48.5 28.6	10.8 8.7 9.8 10.9		

But another factor was present in the variations in method of feeding. More babies had only breast milk and fewer babies had only artificial feeding in the foreign-born families than in the native white families. And the general prevalence of breast feeding seems to have been the chief reason for the more favorable rates among the babies of the foreign born. Comparing breast-fed babies with breast-fed babies, and artificially-fed babies with artificially-fed babies, the differences in favor of the foreign-born disappeared; and for the breast-fed babies the total mortality was higher among the babies of the foreign-born than among the others. But the greater proportion of babies having breast feeding among the foreign born, and facing the lesser hazards of breast-fed babies, reduced the total hazard in the foreign-born group below the hazard in native white families at the same economic level.¹⁴

Poverty, then, with its attendant evils of mothers' employment and poor housing, tended to increase mortality among the babies of foreign-born mothers, while the greater prevalence of breast feeding among the foreign born tended to reduce the mortality of their babies. Considering together all types of feeding the native white families showed a higher mortality than the foreign-born white families in corresponding earnings groups; but for all earnings groups the average mortality was reduced in the native white families by the very low mortality in well-to-do homes. If the foreign-born group had included a similar proportion of well-to-do families their average mortality would have fallen below instead of equaling the mortality in the native white families.

Polish and foreign-born Jewish families.—On five points the conditions reported among the Polish families were less favorable to

¹³ See Table 78, Appendix VII, p. 286. 14 See Tables 60 and 80, Appendix VII, pp. 276 and 288.

the welfare of their babies than the conditions reported among the Jewish families: (1) father's earnings; (2) housing; (3) mothers' employment; (4) interval between births; (5) care and instruction of the mother. In respect to feeding, so far as it can be judged in the present study by the rough classifications of breast feeding, mixed feeding and artificial feeding, practically no difference appeared.¹⁵

Table X.—Relative prevalence of certain conditions influencing infant mortality, by nationality of mother; births in 1915 to Jewish, Italian, and Polish mothers.

	Per cent of births in 1915.				
Condition.	Jewish mothers.	Polish mothers.	Italian. mothers.		
Father earning under \$650. Mother employed away from home:	46.3	70.5	62.1		
During pregnancy	1.3	32.8	3.9		
During pregnancy During lifetime of infant.	.9	23.4	1.7		
Households with 2 or more persons per room	8.9	30.7	13.9		
Dwelling lacking one or more of three items of sanitary equipment Mother reporting:	58.2	94.1	79.7		
7 or more issues	17.6	25.5	19.		
10 or more issues		8.2	7.3		
Mother pregnant within year or during infant's lifetime	7.9	17.0	25.		
Any prenatal care by physician	53.4	13.9	22.		
Prenatal care of Grades A and B.	35.3	7.9	9.		
Physician at confinement	64. 8 37. 2	22. 6 6. 0	54.		
Any supervision from infant-welfare agencies		22.4			
Regular supervision from infant-welfare agencies	24.5	5.7	13.		

(1) The greater poverty of the Polish families was only a partial factor in the excessive mortality among their babies as compared with the Jewish babies; for when Polish and Jewish families in which the father earned under \$650 are compared, the differences in their total rates and in their rates from each of the groups of causes show little if any variation from the differences that appear when the average rates for all earnings groups are compared. It is plain, however, that the most unfavorable circumstances accompanying poverty were more prevalent among the Poles than among the Jews.

(2) It has been noted that the median annual rental paid by Polish families (\$70) was lower than the median rental paid by Jewish families (\$114); that the dwellings of the Polish families were more congested than the dwellings of the Jewish families; and that fewer of the dwellings were equipped with sanitary conveniences. The greater congestion and poorer sanitation among the Poles appeared not only in all earnings groups combined but also in the families in which the

¹⁵ The Jewish families reported very little more breast feeding than the Polish families during the first month; after the second month this was reversed and the Polish had slightly more breast feeding than the Jewish. At each month, excepting the ninth, the percentage artificially fed was slightly higher among the Poles than among the Jews. The quality of the mixed feeding and of the artificial feeding may have been better in the Jewish group than in the Polish group because of the greater prevalence of infant-welfare work in the Jewish group. See Table 81, Appendix VII, p. 289.

¹⁶ See Table 78, Appendix VII, p. 286.

father earned under \$650. It is known that overcrowding and lack of conveniences within the dwelling react disastrously on the baby. Rates in relation to room congestion can not be computed for Jewish and Polish babies separately; but a comparison of the actual deaths among Jewish and Polish babies who had survived the first two weeks with the expected deaths (computed from the numbers in each group living in congested dwellings and the average death rate for all foreign-born nationalities in similar dwellings) shows actual deaths far below the expected number among the Jews and far above the expected number among the Poles (Jewish, 54 expected, 25 actual; Polish, 45 expected, 75 actual.

Table XI.—Relative mortality in Jewish and Polish families, when effect of differences in room congestion is eliminated; infants, born in 1915 to Jewish and Polish mothers, who survived two weeks.

	Infants (of foreign-born white mothers) surviving 2 weeks.									
		Jewish mothers.			Polish mothers.					
Persons per room.	Deaths per 100.					Dea	ths.		Deaths.	
		Infants.	Actual. Ex- pected. Infa	Infants.	Actual.	Ex- pected.1				
Total		931	25	54.4	597	75	44.7			
Less than 1	3.9 6.4 10.5 66.6	342 506 83		13. 3 32. 4 8. 7	68 345 183 1		2. 7 22. 1 19. 2			

 $^{^1}$ Expected deaths in each nationality are computed by multiplying number of infants in each group by death rate (all nationalities combined) for infants in dwellings with stated number of persons. For detailed discussion of method, see Appendix V, p. 201.

Rates computed in relation to the sanitary equipment of the dwelling indicate that while the greater prevalence of bad housing among the Poles may accentuate the difference, part of the excess mortality among the Poles must be traced to some further cause. In dwellings lacking one or all of three specified items of sanitation and in families where the father earned less than \$650, the Polish mortality was 12.6 per 100 infants surviving the first two weeks, the Jewish mortality 2.2.17

(3) Employment of the mother away from home was far more prevalent among the Poles than among the foreign-born Jews. This employment increased the mortality among the Polish babies. (See p. 114 ff.) It accounts, however, for only part of the difference in rates in these two nationalities. Comparing families in which the mother was not employed away either during pregnancy or at any time within 12 months after the birth in 1915, a persistently higher mortality was found among Polish babies than among Jewish babies.

¹⁷ See Table 91, Appendix VII, p. 294.

- (4) More than twice as many of the Polish mothers as of the foreign-born Jewish mothers became pregnant during the infant's lifetime and within a year after the birth in 1915; Polish, 17 per cent, and Jewish, 7.9 per cent. (For discussion of the effect of short interval between births, see p. 139.) But comparing only the infants of mothers who did not become pregnant within a year, a mortality still markedly higher was found among the Poles than among the Jews, with a Polish rate of 153.7 per 1,000 live births and a Jewish rate of 50.6 per 1,000 live births.¹⁸
- (5) Relatively few of the Polish mothers were reached by the infant-welfare activities in Baltimore, and the contrast between the Polish families and the Jewish families on this point was marked.

Table XII.—Relative prevalence of types of prenatal and confinement care and supervision from infant-welfare agencies in Jewish and Polish families.

Kind of care.	Per cen specifie care.1	t having ed kind of
	Jewish mothers.	Polish mothers.
Any prenatal care from physician Prenatal care of Grades A and B Physician attendant at confinement. Trained nursing care, confinement Any supervision from infant-welfare agencies Regular supervision from infant-welfare agencies	53. 4 35. 3 64. 8 37. 2 45. 1 24. 5	13. 9 7. 9 22. 6 6. 0 22. 4 5. 7

 $^{^1}$ Percentages for prenatal and confinement care based on mothers who had had births in 1915; percentages of supervision from infant-welfare agencies based on infants born in 1915 who survived 2 weeks.

Whether these factors together account for the differences in mortality among Polish and Jewish babies, or whether other factors existed which did not appear in the present study, can not be determined. Unfortunately, the groups were too small to permit a com-

¹⁸ The mortality rates are not materially altered by eliminating the time lived by infants of mothers who became pregnant during the infant's lifetime and the deaths among these infants, as shown in the following table. For a discussion of the excess mortality among infants of mothers who became pregnant during the infant's first year of life, see p. 140.

	Infant mortality rate.			
Nationality of mother.	All mothers.	Mothers not pregnant within year after birth.		
Total	103. 5	101. (
Native white Jewish Polish Italian Other foreign-born white	95. 9 51. 0 163. 2 87. 4 102. 0 158. 6	93. 8 50. 6 153. 7 89. 9 101. 8 160. 8		

parison of Jewish and Polish families in which no one of these unfavorable factors was present and in which the fathers' earnings and the grade of prenatal care, etc., were identical.19

A word must be added about the difference between the Polish and Jewish rates and the rates among babies of native white mothers.

An excess in mortality among Polish babies as compared with babies of native white mothers follows naturally from the conditions surrounding them. Just as we have noted in our comparison of Polish and Jewish babies the conditions among the Poles involving excess hazard to their babies, so, point by point, the comparison might be repeated with equal force as between the Polish babies and the babies of native white mothers. The fact that more Polish babies than babies of native white mothers were breast fed is the only item more favorable to the Polish babies than to the others. But the rate for breast-fed Polish babies—83.7 per 1,000 babies fed—is itself so excessive that the somewhat greater prevalence of breast feeding still leaves the total Polish mortality far in excess of the mortality in native white families.

On the other hand, poverty and poor housing are more prevalent among the Jews than among the native white families, and more Jewish mothers than native white mothers reported having had seven or more births.20 If these conditions were not balanced by others, more favorable in the Jewish families than in the native white families, the Jewish rate would fall, not below the rate in native white families, but between the rates for native white and for Polish families. Actually, the Jewish rate is almost twice as favorable as the rate among babies of native white mothers.21

Four of these more favorable factors in the Jewish homes are clear from the tabulations: (1) Fewer mothers were employed away from home; (2) fewer babies followed a preceding birth by an interval under two years; (3) more babies were breast fed; (4) more mothers had Grade A or Grade B prenatal care, trained nursing care at confinement, and more babies had regular supervision from infantwelfare agencies. Apart from the prevalence of one or another type of feeding, these factors, favorable and unfavorable, seem approximately to balance among the native white and the Jewish families.

¹⁹ The Italians had a mortality falling between the mortality of the Jews and the Poles. In each of the factors presented in this section, except interva between births, the Italians had conditions less favorable than the Jews and more favorable than the Poles. The percentage of Italian mothers pregnant within a year was, however, higher than the corresponding percentage in any other group. See Table 161, Appendix

²⁰ Note, however, the small percentage of Jewish mothers who had 10 or more births: Polish, 8.3; Jewish, 3.8; native white, 2.9.

²¹ In families where the fathers earned less than \$550, the Jewish rate is quite as definitely more favorable than the rate in native white families as it was in the whole group, all grades of earnings combined. This was true for the total mortality and for each group of causes separately. Also, in families where the fathers earned less than \$550 and the dwelling lacked one or more of three selected items of sanitation, the Jewish rates from all causes and from gastric and intestinal diseases fell further below the rates for native white families than when the average rates for all earnings groups and all dwellings are compared. See Tables 78 and 91, Appendix VII, pp. 286 and 294.

The mortality of breast-fed babies was almost identical in both groups—32.7 per 1,000 fed in the native white families and 31.4 in the Jewish families. But the scales tip slightly in favor of the Jewish babies, for the artificially-fed babies had a rate of 160.5 per 1,000 fed in the native white families and 137.2 in the Jewish families. With the greater prevalence of breast feeding among the Jewish mothers, the total mortality in their families naturally fell definitely below the total mortality in the native white families.

Summary.

The highest rates by color and nationality were found among the Polish and the Negro babies. They seem to have been due in part to the fact that these two groups had the largest percentage of fathers earning very low wages and of mothers gainfully employed away from home. In addition, the Polish families had more congested dwellings and more dwellings lacking in sanitary equipment than any other group, even when compared with other families at the same earnings level; and the Polish mothers had received less trained care and instruction during pregnancy, confinement, and the year after the birth than any others in Baltimore. Among the Polish babies the computed annual rates from all causes, per 1,000 babies fed, were excessive even for breast-fed babies; and, in spite of the relatively high percentage of breast feeding among them, their excess mortality appeared chiefly in gastric and intestinal diseases.

The negro families had the poor housing that accompanies poverty, but in comparison with other families at the same economic level their room congestion and lack of sanitary equipment were not excessive; on general conditions, such as dampness and ill repair, the present study furnishes no information. The negro mothers more generally than any others received trained care and instruction in maternal and infant hygiene. The high mortality among colored babies was not due to a high rate from gastric and intestinal diseases; and their rate from early infancy was above the average, but below the corresponding rate in the poorest native white families. Their greatest excess appeared in the deaths from respiratory and from other communicable diseases.

The lowest rate, by nationality, was found among the babies of foreign-born Jewish mothers. The rate for these babies was much lower than the rate among babies of native white mothers, in spite of the greater poverty in the Jewish families with its attendant evil of poorer housing. But in the employment of mothers away from home, the interval between births, the prevalence of breast feeding, and the receiving of trained care and instruction by the mothers, conditions were more favorable among the Jewish mothers than among the native white mothers.

POVERTY AND INFANT MORTALITY.

Fathers' earnings and mortality rates.

In Baltimore, as elsewhere, the babies in poor families had the greatest hazards to face. Among the 1,544 babies whose fathers earned less than \$450 during the year after the baby's birth, more than 1 in 7 died within the year; among the 431 babies whose fathers earned \$1,850 or more, 1 in 27 died within the year. Eliminating differences in race and nationality and considering only the babies born to native white mothers, the same extremes are found—1 in 26 dying in the most prosperous homes and about 1 in 6 dying in the poorest homes.²²

Table XIII.—Infant mortality rates, by earnings of father and color and nationality of mother; live births in 1915.

	Infan	t mortality	rate.1
Earnings of father.	Native white mothers.	Foreign- born white mothers.	Colored mothers.
Total	95.9	95.9	158.6
Under \$450 \$450-\$549 \$550-\$649 \$650-\$849 \$850-\$1,249 \$1,250-\$1,849	164.8 128.9 107.9 95.6 69.9 84.3 38.3	144.6 62.4 100.2 93.0 61.1 46.7	163.7 168.8 138.9 115.7

¹ Not shown where base is less than 100.

The very low infant mortality in families where the fathers earned at least \$1,850 (a sum which at that time was held to be sufficient to maintain a family at the comfort level) suggests that the differences in mortality in the several earnings groups below \$1,850 may be less significant than the difference between this "\$1,850 and over" group and all poorer families. Unfortunately, the numbers are too small to permit the clear analysis of higher earnings groups above \$1,850 (and above \$2,850) which would be of interest. Except among the native white families, however, this comparison of the "\$1,850 and over" group with all poorer families is impossible, because the general level of earnings was low. (See Chart X, p. 80.)

In the foreign white families, all nationalities combined, only 62 births occurred where the fathers earned as much as \$1,850, and in no single foreign nationality except the Jewish were there 100 or more live births in families where the fathers earned even as much as \$850, so that no comparison of rates by detailed grouping of fathers' earnings can be made within each nationality. But if each nationality is divided into two earnings groups—under \$650 and \$650 and over—it is found that in both groups the Jewish rate was low and the Polish

²² For detailed tabulation see Tables 18 and 74, Appendix VII, pp. 234 and 283.

rate was high, while the Italians and "all other foreign" families showed markedly higher rates below this dividing line than above it.²³

Table XIV.—Infant mortality rates, by earnings of father, selected nationalities; live births in 1915.

	Infant mor	tality rate.
Nationality of mother.	Earnings of father under \$650.	Earnings of father \$650 and over.
Foreign-born white mothers Jewish Polish. Italian All other.	106. 4 49. 3 160. 3 105. 5 112. 1	73. 4 40. 3 153. 4 48. 6 86. 7

In the colored families only 3 babies were born whose fathers earned \$1,850 or more, and only 59 babies whose fathers earned as much as \$850; in fact, nearly two-thirds of all were in families where the fathers earned less than \$550, so that the comparison of infant mortality by fathers' earnings in the colored families is especially limited. It is plain, however, that the colored babies whose fathers earned less than \$550 had a higher rate than those whose fathers earned \$550 or more. (See Charts XI, XII, and XIII, pp. 86 and 87.)

In ascending the scale of fathers' earnings, the decrease in infant mortality in the more well-to-do families represents, in the main, a decrease in deaths from gastric and intestinal disorders and from respiratory and other communicable diseases; but among the babies of native white mothers there was also a definite decrease in deaths from causes peculiar to early infancy.²⁴ Or, separating the deaths of babies who died immediately after birth, before they had been fed at all, and all other deaths during the first year of life, it is found that the decrease in the infant death rate appears chiefly in the later deaths—although, again, among the babies of native white mothers, there was the lowest rate for deaths immediately after birth in the families of the highest earnings group.²⁵

The total infant mortality decreased steadily from one earnings group to the next among the white babies of both native and foreign mothers, except for one break in the downward curve of rates in each group.

(1) The babies of native white mothers in families where the fathers earned \$1,250 but less than \$1,850 had a total infant mortality rate higher than the babies whose fathers earned \$850 but less than \$1,250. But their rate—84.3 per 1,000—was lower than the rate for babies whose fathers earned less than \$850, and above \$1,850 the rate dropped sharply again.

For detailed tabulation see Table 78, Appendix VII, p. 286.
 See Table 79, Appendix VII, p. 287.
 See Table 78, Appendix VII, p. 286.

Table XV.—Infant mortality rates, by cause of death and earnings of father; infants of native white mothers.

	Infant mortality rate; infants of native white mothers.					
Earnings of father.	All causes.	Early infancy.	All other causes.			
Total	95. 9	38.1	57.7			
Under \$450 \$450-\$549 \$550-\$649 \$650-\$849 \$850-\$1,249. \$1,250-\$1,849 \$1,850 and over	164.8 128.9 107.9 95.6 69.9 84.3 38.3	62. 4 43. 5 45. 2 38. 8 28. 3 44. 5 21. 9	102. 4 85. 4 62. 7 56. 8 41. 6 39. 7 16. 4			

This break in the downward curve appeared only in the rates from early infancy. That is to say, the mortality related to the care and condition of the mother was unfavorable in this group which lay between the poor and the well to do, but the mortality related to the care of the baby after birth and the home surroundings was more favorable here than in any poorer homes. It should be noted, however, that even for the causes peculiar to early infancy the highest rate was found in the families where the father earned less than \$450 and the lowest rate where the father earned \$1,850 or more.²⁶

(2) In the foreign-born white families, all nationalities combined, the families where the father earned under \$450 had the highest total infant mortality rate and the families where the fathers earned \$1,250 or over had the lowest total infant mortality rate, and these extremes fell definitely above and below the rates for any earnings groups between \$450 and \$1,250. But a break in the curve between these two extremes occurred at \$450 to \$549, where the rate was lower than in the two earnings groups next above and practically identical with the rate at \$850 to \$1,249.

Table XVI.—Infant mortality rates, by cause of death and earnings of father; infants of foreign-born white mothers.

againmb on Sure desided	Infant mortality rate; infants of foreign-born white mothers.							
Earnings of father.	All causes.	Gastric and intestinal diseases.	Respiratory and other communi- cable diseases.	Early infancy.	Other causes.			
Total	95.9	29.1	27.2	30.9	8.7			
Under \$450 \$450-\$549 \$550-\$649 \$650-\$849 \$850 and over \$\$50 to \$1,249 \$1,250 and over	144.6 62.4 110.2 93.0 54.8 61.1 42.5	56. 1 26. 7 18. 6 17. 5 16. 1 24. 4	35.7 15.6 39.6 31.6 9.7 11.9 4.8	40. 8 8. 9 32. 6 33. 3 27. 4 24. 4 33. 0	11. 9 11. 1 9. 4 10. 5 1. 6			

²⁶ For detailed tabulation see Table 78, Appendix VII, p. 286.

This comparatively low rate in so poor an earnings group appeared in the rates from early infancy and from respiratory and other communicable diseases, but not in the rate from gastric and intestinal diseases. For deaths assigned to early infancy this earnings group—\$450 to \$549—showed the lowest rate of all among the foreign born.²⁷

Among the foreign-born white families, more babies in this wage group were breast fed through the earlier months and fewer were artificially fed throughout the first nine months than in the group under \$450 or in the groups between \$550 and \$849.28 This more favorable feeding would, apart from other factors, reduce the infant death rate for babies fed somewhat below the death rate for babies fed in the earnings groups between \$550 and \$849. It does not, however, account for the whole difference that appears, and, obviously, it has no relation whatever to the very low death rate for babies dying immediately after birth.29

Table XVII.—Comparison of infant mortality in fathers' earnings group, \$450 to \$549 with that in the group \$550 to \$849, eliminating differences due to type of feeding; infants in foreign-born white families in the \$450 to \$549 group.

Type of feeding.	Actual deaths.	Expected deaths.1	Type of feeding.	Actual deaths.	Expected deaths.1
Total	28	39.7	Infants fed: Breast	12	15.0
Infants not fed	5 23	9. 9 29. 8	Mixed Artificially	3 8	6.0

¹ The "expected deaths" are computed from rates in \$550 to \$849 group for babies not fed, breast fed, mixed fed, and artificially fed.

Type of feeding and mortality in the several earnings groups.

In general, such variations as occurred in the prevalence of breast feeding or of artificial feeding in the several groups do not account for high rates in the poorer families and low rates among the well to do, but tend, on the contrary, to obscure the actual differences in hazard. For example, in the native white families of the "under \$450" group, where the rates were highest, there were during the early months, which are the period of greatest hazard, a higher percentage of babies breast fed and a lower percentage artificially fed than in the native white families of any other earnings group. Only after the sixth month did the percentage breast fed in this earnings group drop below the average for all earnings groups combined. And the fewest babies were breast fed and the greatest number were artificially fed in the highest earnings group—\$2,250 to \$2,849, and \$2,850 and over—where the rates were very low.²⁸

²⁷ For detailed tabulation see Table 78, Appendix VII, p. 286.

²⁸ See Table 80, Appendix VII, p. 288.

²⁹ See Tables 79 and 82, Appendix VII, pp. 287 and 289.

^{101351°-23---7}

Again, dividing all the native white families into two approximately equal groups, with fathers earning under \$850 and fathers earning \$850 and over, the infant mortality rate in the poorer-group (112.7 per 1,000) was considerably above the rate (69.0 per 1,000) in the group with higher earnings. But the percentages breast fed, month by month, were almost identical in the two groups. The one difference, that there was more artificial feeding in the "\$850 and over" group and more mixed feedings in the "under \$850" group, would reduce the rate in the poorer families below the rate among the more well to do if other factors were not involved.

What, then, of the commonly held opinion that if all babies received the mother's milk and no other food through the first nine months of infancy the excessive mortality among the babies in the poorest families would disappear? In the Baltimore study, the Children's Bureau is, for the first time, discussing numbers large enough to permit a detailed analysis of rates in relation to the earnings of the father, the race and nativity of the mother, and the type of feeding given to the infant. This analysis confirms the theory that the rates for breast-fed babies at each economic level are below the rates for artificially-fed babies in homes of the same economic level; but it shows that while the rates for breast-fed babies in the-poorest homes (61.8 per 1,000 fed) were below the average rates for all babies studied in Baltimore (80.5 per 1,000 fed) they were far above the rates for breast-fed babies in families that were well to do (13.3 per 1,000 fed).³¹

Table XVIII.—Infant mortality rates, by earnings of father and color and nativity of mother; infants artificially fed.a

the same and		Computed annual rates a for artificially-fed infants.					
Earnings of father.	All mothers.	Native white mothers.	Foreign- born white mothers.	Colored mothers.			
Total	191. 4	160. 8	232. 1	347.3			
Under \$550. \$550-\$849. \$850-\$1,249. \$1,250-\$1,849. \$1,850 and over.	310. 1 185. 4 117. 3 130. 1 27. 5	289. 9 178. 8 109. 6 104. 2 26. 0	274. 1 196. 9 169. 7	387. 9			

^a The method by which an annual rate per 1,000 infants fed is computed from the monthly rates for babies artifically fed, mixed fed, or breast fed during the first month, the second month, etc., is shown in Appendix V, p. 199.

⁸¹ See Table 60, Appendix VII, p. 276.

Table XVIX.—Infant mortality rates, by earnings of father and color and nativity of mother; breast-fed infants.

1

and the same of th		Computed annual rates 1 for breast-fed infants.					
Earnings of father.	All mothers.	Native white mothers.	Foreign- born white mothers.	Colored mothers.			
Total	43, 3	32.7	50. 2	90. 2			
Under \$550. \$550-\$849. \$850-\$1,249. \$1,250-\$1,349. \$1,250 and over.	61. 8 46. 1 22. 5 23. 2 13. 3	39. 0 39. 6 20. 2 29. 2 15. 6	63. 8 51. 1 20. 9	91. 4			

¹ The method by which an annual rate per 1,000 infants fed is computed from the monthly rates for babies artificially fed, mixed fed, or breast fed during the first month, the second month, etc., is shown in Appendix V, p. 199.

The variations in rates between the poorest and the most prosperous were greater among the artificially-fed babies than among the breast-fed babies, and the rates for artificially-fed babies descended in an unbroken line from one earnings group to the next in each of the three race and nativity groups. But the contrasts in rates between the poorest and the most prosperous were quite definite even among the breast-fed babies. In the native white families, the rate for breast-fed babies was more than twice as high in the families "under \$550" as in the families "\$1,850 and over," but the downward curve in the rate was broken by a slight rise in the group \$1,250 to \$1,849.

How do these rates compare with the rates for all babies having all types of feeding? The total death rate in Baltimore for the 10,528 babies living long enough to be fed at all was 80.5 per 1,000 infants fed. The rates for breast-fed babies in the poorest homes—except in the colored families—were below this average rate for the community but also above the rates for breast-fed babies in the most prosperous homes; and, it should be noted, the artificially-fed babies in the most prosperous homes showed a far more favorable rate than the breast-fed babies in the poorest homes. Three simple computations of what the infant mortality in Baltimore might have been if all the babies had been exposed only to such hazards as the more favored babies had to meet, illustrate the interplay of infant feeding and economic conditions as factors in preventable mortality.

(1) If the infant death rate of 43.3 per 1,000 infants fed, which was the average for all breast-fed babies in Baltimore, had been the death rate among all the 10,528 babies who lived long enough to be fed, the total number of deaths among babies fed would have been approximately 456 instead of 848, and the total number of deaths in the entire group (including the 269 who died immediately after birth without being fed at all) would have been approximately 725

instead of 1,117; and 392, or 35 per cent of those who died, would have been saved.

(2) If the infant mortality rate (including all types of feeding and babies not fed at all) among the 431 babies born in families where the father earned at least \$1,850 had been the rate for the entire group of 10,797 babies, the total number of infant deaths would have been approximately 401 instead of 1,117; and 716 babies, or 64 per cent of those who died, would have been saved.

(3) But if the rate, lower than either of these, for breast-fed babies in the most prosperous families, and the rate in these families of deaths immediately after birth before the infant was fed at all, had been true for the entire group in Baltimore, then 175 instead of 269 babies would have died immediately after birth; and among the 10,622 who would have survived long enough to be fed 141 would have died during the year. The total deaths would have been 316 instead of 1,117; and 801 babies, or 72 per cent of those who died, would have been saved.

Table XX.—Potential saving in infant mortality in Baltimore; live births in 1915.

I. IF ALL BABIES HAD BEEN BREAST FED THROUGH THE FIRST NINE MONTHS (OR UNTIL DEATH WITHIN THAT PERIOD).

with a self-of-	Trafornita	Poter	ntial.	Actual
	Infants.	Rate.	Deaths.	deaths.
Total	10, 797		725	1, 117
Not fed at allFed	269 10, 528	43, 3	269 456	269 848

II. IF ALL BABIES HAD FACED THE HAZARDS TO BABIES (TYPE OF FEEDING DISREGARDED) WHOSE FATHERS EARNED \$1,850 OR OVER.

Total	10, 797	37.1	401	1,117
				10000

III. IF ALL BABIES HAD FACED THE HAZARDS FACED AT BIRTH AND BY BREAST-FED BABIES AFTER BIRTH, IN FAMILIES WHERE FATHERS EARNED \$1,850 OR OVER.

Total	10, 797	 316	1, 117
Live births and deaths at birth	10, 797 10, 622	175 141	269 848

Living conditions affecting mortality in the poorer families.

The higher mortality among babies living in the poorest families, even when exclusively breast fed, is not easily explained. It is doubtless due in part to social conditions associated with but not due to poverty and in part to conditions for which poverty is itself a cause. It is not easy to separate these two classes of conditions nor

to determine the extent to which poverty itself may be a direct factor in increasing the hazards to babies.


Certain social conditions that raise the infant mortality rate were more commonly present in the poorest families than elsewhere, but even here they were not universal.³² In the poorest families, where the fathers earned under \$450 during the year, the most prevalent unfavorable social factors were room congestion and employment of mothers away from home; but more than one-half of the poorest mothers were not so employed during pregnancy or within 12 months after the birth of a baby in 1915, and more than one-fourth of these babies who lived at least two weeks were in dwellings having more rooms than there were persons in the household. Large families and short intervals between births were slightly more prevalent in poor homes than in prosperous homes, but less than one in four of the babies whose fathers earned under \$450 was seventh or later in order of birth and less than one in four followed a brother or sister born less than two years before.

Poverty may also be associated with lack of intelligence or with ignorance on the part of the mother of the best methods of caring for her baby. Perhaps the most serious aspect of ignorance in caring for the baby is that it may lead to the early substitution of artificial for natural feeding. But in this respect the mothers in the poorer groups, as already discussed, are not handicapped, since the proportion of infants breast fed is greater in the low earnings groups than in the higher. In other respects, however, ignorance of the proper intervals between feedings, ignorance of the importance of cleanliness, of the importance, if artificial feeding is adopted, of adapting it to the needs of the baby, ignorance of when it is advisable to consult a physician-ignorance of these things may prove disastrous to the baby's life. Such ignorance is doubtless more prevalent among the poorer mothers; the old theory that all mothers know by instinct the best methods of caring for their babies is no longer held; and it is obvious that the more well-to-do mothers have access to facilities for education in respect to the best methods of infant care and may secure competent medical advice and nursing care to supplement their own efforts which the poor mother can not secure.

In one important point, in respect to the illiteracy of the mother, the data of the study offer definite information. While illiteracy may not always be associated with ignorance in regard to infant care, yet it is probable that it usually is so associated, since the illiterate mother is wholly dependent upon oral tradition and advice. In the poorest families, those in which the fathers earned under \$450, 23 per cent of the mothers were illiterate as compared with less than 1 per cent in families where the fathers earned \$1,850 or over.

²² Compare Tables 90, 102, 127, 137, and 154, Appendix VII, p. 293, 304, 332, 338, and 349.

CHART XIV.—Infant mortality rates, by fathers' earnings among infants of "favored group" and all other infants.



The effects upon infant mortality of these conditions associated with poverty—illiteracy of the mother, her employment away from home, large families, and short intervals between births—can be eliminated to a large extent by examining the mortality rates in a favored group in which none of the most unfavorable conditions are present, and in which therefore the influence of poverty as distinct from these conditions is revealed. Eliminating all families where the mother was employed away from home or was illiterate, or where the 1915 baby was seventh or later in order of birth or followed a preceding birth by an interval of less than two years, a "favored group" is formed which includes 22 per cent of the live births in families where the father earned under \$450 and 40 per cent of the live births in families where the father earned under \$850. In this favored group, the contrast in rates between the poorest and the most prosperous families is slightly less sharp than in all the families combined, but the same general trend persists—the infant mortality falls as the fathers' earnings rise.33

Table XXI.—Infant mortality in first favored group by earnings of father; infants of native white mothers.

See a Succession of the second	To	tal.	Favored group.1		
Earnings of father.	Live births.	Infant mortality rate.	Live births.	Infant mor- tality rate.	
Under \$450. \$450-\$549. \$550-\$649. \$650-\$849. \$850-\$1, 249. \$1, 250-\$1, 849. \$1, 850 and over.	449 644 908 1, 726 1, 802 629 366	164. 8 128. 9 107. 9 95. 6 69. 9 84. 3 38. 3	185 301 492 1,063 1,175 453 281	113. 5 119. 6 87. 4 72. 4 54. 5 83. 9 46. 3	

¹ From this group have been eliminated mothers employed away from home and illiterate mothers, and infants who were seventh or later in order of birth or who had followed a preceding birth by an interval of less than two years.

Eliminating not only these social factors but room congestion as well, the favored group is further reduced and includes only 11.5 per cent of the infants surviving two weeks whose fathers earned under \$450 and 26.3 per cent of the infants surviving two weeks whose fathers earned under \$850. But the favored group is still large enough to permit a comparison of infant death rates by fathers' earnings, and again the same trend persists—the death rate falls as the fathers' earnings rise.³⁴

³⁸ To eliminate complications arising from differences in race, figures are shown in the table for infants of native white mothers only. For detailed tabulations see Tables 78 and 83, Appendix VII, pp. 286 and 290.

³⁴ To eliminate complications arising from difference in race, figures are shown in the table for infants of white mothers only. For detailed tabulation see Tables 84 and 90, Appendix VII, pp. 290 and 293.

Table XXII.—Infant mortality in second favored group by father's earnings; infants of white mothers who lived at least two weeks in dwelling of residence.

Earnings of father.	Total.		Favored group.1	
	Infants.	Deaths per 100.	Infants.	Deaths per
Under \$450. \$450-\$549. \$550-\$849. \$850-\$1,249. \$1,250 and over.	984 1,052 3,490 2,142 1,156	11. 1 6. 8 6. 4 4. 1 2. 4	113 193 1,146 1,025 704	7. 1 5. 2 4. 0 2. 6 2. 0

¹ From this group have been eliminated mothers employed away from home and illiterate mothers and infants who were seventh or later in order of birth or who had followed a preceding birth by an interval of less than two years, and infants in dwellings with one or more persons per room.

Poverty as a direct factor in infant mortality.

Evidently there are other unmeasured factors which make poverty—or lack of means—a hazard to infant life apart from the size of the dwelling, the size of the family, the interval between births, and the illiteracy or the gainful employment of the mother. Low income may itself be a factor in infant mortality.

An important way in which lack of means handicaps mothers in caring for their babies is in the purchase of competent medical care and supervision and nursing service. Such medical care and supervision is necessary not only during the mother's pregnancy but also during the infant's first year of life. The disadvantages of poverty in this respect, however, are to a certain degree removed by provision of infant-welfare stations and free consultation centers which are open to the poor as well as to the well to do. But the highest percentages of mothers reporting examination and instruction by physicians during pregnancy and medical and trained nursing care at confinement were found in families where the fathers earned at least \$1,850, and the lowest percentages were found in one or another of the earnings groups under \$850. The extent to which the poorest mothers took advantage of free medical supervision and care is shown by the fact that the lowest percentages receiving care were in no case found among the families in which the fathers earned the least (under \$450). But the provision of free care does not solve the problem for the poorer mothers since throughout the study the highest mortality rates were found in this lowest earnings group.

Lack of means is a further handicap in an attempt to fortify and maintain health through good food, fresh air, rest, and recreation, as recommended by health authorities. During pregnancy and the nursing period the mother should have plenty of nourishing food, including a generous proportion of fresh fruits and vegetables, and should drink plenty of good milk. But the mother who is constantly striving to make ends meet on a meager income may be forced to stint herself or her children in order to provide food to maintain the

physical efficiency of the breadwinner of the family. She should have her teeth cared for by a good dentist; but she is probably unable to pay for such care. She should have pleasant exercise and recreation and spend at least two hours of each day in the open air; she should avoid worry and fatigue; she should sleep at least 8 hours out of the 24. But her day may be filled with worries of making ends meet, and with busy work patching up clothing for the different members of the family that they may appear at least respectable, preparing meals, caring for the children, besides trying to do all the housework; it may be physically impossible for her so to arrange her time and work—and the household conveniences which lighten the toil and shorten the hours of housework can not be obtained without money—that she may carry out these excellent recipes for her own health and that of her baby. For the baby the house should be sunny, well ventilated, and dry; his room should be not too hot nor too cold, not too light nor too noisy. On a limited income it will be difficult to rent a dwelling which meets all these requirements. The baby should have clean, comfortable clothing, a good bed, and suitable coverings. Even the cleverest and most diligent mother can not provide all these things from an empty purse.

Poverty, therefore, through lack of means to provide the physical essentials for health, as well as to procure medical and nursing assistance when needed, appears to have a direct influence upon the

infant mortality rate.

Summary.

It appears, then, that the highest infant mortality was found in the families where the father's earnings were lowest, and the lowest infant mortality where the fathers' earnings were highest, and in general the rates for the several causes of death decreased, with the total rate, as the father's earnings rose. Two minor exceptions to this general rule appear in the Baltimore material—a low rate (especially from diseases of early infancy) in the \$450 to \$549 group among the foreign born, and a break in the downward curve from diseases of early infancy in the \$1,250 to \$1,849 group among the native white.

The importance of breast feeding in reducing mortality was apparent in the differences between the rates for breast-fed babies and for artificially-fed babies in the poorest homes. But the rates for breast-fed babies also varied with the father's earnings, and it is to be noted that the artificially-fed babies in the most well-to-do homes had a lower mortality than the breast-fed babies in the poorest homes.

Certain unfavorable living conditions were more commonly present in the homes where the father's earnings were low than elsewhere, but a "favored group" from which had been eliminated all babies whose mothers were employed or were illiterate, all babies who were seventh or later in order of birth or who had followed a preceding birth by less than two years, and all babies living in congested dwellings, showed a marked decrease in mortality from the lower earnings groups to the higher.

Prenatal instruction and supervision of the mother and medical and nursing care at confinement were not universal in any earnings group, but they were reported by more mothers in the most prosperous families than at any lower economic level. That the absence of care and instruction was not the chief cause of high mortality in the poorer homes is evident, however, from the fact that relatively more mothers reported trained care and instruction in the lowest earnings group than in the groups slightly higher in the scale. But, uniformly, the mortality was highest in these poorest homes.

The sheer absence of means with which to supply the necessities of wholesome living seemed to be itself a factor in mortality.

NEIGHBORHOODS, DWELLINGS, AND INFANT MORTALITY.

The physical environment into which the babies were born is difficult of measurement and tabulation. The babies can be grouped according to the ward in which their families lived and the room congestion and sanitary equipment of the dwelling, but such important items as dryness, ventilation, and cleanliness of the dwelling, and the condition of the street and yard, can not be touched upon in the present study. Moreover, in every community the condition of neighborhoods and dwellings is primarily determined by the means of the families and, to a slighter degree, by their traditions and habits. It has been noted, for example, that overcrowding in the homes was directly related to the fathers' earnings but that the foreign-born families reported more room congestion than the native white families, even when groups with identical earnings are compared.³⁵

So far, therefore, as environment can be measured, the effect of environment upon mortality must be considered as secondary to the relation of poverty and of nationality to mortality.

Wards.36

In discussing the relation of wards to infant mortality, two separate questions are involved: First, Where in Baltimore were the babies living who faced the greatest hazards? and, second, What was the effect of neighborhood conditions on infant mortality apart from other factors such as poverty and differences in conditions within the home?

³⁵ See Table 37, Appendix VII, p. 252.

³⁶ The classification by wards is based on the dwelling in which the infant spent the greater part of his life up to 1 year of age. If a period was equally divided between two dwellings, the dwelling occupied during the time nearer the birth is used. In the case of babies dying under 2 weeks of age (or stillbirths), the ward refers to the house in which the mother spent the greater part of her pregnancy.

Four wards in Baltimore had infant mortality rates above 130 per 1,000. The second ward, a low-lying district on the water front. where the foreign born predominated and more than two-fifths of the births were to Polish mothers, had a total infant mortality of 140.3 per 1,000, chiefly due to an excessive mortality from gastric and intestinal diseases. The seventeenth ward, lying on higher ground to the northwest of the business center, where about three-fourths of the births were to colored mothers, had a total infant mortality of 146.8 per 1,000, chiefly due to an excessive mortality from the diseases of early infancy. The twenty-first ward, the most western of the wards bordering the river, with congested blocks and less settled blocks, foreign-born and native families, very poor families and families of average means, had a mortality rate of 136.5 per 1,000, chiefly due to a high mortality from gastric and intestinal diseases. The twenty-second ward, a very poor ward on the water front, with crowded blocks of the foreign born toward the west and a negro colony toward the east, had an excessive mortality from gastric and intestinal diseases and from respiratory diseases, but a relatively low mortality from the diseases of early infancy. The total rate in the twenty-second ward (134.1) was practically the same as the rate in the twenty-first ward.

Ward rates do not offer a satisfactory index to the neighborhoods in which babies were facing excessive hazards. In many parts of Baltimore the limits of a single ward included a marked variety of neighborhoods, with alleys and streets, the homes of the rich and the homes of the poor, grouped together in the ward unit. The high mortality of a neglected neighborhood may have been balanced by the low mortality of a well-conditioned neighborhood within the same ward. The average for a ward may, therefore, conceal a genuine contrast which it is impossible to trace from the data in the present study.³⁷

³⁷ See the general discussion of this in the section on "Baltimore," p. 23ff. The most obvious example of contrasting conditions within the wards was found in the six wards in which 5 per cent or more of the babies were born in families where the father earned at least \$1,850. In each of these six wards the relatively high percentage of well to do families was balanced by a higher percentage of families in which the father earned less than \$650. And in four of these six wards the percentage of colored births was considerably above the percentage of colored births in the city as a whole, and more of the bables in the ward were born into colored families than into well to do white families—see especially p. 26.

The state of the state of		Liv	e births i	n specifi	ed ward o	of residen	ce.	191
Color of mother and earnings of father.	The six.					4 3 1 3 1	11 415	STITLLE
тариет.	Number. Per cent. 11 12	13	14 15	16				
Total	2,307	100.0	145	409	449	289	598	417
\$1,850 and over: White mothers Colored mothers Under \$650:	284	12.3 0.1	28	70	42	26 1	89 1	29
White mothers	326 378	14. 1 16. 4	8 60	66 43	117 5	26 107	64 98	45 65
All other: White mothers	1, 185 132	51. 4 5. 7	38 11	212 18	284 1	78 51	315 31	258 20

That there were undoubtedly blocks, or districts, outside of wards 2, 17, 21, and 22 where mortality was also far above the average for all is indicated by the extent to which the three groups in the population whose mortality was especially high were gathered in other wards. Fifty-four per cent of the Polish babies, 78 per cent of the Negro babies, and 77 per cent of all babies in white families where the father earned less than \$450 lived outside these four wards, but the total mortality among these babies was excessive not only in the four wards with high mortality rates but also in the remainder of the city.

Table XXIII.—Relative mortality, by ward groups, in selected nationality and earnings groups; live births in 1915.

	The four wards (2, 17, 21, 22).		The other wards.	
Earnings of father, color and nationality of mother.	Live births.	Infant mortality rates.	Live births.	Infant mortality rates.
Polish mothers	288 293 242	180. 6 170. 6 165. 3	337 1,012 795	148.4 155.1 149.1

Is there, then, no distinctive relation between neighborhood conditions and mortality, apart from the economic status of the family and living conditions within the home?

The ward rates in the present study illustrate the difficulty of demonstrating the relation which many students of infant mortality have thought to exist between infant mortality and lack of drainage and sanitation and dirty streets—in other words, the city housekeeping in any given district and the lot congestion and absence of sunlight and open spaces. The families living in ill-favored neighborhoods are usually the poorest, whose babies suffer from other known hazards of poverty. Or, if they have a small margin of income, they accept an ill-favored neighborhood because they consider other things more essential than an improvement in living conditions either within or without the home. And, vice versa, most of the very poor families live in ill-favored neighborhoods. In Baltimore, at least, there was no basis for comparing families in ill-favored neighborhoods with families of the same nationality and similar poverty in well-conditioned neighborhoods. No evidence can be offered as to whether in Baltimore neighborhood conditions were an independent factor in mortality, apart from the influence of poverty, racial customs, and conditions within the dwelling.

For example, only two of the four wards—the twenty-first and the twenty-second—with a mortality above 130, markedly above the

average for all wards, had an excess that is not accounted for by the inclusion within the ward of nationality and earnings groups with high mortality rates.38 But keeping in mind the difficulties of analysis stated above, it is apparent that this fact offers no evidence either for or against the independent effect of neighborhood. The apparent absence of high mortality in certain other conspicuously unfavorable districts also proves nothing. For example, the Locust Point district is merged in the tabulation with the western part of the twentyfourth ward. The third ward had an average rate, although it closely resembled the second ward in housing and the condition of the streets and yards; but the third ward had a considerable percentage of births to Jewish mothers who managed, always, to protect their babies to an amazing degree. The seventeenth and eighteenth wards had a higher percentage of dwellings that lacked sewer connection than any other wards in the center of the city; but in neither ward was the mortality from gastric and intestinal diseases exceptionally high.

Another element in mortality according to wards is infant-welfare work, which should tend to reduce the mortality in districts where the work is well developed. The fifth ward, for example, which was one of the poorest in the city, had the lowest infant mortality rate in any ward. The large Jewish population in this ward accounts for part, but only for part, of the difference between the fifth ward and the average for all. The chief factor seems to have been the exceptionally high percentage of mothers having fairly good prenatal care and of infants having supervision.³⁹ In the seventeenth and eighteenth wards and in the twenty-fourth ward the percentage having regular supervision from infant-welfare agencies was also above the average for the city, and in the third ward more mothers and babies had such care and supervision than in the second ward. But in none of these wards except the fifth did more than one baby in five have regular supervision from infant-welfare agencies.


The essential facts in the present study seem to be that (1) while only four wards showed, as a whole, excessively high mortality either from all causes or from one or more specified groups of causes, the same excessive hazard was present in all districts representing the same standard of living; (2) the Jewish families had a low rate even in unfavorable surroundings; (3) the effect of neighborhood as distinct from economic status can not be either proved or disproved from the present data; (4) certain of the wards in which surroundings were unfavorable showed a relatively high development of infant-

38 See Table 87, Appendix VII, p. 292.

³⁰ Grades A and B, prenatal care, 38.1 per cent; regular supervision from infant-welfare agencies, 34.6 per cent. For grades of care, see pp. 208 to 210. But note that the rate in the fifth ward (65.7) is almost twice as high as the rate in families where the fathers earned \$1,850 or over.

welfare work and an average mortality, instead of excessive mortality, from gastric and intestinal diseases; (5) but not even the fifth ward with its high percentage of Jewish mothers and excep-

CHART XV.—Death rates among infants surviving two weeks, by fathers' earnings and room congestion.



tional development of infant-welfare work had a rate approaching the very low rate among babies in the most prosperous families throughout the city.

Dwellings.

In relation to room congestion and lack of sanitation there was more definite evidence that low standards reacted unfavorably upon the baby. 40 These conditions were, of course, chiefly prevalent in poor homes, but a comparison of the infants in crowded and poorly equipped dwellings with other infants in families at the same economic level showed a higher mortality in the crowded and poorly equipped dwellings than elsewhere.

Room congestion.—Of the infants in native white families who lived at least two weeks, 2,344 were in dwellings with one or more persons per room—107 of these in dwellings with two or more persons per room. The death rate among the infants whose families lived in dwellings with more rooms than persons in the household was 4.6 per 100 infants surviving two weeks; in dwellings with one person but less than two persons per room, the death rate was 8.6 per 100 infants, and in dwellings with two or more persons per room it was 14 per 100.41

Table XXIV.—Excess mortality in overcrowded dwellings, when effect of differences in fathers' earnings is eliminated; infants born in 1915 to native white mothers, who lived at least two weeks in dwellings with specified number of persons per room.

Earnings of father.	Deaths per 100 infants (native white mothers) who lived a least 2 weeks in dwelling with specified number of persons per room. ¹		
where the state of the parties of the state	Less than 1.	1 but less than 2.	2 or more.
Total	4.6	8.6	14.0
Under \$450. \$450-\$549. \$550-\$649. \$650-\$849. \$850-\$1,249. \$1,250 and over.	7.5 7.1 6.9 4.5 3.8 2.7	15. 1 9. 6 8. 3 7. 8 5. 8 3. 4	

¹ Not shown where base is less than 100.

At each earnings level, the death rate was lowest in the least crowded dwellings. The families of the 107 infants in dwellings with two or more persons per room were so distributed among the several earnings groups that even in the lowest group their number was too small to justify the computation of a death rate according to father's earnings. It may be noted, however, that the average death rate among these 107 infants, for all earnings groups combined, was higher than the death rate in any earnings group except the

⁴⁰ The housing tables are based on infants who had survived the first 2 weeks of life and the dwellings in which each lived the greater part of his life. The possible effect of housing on the condition of the mothers or infants immediately after birth is not considered. Of the infant deaths in Baltimore 35.8 per cent occurred within 2 weeks after birth, and such deaths are almost entirely assigned to natal and prenatal causes.
⁴¹ For detailed tabulation see Table 90, Appendix VII, p. 293.

poorest among the infants in dwellings with one person but less than

two persons per room.

A fair measure of the effect of room congestion upon mortality in the native white families is afforded by comparing the actual number of deaths—208—among the 2,344 infants of native white mothers living in dwellings with one or more persons per room, with the number of deaths that would have occurred among them—approximately 133—if they had been exposed to the hazards indicated by the rates in families at the same economic levels in dwellings with more rooms than persons in the household.⁴² The total mortality among babies in native white families was 6.1 per 100 infants surviving the first two weeks and 95.9 per 1,000 live births. If the excess deaths among babies in dwellings with one or more persons per room had been eliminated, the total mortality would have been reduced to 4.9 per 100 infants surviving the first two weeks and 84.7 per 1,000 live births.

In the same way among the colored babies the death rate in families living with less than one person per room was 8.1 per 100 infants surviving the first two weeks and 12.4 in families living with one or more persons per room. That is to say, 82 deaths occurred in the congested dwellings instead of the 54 deaths which would have occurred if these babies had faced the hazards of babies in other dwellings.⁴³

The total colored mortality was 10.7 per 100 infants surviving the first two weeks and 158.6 per 1,000 live births. If the excess deaths among babies in dwellings with one or more persons per room had been eliminated, the total rates would have been 8.4 per 100 infants surviving the first two weeks and 137.2 per 1,000 live births.

Among the foreign-born families, the difference in mortality according to the room congestion was less than among the native white families, ranging from 4 per 100 infants surviving two weeks in households with less than one person per room to 10.5 per 100 infants in households with two or more persons per room. In this group of most congested households, more than half were Polish, and the differences in nationality distribution within the least congested and the most congested groups would by themselves, apart from the room congestion, account for the part of the difference in mortality, but the actual difference (from 4 to 10.5) is somewhat greater than the expected difference (from 5.5 to 8.6). Again, part of this excess may be accounted for by the higher earnings in the families living with

⁴² See Table 86, Appendix VII, p. 291.

⁴⁸ Variations in distribution by earnings were disregarded in this comparison, since the general level was low in both groups of colored families, and "2 or more per room" were combined with "1 but less than 2," since their number (48) was too small to serve as the base for a rate. See Table 90, Appendix VII, p. 293.

less than one person per room, where the median was between \$650 and \$850, while the median in the families living with two or more persons per room was between \$450 and \$550. Disregarding the differences in nationality distribution, computations of the deaths expected in these two groups from the earnings of the fathers show that, apart from room congestion, a somewhat higher mortality would be expected in the congested households from the greater poverty of the families. Again, however, the actual difference between the families with less than one person per room and the families with two or more persons per room (from 4 to 10.5) was greater than the expected difference (from 5.4 to 7.6). Even if the difference due to variations in nationality and the difference due to poverty had been entirely distinct—and they were not—and the total expected variations in death rate might be fairly indicated by the sum of the two expected variations in rate, there would still be a margin of actual difference in rate unrelated to nationality and poverty.44 Moreover, the rates for all Polish babies, all Jewish babies, etc., and the rates for all foreign-born families with the fathers' earnings under \$450, \$450 to \$549, etc., used in the computation of expected deaths are themselves weighted somewhat by the relatively high percentage of congested dwellings among the Polish families and in the lowest earnings groups, and, therefore, overstate the differences which can be attributed to poverty or to nationality apart from room congestion. It may be concluded that the babies of foreign-born mothers also met a greater hazard in congested dwellings than elsewhere, although the excess was far less marked (and more difficult to demonstrate) than the excess accompanying congestion in the native households.

Sanitary equipment.—The native families, both white and colored, showed a marked difference in the death rates among infants two weeks old and over according to the sanitary equipment of the dwellings. Three items were taken as index to the condition of the dwelling; a toilet connected with the sewer, a toilet for the exclusive use of the baby's household, and a bathtub. Dividing the babies into two groups, with the dwellings equipped with all three items in one group, and the dwellings lacking one or more of the three items in the other group, and comparing the families where the fathers' earnings were the same, it is found throughout, for the native white and the colored families, that the babies in well-equipped dwellings had a lower death rate than the babies in other dwellings. The difference appeared mainly in the deaths from gastric and intestinal diseases.

⁴⁴ Actual difference is 10.5 minus 4, or 6.5. Expected difference on basis of nationality is 8.6 minus 5.5, or 3.1, and expected difference on basis of fathers' earnings is 7.6 minus 5.4, or 2.2. 3.1 plus 2.2 is less than 6.5. See Tables 88 and 89, Appendix VII, pp. 292 and 293.

^{101351°-23---8}

Only 35 Polish babies in a total of 597, and 80 Italian babies in a total of 394, lived in well-equipped dwellings, but the Jewish families and the "other foreign" group had a large enough number living inwell-equipped dwellings to permit the computation of a death rate for the babies in these families separately. Among the Jewish babies, no difference appeared in the rate from gastric and intestinal diseases, but there was a slight excess in deaths from other causes in the poorer dwellings. Among the "other foreign" babies, the death rate was higher in the poorer dwellings than in the well-equipped dwellings, from gastric and intestinal diseases and from other causes also.⁴⁵

Summary.

It seems clear that physical surroundings do affect the welfare of the baby. The Baltimore data give new evidence that the crowded and insanitary home adds to the hazards of poverty and affects especially the mortality from gastric and intestinal diseases.

The Baltimore data afforded no satisfactory classification of neighborhoods and no clear evidence that neighborhood conditions are an independent factor in mortality apart from poverty and conditions within the home.

The low mortality in one poor ward, the fifth, with its exceptionally large percentage of mothers receiving trained care and instruction in maternal and infant hygiene, illustrates how mortality can be reduced in spite of unfavorable surroundings, but the rate in the fifth ward (65.7) was markedly higher than the rate (37.1) among the babies throughout the city whose fathers earned \$1,850 and over.

EMPLOYMENT OF MOTHERS AND INFANT MORTALITY.

The infant mortality rates among babies of mothers who worked outside their homes were higher than the rates among other babies. The working mothers represented, in the main, poorer homes, and the proportion of Polish and Negro mothers was higher; but even after due allowance was made for the higher infant mortality expected in a group so constituted, there remained an excessive mortality which seemed to be related to the fact of the mother's employment away from home.

In the present study, there are three sets of data on infant mortality and the mothers' employment:

First, concerning employment at home and outside the home during the pregnancy of 1915.

Second, concerning employment at home and outside the home during the first 12 months after the birth of 1915.

Third, concerning employment outside the home at any time during the mother's life.


⁴⁵ See Table 91, Appendix VII, p. 294.

From the first two sets of tables are derived infant mortality rates based on the births of 1915. From the third set of tables are derived rates based on all births to the mothers studied.

Employment during pregnancy of 1915.

It is difficult to disentangle the effect of employment during pregnancy and of employment during the first year of the baby's life, since three-fourths (76.3 per cent) of the mothers who worked during

CHART XVI.—Infant mortality rates, by mothers' employment during pregnancy; actual rates compared with rates expected on the basis of the fathers' earnings and the mothers' color and nationality.



pregnancy resumed work during the first year of the baby's life. But it is known that deaths assigned to "early infancy" always are related to the condition of the mother and the care she has received during pregnancy and confinement; therefore, such deaths may fairly be related to the mothers' employment or nonemployment during pregnancy.

The total infant mortality among the 7,883 babies of mothers not employed during pregnancy was 93.4 per 1,000—37.2 from the causes peculiar to early infancy and 56.2 from all other causes com-

bined.

The total infant mortality among the 1,682 babies of mothers employed at home during pregnancy was 94.5 per 1,000—26.2 from the causes peculiar to early infancy and 68.4 from all other causes combined.

The total infant mortality among the 1,229 ⁴⁶ babies of mothers employed away from home during pregnancy was 179.8 per 1,000—57 from the causes peculiar to early infancy and 122.9 from all other causes combined.

Similar differences appear when each of the three race and nativity groups are considered separately. The rates from causes peculiar to early infancy were highest among the babies of mothers employed outside their homes during pregnancy and lowest among the babies of mothers employed at home; the rates from all other causes were also highest among the babies of mothers employed outside their homes during pregnancy. But these were lowest among the babies of mothers not gainfully employed.

Table XXV.—Infant mortality rates, by cause of death, employment of mother during pregnancy, and color and nativity; live births in 1915.¹

	Infan	Infant mortality rates.			
Employment, color, and nativity of mother.	All causes.	Early infancy.	All other causes.		
Native white: Not employed.	94.3	38.9	55.1		
Employed at home	85.4	27.4	57.9		
Employed at home Employed away from home	140.8	46.0	94.8		
Foreign-born white: Not employed	82.9	28.8	54.1		
Employed at home	88.2	21.3	66.9		
Employed away from home	183.3	64.3	119.0		
Colored:					
Not employed	124.1	48.7	74.		
Employed at home	126.9	34.1	92.		
Employed away from home	201.8	59.6	142.		

¹ For detailed table, see Table 103, Appendix VII, p. 305.

The differences between the rates from causes peculiar to early infancy for the babies of mothers employed at home and the babies of mothers employed outside fell beyond the differences which might have been expected because of the economic and racial composition of the two groups and indicate a definite variation due to the fact and circumstances of employment.⁴⁷

Among the white mothers the predominating types of work done at home and away were quite different; and a marked difference in infant mortality rates would be expected, since the monotony and unbroken strain of a factory day are not comparable with the variety

⁴⁶ For the mothers of three babies no report as to employment during pregnancy was secured.

⁴⁷ See discussion of employment of mothers in section on Nationality and Mortality: Social Factors, pp. 83 and 89, and Table 104, Appendix VII, p. 306.

of work and the adjustable hours of the woman who is keeping lodgers. But among the negro women, for whom laundering was the chief occupation at home, and doing laundry work and char work was the chief occupation away from home, the differences in rates persist. This seems to indicate that it is not so much the fact of muscular exertion as the uninterrupted hours of a full day's work required in outside employment that is injurious during pregnancy.

Why the rates from causes peculiar to early infancy were lower among the babies of mothers employed at home than among babies of mothers not employed at all during pregnancy is not so clear.

In the native white families the variations in rate according to the fathers' earnings were more marked than in other groups both in the deaths ascribed to early infancy and in deaths from all other causes. It may well be that, when the mother worked at home during pregnancy, her addition to the family income was of direct and immediate benefit and tended to lessen the hazards to her baby. When she worked outside her home during pregnancy the benefit of her earnings was outweighed by the greater physical strain involved.

In the foreign-born white families the most marked variations in rate followed the differences in nationality rather than the differences in fathers' earnings. The rate from early infancy among babies of mothers not employed during pregnancy was a trifle lower than the rate expected on the basis of the nationality distribution within the group.

In the negro families the economic factor may have been of importance, since the general level of fathers' earnings was low, and yet there is no indication that the rate from early infancy was highest

in the poorest negro families.

One fact remains quite clear, however: The rates from early infancy were definitely higher when the mothers worked away from home during pregnancy than when the mothers worked at home or did not work at all.

Premature births were more prevalent among the mothers who worked away during pregnancy than among those who worked at home. And in this respect as in others the mothers who were not gainfully employed fell between the other two groups. But the differences in the prevalence of premature births do not account for the differences in rates. Considering only the full-term live births, there were throughout—that is, for native white mothers, foreignborn white mothers, and colored mothers separately—the same differences in rates from early infancy—that is, the highest rates when the mothers were employed away from home and the lowest when they were employed at home.⁴⁸

⁴⁸ See Tables 105 and 106, Appendix VII, pp. 307 and 308.

The stillbirth rate varied also with employment and nonemployment during pregnancy except among the foreign-born white mothers. The native white mothers who worked away from home and the colored mothers who worked either at home or away from home had definitely higher stillbirth rates than the other native white and colored mothers. But in no group was the stillbirth rate materially lower when the mothers worked at home than when they did not work at all.⁴⁹

The mortality rates from all causes other than those peculiar to early infancy were excessive among the babies of mothers working away from home during pregnancy, and only in part was this excess accounted for by the greater poverty in these families. It seems to have been due in part, also, to the mothers' resumption of work during the first 12 months of the babies' lifetime. Of the mothers who worked outside their homes during pregnancy, 39 per cent of the white and 59 per cent of the negro resumed such work within 12 months of the birth. There may be, however, some further relation between mothers' employment away from home during pregnancy and the deaths during later infancy, but this can not be clearly determined.

It is commonly believed that if the working mother secures an interval of release from employment before confinement the work has a less harmful effect or no effect at all upon her own physical condition and upon the health of her child. In Baltimore 74 per cent of the mothers employed outside their homes during pregnancy had stopped work at least two weeks before confinement, and most of these, or 60 per cent of the total number of mothers so employed, had stopped two months or more before confinement. Relatively more of the colored mothers than of the white mothers employed away from home continued working until less than two weeks before the birth.⁵⁰

In the white group there was a definitely higher stillbirth rate, and in the colored group a definitely higher mortality rate for deaths under 1 month of age, when the mothers worked away with no interval of rest from employment before the birth or with only a short interval than when the mothers had stopped work at least two weeks before confinement. The same tendency, though less marked, appears in the stillbirth rates in the colored group, and the mortality rates under 1 month of age in the white group.


It should be remembered that the group who had stopped work before the last two weeks probably included far more than its proportionate share of the mothers who had suffered from some special disability or unfavorable symptom during pregnancy, and this would

⁴⁹ See Tables 103 and 104, Appendix VII, pp. 305 and 306.

⁵⁰ See Table 107, Appendix VII, p. 308.

tend to increase the losses in this group above the losses in the group who continued work. When, therefore, the losses in the group who stopped work are found to be either equal to or definitely lower than the losses in the group who continued until less than two weeks before confinement, it may fairly be concluded that the experience of the Baltimore mothers confirms the belief that a fair interval of rest

CHART XVII.—Infant mortality rates under 1 month of age and stillbirth rates, by interval between the mothers' cessation of work and confinement of mothers employed away from home during pregnancy.



from employment outside the home during the latter weeks of pregnancy is of great importance.

This unfavorable weighting of the group who stopped work appears plainly among the mothers employed at home. These mothers commonly continued work until less than two weeks before confinement, and 71 per cent of the white mothers and 54 per cent of the colored mothers working at home reported no interval whatever. Such work as the Baltimore mothers were doing at home seems not to have been physically injurious to the mother or the child, and, as has been noted, the babies born to mothers employed at home had lower infant mortality and stillbirth rates than the babies of mothers not gainfully employed. In the relatively small group of white

mothers who had been employed at home during pregnancy but had ceased their employment two weeks or more before their confinement, the stillbirth rate and the mortality rate under 1 month of age were relatively high. In the colored group the total number of mothers working at home during pregnancy was small, and the slight differences in rates between those who stopped work and those who continued are without significance.⁵¹

For gainful employment outside the home, a definite interval of rest before confinement is evidently important. For work within the home the figures are inconclusive.

Employment of mothers after birth occurring in 1915.

In a discussion of mothers' employment after the infant's birth the question of interval, not before but after confinement, becomes of paramount importance. It will be remembered that 43 per cent of all infant deaths occurred within four weeks after birth, and the mortality rates decreased steadily through the later months of life. But less than one-third of the working mothers took up their wage earning before this first month, with its high mortality, was passed.

Naturally, therefore, a large proportion of the deaths among infants of mothers employed after the birth occurred before the mother began, or resumed, her employment. These deaths must be eliminated before a discussion of mortality in relation to employment during the first year of an infant's life is attempted.

Table XXVI.—Deaths of infants by age at death in relation to mother's employment; infants of mothers employed away from home within year after the birth.

Age at death.	Mother employed only after death of infant.	Mother employed during life of infant.
Total	250	161
Under 1 month. 1 month, under 3. 3 months, under 6. 6 months, under 12.	142 40 43 25	2 18 54 87

From the 161 deaths occurring among the 2,784 babies of mothers who began, or resumed, employment during the infant's life, no single infant mortality rate can be computed to compare with a single infant mortality rate among the babies of mothers who did not work during the infant's life.

Instead, since the hazard for all babies surviving at the beginning of the second month, for example, was greater than the hazard for all babies surviving at the beginning of the seventh month, the

⁵¹ See Table 108, Appendix VII, p. 309.

hazards to babies of working mothers must be compared with those to all babies according to the month of age of the infant when the mother began, or resumed, her employment. Roughly, such a comparison is indicated in Table XXVII.

Table XXVII.—Excess mortality among infants of mothers employed during infant's lifetime, when effect of differences in infants' ages is eliminated.

Age of infant when mother began to work.		employed ome.	Mothers away fro	employed om home.	Death rate 2 all infants	
Age of mant when mother began to work.	Infants.	Death rate.1	Infants.	Death rate.1	surviving at speci- fied age.	
Under 1 month, 1 month, under 2. 2 months, under 3. 3 months, under 6. 6 months, under 12. Not reported.	695 405 194 297 326 12	6. 5 4. 4 6. 2 2. 4 1. 5	60 132 99 255 308 1	21.7 14.4 9.1 9.4 2.9	6.9 6.2 5.6 5.0 (4.4) 3.0 (2.2)	

From this it appears that employment away during the infant's life was disastrous and employment at home was beneficial. marked variations may have been due to some special weighting of the working group in relation to the father's earnings and the mother's nationality, and the extent to which these babies were breast fed. The question of the infant's age when the mother went to work also demands further analysis.

(1) How do the death rates among babies whose mothers worked during the first 12 months of their lifetime compare with rates corrected to the special distribution of nationalities and incomes within

the group where the mothers worked ? 52

Two-thirds of the mothers who worked away from home were Polish or Negro women whose babies showed high infant mortality rates throughout. Among these Polish and Negro babies there occurred 54 deaths, 16 more than the 38 deaths that would have occurred if these babies had faced only the average hazards to Negro and Polish babies of corresponding ages in Baltimore. The white mothers, other than Polish, who went out to work were mainly native born and the 20 babies who died in these families were more than twice as many as the number who would have died if they had been facing only the average hazards to white babies, other than Polish, in Baltimore.

More than two-thirds (70.6) of the babies whose mothers worked away from home during their lifetime were in families where the father earned less than \$550 during the year; barely 4 per cent were in the

¹ Subsequent deaths in year per 100 infants.
² Death rate per 100 is based on total number surviving at beginning of specified period (except in "under 1 month" group, when it is based on number surviving the first 2 weeks) and total subsequent deaths in the group. But the two rates shown in parentheses are based on sum of survivors at beginning of each month in the period and the sum of the subsequent deaths in each of these monthly groups.

⁵² See Tables 109, 110, and 111, Appendix VII, pp. 310-314.

families where the father earned as much as \$850. On this point no complete comparison with rates corrected for distribution of incomes is possible, but it is found that the actual deaths among babies of native white mothers and babies of negro mothers, where the fathers earned under \$850 and the mothers went out to work during the babies' lifetime, were more numerous than the deaths expected on the basis of the rates for all babies in all native white and negro

families of corresponding earnings groups.

Among the mothers who worked at home during the baby's lifetime the percentage of Negro and Polish mothers was markedly lower than among the mothers who worked away, and about the same as the percentage of Negro and Polish women among those who were not employed at all during the baby's lifetime. The Jewish and Italian mothers, on the other hand, whose babies had relatively low mortality under all circumstances and who were almost entirely absent from the group which worked away during the baby's lifetime, constituted about 24 per cent of those who were employed at home. group of mothers not employed at all during the baby's lifetime, the Jewish and Italian mothers formed about 11 per cent of all.) parison of the deaths which might be expected, on the basis of this favorable nationality distribution with those actually occurring, among babies of mothers employed at home during the baby's lifetime reveals but little difference for the group as a whole—92 deaths expected and 87 deaths occurring.

These mothers employed at home represented in general a higher economic level than the mothers employed outside. At least 25 per cent, instead of barely 4 per cent, had husbands earning \$850 or over. But they were still far below the economic level of mothers not gainfully employed. Again, on this point, no complete comparison is possible, but it is found that for all native white mothers employed at home whose husbands' earnings were known, the actual infant deaths, 30, were approximately the number expected, 32, on the basis of fathers' earnings. For colored mothers employed at home, the actual infant deaths, 16, were fewer than the number expected, 24, on the basis of the fathers' earnings.

Evidently, the mother's employment outside the home during her baby's lifetime involved some hazard which was distinct from the general conditions of poverty and which was not operative when the mother's work was done at home. Infant mortality seems to have been even a trifle lower when the mother worked at home during the baby's lifetime than when she was not employed.

(2) What is the relation between the age of the baby when the mother took up her employment and excessive or favorable death

rates?

From the foregoing comparison, it appears that the earlier the mother had begun her work the greater was the excess of infant deaths among the babies of mothers employed away from home. This might result, quite apart from the effect of the mothers' employment, if the group of mothers going out to work before the baby was 3 months old represented families in which other conditions were more unfavorable to the baby than in the families where the mother took up her outside employment after 3 months. On three points the conditions in these groups can be compared: Race and nationality, fathers' earnings, and the extent to which the mothers were employed away during pregnancy. And this reveals in the "under 3 months" group a slightly higher percentage of babies of Polish mothers and Negro mothers; a higher percentage of fathers with the lowest earnings or none at all; and a markedly higher percentage of mothers employed away from home during pregnancy, than in the "3 months or over" group.53

That the high percentage of mothers who worked away from home during pregnancy does not account for the greater excess in rate in the "under 3 months" group is plain, since this excess was approximately equal among the babies whose mothers had worked away from home during pregnancy and the babies whose mothers had not worked away during pregnancy. (It will be remembered that even among the mothers who went out to work within three months after the birth, comparatively few began their work during the first month, and most of the deaths from prenatal causes occur before the baby

has completed a month of life.)

But the unfavorable weighting of the "under 3 months group" in the two other respects might account in part for the greater excess of infant deaths in this group. This excess, however, when the mother went out to work within three months did not appear uniformly throughout. Among the babies of white mothers other than Polish the number of deaths was more than twice the number expected, whether the mother began work within three months, or between three months and six months, or after the baby was 6 months old. In the Polish families the greatest excess of deaths occurred when the mothers went out to work after the baby's third month but before he was 6 months old. In the Negro group the excess appeared only among the babies whose mothers went to work during the first three months.⁵⁴

Where the mothers worked at home, the comparison of infant death rates with the death rates for all infants surviving at each month of life showed rates more favorable for the babies of working mothers than for others in the "3 months or over" group and not

⁵³ See Tables 112, 113, 114, and 115, Appendix VII, pp. 314-316.

⁵⁴ See Table 110, Appendix VII, p. 313.

in the "under 3 months" group. But in these families there was no such favorable weighting in the "3 months or over" group as in the families where the mothers worked outside their homes. So, when the number of deaths in one group or the other was below or above the number expected, it reflects clearly some relation between the age of the infant when the mother began her work at home and the benefit or the hazard of the work. Turning to each of the race and nationality groups separately, it appears that in the native white, the Italian, and the "other foreign" families there was a slight excess over the expected number of deaths among the babies whose mothers took up their employment within three months. In the native white families this excess yielded to a number smaller than the expected number of deaths, when the mothers took up their employment after three months. In the negro families the number of deaths is below the expected number for each period. Se

From these variations, it may reasonably be inferred that, especially if the mother works away from home, she serves her baby's interests better if she delays her employment at least three months or six

months after the baby's birth, and longer if possible.

(3) Did the babies of mothers working away from home have less breast feeding than other babies, and did those whose mothers worked at home have more breast feeding than other babies? Do such variations in methods of feeding account for the high death rates in the one group and the low death rates in the other?

The ways in which working mothers fed their babies were different in the three principal race and nativity groups, just as the methods

of nonworking mothers varied in these groups.

In each group, employment away decreased breast feeding and increased both mixed feeding and artificial feeding throughout the first nine months. But in the native white families, after the third month, the increase in artificial feeding was much greater than the increase in mixed feeding; in the foreign white and the colored families, the increase in artificial feeding was not greater than the increase in mixed feeding until after the sixth month. Throughout the nine months, however, the foreign-born white mothers and the negro mothers who went out to work were more likely to give their babies mixed feeding than to wean them entirely; exactly the reverse appeared among the native white mothers.

It has been frequently assumed that few, if any, babies of mothers working away from home had breast milk and no other food. The statements of the mothers interviewed in Baltimore showed that of the 470 babies surviving at the beginning of the sixth month whose

⁵⁵ See Tables 112 and 113, Appendix VII, pp. 314 and 315.

⁵⁶ See Tables 109 and 110, Appendix VII, pp. 310 and 313.

mothers had been employed away during the preceding month, 118, or 25 per cent, were entirely breast fed during the sixth month.⁵⁷

So far as employment either at home or away increases early weaning it will inevitably raise the infant death rate. And the earlier the baby is deprived of breast milk the greater will be the hazard he must face throughout the year.⁵⁸

A comparison of the deaths among babies of mothers employed away during the babies' lifetime with the number expected on the basis of the rates, month by month, for breast-fed, mixed-fed, and artificially-fed babies in the race and nationality and fathers' earnings groups represented, showed an excess of deaths among babies of mothers employed away. The greater prevalence of mixed and artificial feeding leads one to expect a relatively large number of deaths. The actual number was even higher.

Table XXVIII.—Excess mortality among infants of mothers employed away from home during infant's lifetime, when effect of differences in type of feeding, color, and nationality of mothers and earnings of father is eliminated.

Type of feeding.		of mothers yedaway ome during slifetime.1
	Actual deaths.	Expected deaths.
Total	68	53. 8
Breast	6 20 42	4. 4 13. 2 36. 2

 $^{^1}$ Excludes 46 infants (6 deaths) of native white mothers in father's earnings groups "No earnings" and "Not reported." See Table 117, Appendix VII, p. 323.

Some excess in the number of deaths among babies of working mothers over the number expected on the basis of the feeding reported appeared in each race and nativity group except in the very small group of foreign families other than Polish. It was highest in the Polish families.

57 See Table 116, Appendix VII, p. 317.

⁵⁸ The effect of artificial feeding in relation to the age at which the infant is weaned is discussed in section on Feeding and Infant Mortality, p. 69.

Table XXIX.—Excess mortality, by color and nationality of mother, among infants of mothers employed away from home during infant's lifetime, when effect of differences in color and nationality of mother, earnings of father, type of feeding, and infants' ages is eliminated.

Color and nationality of mother.		Infants of mothers employed away from home during infant's lifetime.		
	Actual deaths.	Expected deaths.2		
Total	68	53. 8		
Native white. Polish Other foreign-born white. Colored	15 14 2 37	8.3 8.8 2.1 34.6		

¹ See footnote 1, Table 117, p. 323.

When the mothers worked at home the effect of their employment upon their way of feeding their babies was much less marked. In the native white families the mothers employed at home had an even higher percentage of babies breast fed at each month of life and a slightly lower percentage artificially fed than the mothers not employed. In the foreign-born white families, the mothers employed at home showed a greater tendency to give their babies either mixed or artificial feeding after the second month than the mothers not employed. In the negro families this tendency appeared from the beginning.

The infant deaths in these families where the mother worked at home were slightly fewer than those expected on the basis of the feeding reported, but the difference occurred chiefly among the babies having breast milk at the time of death. These showed 23 deaths instead of the 36 deaths expected. The numbers of actual deaths and expected deaths among babies artificially fed were practically identical.

Table XXX.—Relative mortality among infants of mothers employed at home during infant's lifetime, when effect of differences in color and nationality of mother, earnings of father, type of feeding, and infants' ages is eliminated.

Type of feeding.	Infants of mothers em ployed at home dur ing infant's lifetime. ¹		
	Actual deaths.	Expected deaths.	
Total	83	95.7	
Breast Mixed Artificial	14 10 59	20. 7 15. 9 59. 1	

¹ See Table 117, Appendix VII, p. 323.

² See footnote 2, Table 117, p. 323.

127

Interference with breast feeding when the mother worked outside her home and continuation of breast feeding when she worked at home seem to account in part for the excessive number of deaths in the one group and the relatively few deaths in the other group. But even after the effect of the different methods of feeding is allowed for, there was still a definite hazard in employment of the mother away from home during her infant's lifetime.

Employment away from home at any time.

In studying the deaths among all babies born to the mothers, not only during 1915 but at any previous time, no data are available about methods of feeding, cause of death, or the baby's age at death. Only the total infant mortality and stillbirth rates for babies of mothers never gainfully employed outside their homes, for babies of mothers so employed before marriage only, and for babies of mothers so employed after marriage can be compared.

The 8,169 babies born to 2,371 mothers never gainfully employed outside their homes showed an infant mortality rate of 99.2 per 1,000.

The 17,491 babies born to 6,229 mothers gainfully employed outside their homes before marriage but not so employed after marriage showed an infant mortality rate of 104.3 per 1,000.

The 9,172 babies born to 2,562 mothers gainfully employed outside their homes after marriage showed an infant mortality rate of 165.8 per 1,000.

In each of these groups, as elsewhere, the infant mortality was higher among negro babies than white babies, the general tendency was for rates to decline as the fathers' earnings increased; and the babies in large families, showed higher rates than others.

From the presence of more negro babies, more babies of fathers with very low earnings, and more babies of mothers who had borne several children in the families where the mothers worked away from home after marriage than in the other families, a high infant mortality among the babies whose mothers worked after marriage was to be expected. But the rate expected from the presence of these unfavorable factors—approximately 143 per 1,000—was considerably below the actual rate of 165.8 per 1,000.⁵⁹

This difference was present in each of the three race and nativity groups considered separately, and it seems to be plainly indicated that the mothers' employment after marriage or some undefined factor related to it was unfavorable to the babies' welfare.

The stillbirth rates were uniformly higher among mothers employed away after marriage than among those employed away before marriage only. But in the native white and the colored families, the mothers who were never gainfully employed away from home had

⁵⁹ See Tables 118, 120, 122, 123, and 124, Appendix VII, pp. 324, 326, 328, 329, and 330,

stillbirth rates higher than the mothers who worked before marriage only, and in the colored families this rose to a point higher than the rate among mothers who worked away after marriage.⁶⁰

It may be noted that in this grouping, no distinction is made between mothers who had worked habitually since marriage and mothers who had worked irregularly or for some one short period since marriage. Mothers who may have worked during each pregnancy are grouped with mothers who may have ceased work before the first pregnancy. The figures may conceal further variations of rates within this general group of working mothers, but they do serve to sum up the general fact that, in actual practice under existing conditions, employment of married women outside their homes involves danger to their babies.⁶¹

Table XXXI.—Stillbirth rates, by employment of mother away from home previous to 1915 birth, by color and nativity of mother.

	Stillbirth rate. Mot employed away fr home.	
Color and nativity of mother.	During pregnancy of 1915 birth.	After marriage but not during pregnancy of 1915 birth.
Native white Foreign-born white. Colored	49. 2 34. 2 93. 8	21. 6 25. 8 78. 2

Among the live born babies of 1915, there was also in the foreignborn and the colored families a higher mortality from the diseases of early infancy in the group where the mothers worked away from home during pregnancy than in the group where they had worked away after marriage but not during the pregnancy of 1915. In the native white families this difference does not appear, but the rates are approximately equal in the two groups.

It should be noted that in the colored families, but not in the white families, stillbirth and early infancy rates were as high among the few babies whose mothers had never been employed outside the home as among the mothers who worked outside the home during pregnancy. (Detailed tabulations are shown in Table 121, Appendix VII, p. 327.)

From the data for all pregnancies it appears that the age at which the mother had commenced gainful employment away from home

⁶⁰ See Table 119, Appendix VII, p. 325.

⁶¹ Among the births during 1915, the stillbirth rates were uniformly higher in the group where the mothers worked away during pregnancy than in the group where the mothers had worked away after marriage but did not work during the pregnancy of 1915,

affected the well-being of her children. Among all mothers employed away at any time previous to the birth occurring during 1915, the lowest infant mortality rate, 106.9 per 1,000, was when the mother had been from 16 to 19 years of age at beginning work. The highest rate, 161.7 per 1,000, appeared in the group of 699 babies whose mothers had begun work after the twenty-fifth year, and the next highest rate, 139.6 per 1,000, in the group of 8,983 babies whose

mothers had begun work before they were 14.

But each of these two groups with rates above the average for all babies of mothers employed away were so constituted as to lead to an unfavorable infant mortality rate apart from the mothers' age at first employment. In the "25 years and over" group 91 per cent of the babies were born to mothers employed away from home after marriage—a percentage more than twice as large as that in any earlier age group. In the "under 14 years" group an economic level below the average for all working mothers may be assumed, and this group is known to include a relatively high percentage of negro babies (20 per cent, as against an average of 14 per cent in other age groups).

The only check afforded by the tabulations on the variations in economic level in the families where the mothers had begun work at the various ages is the fact of the mothers' employment or nonemployment away from home after marriage. But on the basis of the mothers' employment and of color and nativity, "expected rates" may fairly be computed for comparison with the actual rates in the several age groups. From these it appears that the relatively low rate among babies whose mothers had begun work at from 16 to 19 years of age was lower than the expected rate for this age group, and the relatively high rate among babies whose mothers had begun work

under 14 years was higher than the expected rate.

In the other data, based on births during 1915, there was a similar trend in the rates—the lowest among babies whose mothers had begun work between 16 and 19 years, and the highest among babies whose mothers had begun work at 25 or over, with a rate also slightly above the average for all mothers who had ever been employed away from home in the "under 14 years" group. But comparing these actual rates with rates expected from the distribution in the several groups of mothers employed and mothers not employed during the pregnancy of 1915, and of native white, foreign-born white, and colored mothers, the variation in the several age groups are so little greater than the expected variation that with the relatively small numbers involved it can not fairly be related to the mother's age at beginning work. Even when the total mortality is divided into the two big groups of causes, there is no clear indication of a

101351°-23--9

relation between excess mortality from either group of causes and the mother's age at beginning work.62

Summary.

The babies of women who had been employed outside their homes since their marriage faced a greater hazard than other babies, and this hazard appears to have been especially emphasized when the mothers had been employed away during pregnancy or during the first 12 months after the baby's birth.

That employment outside the home during pregnancy had reacted harmfully upon the condition of the mother and through her upon the health of her baby is indicated by a high percentage of premature births to mothers employed away from home during pregnancy, high stillbirth rates to native white and colored mothers so employed, and high mortality from early infancy causes even among the fullterm live births of mothers employed away from home during pregnancy. The babies of mothers who worked away during pregnancy also showed a high mortality from causes other than those peculiar to early infancy. This may have been due in part to the mother's resumption of work during the first year of the baby's lifetime.

The variations in stillbirth rates and the mortality from early infancy in relation to the interval of rest before confinement indicate the importance of the mother's ceasing her employment outside the home at least two weeks before her confinement.

Employment away from home during the baby's first year increased the hazard to the baby. This increase in the hazard was especially marked when the mother took up her work before the baby was 6 months old. The mothers employed away from home resorted largely to artificial feeding for their babies, but the greater prevalence of artificial feeding accounts only in part for the special hazard. The actual number of deaths was greater than the number that would have occurred among them if these babies had faced the average hazards to all babies of their nationalities and their economic status who had the same high percentage of artificial feeding.

In general, then, the baby whose mother works away from home during pregnancy or during the baby's first year pays dearly for the physical strain to the mother and for the lack of a mother's care.

The mothers' employment at home, on the other hand, in the occupations and under the conditions prevailing in the families studied seems to have no ill effect upon the mothers or their babies. The one rate indicating an exception to this general statement was a stillbirth rate among colored mothers employed at home during

⁶² See Tables 123, 124, 125, and 126, Appendix VII, pp. 329-331.

pregnancy greatly in excess of the stillbirth rate among colored mothers not employed during pregnancy.

RELATION OF INFANT MORTALITY TO THE MOTHER'S ILLITERACY OR INABILITY TO SPEAK ENGLISH.

The babies of illiterate mothers and the babies of mothers who spoke no English had a higher mortality than others, but outside the small group of native white families in which the mother was illiterate the data collected offer no evidence that the differences in mortality were directly related to the fact of illiteracy or the fact that a foreign-born mother had not learned to speak English.⁶³

It has already been noted ⁶⁴ that the illiterate mothers and the mothers who spoke no English represented, on the whole, families poorer than the average in their several color and nationality groups; and, when due allowance is made in the comparison of rates for the low economic level in these families, it is found that except among the illiterate native white mothers the excess in mortality which seemed to be related to illiteracy or to inability to speak English practically disappears. And among the Polish babies there was, on either basis, a somewhat higher mortality in the families where the mother spoke English and in the families where the mother could read and write than in other Polish families.⁶⁵

Although the higher mortality in certain foreign families where the mother spoke no English coincides with greater poverty and seems to be traceable to it, another question at once arises: Was not lack of English a barrier cutting off certain mothers from the benefit of infantwelfare work? In one sense it might seem so, for, it will be remembered, fewer of the Polish and Italian women than of the Jewish women had learned to speak English and fewer in these two groups than in the Jewish group had care from the infant-welfare agencies. But the lack of English does not account for the lack of care. Within the Polish group 7 per cent of the 210 infants of mothers who spoke English and 5 per cent of the 388 of mothers who did not speak English had regular supervision from an infant-welfare agency. Within the Jewish group, 23 per cent of the 768 infants of mothers who spoke English had such supervision, and 31 per cent of the 169 of mothers who did not speak English. Only in the Italian group was the percentage having such regular supervision markedly higher

⁶³ See Tables 127, 128, 129, and 130, Appendix VII, pp. 332-334.

⁶⁴ See p. 32.

⁵⁵ The differences in the prevalence of artificial feeding or of mixed feeding previously noted in connection with the illiteracy and inability to speak English (see p. 54) were too slight materially to affect the relative mortality, and can not account for the high mortality among babies of illiterate native white mothers or the relatively low mortality among babies of Polish mothers who were illiterate or who could not speak English.

among the infants of mothers who spoke English (22 per cent) than among those of mothers who did not speak English (9 per cent). 66

The chief measureable difference, then, between the families where the foreign-born mother had not learned English, or the mother, whether native or foreign, had not learned to read and write, and all other families, is a difference in economic status, and this is, as has been seen, a real factor in infant mortality. So far as illiteracy on the part of the parents or their inability to speak English is responsible for the greater poverty of the families in which the parents have these limitations, the limitations become, themselves, a factor in the infant mortality rate.

and proceeding the first state of the process of th

and some plantiffers are to the terror events of the theory of a reduced to a more

⁶⁶ See Table 131, Appendix VII, p. 334.

PHYSICAL FACTORS IN INFANT MORTALITY.

ORDER OF BIRTH, AGE OF MOTHER, AND INTERVAL BETWEEN BIRTHS

It is commonly said that mortality among first-born children is higher than among second- or third-born, but lower than among the later-born children. And babies born to mothers more than 35 years old are supposed to face a special hazard. References to the high mortality among fourth-, fifth-, and later-born children are frequently countered by the statement that the largest families are the poorest and that poverty rather than any essential condition in the bearing and rearing of many children is the cause of the excessive hazard.

On these points one set of data is available based on the births during 1915, and a second set of data based on these and all previous births to the same mothers.

Order of birth.

The data based on births during 1915 showed a rate for the 2,868 first-born children slightly higher than the rates for second- and third-born children, and the rates rose steadily with each order of birth after the third. The curve in the rates rose most sharply among the later births in large families, and an excess in rates in the group of babies seventh to ninth in order of birth as compared with babies of earlier orders of birth persisted in the subdivisions of both groups when the white and colored mothers and the families at different economic levels are considered separately. Es

In the larger group the first-born babies showed an infant mortality rate higher than the rate for babies second in order of birth and approximately equal to the rate for babies third in order of birth. For later births the rate rose steadily and touched its highest point among the 883 babies tenth or later in order of birth.⁶⁷

In the larger numbers considered, the births in this group of all pregnancies would presumably give a better basis for discussion of order of birth than the births in 1915, but there are certain qualifications which should be noted. For example, if this large group—all births—is subdivided according to the total numbers of births reported by the mothers, it appears that within each subdivision of the group the first-born babies showed a higher mortality than the later-born babies in the same families. Even in the families of seven

⁶⁷ See Tables 132 and 133, Appendix VII, p. 335.

⁶⁸ See Tables 137, 138, and 139, Appendix VII, pp. 338-339.

⁶⁹ See Table 135, Appendix VII, pp. 337.

or more births the first-born babies had higher infant mortality rates than the babies born seventh or later in the same families. This apparent contradiction of the relative rates shown among the births during 1915 should be weighed against the fact that these births of all pregnancies had extended over a number of years during which the development of work for infant welfare and the improvement of sanitary conditions had been tending steadily to reduce mortality. The importance of this latter qualification is further suggested by the differences between the rates for babies of corresponding orders of birth in the small families and in the large families, and again by the differences in mortality among all babies in small families and all babies in large families, differences which fall far beyond the variation expected from the relatively unfavorable economic conditions in the larger families.⁷⁰

In both sets of data we have stillbirth rates in addition to the infant mortality rates for the several orders of birth. The stillbirth rates for the several orders of birth showed almost identical curves in the two sets of data, with a greater loss among first births than among any later births except those tenth or over in order of birth. The rates dropped sharply from the first birth to the second and thereafter rose slowly without a break in the upward curve.⁷¹

In the data based on births during 1915, but not in the other set of data, are found analyses of the infant mortality rates by causes peculiar to early infancy and all other causes, and statements of the relative prevalence of premature births among the several orders of birth. The first child was more likely than later children to come to birth prematurely. Of the 2,999 first births in 1915, 9 per cent were premature; of the 8,196 later births, 5.9 per cent were premature. Or, considering only the live-born babies, 8 per cent were premature among the first births and 4.6 per cent were premature among the later births. The percentage of prematurity was lowest among the births fourth to seventh in order of birth and rose thereafter, but only among the babies twelfth and later in order of birth was it higher than among the first born.⁷²

⁷⁰ That is, assuming that earnings during the year after the birth in 1915 were a fair index to the family's economic status throughout married life. It may be questioned whether the fathers who in 1915 were employed in manual labor, either skilled or unskilled, would have had during their married life any general improvement in rate of wages (in relation to the cost of living) comparable to the salary increases that commonly occur among those doing administrative or professional work. The majority of the fathers were wage earners doing manual labor.

⁷¹ See Tables 132, 133, 134, and 142, Appendix VII, pp. 335, 336, and 340.

⁷² See Table 140, Appendix VII, p. 340.

CHART XVIII.—Infant mortality rates from early infancy and from all other causes, by order of birth; single births in 1915.




Table I.—Infant mortality and stillbirth rates, by order of birth and term; births in 1915.

Order of birth and term.	Births.	Stillbirth rates (per 100 births).1	Infant mortality rate (per 1,000 live births).1
Total:			
First.	2,999	4.4	94. 8
Second.	2,471	2.5	92.6
Third.	1,525	2.9	91.8
Fourth and later.	4,200	3.8	120.3
Full term:	1,200	0.0	120. 0
First.	2,726	3, 3	65. 6
Second	2,312		62. 7
		1.4	
Third.	1,429	1.3	68. 8
Fourth and later	3,963	2.3	97.9
Premature:			
First	271	15.1	426. 1
Second	158	19.0	625. (
Third.	94		
Fourth and later.	232	29.3	640. 2
Not reported.	10		

¹ Not shown where base is less than 100.

Since the mortality among premature births is exceptionally heavy, as will be shown later, the high proportion of premature among first births tends to raise the mortality rate among first as compared with later births. Considering only the full-term births, all the rates for the several orders of birth fall very considerably below those when the full-term and the premature births are grouped together, the difference being greatest for the first births. The rate for the first births is still above that for second, but falls below the rate for third births, in contrast to its position when the births of all terms are grouped. It should be noted further that among the premature births the rate among first births was lowest of all; likewise among this group the first births had the lowest stillbirth rate.


Reverting to the consideration of the entire group and analyzing the total infant mortality rates according to the cause of death, and considering separately the rate from causes peculiar to early infancy—which are most closely related to the care and condition of the mother—and the rate of deaths from all other causes, it is found that for each type of causes the rates were slightly higher for first-born babies than for babies second or third in order of birth, while the steady increase in total rate among babies fourth and later in order of birth was due to a marked increase in the rate from causes other than those peculiar to early infancy. For, although the rate from causes peculiar to early infancy touched its highest point among babies tenth or later in order of birth, the variation was slight, and for the intermediate orders of birth—the fourth to the ninth—the rate from early infancy was somewhat lower than the corresponding rate for babies first to third in order of birth.⁷³

⁷³ See Table 142, Appendix VII, p. 340.

Age of mother.


Closely related to the variations in mortality for the several orders of birth were the variations for the several age periods of the mothers.

CHART XIX.—Infant mortality rates from all causes for each order of birth group, according to age of mother; all single births and single births following preceding births by two years or longer, 1915.



Both among the 1915 births and the larger group of all births to these mothers the same curve in the rates was found, touching the lowest point among mothers from 25 to 29 years of age and rising to high points among mothers under 20 and 35 or over. The same general curve appeared in the rates from early infancy and in the rates from all other causes when these were considered separately, with this difference—that the rates from early infancy were practically identical for the three age periods between 20 and 35, but the rates from all

CHART XX.—Infant mortality rates from early infancy for each order of birth group, according to age of mother; all single births and single births following preceding births by two years or longer, 1915.



other causes touched their lowest point among mothers 25 to 29 years old.74

Premature births were most prevalent among the youngest mothers. In each group—native white, foreign-born white, and colored mothers—considered separately, the percentage of premature births was above the average among mothers under 20 and below the average among mothers 35 years old or older.⁷⁵ Stillbirths, on the other

⁷⁴ See Tables 143, 146, and 147, Appendix VII, pp. 341 and 343.

⁷⁵ See Table 148, Appendix VII, p. 344.

hand, were most prevalent among the oldest mothers, although the stillbirth rate among mothers under 20 was also above the average.⁷⁶

One might assume that the mortality rates for older mothers were high because among their babies the later births in large families predominated, or that the rate for later births in large families was high because older mothers predominated, and the limited volume of the available data makes it impossible to separate entirely these two interdependent factors. But it does reveal the fact that among the babies of the oldest mothers the first born as well as the seventh and later born had excessively high rates, while for births other than the first, and the seventh or later, the highest rates were not found among the oldest mothers. Thus for babies second and third in order of birth the highest rate appeared when the mothers were under 20 years old; for babies fourth to sixth in order of birth, when the mothers were from 20 to 24 years old; and for babies seventh to ninth in order of birth, when the mothers were from 25 to 29 years old."

These excessive mortality rates for babies of certain orders of birth born to mothers of certain ages appear in both types of causes. The mortality from causes peculiar to early infancy was highest (83.3 per 1,000) among first-born infants of mothers 35 years old or older, but the babies second to sixth in order of birth born to such mothers also had rates above the average for all age groups. And babies of all orders of birth born to exceptionally young mothers had rates above the averages for all age groups. With one exception the highest mortality from all other causes was among the babies born to very young mothers; only among babies tenth or later in order of birth did this relation to the age of the mother disappear, and in this group the mortality from all causes other than early infancy was high throughout.

The age of the older mothers seems to have offered a real hazard (involving a high mortality from prenatal causes) which was independent of large families; and the large family seems to have suffered from a lack of care (showing an especially high mortality from postnatal causes) which was accentuated if the mother had begun her child-bearing too young or had borne her children in too quick succession. The interval between births appears to have been, in fact, a third element in the problem of the variations of hazard according to the age of the mother and the number of children she had borne.

⁷⁶ See Tables 144 and 145, Appendix VII, p. 341. This variation was true for native and foreign-born white mothers; it did not appear among the colored mothers, but the colored groups were too small to afford basis for any deductions.

 $[\]pi$ In the data based on all pregnancies, the highest rate for babies tenth or later in order of birth appeared when the mothers were 30 to 34 years old; but in the data based on 1915 births, the rate for babies tenth or later in order of birth is identical at this age period and among older mothers. See Tables 150, 151, 152, and 153, Appendix VII, pp. 345–347.

Interval between births.

In general the babies who followed a preceding birth by an interval of less than two years had a definitely higher mortality than those for whom the interval was longer, with a rate of 146.7 per 1,000 among the 2,072 babies born after an interval of less than 2 years since a preceding birth and a rate of 92.3 per 1,000 among the 5,810 babies born after an interval of 2 years or longer. (Compare the rate of 94.8 among the 2,868 first-born babies.) It is, of course, true that among these short-interval babies the percentage of negro families and, in the white group, the percentage of poor families were somewhat higher than among the babies following a preceding birth by two years or longer. But these differences were too slight to account for the difference in rates.⁷⁸

Moreover, if the native white families in the several earnings groups are considered separately, and the variations due to race or nationality and to economic status are thus eliminated, there appears in each earnings group except the highest a markedly higher infant mortality among the short-interval babies than among the others.

The tabulations permit a comparison of infant mortality rates by interval from another angle—that is, in relation to the mother's pregnancy within 12 months after the birth of the baby in 1915.

Table II.—Infant deaths in relation to succeeding pregnancies commencing within 1 year after birth of 1915 infant; live births in 1915.

	L	Live births.			
Relation of infant death to pregnancy of mother.	Total.	Mother pregnant within 1 year after birth.			
logarith (actionally would be effect applied fil		Num- ber.	Per cent.		
Total live births.	10,797	1,563	14.5		
Infant deaths. Preceding month in which pregnancy began. Following month in which pregnancy began. During month in which pregnancy began. Relation to pregnancy not reported.		406 299 74 28 5	36.3 26.8 6.6 2.5 .4		

The percentage of mothers pregnant within 12 months after the birth in 1915 was more than twice as high among the babies who died within the year as in the entire group; and among those babies who died and whose mothers became pregnant within the year, approximately three-fourths died before and one-fourth after the pregnancy had begun.⁷⁹

⁷⁸ See Tables 154, 155, and 156, Appendix VII, pp. 348-351.

¹⁹ See Tables 161 and 162, Appendix VII, pp. 355 and 356.

Of the 1,231 babies whose mothers became pregnant during their first year of lifetime, 74 babies died within 10 months after birth, whereas only 34 babies would have died if they had been facing the average hazards of all who were born in 1915. Most of them were deprived of mother's milk; but the deaths were also in excess of the deaths which might have been expected because of the greater prevalence of artificial feeding.

Table III.—Excess mortality among infants of mothers becoming pregnant during first year of infant's lifetime, when effect of differences in type of feeding and infants' ages is eliminated.

				Infants of mothers becoming pregnant during first year of infant's lifetime.		
	Type of feeding.		Expected deaths.			
			Actual deaths.1	On basis of average mortality.	offeeding	
Total			74	33.8	60.3	
Breast Mixed Artificial			2 5 67		1.2 2.8 56.3	

¹ See Table 163, Appendix VII, p. 357.

The births of all pregnancies can be classified only according to the total number of births to the same mother and the number of years she had been married.⁸⁰ They indicate the same general tendency—the shorter the average interval between births the higher the mortality.

It is possible, however, that the high infant mortality accompanying the births in families with short average intervals between births was in part a cause, as well as a result, of the short interval and the circumstances under which it occurred. For it appears that the mother whose baby had died was more likely to become pregnant within a short period than the mother whose baby was living, and hence in classifying the births for mothers who had had short intervals between births, the fact that the death of the infant was correlated with short interval following the death exaggerated the relation between infant mortality and short interval.

 $^{^{80}}$ See Tables 157 and 158, Appendix VII, pp. 352 and 353.

Table IV.—Per cent of short intervals following birth ¹ preceding 1915 birth according to survival or death of preceding birth; ¹ single births in 1915 second and later in order of birth. ¹

nemon period CO Text E - 180 at 25 and September 10	Single births in 1915.		
Type of loss.	Total.2	With interval under two years since preceding birth.	
		Number.	Per cent.
Single births ³ of 1915.	7,959	2,101	26. 4
Preceding birth a loss Stillbirth or miscarriage Infant death. Under 3 months. 3 months, under 6. 6 months, under 12. Age not reported. 1915 birth a loss Stillbirth. Infan death.	1,650 897 753 365 157 225 6 1,016 252 764	776 440 336 184 66 85 1 354 75 279	47.0 49.1 44.6 50.4 42.0 37.8 34.8 29.8 36.5

¹ Includes miscarriages. ² Excludes first births.

² Excludes first births. ³ The corresponding percentage for all births in 1915, 26.2; for all live births, 26.1; for single live births 26.3.

It has been noted that among the mothers who became pregnant within the year after the birth in 1915 and whose babies died within the year three-fourths became pregnant after the death of the baby and not before. From the data about births in 1915 and the preceding birth it appears that the percentage of short intervals was considerably higher in the groups where the preceding birth was a stillbirth or miscarriage or a live-born baby who died within 12 months than in the group as a whole. Some such difference would appear if short interval was a cause of infant mortality. But the actual percentage of short intervals in the group where the preceding birth did not survive (47 per cent) was not only higher than in the group as a whole (26 per cent) but also higher than in the group of losses among the 1915 births (35 per cent). And, significantly, the difference was greatest where the preceding birth had been a stillbirth or miscarriage or a death occuring within three months after birth. This seems to indicate that the short interval was in part a result of the death of the preceding infant. It does not, however, do away with all the excess mortality, for among the babies who died in 1915 the percentage who had followed the preceding birth by an interval of less than two years was still considerably higher than the corresponding percentage among all babies born in 1915—or, as has been noted, 35 per cent instead of 26 per cent.

Evidently, the mothers whose babies had died were a little more likely than other mothers to bear another child after a short interval; the babies whose mothers became pregnant during the first year of the babies' lifetime met a special hazard; and, except in the most prosperous families, the babies who followed a preceding birth by an interval of less than two years had a higher infant mortality than other babies.

It is generally assumed that short intervals between births are more prevalent in large families than in small families, and this seems to have been true for the few exceptional families where the mother had borne 15 or more children. In these families, more than half the births during 1915 followed the preceding birth by an interval of less than two years. But in the much larger number of families where the mother had borne from 10 to 14 children, the percentage reporting intervals of less than two years was less than in the families where the mother had borne only 2 children and only a trifle higher than in the families where the mother had borne 3 children. A similar tendency appears among the births of all pregnancies. The interval in this group of data refers not to the period between births but the period between one birth and the beginning of the following pregnancy. The percentage with average interval under two years is therefore higher, on this basis, throughout. But the relation of the several orders of birth to short interval is identical with that shown in the births during 1915 and the interval since the preceding birth.81


It is not surprising, therefore, to find also that the percentage of births during 1915 following the preceding birth by an interval of less than two years was greatest among the youngest mothers and decreased steadily as the age of the mothers increased. At all age periods there was a practically constant proportion reporting an interval of two or three years; only the percentage reporting an interval of four years or more increased among the older mothers as the percentage of very short intervals declined.⁸²

The excess mortality among babies born in 1915 who followed a preceding birth by an interval of less than two years appeared especially in deaths from causes other than early infancy. For example, the babies following a previous birth by two years or longer had a mortality from these "other causes" which increased with the later orders of birth, but for each order of birth the short interval babies showed a higher rate from "other causes" than the rates in the other group. For the causes peculiar to early infancy, on the other hand, the short interval babies earlier than seventh in order of birth had rates definitely higher than the babies who followed a previous birth by two or three years; and the babies seventh or later in order of birth showed no differences in rates according to interval. State of the showed no differences in rates according to interval.

⁸¹ See Table 165, Appendix VII, p. 357.

<sup>See Table 166, Appendix VII, p. 358.
See Table 167, Appendix VII, p. 358.</sup>

CHART XXI.—Infant mortality rates from early infancy and from all causes for each order of birth groups, by interval since preceding birth; single births in 1915.



the care the mother is able to give the baby more than they affect the physical condition of the mother herself.

Again, at each age period of the mother, except among mothers less than 20 years old, there was a relatively high mortality from "other causes" among the short interval babies but no clear difference by interval in the mortality from early infancy. Under 20, however, the mortality from early infancy rose markedly among the short interval babies, while for all babies alike the mortality from "other causes" was high.⁸⁴

Variations in mortality according to the age of the mother and the order of the baby's birth can not, therefore, except in this group of babies born to mothers less than 20 years old, be ascribed to the prevalence in certain groups of short intervals between births. In fact, when all the babies who followed the preceding birth by an interval of less than two years are eliminated, the characteristic curves in the rates persist, except that the rise in the curve for causes peculiar to early infancy among babies of mothers under 20 years of age disappears. But while the curves have the same general outlines they are at several points lower when the short interval babies have been eliminated than they are for the entire group, and most notably so in the rates for causes other than early infancy among babies fourth to ninth in order of birth born to mothers 25 years old or older. **a*

Table V.—Infant mortality rate, by interval since preceding birth, order of birth, and age of mother; live births in 1915.

	Infant mortality rate.1		
Age of mother and order of birth. ²	Interval under 2 years.	Interval 2 years and over.	
Second and third births: Under 20 years. 20-34 years	160. 6 113. 0	70. 4 107. 3	
35 years and over. Fourth to sixth births: 20-34 years. 35 years and over.	142.3	81. 2 82. 9	
Seventh and later births: 20-34 years 35 years and over	166. 7 185. 0	110. 4 122. 6	

¹ Not shown where base is less than 100.

Summary.

It may fairly be concluded that although these three factors are closely bound together, yet each makes its own contribution to the general problem. In grouping the births according to the order of birth, it is found that, independently of age and interval, the births

84 See Table 168, Appendix VII, p. 359.

84a See Table 169, Appendix VII, p. 360.

101351°-23--10

² Includes miscarriages.

seventh and later in order had a mortality higher than earlier births. The babies of mothers under 20 or over 35 years of age in general faced a greater hazard than other babies, although to this general rule there were certain exceptions. And the short-interval babies had throughout higher rates than other babies of the same orders of birth born to mothers of the same age periods.

Variations in rate with the different age periods of the mother appeared in the deaths from early infancy and also in the deaths from all other causes. But variations with the different orders of birth and the different intervals between births appeared more markedly in the mortality from other causes than in the mortality from early infancy.

Large families and short intervals were especially a problem in the poorer homes, where they were somewhat more prevalent than in prosperous homes. In the small group of prosperous homes the excess mortality that accompanied them elsewhere was greatly diminished or seemed to disappear entirely.

PLURAL BIRTHS.

Plural births show an infant mortality from two to four times as high as the infant mortality among single births, but the number of plural births is small and they are not, therefore, an important factor in the total mortality of a community. For example, if no plural births had occurred in the Baltimore group of births during 1915 the infant mortality rate would have been 97.1 per 1,000 instead of 103.5 per 1,000.846

Just over 1 per cent of the pregnancies studied resulted in plural births. Of all the births during 1915, 2.5 per cent were plural. But the losses among plural births were so great that, among the infants born in 1915 and surviving their first year of life, the number of twins or triplets was 1.7 per cent of the total survivors.

The three color and nativity groups showed practically no variation in the percentage of plural births. But there was a slight variation according to the age of the mother and the number of children she had borne. The younger mothers showed fewer plural births than the older mothers, the percentage of plural births increasing steadily from approximately 1 per cent among the mothers under 20 years of age to approximately 4 per cent among the mothers 35 years of age or over. A similar increase appears when the first, second, third, and later births are compared. Analysis of the births during 1915 seems to indicate that order of birth and age of mother are independent factors in the prevalence of plural births.⁸⁵

 ⁸⁴b See Tables 170, 171, 172, and 173, Appendix VII, pp. 361–362.
 85 See Tables 174, 175, 176, and 177, Appendix VII, pp. 362–363.

It is clear, also, that the mother who has once had a plural birth is more likely than other mothers to have plural births. Of the 38,211 pregnancies studied, 1.1 per cent resulted in plural births; of the 734 pregnancies subsequent to a plural birth, 3.7 per cent resulted in plural births. This simply indicates that the second occurrence of a plural birth is correlated with the occurrence of a first plural birth.

Table VI.—Loss rates—Comparison of single and plural births 1 in 1915.

receipt to a construction of the service of the ser	Loss	rates.
Type of loss.	Single births.	Plural births.
Miscarriages (per 100 births)¹. Stillbirths (per 100 births). Infant mortality (per 1,000 live births). Early infancy. All other causes.	3.6 3.6 97.1 33.9 63.2	5. 4 7. 1 361, 5 192, 3 169, 2

¹ Includes miscarriages.

In every sense the losses were high among plural births. Miscarriages, stillbirths, and infant deaths were all more numerous among plural than among single births. The infant mortality among plural births showed its greatest excess in deaths from early infancy, but it was also high from all other causes combined. There was among the plural births a high percentage of premature births, but it was also found that among the full-term plural births the mortality rate (266 per 1,000) was more than three times the mortality rate (73.9 per 1,000) among the full-term single births. ⁸⁶

Table VII.—Computed annual infant mortality rates, by type of feeding; comparison of plural and all live births in 1915.

		d infant ty rate.
Type of feeding.	All births.	Plural births.
Not fed; died at once. Breast fed Mixed fed Artificially fed	24.1 43.3 87.4 191.4	88. 5 132. 2 256. 2 399. 0

Among the plural births,⁸⁷ the percentage of infants artificially fed was high at each month from the first to the tenth; but, again, for each type of feeding considered separately, the computed rate per 1,000 infants fed was markedly higher among the plural-born than among the single-born children.

87 See Table 180, Appendix VII, p. 364.

 $^{^{86}}$ See Tables 178 and 179, Appendix VII, pp. 363 and 364.

Of the 403 pregnancies ** resulting in twin births, 40, or 9.9 per cent, ended in miscarriage of both fetuses and 3, or 0.7 per cent, ended in miscarriage of one fetus and live birth of the other. Among the pregnancies resulting in single births, on the other hand, 6.6 per cent ended in miscarriage.

Again, of these 403 pregnancies resulting in twin births, 9, or 2.2 per cent, ended in the stillbirths of both infants and 34, or 8.4 per cent, ended in the stillbirth of one infant and the live birth of the other. But among the pregnancies resulting in single births, only 3.3 per cent ended in stillbirth.

In 317 cases the twins were both born alive, and 150 pairs of twins, or 47 per cent of these plural live births, survived the first year; 90 pairs of twins, or 28 per cent of these plural live births died; and for each of 77 pairs of twins, or 24 per cent, there were one survivor and one infant death.

Table VIII.—Survival or death of twins in pairs; births, 1 all pregnancies.

Total pairs of twins	403	1 stillbirth and 1 live birth (survivals, 23; deaths, 11)	34
Both miscarriages	40 9 317	deaths, 11)	3
Both deaths. 1 survival and 1 death Both survivals	90 77 150		

¹ Includes miscarriages.

The infant mortality rate among these 634 twins who were both born alive was 405.4 per 1,000. But note the distribution of deaths and survivals. The twins tended both to survive or both to die. If the average mortality rate for the whole group of 634 twin-born infants had applied to them as individuals, the probable distribution of deaths would have doubled the number of cases where one twin survived and one twin died and reduced, correspondingly, the numbers of cases where both died or both survived.⁸⁹

88 Among the total	pregnancies the	mothers had	had.
89 Mome	1		

					Pairs o	f twins.
					Actual distribution.	Computed distribution.
They	Total	inilai.	ominimum.	a. sdt	317	317
Both d 1 survi Both s	leaths val, 1 deat urvivals	h			90 77 150	52. 1 152. 8 112. 1

[&]quot;Computed distribution" is derived from chance of death and chance of survival indicated in the average rate for the 634 infants—405.4 deaths per 1,000 live births. p=chance of death, or 0.4054, q=chance of survival, or 1 minus 0.4054, which is 0.5946. The formula p^3+2 $pq+q^2$ gives the following expected distributions:

Both deaths= $317 \times (0.4054)^2 = 52.1$. One died, one survived= $317 \times 2(0.4054)$ (0.5946)=152.8. Both survived= $317 \times (0.5946)^3 = 112.1$

PREMATURE BIRTHS.

Premature birth resulted in excessive mortality, especially during the first month of life, and in excessive losses from stillbirth and miscarriage. If the mortality rates among infants born at full term had been applicable to the entire group, the losses from stillbirth and miscarriage would have been 2.2 instead of 7 per 100 births, and the infant mortality rate would have been 77.7 instead of 103.5 per 1,000 live births. These differences indicate fairly the part played by premature birth in the total mortality. They do not reveal clearly the very great difference in hazard to infants born at full term and infants born prematurely.

Among the 11,613 births in 1915 and included in the study, 1,173 or 1 in 10 were born prematurely. Of these premature births, approximately one-half were stillborn; and of the live born premature infants, less than one-half survived 12 months. Five hundred and seven were born after less than seven months gestation, and in this group only 89 were live born and only 3 survived the year. Six hundred and sixty-four were born after seven months but less than nine months gestation, and in this group 500 were live born and

266 survived the year.

Comparing these losses with the losses among the full-term births, it appears that among the premature births 49.6 per cent of the births were stillborn (or miscarried) instead of 2.2 per cent stillborn, and 544.8 per 1,000 instead of 77.7 per 1,000 live births died within the year. Even when the births of less than seven months gestation are eliminated there was among the premature births a stillbirth rate of 24.7 per 100 births and an infant mortality rate of 468 per 1,000 live births.

The difference in mortality rates among premature and full-term births was greatest during the first month—453.5 per 1,000 live births in one group and 20.4 per 1,000 live births in the other group; after the third month the mortality among the prematurely born was still higher than among the others but the difference then was slight.⁹⁰

It has been noted in the analysis of the infant deaths in the Baltimore group that 477, or 43 per cent of the total, occurred within one month after birth. Of these deaths during the first month, 56 per cent occurred among infants prematurely born, although premature births were less than 6 per cent of the total live births.

It would seem, therefore, that the prevention of deaths in early infancy and the prevention of premature births are closely related to each other and alike depend on protection of the mother. The relatively high percentages of premature births which have been

 $^{^{90}}$ See Tables 181 and 182, Appendix VII, pp. 364 and 365.

noted among the first-born children and among all children of young mothers emphasize the great importance of adequate care and instruction for young mothers and for all mothers during their first pregnancy. The high percentage of premature births previously noted, also, among mothers gainfully employed away from home during pregnancy emphasizes the importance of freedom from physical strain. In all groups the percentage of premature births could doubtless have been greatly reduced by the general application of known principles of hygiene and medical care.

SEX OF INFANT.

The Baltimore group offered no exception to the general fact that male infants have a higher mortality than female infants. This appeared in a higher percentage of miscarriages, a higher stillbirth rate, a higher percentage of premature births, and a higher mortality among the full-term live-born infants.

TABLE IX.—Loss rates, by sex; births 1 in 1915.

and the second of the second o	Loss	rates.
Type of loss.	Male.	Female.
Miscarriages (per 100 births¹). Stillbirths (per 100 births). Premature births (per 100 live births). Infant mortality rate (all live births). Infant mortality rate (full-term live births). Infant mortality rate (premature live births).	3. 4 3. 8 5. 9 115. 1 87. 3 553. 5	1.6 3.3 5.0 91.3 67.7 534.1

¹ Includes miscarriages.

The total number of male births was higher than the total number of female births in the native and foreign-born white families, and, in spite of the higher mortality among male infants, the number of males surviving the first year was also slightly higher than the number of females surviving the first year in these two groups. Among the colored births, on the other hand, there were more female births than male births and markedly more female survivors than male survivors. 92

MATERNAL DEATHS.

When a mother dies from childbirth or from any other cause within 12 months after a birth, her baby faces a special hazard. In the Baltimore group 106 births, including 72 live births, were to mothers who died during the following year. Among these liveborn infants the mortality rate from all causes was 486.1 per 1,000, with a mortality from early infancy alone of 250 per 1,000. Among

⁹¹ See p. 117.

⁹² See Tables 183 and 184, Appendix VII, pp. 365 and 366.

the 32 live-born infants whose mothers died within 2 months after childbirth, or later in the year from a cause known to be connected with childbirth, the mortality rate from all causes rose to 625 per 1,000 and the mortality from early infancy to 375 per 1,000 live births. Even in so small a group, these rates indicate an excess hazard far beyond the range of a chance variation from the rates for infants whose mothers lived throughout the year—100.9 from all causes and 36.3 from the diseases of early infancy.

Table X.—Infant mortality rates from specified causes, by survival or death of mother; live births in 1915.

Survival or death of mother.		114 0	Infant mor	t mortality rate.		
	Live births.	All causes.	Gastric and in- testinal diseases.	Early infancy.	All other causes.	
Mothers surviving . Mothers dying . From childbirth or within 2 months . All other .	10,725 72 32 40	100. 9 486. 1 625. 0 375. 0	28, 6 97, 2 93, 8 100, 0	36. 3 250. 0 375. 0 150. 0	36. 0 138. 9 156. 3 125. 0	

The excess in mortality from gastric and intestinal diseases and from all other causes was less than the excess in mortality from early infancy and showed no such marked variation between the infants of mothers who died within 2 months after childbirth and the infants of mothers who died later in the year.

Among the births (whether miscarriages, stillbirths, or live births) to mothers who died within the year after the baby's birth a markedly high percentage of premature births was found, but this accounts only in part for the excessive infant mortality among infants whose mothers died. When the premature births and the full-term births are considered separately it appears that in each group the live-born infants whose mothers died within the year had a higher mortality than other live-born infants in the same group; but it is noted that the high mortality among premature infants whose mothers died was assigned wholly to early infancy while the high mortality among full-term infants whose mothers died was due to other causes.⁹³

Of the 106 births to the mothers who died, 34 were stillborn (or miscarried)—a total of 32.1 per cent. Of the 11,507 births to mothers who lived, 782 were stillborn (or miscarried)—a total rate of 6.8 per cent. Among the premature births the difference in loss was less marked in the two groups—54 per cent where the mother died and 49.5 per cent where the mother lived. But among the full-term births, the still-birth rate (20.3 per cent) was about 10 times higher when the mother died than when the mother lived (2.1 per cent).

⁹⁸ See Table 185, Appendix VII, p. 367.

Evidently the relation is close between hazard to the mother and hazard to her child. The live-born baby whose mother dies may suffer from the prenatal effect of the condition which leads to the mother's death; it may suffer from the lack of the mother's nursing and care. Premature birth and stillbirth or miscarriage may also result from a condition which leads afterwards to the mother's death. The data show unmistakably that a high infant mortality, a high percentage of prematurity, and high losses from stillbirth and miscarriage accompany the mothers' deaths.

Perhaps this relation appears even more clearly if the mortality rates among the mothers are considered. In the group as a whole 105 maternal deaths occurred within one year after the birth, or 9.7 per 1,000 live births. Fifty of these deaths were assigned to causes connected with childbirth; 18, or 1.7 per 1,000 live births, to puerperal septicemia; 14, or 1.3 per 1,000 live births, to puerperal albuminuria and convulsions; and 18, or 1.7 per 1,000 live births, to all other causes related to childbirth. But in addition to these 50 mothers whose deaths were ascribed to childbirth, 7 others died within one month, 4 after one month but in less than two months, and 7 after two months but within three months after confinement. If the confinement was a contributing cause of the mother's death in these 18 cases the actual loss from deaths related to childbirth would be approximately 6.3 per 1,000 live births. But these rates vary with the nature of the birth.

Among the 798 confinements resulting in stillbirths and miscarriages, 29 mothers died from causes related to childbirth or from other stated cause within three months after the birth—a death rate within the year of 36.3 per 1,000 confinements. But among the 10,665 resulting in live births, 39 mothers died from causes related to childbirth or from other stated cause within three months after the birth—a death rate within the year of 3.7 per 1,000 confinements.

Again, among the 1,131 mothers prematurely confined (whether with miscarriage, stillbirth, or live birth), 28 mothers died from such cause—a death rate of 24.8 per 1,000 confinements. And among the 562 mothers prematurely delivered of live-born children, considered by themselves, 13 mothers died from such causes—a death rate of 23.1 per 1,000 confinements.

On the other hand, among the 10,322 mothers delivered at full term, 40 maternal deaths occurred from such causes, or a death rate of 3.9 per 1,000 confinements. Behind this average, again, there was an excessive maternal death rate of 61.7 per 1,000 confinements among the 227 mothers delivered at term of stillborn infants, and a rate lower than the average for the entire group only among the mothers delivered at term of live-born infants.

STILLBIRTHS.

From the mothers' statements about all their pregnancies, it appears that in the group as a whole the total number of stillbirths and miscarriages, among the 38,630 births reported, was equal to 91 per cent of the total number of infant deaths occurring among their live-born infants-3,786 stillbirths and miscarriages and 4,158 infants deaths. In the Jewish families, with their exceptionally low infant mortality, the number of stillbirths and miscarriages-309was greater than the number of infant deaths-232. And in the colored families, with their exceptionally high miscarriage and stillbirth rates (as well as high infant mortality), the number of stillbirths and miscarriages-842-was also greater than the number of infant deaths-751. Only among the Polish families and the foreign other than Jewish, Polish, or Italian, were the total stillbirths and miscarriages markedly fewer than the infant deaths. The Poles, with an excessive infant mortality (chiefly from gastric and intestinal diseases) had an average stillbirth rate and a miscarriage rate below The group of "other foreign" families showed an the average. average mortality and average stillbirth rate but, like the Poles, a miscarriage rate below the average.94

In the present study the word "stillbirth" refers to dead births of at least seven months gestation and "miscarriage" to dead births of a shorter term. The substantial agreement in stillbirth rates shown in the two sets of data suggests a fairly complete reporting of still-births, both in the registration of births during 1915 and in the mothers' statements about their previous pregnancies. On the other hand, registration of miscarriages seems to have been far from complete, since the miscarriage rates based on births during 1915 were in every nationality group markedly lower than the miscarriage rates based on all pregnancies. Whether the mothers' reporting of miscarriages was itself complete is a question that can not be determined. It may be noted, however, that the variations in miscarriage rate by nationality were approximately the same in the two sets of data—the colored rate above the average for all and the Polish and "other foreign" rates below the average for all.

The average loss from miscarriages (all pregnancies) was 67 per 1,000 births and the average loss from stillbirths (all pregnancies) was 33 per 1,000 births.

⁹⁴ See Tables 187 and 188, Appendix VII, p. 368.

Certain variations in stillbirth rates have been noted in earlier sections of the report: The rate rises with the mothers' employment away from home during pregnancy, with the mother's advancing years, and with the bearing of very large families.⁹⁵

What relation is there between stillbirth and infant mortality? Medical authorities agree that many of the causes of stillbirth and of deaths from causes peculiar to early infancy are identical. One would expect, therefore, to find the variations in stillbirth rates and in mortality from early infancy following the same general trend in the several groups. And it is true that the colored families, with a high infant mortality, especially high from early infancy, had the highest stillbirth rate in the Baltimore group. But the foreign-born Jewish families, with a low infant mortality, including a low rate from the causes peculiar to early infancy, the Polish families, with a high infant mortality and a rate above the average from early infancy. and the Italian families, with an average infant mortality and a rate somewhat below the average from early infancy, had approximately equal stillbirth rates, with such difference as there was tending toward a high stillbirth rate in the Italian families and a low stillbirth rate in the Polish families. Again, the foreign-born white group as a whole had a lower mortality from early infancy than the native-white group, but the stillbirth rates in the two groups were practically identical.

Except in the colored group, therefore, the data show no coincidence of stillbirths and infant deaths.

⁹⁵ See Tables 73, 103, 104, 132, 133, 144, 145, 149, 154, 189, and 190, Appendix VII, pp. 282, 305, 306, 335, 341, 342, 344, 348, 368, and 369.

ILLEGITIMATE BIRTHS.

It has been noted that certain families were excluded from the study of the normal group because of temporary absence from Baltimore or removal from the city. In studying the babies born out of wedlock a different method was followed. Information was secured about every baby of illegitimate birth for whom the facts could be ascertained, whether the baby and mother were still living in Baltimore or had left the city. One source of information was the birth and death certificates, and (since none but registered births were included) information was available from the birth certificates for all infants. This method of study, however, offered a complication in computing an infant mortality rate, since only deaths that occurred within the city were registered in Baltimore. 96

Besides securing this information, every effort was made to obtain an interview with the mother and to add detailed information on points not covered in the birth or death certificates. Shifting of residence of mother and baby was so frequent an occurrence that it was difficult to locate the mothers. A special effort was made, therefore, to secure information in regard to this shifting of residence and separation of mother and baby that are so characteristic of the life of the illegitimate baby.

THE MOTHERS.

Color and nativity.

Of the 12,045 births to white mothers registered as occurring during 1915 in Baltimore, 420, or 3.5 per cent, were illegitimate. Of the 2,555 births to colored mothers, 704, or 27.6 per cent, were illegitimate. In the illegitimate white group, less than half (192, or 45.7 per cent) were scheduled; in the illegitimate colored group, more than two-thirds (487, or 69.2 per cent) were scheduled. 96a

Table I.—Color, nativity, and parentage of mother, by legitimacy of birth; scheduled legitimate and illegitimate births in 1915.

	Legitimate births.		Illegitimate births.	
Color, nativity, and parentage of mother.	Number.	Per cent distribu- tion.	Number.	Per cent distribu- tion.
Total	11,613	100.0	679	100.0
White mothers. Native. Both parents native. One or both parents foreign. Parentage not reported. Foreign born b Colored mothers	10, 104 7, 210 (a) (a) (a) (a) 2, 894 1, 509	87. 0 62. 1 (a) (a) (a) 24. 9 13. 0	192 174 111 43 20 18 487	28. 3 25. 6 16. 3 6. 3 2. 9 2. 7

a Parentage of mothers of legitimate children not reported, but compare census figures shown on p. 28.
 b Foreign-born white mothers of illegitimate children include 8 Polish, 3 German, 1 English, 1 Irish,
 1 Scotch, 1 Lettish, 2 Russian Jewish, and 1 other Jewish. For nationalities of legitimate mothers see
 p. 29.

⁹⁶ See p. 168.

⁹⁶a See Table 191, Appendix VII, p. 369.

The nativity of the white mothers was tabulated only for the scheduled group, and among these 192 white mothers were 18 women of foreign birth, a percentage about one-third of the percentage of foreign-born women in the group of legitimate births to white women. It is not known whether the larger group of unscheduled illegitimate white births included also a low percentage of foreign-born women.

Employment.

Women employed outside their homes predominated, both among the white and colored mothers of children born out of wedlock. In the large group (total registered illegitimate births), the fact of the mother's employment or nonemployment during pregnancy was not reported for 31 per cent of the white women and 14 per cent of the colored women, but 53 per cent of the white women and 70 per cent of the colored women were stated to have been employed outside their homes. Twelve per cent of the white women and 10 per cent of the colored women were reported as not employed during pregnancy. 97

Domestic service was the chief occupation among the colored women and ranked second to factory work in importance among the white women. The mothers of 491, or 70 per cent, of the colored births and 88, or 21 per cent, of the white births were in domestic service and kindred occupations, which included those of laundress, waitress, cook, or kitchen girl, charwoman, nursemaid, and chambermaid. Of the white women 102, or 24 per cent, were factory operatives and of the colored women 40, or 6 per cent. The other white women who were employed were stenographers or clerks (13), saleswomen (6), nurses (4), school teachers (3), seamstresses (10), and telephone operators (3). Eight white women and 4 colored women were scattered among the following occupations: Chorus girl, companion, hairdresser, demonstrator, peddler, florist's helper, proprietor of grocery store, farm worker, maid in hospital, maid in department store, lady's maid, and prostitute. 98

Age.

The extreme youth of most of the mothers of children born out of wedlock is noteworthy. Fifty-five of them (5 per cent) were under 16 years of age, 180 (16 per cent) were 16 and 17 years of age, and 274 (24 per cent) were 18 but less than 20 years of age. Six of the girls under 16 and 9 of the girls between 16 and 20 years old were school girls. In all, 87 (17 per cent) of these mothers under 20 years of age are known not to have been gainfully employed, while among the

⁹⁷ In the scheduled group, with a smaller percentage of mothers whose employment or nonemployment was not reported, there were relatively more employed away and more not employed. Only the percentage employed at home remained approximately the same as in the entire group. For exact figures, see Table 192, Appendix VII, p. 370.

⁹⁸ See Tables 193 and 194, Appendix VII, pp. 370 and 371.

mothers 20 years or older the number known not to have been gainfully employed was only 6 per cent of the total. The colored mothers were somewhat younger than the white mothers—with 26 per cent under 18 years of age among the colored mothers and 13 per cent under 18 years of age among the white mothers. But, on the other hand, fewer of the colored mothers than of the white mothers were between 20 and 25 years of age, and among the colored mothers 12 per cent, but among the white mothers 9 per cent, were 30 years of age or older.⁹⁹

Civil condition at confinement.

The civil condition of the mother at the time of the birth is known only for the scheduled group, and even here it is not known for seven, or 4 per cent, of the white mothers and four, or 0.8 per cent, of the colored mothers. Of the white women, 78 per cent were single, 15 per cent were widowed, divorced, or separated from a husband, and 4 per cent were married. Of the colored women, 88 per cent were single, 11 per cent were widowed, divorced, or separated from a husband, and 1 per cent were married.

Previous births.

The illegitimate birth in 1915 was, in the majority of cases, the first the mother had borne, but one in four of the white mothers and about two in five of the colored mothers (scheduled group) had previously had at least one illegitimate birth. Among both the white and the colored women were a few, also, who had borne one or more legitimate children but no illegitimate child previous to the 1915 birth.

The order of birth of the illegitimate birth in 1915 is known for the entire group, with the exception of one white child and four colored children for whom it was not reported on the birth certificate. Eighty-two per cent of the white births and 58 per cent of the colored births were first-born children; 5 per cent of the white births and 15 per cent of the colored births were fourth or later-borne children. Cases other than the first birth proved slightly easier to trace, so in the scheduled group the percentage of first-born children dropped to 73 per cent of the white births and 55 per cent of the colored births.

Only for the scheduled group is the legitimacy of the previous births known. In this group (192 white and 487 colored) there were 52 white women and 219 colored women who had borne other children. For 4 white women and 9 colored women the legitimacy of the previous births was not reported; for 16 white women, or 8.3 per cent of the total scheduled, and for 21 colored women, or 4.3 per cent of the total scheduled, the previous births had all been legitimate. The white women had borne from 1 to 6 legitimate children and the colored

⁹⁹ See Tables 195 and 196, Appendix VII, pp. 371 and 372. 1 See Table 197, Appendix VII, p. 372.

women from 1 to 9 legitimate children. Twenty-four white women (or 12.5 per cent of the total scheduled) and 165 colored women (or 33.9 per cent of the total scheduled) had borne only illegitimate children, the white women from 1 to 3 children previous to the birth of 1915 and the colored women from 1 to 12 children previous to the birth of 1915. In all, including the birth of 1915, these 24 white women had borne 57 illegitimate children and these 165 colored women had borne 531 illegitimate children. In addition, 8 white women and 24 colored women (4.2 per cent and 4.9 per cent, respectively, of the totals scheduled) had borne at least 1 illegitimate and 1 legitimate child previous to the birth of 1915, or a total, including the birth of 1915, of 59 white children and 162 colored children.²

Literacy.

One other item is known about the scheduled mothers of illegitimate children. A slightly higher percentage of these women than of the mothers in the legitimate group were illiterate—10.9 per cent of the white women, instead of 9.3 per cent, and 16.2 per cent of the colored women, instead of 12.4 per cent.

THE FATHERS.

Information about the fathers is comparatively meager. The birth certificates supposedly state the father's color, age, and occupation, but the age was not reported for 29.5 per cent of the fathers of white children and 9.5 per cent of the fathers of colored children, and the occupation was not reported for 35.5 per cent of the fathers of white children and 11.8 per cent of the fathers of colored children. The father's color was stated, however, for all except the fathers of 15, or 2.1 per cent, of the births to colored women.

Two of the 420 white women had births by colored fathers. About these colored fathers nothing is stated except that one had died before the birth. Two of the 704 colored mothers are stated to have had births by white fathers, one classed as "teamster, chauffeur, or delivery man," and one as "clerk." But there may have been other white fathers in the group of 15 cases where the mother was colored and the color of the father was not reported. The occupations of these 15 fathers were not reported.

Unfortunately, the occupations of the fathers as stated on the birth certificates do not lend themselves to exact classification or comparison with the occupations of the fathers of legitimate children. The fathers were so scattered through the various types of occupations that, except for the 277 colored laborers and the 88 colored "teamsters, chauffeurs, and delivery men," the number of white or

² See Tables 198, 199, and 200, Appendix VII, pp. 373, 374, and 375.

³ See Tables 201 and 202, Appendix VII, pp. 375 and 376.

colored fathers of children born out of wedlock in any 1 of the 19 occupations given was less than 40 and frequently less than 10. Moreover, any conclusions as to the prevalence of certain types of occupations among the fathers of illegitimate children based on less than two-thirds of the white group and less than nine-tenths of the colored group would, in any case, be subject to serious error. Inexact registration of occupation is also an important factor. The number of colored "laborers," for example, in the illegitimate group, represented 45.6 per cent of the colored fathers in that group having a stated occupation, while in the colored legitimate group 34.5 per cent of the fathers having a stated occupation were classified as laborers. This apparent excess of laborers in the illegitimate group might indicate nothing but a tendency on the part of physicians and midwives to classify all unskilled workers as laborers.

Both the white and colored fathers seem to have been older than the mothers. Omitting the 124 white fathers and the 67 colored fathers whose ages were not reported, in the white group 6 per cent were under 20 years of age and 20 per cent 30 years of age or older; in the colored group, 14 per cent were under 20 years of age and 25 per cent 30 years of age or older.

THE BIRTHS.

Place of confinement and attendant at birth.

Far more of the illegitimate births than of the others occurred in hospitals. In the total group of illegitimate births, 46 per cent were hospital births as against 13 per cent in the total group of legitimate births and 10 per cent in the scheduled group of legitimate births.

Fifty-six illegitimate births, or 5 per cent of the total, occurred in institutions, including two infants born in jail. The illegitimate births in hospitals and institutions were more difficult to trace than those in private houses. Less than half the hospital births were scheduled and only 10 of the 56 births in institutions, while of the 551 births in private houses 424 were studied in detail. But even with the relatively small number of hospital births included in the scheduled group there still was in that group a percentage of hospital births (36 per cent of the total number scheduled) far in excess of the percentage of hospital births in the legitimate groups.

A relatively high percentage of births attended by physicians accompanied, of course, the high percentage of hospital births in

the illegitimate group.6

Prenatal care.

For the scheduled illegitimate births, information was secured about the mother's prenatal care. Of the white women the per-

⁴ See Table 201, Appendix VII, p. 375.

⁵ See Table 202, Appendix VII, p. 376.

⁶ See Tables 203 and 204, Appendix VII, p. 377.

centage reporting no prenatal care by a physician was the same among the legitimate and the illegitimate births, but a slightly smaller percentage of the mothers of children born out of wedlock than of the others reported prenatal care of grade A or B. Among the colored mothers of children born out of wedlock, however, a smaller percentage reported no prenatal care and a slightly higher percentage reported prenatal care of grade A or B than among the legitimate colored mothers.6a

CONDITIONS DURING YEAR AFTER BIRTH.7

Relation of mothers and fathers.

Thirteen per cent (25) of the white mothers of children born out of wedlock and 18 per cent (86) of the colored mothers lived with the men by whom they had borne children in 1915 during the whole or the greater part of the year following the birth. But although more of the colored mothers than of the white mothers lived with the fathers of their children, slightly more of the white mothers than of the colored mothers were married to them during the year-10 per cent of the white mothers and 8 per cent of the colored mothers. These marriages include in the white group 2 women (or 1 per cent of all the white mothers) and in the colored group 9 women (or 2 per cent of all the colored mothers) who did not live with the fathers of their children during the greater part of the year following the 1915

In addition to these 25 white women and 86 colored women who lived with the men by whom they had borne illegitimate children in 1915, there were 50 white women, or 26 per cent of the total, and 171 colored women, or 35 per cent of the total, who reported that the fathers of their children had contributed something to their own or their child's support. For 12 per cent of the white women and 4 per cent of the colored women, no report was made as to whether or not the father contributed to the support of mother or child. The median amounts contributed by both the white and the colored fathers were between \$50 and \$100. In the colored group, however, there were relatively more contributing under \$5-4 per cent (17) instead of 0.5 per cent (1) of the white group—and also relatively more contributing \$100 and over-9 per cent (45) instead of 6 per cent (13).

The number of fathers who did not live with the mothers and contributed nothing to the support of mother or child was relatively greater in the white group than in the colored group-white, 49 per cent (94); colored, 43 per cent (211).

6a See Table 205, Appendix VII, p. 378.

8 See Tables 197 and 206, Appendix VII, pp. 372 and 378.

⁷ The statements about conditions during the year following the birth are based entirely on the scheduled group-192 white issues and 487 colored issues.

In both groups the percentage who contributed nothing to the mother's support was higher where the birth was a stillbirth or miscarriage than where it was a live-born infant. The difference was especially marked in the white group. But even where the infants were live-born, more of the white fathers than of the colored fathers contributed nothing to the support of mother or child.

Where the mothers lived.

Two-fifths of the mothers in both groups lived in their parental homes during the year after the birth. And these women, together with the women who lived with the child's father, were considerably more than half of the mothers, both white and colored.

It has been noted that more of the colored mothers than of the white mothers lived with the fathers of their children. It was found also that more of the colored mothers than of the white mothers lived with relatives or friends other than their parents or the fathers of their children. On the other hand, 10 per cent (19) of the white mothers but none of the colored mothers lived in an institution or hospital.

Table II.—Mother's mode of living during whole or greater part of year after confinement; scheduled illegitimate births 1 in 1915.

Mother's mode of living during whole or greater part of year after confinement.		Per cent distribution: scheduled illegitimate birth in 1915.	
	White mothers.	Colored mothers.	
Total	100.0	100.0	
Parental home With other relatives or friends. With father of child Own establishment or boarding At service.	6.3 13.0 12.0 3.1	40. 2 11. 5 17. 7 12. 3 3. 1	
In institution or hospital. With husband or other man (not father of child) Died. Not reported.	9. 9 2. 6 1. 6 10. 4	2, 3 2, 3 10, 7	

¹Includes miscarriages.

The white group studied in detail includes 39 stillbirths, miscarriages, and infant deaths under 2 weeks of age and 153 infants who lived at least two weeks. The colored group includes 112 stillbirths, miscarriages, and infant deaths under 2 weeks of age and 375 infants who lived at least two weeks. A comparison of the mode of living of the mothers whose babies lived two weeks and of the others reveals certain differences which can not be pressed to definite conclusions but which should be noted. Among the women whose in-

⁹ See Tables 207 and 208, Appendix VII, pp. 379 and 380.
101351°—23——11

fants had survived the first two weeks certain types of living arrangements were reported by relatively more than among the mothers of dead births or of infants dying within two weeks after birth. Thus, in the white and in the colored group, more mothers were living independently, more mothers were living at service, and more mothers were living with friends or relatives other than their parents. And among the white mothers, also, a higher percentage were in an institution or a hospital and among the colored mothers a higher percentage lived in their parental homes. On the other hand, fewer, both of the white and of the colored women, were living with the father of the child or with some other man, and among the white women fewer were living in their parental homes.

Table III.—Mother's mode of living during whole or greater part of year after confinement, by color of mother; scheduled illegitimate births 1 in 1915.

sugo ser la 10 p a 20 m of 1 land go sergencia a m taxi studioni	Per cent distribution; 2 scheduled illegitimate births 1 in 1915.					
	White n	nothers.	Colored mothers.			
Mother's mode of living during whole or greater part of year after confinement.	Stillbirths, miscar- riages, or deaths under 2 weeks.	Infants surviving 2 weeks.	Stillbirths, misear- riages, or deaths under 2 weeks.	Infants surviving 2 weeks.		
Total	100.0	100.0	100.0	100.0		
Parental home		12.4	35.7 6.3 21.4 9.8 2.7 4.5 3.6 16.1	41. 6 13. 1 16. 5 13. 1 3. 2 1. 6 1. 9		

¹ Includes miscarriages. ² Not shown where base is less than 100. See Table 206, Appendix VII, pp. 378-379.

Civil condition of mother at one year after confinement.

It has been noted that 4 per cent (7) of the white mothers of children born out of wedlock and 1 per cent (5) of the colored mothers were married women; and, further, that 3 per cent (5) of the white mothers and 2 per cent (11) of the colored mothers in this group lived during the whole or the greater part of the year following the confinement with a husband or some other man, not the father of the illegitimate child born in 1915. Comparing the civil condition of the mother at confinement with her civil condition one year later, it is found that these women who spent the whole or the greater part of the year with a husband or some other man were only part of the total number who definitely reported marriage during the year to a man other than the father of the illegitimate child.

Thus, among the white mothers 9 single women and 3 who had been widowed or divorced, were married to a man other than the father of the child, and of the 7 white mothers of children born out of wedlock who were married women, 6 were living at the end of the year. Apart, therefore, from the 15 white women whose civil condition at the end of the year was not reported, there were at least 13 white women, or 7 per cent of the total, who lived with a man other than the father of the illegitimate child at some time during the year after the birth, in addition to the 5 women (3 per cent of the total) who reported spending the whole or the greater part of the year with such a man.

Among the colored mothers 16 single women were married during the year to a man other than the father of the child and 5 had been married women at the time of the birth. Hence, apart from the 16 colored women whose civil condition at the end of the year was not reported, there were at least 17, or 4 per cent of the total, who lived with a man other than the father of the illegitimate child at some time during the year after the birth, in addition to the 11 women (2 per cent of the total) who reported spending the whole or the greater

part of the year with such a man.

To what extent, if at all, the mothers of children born out of wedlock in either the white or the colored group lived with the fathers of their children or with other men for short periods during the year the data do not indicate.

Of the 149 single women among the white mothers of children born out of wedlock, 79 per cent were single at the end of the year, 11 per cent had been married to the father of the child, and 6 per cent had been married to another man. Of the 29 white mothers who had been widowed, divorced, or separated at the time of the birth, 69 per cent reported their civil condition as unchanged, 10 per cent had been married to the father of the child, and 10 per cent had been married to another man.

Of the 426 single women among the colored mothers of children born out of wedlock, 82 per cent were single at the end of the year, 9 per cent had been married to the father of the child, and 4 per cent had been married to another man. Of the 52 colored mothers who had been widowed, divorced, or separated at the time of the birth, 96 per cent reported their civil condition as unchanged a year later. Two per cent (1 mother) had been married, but whether to the father of the child or to another man is not known.

For 8 per cent of the white women and 3 per cent of the colored women the civil condition at the end of the year was not reported. These 15 white women included not only the 7 whose civil condition at the time of the birth was not reported but also 6 who were single

and 2 who were "widowed, divorced, or separated" at the time of the birth. And these 16 colored women included not only the 4 whose civil condition at the time of the birth was not reported but also 12 who were then single.¹⁰

Maternal deaths.

A relatively high percentage of these mothers are known to have died during the year. Classifying the maternal deaths according to the stated cause of death, it is found that among this group of mothers the deaths assigned to causes directly related to childbirth numbered 9 per 1,000 confinements, while among the mothers of children born in wedlock they numbered 4.4 per 1,000. Deaths occurring within the year but assigned to other causes numbered among these mothers 11.9 per 1,000 confinements, but among the mothers in the legitimate group 4.8 per 1,000. That the high maternal death rate in the illegitimate group is not due wholly to the large proportion of colored women, whose hazard in childbirth is usually greater than the hazard to white women, is suggested by the fact that in the legitimate group as a whole the maternal deaths from all stated causes were 9.2 per 1,000 confinements; in the illegitimate group the maternal deaths from all stated causes among white women totaled 15.7 per 1,000 confinements and among colored women 22.9 per 1,000. Evidently the death rate among mothers of children born out of wedlock is excessive, not only among the white mothers but also among the colored mothers, as compared with the rates among mothers in the legitimate group.11

Economic status of the mothers.

Of the economic status of the mothers during the year after the birth of an illegitimate child in 1915 there is little exact information. Such data as there are indicate extreme poverty. It has been noted that 49 per cent (94) of the white mothers and 43 per cent (211) of the colored mothers did not live with the fathers of their children and received no support from them, and that the amounts paid toward the support of the mother and child by those fathers who did not live with them but made some contribution were in most cases very small. Fifty white fathers (26 per cent) and 171 colored fathers (35 per cent) made contributions, but only 13 of these white fathers and 45 of these colored fathers contributed \$100 or more. The median earnings of the white fathers and of the colored fathers who lived with the mother and whose earnings were stated were lower than the median earnings of white and of colored fathers in the normal

group. Part of the difference may have been due to the relatively high percentage in the illegitimate groups whose earnings were not reported, and, furthermore, a difference appearing in a group so small as that of the fathers of children born out of wedlock who lived with the mothers during the year after the birth can not be pressed to definite conclusions.¹²

No information was obtained regarding the economic status of the mother's parents, or the extent to which the material needs of the mothers were provided for in the large number of cases where the women lived in their parental homes during the year after the birth. But 80 per cent of the women in the scheduled group were gainfully employed during the year before the birth and at least 77 per cent during the year after the birth. The actual percentages may have been even higher, since the fact of employment or nonemployment was not reported for 3 per cent during pregnancy and for 4 per cent during the year following. The earnings of the mothers were utterly inadequate for their support. Only 12 mothers of the 501 who worked during the year earned as much as \$350. Or, considering separately the 297 mothers who worked at least nine months of the year, it is found that more than half this group earned less than \$250, with 7 mothers earning less than \$50 in cash (although 4 of these received meals in addition) and 2 mothers working for room and board with no cash wages whatever.13

More than two-thirds (68 per cent) of the women who had been employed during pregnancy returned to their former occupations or to other occupations included in the same group; 20 per cent shifted to a new occupation; 11 per cent did not resume gainful employment; and for 2 per cent of those employed during pregnancy employment during the year following was not reported. Of the mothers who had not been employed during pregnancy, 40 per cent were employed during the year after the birth. Comparing the total numbers engaged in the five principal occupations during pregnancy and during the year following, it appears that the numbers working in domestic service and in factory work decreased while the numbers working in the occupations akin to domestic service—as laundress, waitress, cook, or kitchen girl, or as charwoman—increased.¹⁴

Where the babies lived.

One in three of the white babies and one in six of the colored babies were, at some time during the year, in an institution or a boarding home or boarding with a private family. The white babies were chiefly in institutions and the colored babies chiefly in boarding homes or boarding in private homes.

See Table 207, Appendix VII, p. 379.
 See Tables 192, 194, and 210, Appendix VII, pp. 370, 371, and 382.

Table IV.—Infant's place of residence, by color of mother; scheduled illegitimate live births in 1915.

Harm of quart - to garrange and sold at the form of a dealbow to have and areas	Scheduled illegitimate live births in 1915.				
Infant's place of residence.	White 1	nothers.	Colored	mothers.	
And remaining the constant cultimated the	Number.	Per cent distribu- tion.	Number.	Per cent distribu- tion.	
Total	163	100.0	409	100.0	
Institution Institution and boarded. Institution and boarded. Boarding home. Boarded in private home. Boarding home and private home. Never inmate of institution or boarded. Not reported.	29 6 15 3 1 108 1	17.8 3.7 9.2 1.8 .6 66.3	4 1 39 23 3 3 339	1. 0 . 2 9. 5 5. 6 . 7 82. 9	

But not all these infants spent the whole, or even the greater part, of the year, or of their lives, in an institution or boarding. Among those who survived the first two weeks of life, approximately four-fifths of the infants (78 per cent of the white infants and 82 per cent of the colored infants) spent more than half of the year (or of their lives) with their mothers. In addition, 4 per cent of the white infants and 1 per cent of the colored infants lived more than half the time with foster parents, and 4 per cent of the colored infants (but none of the white infants) with the mother's relatives. Among the remainder—the 18 per cent of the white infants and the 13 per cent of the colored infants who had survived the first two weeks of life and spent the greater part of the year in an institution or boarding—it appears again that institutions predominated for the white infants and boarding homes or boarding in private homes predominated for the colored infants.

Table V.—Infant's place of residence during greater part of first year of life, by color of mother; scheduled illegitimate infants surviving the first two weeks.

Infant's place of residence during greater part of first year.	Scheduled illegitimate infants surviving first 2 weeks.				
	White mothers.		Colored mothers.		
Complete and the second second	Number.	Per cent distribu- tion.	Number.	Per cent distribu- tion.	
Total		100.0	375	100.0	
With mother's relatives. With foster parents In institution or hospital. In boarding home. In private home. With others. With mother. Never separated from mother. Away part of time.	120	3.9 10.5 5.2 2.0 78.4 63.4 15.0	13 4 1 31 15 2 309 279 30	3.5 1.1 .3 8.3 4.0 .5 82.4 74.4 8.0	

Of the 33 white infants away from the mother more than half the year 16 were among the 17 whose mothers' mode of living was not reported. And of the 66 colored infants away from the mother 30 were among the 34 whose mothers' mode of living was not reported. For the others, a smaller percentage of the infants in both the white and colored groups were away from the mother when she lived with the father or with another man than under any other circumstances. In the colored group, the next smallest percentage of infants away from the mother appeared in the group whose mothers lived in their parental homes. But this was not so in the white group. There the mothers living in an institution, the mothers having their own establishments or boarding, and the mothers living with relatives (other than parents) or with friends all showed a smaller percentage whose infants were separated from them than the mothers living in their parental homes.¹⁵

Table VI.—Mother's mode of living, by color and separation of infant from mother; scheduled illegitimate infants surviving first two weeks.

black what old Mint up)	Scheduled illegitimate infants surviving the first 2 weeks.						
Mother's mode of living.	w	hite mothe	ers.	Colored mothers.			
	Total.	Away from mother.1		Total.	Away from mother.1		
	Million i	Number.	Per cent.	111 911	Number.	Per cent.	
Total	153	33	21.6	375	66	17.6	
Parental home With other relatives or friends With father of child Own establishment or boarding At service In institution or hospital	62 10 19 19 6 17	10 1 2 3 1	16. 1 10. 0 10. 5 50. 0 5. 9	156 49 62 49 12	7 10 2 4 9	4. 5 20. 4 3. 2 8. 2 75. 0	
With husband or other man (not father of child). Died. Not reported.	2 1 17	16	94.1	6 7 34	4 30	57. 1 88. 2	

¹ During whole or greater part of year, or of life.

SUMMARY OF SOCIAL BACKGROUND.

In so far, therefore, as the scheduled group, including 46 per cent of the total white illegitimate births and 69 per cent of the total colored illegitimate births occurring during 1915, offers a fair picture of the condition of these mothers and their babies, it indicates certain differences in the status of mothers of children born out of wedlock among the colored population and the white population which may account for the greater excess in mortality among white illegitimate infants, which is revealed in the discussion below of deaths and mortality rates.

¹⁵ For more detailed figures, see Table 211, Appendix VII, p. 383.

Births out of wedlock were more common among colored women than among white women. Not only was there a high percentage of illegitimate births in the total births during the year, but also among the colored mothers a relatively high percentage reported

having borne several illegitimate children previously.

More of the colored than of the white mothers were single women; fewer had been widowed, divorced, or separated, fewer were married women at the time of the birth, and fewer were married either to the father of the child or to another man during the year following the birth. But, on the other hand, a higher percentage of the colored women than of the white women lived with the father of the child during the whole or the greater part of the year after the birth, and a higher percentage of the colored women than of the white women who did not live with the father of the child received some contribution from him toward their support, including a higher percentage in the colored group who received at least \$100 from the father of the child.

More of the colored mothers than of the white mothers kept their babies with them throughout the year (or until the baby's death within the year). And 20 per cent of the colored babies who were separated from their mothers—but none of the white babies who were separated from their mothers—were cared for by the mother's relatives.

The difference in the white and colored mothers' relation to their parental homes was most marked. The percentage who lived in their parental homes during the year after the birth was practically identical in the two groups as a whole. But in the colored group more mothers (instead of fewer) lived in their parental homes when the baby had survived the first two weeks than when the baby had died within two weeks or had been stillborn. And of all the mothers whose babies had survived two weeks and who lived in their parental homes, only 5 per cent in the colored group (instead of 16 per cent as in the white group) had their babies cared for elsewhere.

MORTALITY AMONG ILLEGITIMATE INFANTS.

The group of 1,124 illegitimate births registered as occurring in Baltimore during the year 1915, faced excessive hazards, but the mortality rates which can be computed for the illegitimate babies can not be pressed to exact comparisons with the legitimate group for two reasons: (1) The large-number of illegitimate infants whose condition at the end of the year is not known (256 in a total of 955 live births) involves a wide margin of probable error in the rates based on the total illegitimate group; (2) in the scheduled group of illegitimate infants the basis of inclusion is broader than the basis of inclusion in the scheduled group of legitimate births, but the

difficulties of tracing the babies were so great that the scheduled group is relatively smaller among the illegitimate births than among the legitimate births and probably less representative of the entire number ¹⁶ in social conditions and in mortality rates.

The true infant mortality rates for the illegitimate group as a whole were probably higher than the rates which may be computed from all known infant deaths, whether scheduled or unscheduled, and the total (955) live births, since among the 256 cases which could not be traced and whose condition at 1 year of age was unknown some deaths under one year doubtless occurred. The rate of 294.2, based upon the total illegitimate births and the known infant deaths, is therefore an understatement of the true rate. The scheduled group, however, including those infants who could be located and traced to the end of the year, or, in other words, including roughly the group of infants whose mothers remained in Baltimore at or near the places from which births were registered, showed a rate of 300.7. slightly higher than the rate based on the total births. It can not be assumed, however, that this rate indicates the true rate for all illegitimate infants. In any case it is clear that the illegitimate infants had a mortality markedly higher than the legitimate infants.

White and colored infants.

The live-born colored illegitimate infants (581 in number) had a mortality rate of 280.6, based upon births and known infant deaths per 1,000 births. The live-born white infants (374 in number) had a mortality rate of 315.5 on the same basis.¹⁷ In the scheduled group of illegitimate infants, the rate among the colored babies was 293.4 per 1,000 and among the white babies 319 per 1,000. It will be noted, therefore, that among the colored births the mortality of illegitimate infants approached twice the mortality (158.6 per 1,000) of legitimate infants, while among the white births the mortality of illegitimate infants was more than three times as great as the mortality (95.9 per 1,000) among legitimate infants. This greater excess in mortality among the white illegitimate births accompanied an odd reversal in rates: In the legitimate groups the colored babies had a markedly higher mortality than the white babies; in the illegitimate groups the white babies had a slightly higher mortality than the colored babies. Among both white and colored infants, although the excess hazard to illegitimate babies can not be measured exactly, the fact of an excess hazard is clearly established.18

¹⁶ The unscheduled illegitimate infants include 256 live-born infants whose condition at the end of the year is not known, 18 live-born infants who are known to have survived the year, and 109 live-born infants who are known to have died.

¹⁷ The degree of uncertainty as to the mortality among illegitimate white infants was much greater than that among illegitimate colored infants; in the white group, the condition at one year after birth, whether alive or dead, of 133, or 36 per cent, was unknown; in the colored group the condition of 123, or 21 per cent of the total colored, was unknown.

¹⁸ See Table 212, Appendix VII, p. 384.

Table VII.—Infant mortality rates, by legitimacy of births and color of mother; live births in 1915.

by the most tity rate	Infan	Infant mortality rate.			
Color of mother.	Togitimata	Illegitimate infants.			
	infants.	Total.	Scheduled.		
Total.	103.5	294. 2	300.7		
White Colored	158 6	315. 5 280. 6	319. 0 293. 4		

the principality invitable many brand

Age at death and stated cause of death.

At all ages under 1 year and among the deaths from all stated causes an excess mortality among the illegitimate infants persisted. The excess was greatest, however, in both white and colored groups. in the deaths during the second and third months. This may reflect a genuine peak in the excess hazard or it may reflect a grouping in the later months of infant deaths among the 256 illegitimate infants whose condition at 1 year is not known.19 The one stated cause of death which showed an excess in mortality above the average excess for all causes was syphilis. But, again, this fact should be qualified by the reminder that less effort might be made in the case of an illegitimate infant than in the case of a legitimate infant to assign a death from syphilis to some other cause.20

Employment of mother.

Employment away from home was far more prevalent among the mothers of children born out of wedlock than in the normal group, even comparing white mothers with white mothers and colored mothers with colored mothers. Apparently, also, these mothers resumed their work after the birth a little sooner than the others. With the limitations already noted as due to the different basis of computation, a rough comparison can be made of the mortality in the two groups among infants of mothers employed away from home during pregnancy; and for both the white and the colored illegitimate infants of working mothers a mortality is found definitely higher than that for legitimate infants of working mothers of the same race. Furthermore, it is to be noted that the illegitimate infants of mothers working away during pregnancy had a mortality only slightly higher than that of the other illegitimate infants.

In one point, however, the effect of employment away from home seems to appear even in the illegitimate group. Among the illegiti-

¹⁹ It may fairly be assumed that relatively few of the infants were removed from Baltimore during the first month, and, further, that such deaths as occurred among the 256 untraced infants occurred chiefly out of the city-therefore, chiefly after the first month of life.

²⁰ See Tables 213, 214, 215, and 216, Appendix VII, pp. 385 and 386.

mate births, as among the legitimate, the percentage of premature births was higher when the mother worked during pregnancy than when she did not. But, also, the percentage of premature births was higher among the mothers of children born out of wedlock not employed than among the working mothers in the legitimate group. The infant mortality rates among the full-term illegitimate live births were higher, also, than the infant mortality rates among full-term legitimate live births.²¹

Poverty.

The economic status of the mothers is not clear. Such amounts as are reported for the mothers' earnings and for the fathers' contributions indicate a small income for the mother and suggest that the mortality rates among the illegitimate infants should be compared with the mortality rates among the legitimate infants whose fathers earned nothing or less than \$450. This comparison shows that among both white and colored infants, the illegitimate births had higher mortality rates than legitimate births of the same race in families where the father earned nothing at all or less than \$450.

Table VIII.—Relative mortality rates, by color, among scheduled illegitimate infants, in comparison with legitimate infants in lowest fathers' earnings groups.

	White mothers.		Colored mothers.		
Earnings of father and legitimacy of infant.	Live births.	Infant mortality rate.	Live births.	Infant mortality rate.	
Legitimate births—Earnings of father: Under \$450. No earnings. Illegitimate births.	1,037 138 374	153, 3 210, 1 315, 5	507 69 581	163. 7 202. 8 280. 6	

Conditions peculiar to illegitimacy.


The irregular relation of the father and mother, the separation of a considerable percentage of the infants from their mothers, and, in particular, the placing of the babies in an institution or boarding home, seem to have been responsible in large measure for the high mortality among illegitimate infants. These factors do not, however, account for it entirely. The very slight difference in mortality between the white and the colored illegitimate infants, has already been noted and in the present discussion they will be considered together.

In the scheduled group of illegitimate children as a whole, the infant mortality rate was 300.7 per 1,000 live births. Among the 199 infants whose mothers did not live with the fathers but received something from the fathers for their support, 46 deaths occurred within the year—an infant mortality rate of 231.2 per 1,000. This

²¹ See Tables 212, 218 and 219, Appendix VII, pp. 384 and 387.

rate was definitely lower than the rate (309.9 per 1,000) among the 242 infants whose mothers did not live with the fathers and received nothing from them, and lower than the rate (347.8 per 1,000) among the 92 infants whose mothers and fathers lived together during the whole or the greater part of the year following the birth. However, 19 deaths occurred among the 39 infants for whom the relation of the mother and father was not reported and a true distribution of these deaths among the other groups might shift the relation of the mortality rates.²²

CHART XXII.—Per cent of deaths before end of first year of life among illegitimate infants surviving at 3 months of age, according to separation from mother.



The infants separated from their mothers had a mortality from two to three times as high as the infants who stayed with their mothers. Of the survivors at 3 months of age 17 per cent died before the end of the year—12 per cent in the group who stayed with their mothers, and 32 per cent in the group who were separated from their mothers. Again, of the survivors at 6 months of age, 11 per cent died before the end of the year—8 per cent in the group who stayed with their mothers

²² See Table 221, Appendix VII, p. 388.

and 24 per cent in the group who were separated from their mothers. A similar difference appears if the colored infants are considered by themselves.²³ It may be questioned whether the scheduled group indicates fairly the part played by the separation of the infant from his mother in the total mortality among all illegitimate infants, since the percentage of infants away from their mothers may have been higher among those who could not be traced than among those for whom it was possible to secure detailed information. But the rates which have been noted show that even in the scheduled group separation of the infant from the mother more than doubled the death rate among survivors of the first three months. At the same time, the death rates were higher even among the infants who stayed with their mothers than among legitimate infants, either white or colored, at the same ages.

As to the hazard of institutional life for infants, there were two indications of excessive mortality. In the entire group of 955 illegitimate live births, there were 56 which occurred in an institution, including 2 infants born in jail. Of these 56 infants, 35 are known to have died, while 9 could not be traced and their condition at the end of the year was not known. Assuming that these known deaths are all that occurred, the infant mortality rate was 625 per 1,000 for these 56 infants born in institutions. In the scheduled group of 572 illegitimate live births were 10 live births in institutions. Two of these 10 infants died within two weeks after birth.²⁴

Again, it is possible to compare the percentage of deaths among infants who were at some time during the first year of life in an institution or boarding home, and among those who were at no time inmates of an institution or boarding. The actual numbers in the several groups are small and the differences in rates are inconclusive, but they seem to indicate that the hazard to infants in an institution or a boarding home was excessive—in both cases about 3 babies in 8 died. The 30 infants boarding in private homes did not, on the other hand, show a mortality above that for illegitimate infants who were never an inmate of an institution or boarded. In the colored group the mortality among infants boarded in private homes seems to have been even a trifle lower than that in the large group who were never boarded or placed in an institution. But even when all the babies in institutions and boarding homes were eliminated, the other

²⁸ See Table 222, Appendix VII, p. 389. No comparison of mortality among infants under 3 months of age is possible without analysis by the age at which the infant was separated from the mother. The high percentage of total deaths in the age period between 2 weeks and 3 months among infants "with mother" and the low percentage of total deaths in the age period between 2 weeks and 3 months among infants "separated from mother" suggest that the separations occurred mainly in the later months, and after the first month at least.

²⁴ See Table 223, Appendix VII, p. 389.

illegitimate babies still showed a relatively high mortality in comparison with legitimate infants, white or colored.²⁵

Among the infants who were not separated from their mother, the dwelling was shifted in many cases. Of the 528 illegitimate infants who survived at least two weeks, approximately half (262) were removed at least once from one dwelling to another. These removals can not be related, in the tabulation of so small a total group, to other circumstances, but it may be noted that the percentage of subsequent deaths was higher among the babies who were moved about than among the babies who were not subjected to removals.²⁶

Infant feeding.

With the prevalence of employment among the mothers of children born out of wedlock and with the considerable minority who did not keep their babies with them, it is not surprising to find a high percentage of the illegitimate infants artificially fed during the early months. In the legitimate group, the number of babies having breast milk and no other food was 88 per cent of all in the first month and 72 per cent of all in the third month. In the illegitimate group, 79 per cent were breast fed in the first month, but only 44 per cent in the third month. By the ninth month, the number breast fed in the illegitimate group had dropped to 12 per cent of all, as against 29 per cent in the legitimate group. These low percentages breast fed were balanced by high percentages artificially fed. Mixed feeding, on the other hand, was rather more prevalent in the illegitimate group than in the other during the early months but less prevalent in the illegitimate group than in the other after the sixth month.

The difference in types of feeding reported for the illegitimate group and the legitimate group was especially marked among the white babies, but it was present also among the colored babies. And in the illegitimate group, as to a less degree in the legitimate group, more mixed feeding and less artificial feeding was found among the colored infants than among the white infants.

The white illegitimate infants having each specified type of feeding showed higher computed rates per 1,000 infants fed than white legitimate infants having the same type of feeding. The excess in rates persisted even in a comparison of the rates for white illegitimate infants with the rates for white legitimate infants in the lowest earnings groups. It was most marked among infants artificially fed. The colored illegitimate infants, on the other hand, showed a clear excess in the computed rate per 1,000 infants fed only in the comparison of breast-fed infants.

²⁵ See Table 224, Appendix VII, p. 390.

²⁶ See Table 225, Appendix VII, p. 390.

Again, comparing the computed rates among white and colored illegitimate infants having each specified type of feeding, it appears that the breast-fed colored illegitimate infants had a mortality twice as high as the breast-fed white illegitimate infants, while the artificially-fed colored illegitimate infants had a mortality slightly lower than the artificially-fed white illegitimate infants.

With regard to deaths immediately after birth of infants not fed at all, the most marked excess was among colored illegitimate births.²⁷

The total mortality among illegitimate births, therefore, which was slightly higher in the white group than in the colored group, reflects in the white group an especially high percentage of infants artificially fed, and a marked excess in mortality among these infants, together with a slighter excess in mortality (as compared with white legitimate infants) among infants breast fed or mixed fed and among infants dying immediately after birth without being fed at all. In the colored group, the high mortality among illegitimate infants reflects also a high percentage of infants artificially fed, a high percentage mixed fed during the early months, and a marked excess in mortality among infants breast fed and among infants dying immediately after birth without being fed at all.

STILLBIRTHS AND MISCARRIAGES.

The stillbirth and miscarriage rates among the illegitimate births were higher than among the legitimate births, even in a comparison of white births with white births and colored births with colored births. Again, eliminating from both groups the mothers who were not gainfully employed away from home during pregnancy or whose employment was not reported, there were found in both the white and the colored groups higher stillbirth rates among the illegitimate births than among the legitimate births. The white illegitimate births (but not the colored illegitimate births) showed also a high miscarriage rate.²⁸

It will be remembered that in the normal group mothers under 20 years of age had a higher stillbirth rate than the older mothers. In the white illegitimate group this difference disappeared, and mothers of all ages had higher stillbirth rates than the mothers in the normal group. In the colored illegitimate group, the stillbirth rate was higher among the mothers 20 years of age and older than among the mothers under 20, and only these older mothers had a stillbirth rate higher than the stillbirth rate among colored mothers in the normal group.

28 See Table 212, Appendix VII, p. 384.

 $^{^{\}rm 27}$ See Tables 226 and 227, Appendix VII, p. 391.

Table IX.—Miscarriage and stillbirth rates, by legitimacy, color, and age of mother; births 1 in 1915.

	Legiti	mate.	Illegitimate.		
Age and color of mother.	Miscarriages	Stillbirths	Miscarriages	Stillbirths	
	per 100	per 100	per 100	per 100	
	births.1	births.	births.1	births.	
White mothers: Under 20 years	2.8	3.4	4.7	5. (
	3.3	2.8	6.3	5. (
	4.0	11.0	3.9	9. !	
	6.1	7.7	6.7	16. (

¹ Includes miscarriages.

The high percentage of premature births in the illegitimate group has already been noted. Comparing full-term births with full-term births, however, there was still a higher stillbirth rate in the illegitimate group than in the legitimate group, except among the 96 full-term births to mothers of children born out of wedlock not gainfully employed during pregnancy. This rate (2.1 per 100 births) was practically identical with the rate (2 per 100 births) among full-term legitimate births to mothers not gainfully employed away from home during pregnancy.²⁹

²⁹ See Table 219, Appendix VII, p. 387.

GENERAL SUMMARY.

The total infant mortality rate in the group of 10,797 live births to married mothers, studied in detail in Baltimore, was 103.5 per 1,000. The deaths from causes peculiar to early infancy were 37.7 per 1,000 live births, the deaths from gastric and intestinal diseases were 29.1 per 1,000 live births, and the deaths from respiratory and other communicable diseases were 26.4 per 1,000 live births. Malformations were the stated cause of 39 deaths, or 3.6 per 1,000 live births. External causes, diseases unknown or not specified, and scattering deaths assigned to unusual causes were responsible for a mortality of 6.7 per 1,000 live births.

Of the total number of 1,117 deaths, 42.7 per cent occurred within the first month after birth and 27.1 per cent after the sixth month.

The mortality in the entire group was approximately the same as the mortality in the cities of the United States birth registration area in 1915 and 1916. An analysis of the conditions under which babies lived and died in Baltimore may fairly be considered an analysis of conditions in a typical American city.

Mortality rates markedly above the average for the entire group occurred among the colored families, the foreign-born Polish families,

and the very poor native white families.

Low mortality rates—approximating those in New Zealand—were found among the babies of foreign-born Jewish mothers and in

families of the highest earnings groups.

Breast-fed babies in every group of the population had lower mortality than artificially-fed babies in the same group. Computed mortality rates derived from the monthly death rates among babies having the specified types of feeding month by month were 43.3 per 1,000 infants breast fed and 191.4 per 1,000 infants having only artificial food. The earlier the babies were weaned the greater was the excess in mortality among those artificially fed. For example, among infants surviving at the beginning of the third month of life the percentage of subsequent deaths during the year was 18.7 in the group artificially fed from the first month, 12.4 in the group artificially fed from the second month, and 10.6 in the group whose artificial feeding began in the third month. The rates for breast-fed babies and the rates for artificially-fed babies varied greatly with the color and nationality of the mother and the earnings of the father ranging from 91.4 per 1,000 infants breast fed and 387.9 per 1.000 infants artificially fed in the poorest colored families to 13.3 per 1,000 infants breast fed and 27.3 per 1,000 infants artificially fed in the most prosperous families (mainly native white).

101351°-23-12

177

In every group certain measurable conditions accompanied a mortality above the average for the group: Poverty, employment of mothers away from home during pregnancy or the early months of an infant's life, housing below standard in point of sanitary equipment and room congestion, short intervals between births, and the bearing of many children. On the other hand, certain mothers whose infants were exposed to such unfavorable conditions were being reached by the organizations carrying on prenatal and postnatal work.

New evidence is afforded by the Baltimore study that poverty is an important factor in infant mortality. Among the 1,544 babies whose fathers earned less than \$450 the infant mortality rate was 156.7 per 1,000 live births; among the 431 babies whose fathers earned \$1,850 or more the infant mortality rate was 37.1 per 1,000 live births. Eliminating differences in color and nationality and considering only the babies born to native-white mothers a similar decrease in mortality appears as the fathers' earnings rise: In the poorest families about 1 baby in 6 died within the year, in the most prosperous families about 1 baby in 26 died within the year. Further, eliminating certain measurable conditions that occur more frequently in very poor homes than elsewhere and considering only babies born to native white mothers who were literate, who were not employed during pregnancy or the year after the birth, who had borne fewer than seven children previous to the birth in 1915, and who reported an interval of two years or longer since the previous birth if the 1915 baby was not a first-born child, a marked difference in mortality in the poorest homes and in the most prosperous persists. Even in this favored group the infant mortality rate in the poor homes was more than twice as high as the infant mortality rate in the most prosperous homes.

Employment of the mother away from home during pregnancy accompanied, in each color and nativity group, a percentage of premature births above the average for the group and excessive mortality among full-term births from the causes peculiar to early infancy. The mortality from other causes was also higher among the babies whose mothers worked away from home during pregnancy than the mortality that would be expected when allowance is made for the poverty of these families and the large number of colored families and Polish families among them. For the infants whose mothers were employed away during the earliest months after the birth the hazard was markedly increased. Not only did they face the hazard that would naturally occur in a group with so large a percentage of infants weaned during the early months, but also a still greater hazard directly related, apparently, to the fact and circumstances of the mothers' employment away from home. However, the actual effect on the total mortality of mothers' employment

away during the first year after a birth was slight, since the number of mothers employed away after the birth was smaller than the number employed away during pregnancy, and employment was usually resumed after the first month or even later in the year, when the period of highest mortality had been already passed.

Room congestion and lack of sanitary equipment in the dwelling accompanied death rates among infants surviving the first two weeks higher than the death rates in groups of similar color and nationality and corresponding fathers' earnings in dwellings of a better type. Of the 5,544 infants in dwellings with less than one person per room, 4.9 per cent died during the year; of the 4,269 infants in dwellings with one person but less than two persons per room, 8.4 per cent died during the year; of the 498 infants in dwellings with two or more persons per room, 11.6 per cent died during the year. Again, of the 4,486 infants in dwellings with sewer connection, a bath tub, and a toilet for the exclusive use of the family, 4.4 per cent died during the year; but of the 5,850 infants in dwellings lacking one or more of these three items, 8.5 per cent died during the year. In this latter comparison the deaths from gastric and intestinal diseases are noted separately and these show a greater difference than the deaths from other causes. Variations in death rate in relation to housing persist when the greater poverty of the group in the poorer dwellings is considered.

The first-born infants had a mortality slightly higher than the mortality of infants second or third in order of birth, but among the later orders of birth the mortality (especially from causes other than the diseases of early infancy) rose steadily. The first-born infants showed a higher percentage of premature births than any others except the infants twelfth or later in order of birth. Having come to birth, whether at full term or prematurely, the first-born babies had a markedly lower mortality than other babies of the corresponding term, with differences in rates between the first born and the others far greater than the average difference between first born and all others when full-term births and premature births are grouped together.

The infants of mothers under 20 years of age and of mothers 35 years old or older showed higher mortality rates than other infants. Among the infants of the youngest mothers the high mortality appears in deaths from causes peculiar to early infancy and (when infants were second or third in order of birth) in deaths from other causes. Among the infants of the oldest mothers the high mortality appears mainly in deaths from "all other causes," but the first-born infants of the oldest mothers had also an excessive mortality from causes peculiar to early infancy.

Variations in mortality according to the infant's order of birth and the mother's age were accentuated when the interval since a preceding birth was short. Throughout, the births following a preceding birth by an interval of less than two years had a higher mortality

than births occurring after a longer interval.

The infants born to the 105 mothers who died within the year after confinement had the highest mortality in the entire group, with a rate of 486.1 per 1,000 live births as compared with the mortality of 100.9 per 1,000 among the infants whose mothers survived. When the mother died from a cause directly related to childbirth or from some other stated cause within two months after her confinement, the infant mortality from all causes rose to 625 per 1,000. The excess mortality was somewhat greater from early infancy than from other causes.

Among the negroes all the unfavorable social factors were present. Their poverty was greater than the poverty in any other group in Baltimore (except the small group of Lithuanian families); 44.9 per cent of the mothers were gainfully employed away from home during pregnancy; room congestion was less prevalent than among the foreign-born white families, but the number of dwellings without standard equipment was relatively high; one-fifth of the negro infants were seventh or later in order of birth and 33.5 per cent had followed the preceding birth by an interval of less than two years. But more of the negro mothers than of any others were reached by the prenatal and postnatal work. As the net result of these factors—and others not touched upon in such a study as the present one—the negro babies had a high mortality from early infancy (49.8 per 1,000), a high mortality from respiratory and other communicable diseases (65.9 per 1,000), and an average mortality (30.7 per 1,000) from gastric and intestinal diseases.

In the Polish group, also, all the unfavorable factors were present. Their room congestion was the greatest in Baltimore; the percentage of mothers gainfully employed away from home during pregnancy was almost as high as the corresponding percentage in the negro families; and the influence of unfavorable factors was not counterbalanced by infant-welfare work, since the prenatal and postnatal agencies had reached but few of the Polish mothers. The Polish mortality was especially high from gastric and intestinal diseases (68.8 per 1,000) and above the average from early infancy (43.2)

per 1,000).

The very poor native white mothers were less generally employed away from home than the Polish or Negro mothers; their housing was poor in sanitary equipment but they lived in less congested dwellings than the Poles; in interval between births and the bearing of many children conditions were more favorable than among the negroes. Infant-welfare work had reached more of the very poor native white mothers than of the Polish mothers, but fewer in this native white

group than in the colored group. In the poorest native white families the mortality from early infancy was higher than in the Negro or Polish families; and the mortality from gastric and intestinal diseases was markedly above the average though less high than in

the Polish group.

The foreign-born Jewish families were poorer than the native white families but less poor than the Negroes and the Poles. Practically none of the mothers were employed away from home. Many of them had borne large families but the percentage of mothers pregnant again within 12 months after the birth in 1915 was smaller than in any other color or nationality group. Room congestion was less prevalent than among the Poles but more prevalent than among the native white families. In sanitary equipment, too, the dwellings of the Jewish families were better than the dwellings of the Poles and the Italians. And more of the Jewish mothers than of any others except the Negroes were reached by the prenatal and postnatal work. From these and other factors not touched in the present study, the babies in the foreign-born Jewish families had a low mortality from early infancy (22.9 per 1,000), a low mortality from respiratory and other communicable diseases (15.6 per 1,000), and a markedly low mortality from gastric and intestinal diseases (9.4 per 1,000).

In the illegitimate group of 955 live births, 281 infant deaths are known to have occurred, but the condition of 256 infants at 12 months after birth could not be learned. The known infant mortality rate of 294.2 per 1,000 live births is therefore a minimum statement of the hazard to the illegitimate infants born in Baltimore during 1915. More than two-thirds of the illegitimate births were to colored mothers, and the mortality in the illegitimate colored group was less high than in the illegitimate white group. The excess in mortality among illegitimate infants appears especially in deaths from early infancy, from gastric and intestinal diseases, and from syphilis. For 572 live-born illegitimate infants detailed information was secured which revealed a high percentage of infants artificially fed during the early months. In the colored group the excess mortality among illegitimate infants seems to be largely accounted for by the prevalence of artificial feeding. But the deaths in the white group were more numerous than the deaths which would have occurred if they had been subject only to the hazard of babies born to married mothers and having the same type of feeding. The chief conditions indicated in such a study as the present one which seemed to increase the hazard to illegitimate infants were the prevalence of care in institutions or boarding homes, the frequent shifts in dwelling place, and the generally low economic level of the mothers.

CONTRACTOR SAME CONTRACTOR

APPENDIXES

183

APPENDIKES

APPENDIX I.—BIRTH REGISTRATION IN BALTIMORE

As a preliminary to each of the bureau's field studies of infant mortality in cities a fairly complete record of births during a given period has been secured. In 1915, when the plans were made for the present study, Maryland had not been admitted to the birth-registration area, for which a 90 per cent registration is required by the United States Bureau of the Census. But a steadily increasing annual birth rate (the registered live births rising from 16.9 per 1,000 population in 1908 to 23.3 per 1,000 population in 1915) indicated that registration of births in Baltimore had improved year by year. During the same period the infant mortality rate had dropped from 241.3 per 1,000 registered live births to 119.8 per 1,000 registered live births, a decrease so marked that, in spite of a reduction in the number of infant deaths, a more nearly complete registration of births is also clearly in-In 1916 Maryland was added to the birth-registration area.

The registration law in Maryland in effect at the time of this study was enacted in 1912 and slightly amended in 1914.1 Under this law "The record of stillbirths were registered as births and as deaths. a birth shall state the date and place of its occurrence, name in full, sex and color, and the number of the child, whether living or stillborn, whether a twin, triplet, or other plural birth, and the name, color, occupation, birthplace, and residence of parents." 2 The physician or midwife was required to register a birth within four days.

Table I.—Estimated population, birth rate, and infant mortality rate, shown by registered births and deaths, under 1 year of age in Baltimore City, 1908-1917.

Year.	Estimated population, July 1.	Birth rate.	Registered live births.	Registered deaths un- der 1 year.	Infant mor- tality rate.
1908. 1909. 1910. 1911. 1912. 1913. 1914. 1915. 1916. 1917.	549, 499 554, 514 559, 530 564, 545 569, 560 574, 575 579, 590 584, 605 589, 621 594, 637	16. 7 15. 8 17. 6 16. 4 20. 0 21. 8 22. 0 23. 3 25. 6 25. 1	9, 178 8, 796 9, 858 9, 283 11, 398 12, 542 12, 637 13, 634 15, 085 14, 950	2, 215 2, 227 2, 148 1, 958 2, 026 2, 002 1, 954 1, 633 1, 783 1, 783	241.3 253.2 217.6 209.8 177.8 159.6 119.8 118.2 119.3

¹ Estimated population computed from figures for censuses of 1900 and 1910. Figures for births and deaths based on annual reports of Baltimore City Department of Public Safety, subdepartment of health, 1908-1917.

Table II.—Stillbirths in Baltimore City, 1908-1917.a

Year.	Total births. b	Still- births.b	Still- births b per 1,000 births.	Year.	Total births, b	Still- births. b	Still- births b per 1,000 births.
1908	9, 989	811	81.2	1913	13, 451	909	67.6
1909	9, 613	817	85.0	1914	13, 663	1,026	75.1
1910	10, 680	822	77.0	1915	14, 765	1,131	76.6
1911	9, 995	712	71.2	1916	16, 320	1,235	75.7
1911	12, 087	689	56.5	1917	16, 217	1,267	78.1

a Derived from annual reports of Baltimore City Department of Public Safety, subdepartment of health,

b Includes all registered dead births, both stillbirths and miscarriages.

 $^{^1}$ 1912 C 696; 1914 C 747. The law was further amended in 1916 and 1920 (1916 C 691 and 1920 C 317), but the provisions here referred to were not changed. 2 1912 C 696, amending Annotated Code, art. 43, sec. 9.

During 1915 the Baltimore City Department of Public Safety, subdepartment of health, was making a special effort to secure the rigid enforcement of the birth-registration law. Among the devices the health officials were using to trace unregistered births was the checking of infants' death certificates with the birth records. When it was found that a birth had not been registered, the health warden of the district from which the death was reported called upon the parents of the child and learned who had attended the birth. If the birth had occurred within the city, a complete record was secured from the attendant or, in cases where neither physician nor mid-

wife had been employed, from the parents of the child. In September, 1915, the Babies' Milk Fund Association of Baltimore furnished the Children's Bureau with the names of 813 babies born in Baltimore City since January 1 of that year, and these names the agents of the bureau checked with the birth records. Most of the mothers in this group were native white, negroes, or foreign-born Jews, and they included 125 negro mothers of illegitimate babies. All of the births had been attended by physicians. Of the entire number, 724, or 89.1 per cent, had been registered. The Children's Bureau followed this test by a canvass of certain districts in order to determine whether unregistered births were fairly well distributed throughout the city or confined to particular groups of the population. The districts were selected for the canvass after consultation with various persons in Baltimore and they included eight neighborhoods especially representing native white, Negroes, and six foreign nationalities-Jewish, Polish, Italian, German, Bohemian, and Lithuanian. Registration was found to be poorest among the Poles and best among the Jews. Of the 555 births found in the canvass, 77 per cent were registered. The low percentage of registered births in this group is not accounted for by the large number of cases attended by midwives, for a larger percentage of the mid-wives' cases than of the physicians' cases had been registered.

Table III.—Registration of birth, by color and nationality of mother; births studied in special canvass.

	Births studied in special canvass.					
Color and nationality of mother.		Regis	Registered.			
Provide the State of the State	Total.	Number.	Per cent.1			
Total	555	425	76.7			
Native white	180	148	82. 2			
Polish. Jewish.	93 73	59 62	63. 4 84. 9			
Italian Lithuanian Bohemian	42 26	32 19				
German. Other	15 12 11	12 8 8				
Colored	98	72	73. 5			

¹ Not shown where base is less than 50.

Table IV.—Registration of birth, by attendant at birth; births studied in special canvass.

	Births studied in special canvass.					
Attendant at birth.		Regis	stered.			
	Total.	Number.	Per cent.1			
Total	555	425	76.6			
Physician Midwife Both Neither Not reported	301 224 ·11 7 12	237 179 7 2	78. 7 79. 9			

¹ Not shown where base is less than 50.

The Babies' Milk Fund Association and other organizations in Baltimore began during 1915 to cooperate with the city health department in securing the registration of unregistered births.

In February, 1916, the Children's Bureau agents interviewed the families of babies born in January, 1915; the following month each ward was visited again for interviews with the families of babies born in February, 1915, and so on through the year. Whenever the bureau's agents learned of an unregistered baby who had been born in 1915, the name and address were reported to the health de-

partment and the baby was included in the study.

How nearly complete was the final record of births during 1915, when the names secured in the course of the field study had been added to the registered births, it is not possible to estimate. It is probable, at least, that the numbers of births of the several color and nationality groups traced in this way tended to diminish the differences in the extent to which the known births fell short of the total number in the several groups. Even if the final record remained (as the preliminary canvass indicated the original records to be) between 80 and 90 per cent complete for the foreign-born Jewish infants and between 60 and 70 per cent complete for the Polish infants, correction of this difference would diminish but would not obliterate the difference in mortality rate apparent in these two groups. In the same way, if it is contended that the poorest babies were least likely to be registered and that part of the apparent excess mortality rate in the poorest families is accounted for by defective registration, it should also be remembered that unregistered births were far more easily traced in the poorest districts than among the well-to-do. It has also been noted that midwives' cases showed a slightly higher percentage of registered births than physicians' cases, so the hypothesis that more poor babies than others escaped registration may itself be questioned.

In general, it may be concluded that in so far as the record of births is incomplete, the infant mortality rates derived in the present study overstate the absolute hazard, but that the relative hazards of the various groups lie in the direction indicated by the figures shown.

Intrinsica began dering 1915 to compare with the cl. house many many and the last to compare the control of the

heart an indicate, 1015, and so on through the vert that for the true to the true in the interest of an unsuperfected thin, who had now the born in this, the manne and address were reported to the board of the country was maked in the study.

liour names secured on the coinese of the high study back he as when the names secured on the coinese of the mobile study and he as problems of the registered birrhe, it is not prosible to estimate. It is probleme, ables a read the amabors of hurbred the second of the second of manages in the read to whom the tracks hell show at the conduct to the conduct to the conduct the conduct the conduct to the conduct

In general, it may be expelanted that in so for as in record of births is incomplete, the infant mortality have derived on to present a new everyone the absolute basers, but that the icitati substitute of the veryons groups be in the direction indicated by the figure shown.

APPENDIX II.—THE BABIES IN FAMILIES WHICH COULD NOT BE STUDIED.

Fourteen per cent of the legitimate births registered as occurring in Baltimore during the year 1915 are not included in the detailed study. The number excluded (1,871) was made up of three main groups: One thousand four hundred and sixty-six whose families could not be located in Baltimore or were known to have moved away; 381 nonresidents (320 nonresident hospital cases and 61 cases where the family was living in Baltimore but had been absent from the city more than four months during the first year after the baby's birth); and 24 births whose families were located but about whom information was not available. It was desired to relate the conditions under which the babies lived and died to the city of Baltimore, and hence infants of nonresident mothers, infants whose families were away from the city for over four months, and infants whose families had moved away were excluded. Moreover, it would have been difficult to secure exact information as to age at leaving; and even if exact information could have been obtained about the ages of infants when they left the city, or returned, the separating of the time spent in the city and the time spent elsewhere and fair computation of the rates among these infants during the months spent in Baltimore would have involved minute computations of doubtful value. In this study, as in the earlier studies of the bureau, the nonresidents are therefore omitted from the detailed study.

Whether in the families omitted from the detailed study conditions were markedly different from those we have been analyzing is a

question to which the data afford no satisfactory answer.

For the unknown number of babies whose births were never registered no information is available. For the other group of 1,871 babies whose births were registered but who could not be included in the detailed study the birth certificates give us certain items. They state the father's occupation, and the race, nativity, and age of both parents, as given by the physician or midwife who reported the birth. The data about the father's occupation are of uncertain value, but these statements and the statements about the mother's color and nativity have been tabulated and analyzed. The 320 nonresident hospital cases are not included in this analysis, since they do not represent a part of the Baltimore population. It may be noted in passing that the birth certificates indicate them to be a selected group with a higher percentage of well-to-do native white mothers than the other births registered in Baltimore during the year. The following paragraphs, therefore, refer to the 1,551 births to Baltimore mothers who could not be located or who were known to have moved away or who had been absent from the city more than four months during the year.

Table I.—Color and nativity of mother, by class of exclusion; legitimate births in 1915.

			I	Legitimat	te births	.1		
		20		Ex	cluded f	rom stud	ly.	
Color and nativity of mother.	stu	ded in dy.	То	tal.		esident		other sions.
	Num- ber.	Per cent distri- bution.	Num- ber.	Per cent distri- bution.	Num- ber.	Per cent distri- bution.	Num- ber.	Per cent distri- bution
Total	11,613	100.0	1,871	100.0	320	100.0	1,551	100.0
Native whiteForeign-born white. ColoredNot reported	7, 210 2, 894 1, 509	62. 1 24. 9 13. 0	1,143 378 342 8	61. 1 20. 2 18. 3 0. 4	243 27 47 3	75. 9 8. 4 14. 7 0. 9	900 351 295 5	58. 0 22. 6 19. 0 0, 3

¹ Includes miscarriages.

More than one in six of the mothers were colored, as against one in eight in the families studied in detail. Eight per cent of the fathers were reported in occupations with median earnings of \$1,050 or more, a percentage approximately the same as that in the detailed study. In each race and nativity group the percentage of mothers delivered in a hospital was higher than in the detailed study, and except among the foreign born the percentage attended by a physician not at a hospital was lower than in the detailed study. This suggests a slightly lower economic level in the excluded group.

Table II.—Prevalence of attendance at confinement by physician, by place of confinement and color of mother; births 1 to mothers in 1915.

against an anni. and all an	Per cent of mothers ¹ attended by a physician.						
Color and nativity of mother.	In h	hospital.					
in hearthur ad the filter out y and be	Detailed study.	Excluded legitimate births.3	Detailed study.	Excluded legitimate births.			
Total	9.5	20.0	57.9	55. 8			
Native white Foreign-born white Colored	8. 1 10. 9 13. 5	21. 3 13. 1 24. 1	64. 4 40. 4 60. 4	58. 7 45. 9 58. 6			

If the economic status and general character of the white families, native and foreign, and of the colored families were the same in this excluded group as in the included group, one would still expect to find among the excluded families slightly greater losses than in the included group, because of the larger percentage of colored families. What are the facts?

Of the total infant mortality under 1 year in this group there is no direct measure, as deaths doubtless occurred outside the city for which there is no information available. But it may reasonably be

² Detailed study figures are based on mothers; excluded legitimate figures are based on issues.

3 Except nonresident hospital cases.

supposed that few families moved away within two weeks after the baby's birth and that the known death rate among babies under two weeks of age is approximately correct.

Table III.—Infant mortality and stillbirth rates, by color and nativity of mothers; excluded legitimate births 1 other than nonresident hospital cases.

	Ex	cluded le	gitimate	births	other th	an nonr	esident h	ospital	cases.
Color and nativity of mother.	State of the state of the		ril-io.	Still	births.	Salvest Must	Known	ninfant	deaths.
	Total births.	Miscar- riages.	Total births.	Num- ber.	Per 1,000 births. ²	Live births.	Under 2 weeks.	2 weeks and over.	Age not re-ported.
Total	1, 551	45	1,506	70	46. 4	1,436	57	73	1
Native white Foreign-born white Colored Not reported	900 351 295 5	28 5 11 1	872 346 284 4	27 14 28 1	31. 0 40. 5 98. 6	845 332 256 3	28 13 16	33 15 25	1

¹ Includes miscarriages.

Of the 1,551 births, 1,436 were live births, and among these liveborn babies 57 died in the first two weeks, a death rate of 39.7 per 1,000. This rate can be compared with an expected death rate computed from the rates for each race and nativity in the detailed study. Thus, in the detailed study, the death rate under 2 weeks of age was 35.8 among babies of native white mothers, 33.8 among babies of foreign-born white mothers, and 50.6 among babies of colored mothers. In the excluded group, if these same rates applied, one would expect to find 30 deaths among the 845 babies of native white mothers, 11 deaths among the 332 babies of foreign-born white mothers, and 13 deaths among the 256 colored babies, or a total of 54 deaths under 2 weeks of age and a total rate of 37.6 per 1,000. Actually, there were 57 deaths and a rate of 39.1 per 1,000, a difference too slight to have significance.

On the other hand, the stillbirth rates in the excluded group were higher for mothers of each race and nativity than in the detailed study. Comparing in the same way the expected rate and the actual rate in the two groups, it appears that there were 70 stillbirths instead of 58 expected, and a rate of 46.5 per 1,000 births instead of 38.1.

Table IV.—Excess prevalence of stillbirths among excluded over rates prevailing among included legitimate births.

	Excluded legitimate births other than nonresident hospital cases.				
Color and nativity of mother.	Total	Still	oirths.		
and the media trapper and successful	births.	Actual.	Expected.1		
Total	1, 506	70	58		
Native white. Foreign-born white. Colored. Not reported.	872 346 284 4	27 14 28 1	25 10 23		

 $^{^{1}\,\}mathrm{Expected}$ on the basis of still birth rates prevailing in corresponding color and nativity groups in the detailed study.

² Not shown where base is less than 100.

Another basis of comparison, less exact but still of interest, is found in the causes of death during the first month. The record of deaths during the third and fourth weeks of age in the excluded group is probably incomplete, but when it shows an excessive death rate from any group of causes, the incompleteness of the record serves as a reminder that this excessive death rate errs, if at all, merely in being an understatement of the facts. In the excluded group, 11 deaths in the first month were assigned to communicable diseases other than the respiratory diseases, with a death rate from such causes alone of 7.7 per 1,000 live births as compared with a rate of 1.2 from similar causes in the detailed study. Syphilis was the given cause of death for 8 of these 11 babies; in the detailed study, dealing with more than seven times as many babies, only 13 deaths during the first month were assigned to communicable diseases and 10 of these to syphilis. The numbers of deaths in both groups are too small to permit any definite conclusions, but they seem to indicate in the excluded group a slightly larger proportion of families in which babies were not protected from disease.

Table V.—Mortality during the first month of life, by cause of death and inclusion in or exclusion from study; live births in 1915.

holis has sell as executed	Deaths during the first month—									
To the Estado to 31 pondo a 21	Among 10,797 live-born infants included in study.					Among the 1,436 live-born infants not included in study,1				
Cause of death.	То	Total.		Indiana.		al.2	om b	1,100		
	Num- ber.	Rate per 1,000 live births.	Under 2 weeks of age.	weeks, under 1 month.	Num- ber.	Rate per 1,000 live births.	Under 2 weeks of age.	weeks, under 1 month.		
All causes	477	44.2	400	77	66	45. 9	57	9		
Gastric and intestinal diseases Respiratory diseases Malformations. Early infancy. Epidemic and other communicable diseases.	17 37 27 357	1. 6 3. 4 2. 5 33. 2	8 20 27 323	9 17 34 4	4 4 4 40	2. 8 2. 8 2. 8 27. 8	4 2 4 36	2		

Other than nonresident hospital cases.
 Probably incomplete. Note that in study the number of deaths reported at "2 weeks, under 1 month" is 19.3 per cent of the number reported "under 2 weeks"; among excluded infants the corresponding per-

Mortality during the months later than the first varied with economic status and home surroundings more markedly than the mortality related to prenatal causes and occurring within the first weeks after birth. But of these deaths from postnatal causes the record is too incomplete to warrant the computation of rates.

APPENDIX III.—INFANT MORTALITY AND STILLBIRTH RATES IN THIS STUDY AND IN BALTIMORE CITY AS A WHOLE.

A city's infant mortality rate is based on the number of live births and the number of deaths under 1 year of age registered during a calendar year. It is stated in terms of the number of deaths per 1,000 live births. In Baltimore, the number of live births registered during 1915 was 13,634 and the number of deaths under 1 year

registered during 1915 was 1,633.1

The infant mortality rates given in the Children's Bureau field studies of infant mortality are based on the number of deaths under 1 year of age among a group of babies whose births are registered as occurring in a given city during a given period, and whose individual histories have been traced until 12 months after birth or until death. These rates also are stated in terms of the number of deaths per 1,000

The present study is based on births occurring in Baltimore City during 1915. But many of these births during 1915 were not registered until 1916, and the births registered in 1915 included births of an earlier period and several cases of duplicate registration. A few births in Baltimore County had also been entered in the records for Baltimore City. Therefore the total number of live births used by the Children's Bureau as the starting point for the present study-13,477—is not the same as the number of live births registered in Baltimore during the year and serving as the basis for the city infant

mortality rate.

For two divisions within the group detailed schedules were secured: Among 10,797 legitimate babies, 1,117 died under 1 year of age, or 103.5 per 1,000; among 572 illegitimate babies, 172 died, or 300.7 per 1,000. In addition there were 1,725 legitimate babies who could not be traced or for whom detailed information could not be secured or who were omitted from the study as nonresidents. It was learned, however, chiefly from the death records in Baltimore, that 153 of these babies had died; no attempt was made to learn of deaths outside Baltimore. For 383 illegitimate babies detailed schedules could not be taken, but in this group information was secured whenever possible about babies who had left Baltimore; from death records and other sources it was learned that 109 of these babies had died; 18 were known to have survived the first year; and 256 could not be traced. Estimated rates for the excluded legitimate babies and for the illegitimate babies are discussed on pages 191 and 168, respectively.

It should be noted that while no deaths occurring outside Baltimore among legitimate infants and only a partial record of deaths occurring outside Baltimore among illegitimate infants are included in the number of known deaths among the total number of live births

193

¹Department of public safety, annual report, subdepartment of health, to the mayor and city council of Baltimore for the fiscal year ended Dec. 31, 1915, pp. 13, 16-19. The number of deaths under 1 year of age in Baltimore during 1915 is given by the U. S. Bureau of the Census as 1,626. (See Mortality Statistics, 1915, 101351°-23-13

on which the present study is based and the rate which might be computed for the entire group is to that extent defective, no corresponding incompleteness due to shifts of residence appears in the deaths included in computing the city rate. For while the city rate excludes all deaths occurring outside the city among babies born in Baltimore, it includes all deaths occurring in Baltimore among babies born elsewhere.

It is obvious that with such differences in the selection of live births and of deaths included in the city rate and in the rates computed in the present study, no precise comparison between them is possible.

Table I.—Infant mortality rates, by age at death, legitimacy of birth, and whether or not the birth was scheduled; registered live births in 1915.

		Known infant deaths,										
Legitimacy and group.	Registered live births	To	tal.	Under 2	weeks.	2 weeks		1 month and over.				
	in 1915.	Num- ber.	Rate.	Num- ber.	Rate.	Num- ber.	Rate.	Num- ber.	Rate.			
Total	113,477	1,551	115. 1	548	40.7	113	8.4	890	66.0			
Legitimate: Scheduled Not scheduled	10,797 11,725	1,117 153	103. 5 88. 7	400 70	37. 0 40. 6	77 12	7. 1 7. 0	640 71	59.3 41.2			
Illegitimate	955	281	294. 2	78	81.7	24	25. 1	179	187.4			
Scheduled Not scheduled	572 383	172 109	300. 7 284. 6	44 34	76. 9 88. 8	14 10	24.5 26.1	114 65	199. 3 169. 7			

Includes 289 nonresident hospital cases.

In comparing the data on stillbirths and miscarriages secured in this report with the data published by the city health department, two differences should be kept in mind. First, there is the difference between births registered in 1915 and births occurring in 1915 which has been noted in the preceding discussion of live births and infant mortality rates. Then, there is a difference in the use of the word "stillbirth." By the city health department all dead births of whatever term are reported as stillbirths; in the present study births of seven months or more are classified as stillbirths and earlier births are classified as miscarriages.

The only stillbirth rates that can be computed from the city health department's data would not correspond with the stillbirth rate given in the present report, but with a rate secured by combining the still-births and miscarriages and dividing the sum by the total births. Such a rate is roughly comparable with a rate based on the city health department's data, in spite of the difference between births registered in 1915 and registered births occurring in 1915, since the completeness or incompleteness of the data depend in both cases on the ultimate completeness of the registration. Difficulties involved in changes in residence and the tracing of families do not affect the accuracy of the stillbirth rates for the entire group in the present study.

Table II.—Stillbirth rates, by registration of birth and color of mother; births registered in 1915 and registered births occurring in 1915.

Registration of birth and color of mother.	Total		ths and rriages.	Total	Stillbirths.		
Registration of birth and color of mother.	births.	Number.	Per 1,000 births.1	births.	Number.	Per 1,000 births.1	
Births registered in 1915 2	14,765 12,231 2,534	1, 131 771 360	76. 6 63. 0 142. 1				
Registered births occurring in 1915	14, 636 12, 045 2, 555 36	1, 159 755 372 32	79. 2 62. 7 145. 6	14,095 11,647 2,419 29	618 357 236 25	43. 8 30. 7 97. 6	

 $^{^1}$ Not shown where base is less than 50. 2 Department of public safety, annual report, subdepartment of health, fiscal year ended Dec. 31, 1915. Baltimore, 1916.

APPENDIX IV.—METHOD BY WHICH MEDIAN EARNINGS AND MEDIAN RENTALS ARE ESTIMATED FROM DATA AVAILABLE IN THE PRESENT STUDY.

The exact median of the father's earnings is the amount earned by the father in the middle of the group or, perhaps more accurately phrased, the median is the earnings at the point in the scale where one-half of the cases fall above and one-half fall below.

Similarly, the exact median rental is such an amount that one-

half of the families paid more and one-half paid less.

In the tabulations, earnings and rentals are not listed individually, but grouped. The group within which the median falls can be exactly determined; the individual median can be roughly estimated within the group. As typical of the process, which is identical for earnings and rentals, the median earnings of all the fathers studied are computed below. It will be noted that the numbers refer to births. The presence of plural births (approximately 2 per cent of all) may, however, be disregarded. The slight error involved would not affect the group median, since plural births appear with about the same frequency in all earnings and nationality groups, and would not affect the validity of the comparisons made in the report on the basis of estimated individual medians.

esumated murvidual medians.	
	Births.
Total	11, 195
With father's earnings not reported	226
Total with known earnings	10.969
One-half of total with known earnings	5, 484.5
Father's earnings:	
None	222
Under \$450	1,615
\$450 to \$549	1, 523
\$550 to \$649	1, 543
	4,903
\$650 to \$849	2, 490
	7,393

Comparison of the total earning less than \$650 and of the total earning less than \$850 with one-half of total with known earnings shows that \$650 to \$849 is the group in which the median falls. In other words, the median earnings were between \$650 and \$850.

	Births.
One-half of total with known earnings	5, 484.5
Total in groups lower than median group.	4,903
	581 5

The point within the median group at which individual median probably falls is:

\$650 plus $\left\{ \frac{581.5}{2,490} \text{ times } \$200 = \$796. \right\}$

Assuming that within the median group the cases are distributed uniformly in respect to earnings, the median point which will divide the cases in the entire series into two equal parts, half above and half below the median, is: $\frac{581.5}{2,490}$ times \$200 above the sum, \$650, which represent the lowest earnings in the median group. This gives \$796 as the median earnings.

197

and the principle of the second secon

The state of the s

APPENDIX V.—METHOD BY WHICH INFANT MORTALITY RATE IS COMPUTED FOR INFANTS HAVING A SPECIFIED TYPE OF FEEDING; EXPLANATION OF TERMS "EXPECTED DEATHS" AND "EXPECTED RATES."

COMPUTED RATE BY TYPE OF FEEDING.

Many of the babies who are breast fed throughout the first month are shifted to mixed feeding or to artificial feeding during the second month, and such shifts from one type of feeding to another continue throughout the year. The annual rate is computed (1) from the monthly rate for each month from the first to the ninth, based on all infants receiving a given type of feeding through more than half the month (or until death within the month) and the deaths occurring during the month within this group; and (2) from the survivors of the ninth month, who had had a stated type of feeding during that month, and the deaths occurring after the ninth month within this group.

The number of breast-fed babies dwindled from 9,283 during the first month to 2,825 during the ninth month. The number of deaths during the first nine months among babies who at the time of death were receiving breast milk and no other food was 259. These represent monthly death rates varying from 15 per 1,000 in the first month to 1.7 per 1,000 in one of the later months. After the ninth month, 23 deaths occurred among the 2,817 survivors of the ninth month who were breast fed during that month. These represent a death rate after the ninth month of 8.2 per 1,000 survivors.

By applying these rates to a hypothetical group of 1,000 babies breast fed throughout the first nine months, the known monthly death rates are translated into terms of infant deaths per 1,000 babies born alive and surviving to be fed. The rate for the first month gives the number of deaths within the first month in the hypothetical Subtracting these deaths from 1,000, gives the number of survivors at the beginning of the second month, which, in turn, is multiplied by the rate for the second month to give the number of deaths within the second month in the hypothetical group. in turn, are subtracted from the survivors at the beginning of the second month. This process is repeated for each month to the ninth. The survivors of the ninth month in the hypothetical group are then multiplied by the death rate for survivors of the ninth month who had been breast fed through that month. The sum of the 10 numbers of deaths is the number of deaths which would occur during the first 12 months of life in the hypothetical group of 1,000 breast-fed babies. And, since this number is derived from a group of 1,000, it is identical with the death rate per 1,000 among breast-fed babies.

BREAST-FED INFANTS.

	A	ctual grou	p.	Hypothetical group of 1,000 infants.			
Month oflife.	Infant sur- vivors.	Deaths within month.	Monthly death rate.	Infant sur- vivors.	Monthly death rate.	Deaths within month.	
First. Second. Third. Fourth. Fifth. Sixth Seventh. Eighth. Ninth. Tenth to twelfth.	9,283 8,176 7,400 6,457 5,905 5,352 4,215 3,590 2,825 2,817	139 32 18 15 20 12 7 8 8 8 23	15. 0 3. 9 2. 4 2. 3 3. 4 2. 2 1. 7 2. 2 2. 8 8. 2	1,000.0 985.0 981.2 978.8 976.5 973.2 971.1 969.4 967.3 964.6	15.0 3.9 2.4 2.3 3.4 2.2 1.7 2.2 2.8 8.2	15. 0 3. 8 2. 4 2. 3 3. 3 2. 1 1. 7 7. 9	

From the sum of the deaths within the month in the hypothetical group is derived the computed annual rate for breast-fed babies of 43.3 per 1,000 infants fed. In the same way from the computations that follow, are derived the computed annual rate for babies having mixed feeding—87.4 per 1,000 infants fed—and the computed annual rate for babies having artificial feeding—191.4 per 1,000 infants fed.

MIXED-FED INFANTS.

anner was a firm france of	A A	ctual grou	p,	Hypothetical group of 1,000 infants.		
Month of life.	Infant surviv- ors.	Deaths within month.	Monthly death rate.	Infant surviv- ors.	Monthly death rate.	Deaths within month.
First. Second. Third. Fourth. Fifth. Sixth. Seventh. Eighth. Ninth. Tenth to twelfth.	281 608 844 1,303 1,614 1,977 2,845 3,291 3,890 3,878	12 4 8 7 9 8 9 11 12 27	42. 7 6. 6 9. 5 5. 4 5. 6 4. 0 3. 2 3. 3 3. 1 7. 0	1,000.0 957.3 951.0 942.0 936.9 931.7 928.0 925.0 921.9 919.0	42.7 6.6 9.5 5.4 5.6 4.0 3.2 3.3 3.1 7.0	42.7 6.3 9.0 5.1 5.2 3.7 3.0 3.1 2.9 6.4
bided 000 Lang state of the b	Do 20	15. 0. 1	Las a yell	912.6	a (11/6)	87.4

ARTIFICIALLY-FED INFANTS.

Month of life.	- A	ctual grou	р.	Hypothetical group of 1,000 infants.		
MOREO OF LIFE.	Infant surviv- ors.	Deaths within month.	Monthly death rate.	Infant surviv- ors.	Monthly death rate.	Deaths within month.
First. Second. Third Fourth. Fifth. Sixth Seventh Eighth Ninth Tenth to twelfth	958 1,531 2,006 2,426 2,605 2,725 2,919 3,042 3,153 3,122	53 29 37 40 41 56 40 36 31 90	55. 3 18. 9 18. 4 16. 5 15. 7 20. 6 13. 7 11. 8 9. 8 28. 8	1,000.0 944.7 926.8 909.7 894.7 880.7 862.6 850.8 840.8 832.6	55. 3 18. 9 18. 4 16. 5 15. 7 20. 6 13. 7 11. 8 9. 8 28. 8	55.3 17.9 17.1 15.6 14.6 18.1 11.8 10.6 8.2 24.6
				808.6		191.

In the tables showing computed infant mortality rates by type of feeding, the numbers of infants having the stated type of feeding during the first month and during the ninth month are shown. In addition, the total number of months of feeding of a specified type from the first to the ninth is given, as a truer indication of the size of the base for the computed rate.

"EXPECTED DEATHS."

In this report the "expected deaths" and "expected rates" are frequently compared with the "actual deaths" or "actual rates." The reason for making such a computation and the method of securing the expected deaths are briefly explained in the following

paragraphs.

Suppose, for example, an analysis is to be made of the relation of mother's employment during pregnancy to infant mortality. By classifying live births and deaths according to the employment and nonemployment of the mother during pregnancy, an infant mortality rate for each group can be obtained. The question immediately arises, however, whether an undue proportion of the mothers who worked during pregnancy may not be colored or foreign born, groups in which the infant mortality rates have been found to be high. The excessive mortality, therefore, among the babies of mothers who worked may be due merely to the differences in the composition of the groups. Accordingly the next step is to subdivide the group into the native white, foreign-born white, and colored, and to ascertain in each group the infant mortality rate among babies whose mothers worked during pregnancy and whose mothers did not work. It appears that the rates are still higher for infants of mothers who worked. The question then arises whether this high mortality may not be due to the general conditions of poverty in homes from which mothers go out to work. Or it may be due to the fact that among the foreign-born mothers, it was chiefly the Polish mothers who went out to work. The next step in analysis, therefore, is to subdivide these groups still further and to compare in each of the subgroups the mortality among babies whose mothers worked and those whose mothers did not work. The difficulty then arises that the numbers in each of these homogeneous subgroups are so small that great differences in the rates may be due to chance variation. Evidently, some method of summarizing the results of the findings of the different subgroups is necessary, but if the live births and infant deaths in the different groups are merely added up, the result gives the figures from which the analysis originally proceeded. It is therefore obvious that the method of summarizing must produce results which are independent of the differences in the distributions of the various factors which complicate the findings in the original group. For this purpose, an expected rate is used for comparison with the actual rate.

The method which has been followed in computing an expected rate is, first, to compute the infant mortality rate in each of the subgroups not divided according to the factor upon which information is particularly sought. In the present case infant mortality rates are determined for each color and nationality and earnings group.

The second step is to divide the live births in each of the subgroups into two subdivisions—those whose mothers were, and those whose mothers were not, employed during pregnancy. The third step is to multiply the live births in each of these subdivisions by the infant mortality rate for the subgroup. The result of this multiplication gives the number of infant deaths in each of the subdivisions of the subgroups if the rate which was true of the subgroups applied to each of the subdivisions. These expected deaths are then added so that one total is secured of all the expected deaths among infants of mothers employed, and another of expected deaths of infants of mothers not employed during pregnancy.

These totals of expected deaths are then compared to the totals of actual deaths among infants of mothers employed and not employed

during pregnancy.1

If there is a tendency for employment of the mother to affect adversely the mortality of babies, then in each of the subdivisions of the subgroups the actual number of deaths among infants of mothers employed during pregnancy will tend, other things being equal, to be in excess of the number expected, found by multiplying the live births by the infant mortality rate for the entire subgroup. In each of the subgroups, then, a comparison can be made between the actual number and the expected number of deaths. By adding on the one hand all the expected deaths and on the other all the actual deaths, the validity of the comparison between the actual and expected deaths is preserved, and the result expresses the comparative mortality in the two groups after the influence of differences in nationality and economic condition is eliminated.

In summing up the results from all the subgroups the range of variation due merely to chance is greatly lessened, and the conclusion secures the full value of the weight attached to the number of cases

in the comparison.

Expected rates are found by dividing the number of expected deaths by the total number of live births. These rates may be compared to the actual rates in the same way that expected deaths are compared to actual deaths.

In connection with each table showing expected deaths or expected rates, a statement will be found showing the base upon which these

have been computed.

annigente inne de now make spreed as a second a section of section of the second secon

¹ It is obvious that adding together the actual deaths in each of the subdivisions of each subgroup will give the total deaths among infants of mothers employed and not employed during pregnancy.

-PREVALENCE OF PRENATAL CARE AND EXTENT TO WHICH THE INFANTS IN THE STUDY WERE REACHED BY INFANT-WELFARE WORK.

In its Baltimore study, the Children's Bureau for the first time in its series of infant mortality inquiries had an opportunity to observe the development of prenatal clinics and infant-welfare work and to ascertain the extent to which these facilities were available to the babies born during the specified period. The prevalence of prenatal care among the mothers of infants born in 1915 and the extent to which the infants were reached by the infant-welfare agencies were included in the scope of the inquiry. In Baltimore no public work had yet been undertaken in the field of prenatal care and infant welfare, but three private agencies, the Johns Hopkins Hospital, the Babies' Milk Fund Association, and the Mothers' Relief Society, had begun in 1914, 1915, and 1916 to carry on systematic prenatal and infant care. Other hospitals and agencies were making examinations of women who came to them during pregnancy and were cooperating in various ways with these three agencies.

Organizations giving prenatal care.

The prenatal care and obsterical service furnished by the Johns Hopkins Hospital included a maternity ward, an out-patient dispensary open every day, and a free, outside obstetrical service which, however, was limited to mothers living not more than a mile from the hospital. A clinic nurse visited mothers living within the hospital district, and other mothers were referred for nursing care to the organization next described.

The Babies' Milk Fund Association, organized in 1904 for the distribution of pure modified milk, maintained a nursing service which to some extent reached patients of private physicians,2 and supple-The association also maintained mented the work of prenatal clinics. an obstetrical clinic in a neighborhood far from any hospital, where

foreign-born women predominated.3

A third clinic was carried on by the Mothers' Relief Society, which held a prenatal clinic once in two weeks at a settlement house, Lawrence House.4 The work of the one nurse employed was supplemented through cooperation with the Instructive Visiting Nurse Association.

A prospective mother was received by the Johns Hospital obstetrical clinic only with the understanding that she would return to the clinic at least monthly until confinement 5 and

³The eastern part of the twenty-fourth ward, in the district known as Locust Point. The ward as a whole showed median earnings of fathers between \$650 and \$850; the median earnings for the Locust Point neighborhood had they been tabulated separately would probably have fallen into the lower earnings

¹ Almost all of the following wards were included in this area: 2, 3, 5, 6, 7, 8, and 10.

² Among the 665 married women attended during pregnancy by the Babies' Milk Fund Association approximately 63 per cent were patients of a prenatal clinic, while about 11 per cent were patients of a private physician only. Twenty-five per cent had no attendant during pregnancy except the nurse of this association. Mothers receiving care from a nurse only have not been included in this report as having prenatal

⁴ This clinic served parts of wards 4, 22, 21, 23, 18, 19.

5 Since 1915 the staff has been increased, and the patient is now expected to visit the clinic monthly until the seventh month, and then every two weeks until confinement.

that the baby would be placed under the care of the Babies' Milk Fund Association until he was at least 1 year of age. The clinic did not usually retain as a patient a woman who could afford a private physician. The Babies' Milk Fund Association endeavored to devote the major part of its work to women in families with less than a stated income; it preferred not to take as clinic patients women who could and would go to a hospital for confinement or who would employ a private physician. The Mothers' Relief Society restricted its work to white married mothers who would otherwise have employed a midwife at confinement. It required of the mother full cooperation in the plan of prenatal care, and tried to have mothers brought to the society during the early months of pregnancy.

The prenatal service rendered by the Johns Hopkins Hospital included at the first visit a complete physical examination with pelvic measurements, and at this and each later visit a urinalysis. At least one home visit was made by the clinic nurse or one of the nurses on the staff of the Babies' Milk Fund Association.6

The physician in charge of the Babies' Milk Fund Association clinic examined the mother thoroughly at her first visit, and she was expected to return to the clinic at least monthly. Urinalysis was made monthly in normal cases. The mother was visited in her home about once in ten days, and if abnormal symptoms were found she was urged to visit the clinic more often. An initial physical examination, monthly urinalysis, and weekly visits by a trained nurse comprised the prenatal supervision carried on in normal cases by the Mothers' Relief Society.

Prevalence of prenatal care.

The three agencies doing systematic prenatal work gave medical prenatal care to 893 married mothers (769 of these received care from the Johns Hopkins Hospital) and 128 unmarried mothers of those who were included in the scheduled groups. In addition, 379 married mothers reported prenatal visits from a nurse of the Babies' Milk Fund Association or the Mothers' Relief Society, but no medical prenatal care either from these organizations or from the Johns Hopkins prenatal clinic. Of these 379 mothers, 122 had medical prenatal care from some other clinic and 257 did not have prenatal care from any clinic.

Hospital clinics, other than Johns Hopkins gave prenatal care to 546 married mothers (including the 122 who also had visits from nurses of the Babies' Milk Fund Association or the Mothers' Relief Society) and to 161 unmarried mothers.

Besides the special work organized in the clinics, prenatal advice and care were given by private physicians. A complete statement of the prevalence of prenatal care could be obtained, therefore, only by ascertaining in the case of each mother whether she had received prenatal care during the pregnancy of 1915.7 Standards of prenatal care were drawn up in consultation with medical authorities, and it was agreed that to be classified as having any medical prenatal care a mother must at the very least have consulted a physician once

⁶ Since 1915, to the routine of each visit have been added the determination of blood pressure and an abdominal examination. In every case a Wassermann test is taken on the first visit and treatment is instituted if a positive reaction is secured.

⁷ The discussion in the following pages is limited to mothers of infants of legitimate birth in the scheduled creut.

uled group.

during her pregnancy or have had a urinalysis.8 Consultations with or advice given by a nurse or midwife were not considered prenatal

On this basis slightly over half, 52.4 per cent, of the mothers of legitimate infants born in Baltimore in 1915, received some medical prenatal care; nearly half received none. Seven and eight-tenths per cent of the mothers received care from one or more of the three clinics described above, 4.8 per cent from other clinics, and 39.8 per cent from a private physician only.

Prenatal care and poverty.

Table I shows the prevalence of prenatal care in the different earnings groups. A marked correlation between the prevalence of prenatal care and the earnings of the fathers is evident from the table. Of the mothers in families where the fathers earned less than \$850, 56 per cent, as compared with 35 per cent in the families where the fathers earned \$850 to \$1,849, and with 14 per cent in families where the fathers earned \$1,850 or over, received no prenatal care. Of the mothers in families where the fathers earned \$2,850 and over,

only 10.8 per cent were without some prenatal care.

But the greatest lack of care did not occur in the very poorest In these families clinic care was most prevalent, reaching 34.9 per cent of the mothers in families with no fathers' earnings and 30.4 per cent of the mothers in families with fathers' earnings less than \$450. In families with a little more money, far fewer mothers went to the clinics, and among several of the groups under \$850 the increase in private care as the fathers' earnings rose was less marked than the decrease in clinic care. Therefore fewer mothers had prenatal care in families where fathers earned more than \$450 but less than \$650 than in families where the fathers earned nothing or under \$450.

Table I.—Prevalence of prenatal care among mothers, a by source of care and by earnings of father.

		Per cent	Per cent l	naving pre	natal care.	
Earnings of father.	Total mothers.a	having no pre- natal care.	Total.	From clinic physician.b	From private physician only.	Per cent not re- ported.
Total	11,463	47. 5	52.4	12.6	39.8	0. 1
No earnings	232	41.4	57.3	34.9	22.4	1.3
Under \$850	7, 331	55. 6	44.3	16.6	27.7	.1
Under \$450		53.0	46.9	30.4	16. 5	.1
\$450-\$549	1,551	58. 7	41.0	20.8	20. 2	
\$550-\$649		59.8	40.1	13.0	27. 1	
\$650-\$849	2,546	52. 7 34. 8	47.3	7.1	40. 1 62. 2	(0)
\$850-\$1,849 \$850-\$1,049	3, 205 1, 675	40.5	65. 1 59. 5	4.1	55. 4	(c)
\$850-\$1,049. \$1,050-\$1,249.	696	30. 0	70.0	2.3	67. 7	
	444	32.9	67. 1	2.5	64.6	
\$1,250-\$1,449		21.3	78. 7	.3	78. 5	
\$1,450-\$1,849 \$1,850 and over		13.8	86. 1	.2	86.0	
\$1,850-\$2,249		18. 2	81.8	.7	81.1	
\$2,250-\$2,849	101	13.9	86. 1		86. 1	
\$2,850 and over	212	10.8	89. 2		89. 2	
Not reported	239	39.7	58.6	18.8	39.7	1.

a Includes only married mothers to whom children were born in 1915. b With or without care from other physician. c Not shown when less than one-tenth of 1 per cent.

⁸ In 103 cases the mother reported urinalysis, but no consultation with a physician.

In families where the father's earnings were below \$850, less than one-third of the mothers sought private prenatal care and less than one-fifth were reached by clinics. In families where the father's earnings were \$850 and below \$1,850, less than two-thirds had private prenatal care and less than 1 in 30 was reached by the clinics. In families where the fathers earned \$1,850 or over, nearly seven-eighths of the mothers sought private prenatal care.

Prenatal care and color and nationality.

The different customs of the several race and nationality groups also play their part in causing the variations in prevalence of prenatal care. In general, of course, the more the group clings to the employment of midwives at confinement the fewer are the mothers in the group who have medical care during pregnancy. Thus, in Baltimore, at one extreme are the Polish mothers with 86.1 per cent (Table II) reporting no prenatal care (and 77.6 per cent attended by midwives at confinement), and at the other extreme the colored mothers and the native white mothers with 42.8 per cent and 41.5 per cent, respectively, reporting no prenatal care (and 25.9 per cent and 27.4 per cent. respectively, employing midwives at confinement). The six nationality groups fall into two divisions: First, the native white mothers, the colored mothers, and the foreign-born Jewish mothers, of whom many, relatively, had prenatal care; and the Polish, Italian, and "all other foreign" mothers, of whom relatively few had prenatal care.

Table II.—Prevalence of prenatal care among mothers,1 by source of care and by color and nationality of mother.

				Per cent having prenatal care.						
Color and nationality of mothers.		Per cent having no pre-			From	clinic phys	sician².	From	Per cent	
	natalcare.	re. Total.	Total.	The three clinics.	Other clinics.	private physician only.	ported.			
Total	11,463	47.5	52.4	12.6	7.8	4.8	39.8	0. 1		
Native white Jewish. Polish. Italian All other foreign-born white. Colored	7,117 996 646 435 780 1,489	41. 5 46. 5 86. 1 77. 9 63. 1 42. 8	58. 3 53. 4 13. 9 22. 1 36. 5	5. 6 31. 7 8. 2 8. 5	3. 8 22. 6 5. 7 6. 4 6. 4	1.8 9.1 2.5 2.1	52. 8 21. 7 5. 7 13. 6	.1		

¹ Includes only married mothers to whom children were born in 1915, ² With or without care from other physician.

The native white mothers depended mainly on private physicians, while the foreign-born Jewish mothers and the colored mothers depended mainly on the clinics. In the three other groups where the majority of mothers had no prenatal care, about 1 mother in 12 had been reached by the clinics and the percentages having private medical prenatal care ranged from 5.7 per cent of the Polish mothers to 27.7 per cent of the "other foreign-born" mothers.

The three clinics doing systematic prenatal work were so located as to be accessible to mothers in the very poor districts in which native white families predominated. In the wards within a mile of Johns Hopkins, which treated more prenatal patients than any other clinic, occurred about two-thirds of the births to Jewish, Polish, and Italian mothers. The principal colored neighborhoods were not so accessible to Johns Hopkins and were less accessible to the Babies' Milk Fund Association clinic. The Mothers' Relief Society did not accept colored patients. These three clinics together reached 22.6 per cent of the total foreign-born Jewish mothers and 18.9 per cent of the total colored mothers. The other clinics were accessible to certain other very poor districts, including the principal colored neighborhoods, and reached 9.1 per cent of the foreign-born Jewish mothers and 19.2 per cent of the colored mothers. In the other nationality groups much smaller proportions of the mothers were reached by the clinics.

Table III.—Prevalence of prenatal care among mothers, from specified source, by ward of residence and median earnings of father.

				Per cent l	naving pre	natal care.			
Ward of residence and median earn- ings of father.	Total mothers.		having no pre-		From	clinic phy	sician. 2	From	Per cent
ingo vi identi.	natal care.	Total.	Total.	The three clinics.	Other clinics.	private physician only.	ported.		
Total Median earnings: Under \$650—	11,463	47.5	52.4	12.6	7.8	4.8	39.8	0.1	
Ward 2 Ward 3 Ward 4 Ward 22 Ward 5 Ward 17 Median earnings: \$650-\$849—	652 647 240 290 420 287	76. 5 63. 1 57. 1 54. 5 50. 5 41. 1	23. 5 36. 9 42. 9 45. 5 49. 5 58. 5	10. 7 26. 3 18. 8 20. 7 37. 4 28. 6	7.8 19.8 5.4 4.8 30.7 6.3	2.9 6.5 13.3 15.9 6.7 22.3	12.7 10.7 24.2 24.8 12.1 30.0		
Ward 1. Ward 24. Ward 21. Ward 6. Ward 23. Ward 18. Ward 7. Ward 19. Ward 10. Ward 10. Ward 11. Ward 13. Ward 13. Ward 14. Ward 14. Median earnings:	825 630 465 623 370 281 694 401 356 643 157 489 634 308	71.0 69.2 54.2 52.8 49.7 49.1 48.4 43.9 43.5 38.6 37.6 33.7 33.0 31.8	29. 0 30. 6 45. 4 47. 2 50. 3 50. 5 51. 6 56. 1 55. 9 61. 4 61. 8 66. 1 66. 9	5. 0 6. 3 14. 4 18. 0 10. 5 16. 7 14. 0 20. 8 4. 8 9. 6 1. 8 10. 6 15. 3	3. 4 5. 1 8. 8 9. 4 12. 8 6. 4 12. 8 15. 2 2. 5 3. 2 8. 7 4. 2	1. 6 1. 3 5. 6 3. 4 6. 8 10. 3 1. 2 4. 5 5. 6 2. 3 6. 4 1. 0 1. 9 11. 0	24. 0 24. 3 31. 0 29. 2 39. 7 33. 8 37. 6 45. 1 56. 6 52. 2 64. 2 56. 3 52. 3	.6	
\$850 and over— Ward 15 Ward 12 Ward 16 Ward 9	645 437 452 517	29. 8 28. 8 24. 1 21. 9	69. 9 70. 9 75. 9 77. 8	5. 3 6. 9 7. 3 5. 4	.8 3.9 1.8 4.6	4.5 3.0 5.5 .8	64. 7 64. 1 68. 6 72. 3	.3	

¹ Includes only married mothers to whom children were born in 1915. ² With or without care from other physician.

Prenatal care and wards.

Of the five wards (wards 3, 5, 10, 17, and 22) in which 20 per cent or more of the mothers received clinic care, four were among the poorest wards in the city (Table III). Three of these (3, 5, and 10) were within the Johns Hopkins Hospital district. The other two wards included districts with a large proportion of colored mothers which were conveniently accessible to other hospitals. Other wards showing a large proportion of mothers receiving prenatal care from clinics were ward 4, which was conveniently accessible to two hospitals; wards 6 and 7, which were within the Johns Hopkins district, and ward 14, which contained a large colored population and was conveniently accessible to other clinics. Wards 3 and 5 had a considerable Jewish population; it is noteworthy that ward 2, which was in the Johns Hopkins district, had a relatively low proportion of mothers who reported prenatal care, a fact which may be related to its relatively large Polish population.

Grade of prenatal care.

An attempt was made to classify the care received by the mothers roughly into three grades, which were determined upon after consultations with medical authorities. These grades are designated by the letters A, B, and C—grade C including all cases having the minimum of care already noted which could not qualify as either A or B.

To qualify in grade B the care received by the mother must have

satisfied all four of the following requirements:

(1) Some supervision by a physician.

(2) At least one urinalysis.

(3) At least an abdominal examination.(4) Pelvic measurements if a primipara.

To qualify in grade A, the care must have fulfilled the following additional requirements: Monthly visits to clinic from the fifth to the ninth month or under supervision of private physician from the fifth to the ninth month, and monthly urinalysis during the same period.

Several points should be mentioned in connection with the grading In the first place, the requirements even for grade A care are low and may by no means be considered ideal. The fact that so small a proportion of mothers received care of grade A with its low standard is therefore all the more significant. In the second place, though the care given by the three clinics was based upon their records, the classification of care given by the private physicians was based upon the mothers' statements. The results are, therefore, subject to qualification in that the mothers' memories may have been at. fault or that the mothers may not have understood the object or the scope of the examination made by the physicians. On the other hand, the agents were given careful instructions in regard to the questions to be asked and in every case the answers were so classified as to overstate rather than to understate the extent of care actually received. In the third place, it should be emphasized that the results of this study can not be interpreted as in any way a criticism of the physicians or the clinics, since the small proportion of cases receiving

the best grade of care is largely determined by the fact that the mothers did not present themselves for treatment early enough in their pregnancies, or did not continue visits with sufficient regularity. For a better showing the fuller cooperation of the mothers is required, and this can be secured only after the importance of early care is generally recognized and appreciated.

The results of the classification by grades of care is shown in Table IV. Of the entire group of mothers of legitimate infants, 5.1 per cent had grade A, 17.1 per cent had grade B, and 25.6 per cent had grade C care. The proportion with grade A care was less than 5 per cent in all earnings groups under \$850, and between 5 and 10 per cent in the groups \$850 to \$1,449, but rose to 39.2 per cent in the group \$2,850 and over.

Table IV.—Prevalence of prenatal care among mothers, by grade of care and by earnings of father.

	Total	Per cent	having pr	enatal care	of specifie	ed grades.
Earnings of father.	mothers.1	Total.	Grade A.	Grade B.	Grade C.	Grade not reported.
Total	11, 463	52. 4	5.1	17.1	25. 6	4.5
No earnings Under \$850. Under \$850. \$450-\$549 \$550-\$649 \$650-\$849 \$850-\$1,049 \$1,050-\$1,249 \$1,250-\$1,449 \$1,250-\$1,449 \$1,450-\$1,849 \$1,850 and over. \$1,850-\$2,249 \$2,250-\$2,849 \$2,250 and over. Not reported.	7, 331 1, 668 1, 551 1, 566 2, 546 3, 205 1, 675 696 444 390 456 143	57. 3 44. 3 46. 9 41. 0 40. 1 47. 3 65. 1 59. 5 70. 0 67. 1 78. 1 86. 1 81. 8 86. 1 89. 2 58. 6	1. 7 2. 2 1. 3 1. 8 1. 6 3. 5 6. 6 8. 2 9. 2 16. 4 30. 3 21. 0 24. 8 39. 2 4. 2	28. 9 17. 9 25. 7 19. 5 15. 7 13. 2 14. 0 13. 3 14. 5 17. 2 17. 3 14. 0 23. 8 16. 5 22. 6	23. 3 21. 7 17. 7 18. 2 20. 3 27. 2 34. 6 33. 1 37. 6 36. 9 33. 3 28. 9 36. 4 26. 7 25. 0 23. 4	3. 4 2. 5 2. 2. 2 1. 5 2. 4 8. 0 6. 6 9. 6 7. 4 11. 8 9. 6 10. 5 10. 9 8. 5

¹ Includes only married mothers to whom children were born in 1915.

Grade B care was most prevalent in the poorest families, with 28.9 per cent of all in the "No earnings" group and 25.7 per cent of all in the "Under \$450" group. Grade C care, on the other hand, was most prevalent in the families between the very poor and the well to do, the percentage having this grade of care ranging from 33.1 to 37.6 per cent of all in the families where the fathers earned \$850 but less than \$2,250, but falling below 30 per cent in the most prosperous families and below 20 per cent in very poor families.

Only in the poorest families (where the fathers earned less than \$550) and in the most prosperous families (where the fathers earned at least \$2,250) were the mothers who had grade A or grade B care more numerous than the mothers who had grade C care. In the poorest groups care of grades A or B was practically all grade B; in

⁹The high percentage of grade B care at \$2,250 to \$2,849 is based on a group of 101 mothers of whom 76 had prenatal care of a stated grade. This variation from the general trend has little significance in so small a group.

^{101351°-23--14}

the earnings group from \$2,250 to \$2,849, it was about evenly divided between grades A and B; and in the group \$2,850 and over, it was mainly grade A.

In quality of care even more than in general prevalence of care the mothers in families of average means fared less well than the

very poor.

Prenatal care for 48 per cent of the mothers who received care did not begin until after the fifth month, and consequently it could not satisfy the requirements for grade A. More than one-fourth of the mothers who were classified as having prenatal care saw the physician only once during pregnancy.¹⁰ Only 31.4 per cent had had as many as five consultations.

¹⁰ A visit merely to engage the services of a physician without medical consultation was not counted as a consultation.

CONFINEMENT CARE.

Hospital facilities.

At the time of this study 13 hospitals received maternity cases ¹¹ and 5 maintained outside obstetrical service, with the assistance of students in Baltimore medical schools.

Attendant at birth.

In all, 67.4 per cent of the mothers were attended at confinement by a physician (Table V). Confinement at home with a private physician attending was the predominating type of confinement care in the city as a whole, with 47.1 per cent of the total births studied. Next in importance numerically were the midwife cases, with 32.3 per cent of the total births. Confinements attended by the outside obstetrical service of a hospital and confinements occurring in a hospital were about equal in number with 9.9 and 9.5 per cent respectively of the total births. The 24 births to mothers delivered by the obstetrician of the Babies' Milk Fund Association and the 82 births to mothers delivered by the obstetrician of the Mothers' Relief Society were together less than one per cent of the total. Twenty-nine births, or 0.2 per cent of the total, took place with neither midwife nor physician in attendance.

Confinement care, like prenatal care, shows the greatest lack of medical attendance, according to Table VI, in families between the very poor and those who had more than the average income. The percentage of the mothers who were attended by midwives was only 20.7 per cent in the group in which the husband earned nothing and free hospital service reached the largest numbers of cases, but the percentage rose to 44 per cent in the groups in which the fathers earned between \$450 and \$649. In the families where the fathers earned \$650 or more the numbers attended by midwives decreased, but only in families where the fathers earned at least \$1,050 was the percentage of midwife cases smaller than in the poorest group, where the husbands earned nothing.

Table V.—Attendant at birth and place of confinement.

	Legitimate births in 1915.		
Attendant at birth and place of confinement.	Number.	Per cent distribu- tion.	
Total	11,613	100.0	
Physician In hospital Not in hospital. Outside obstetrical service Babies' Milk Fund Association. Mothers' Relief Society. Private. Midwife. Other and none.	7,830 1,105 6,725 1,150 24 82 5,469 3,754 29	67. 4 9. 5 57. 9 9. 9 0. 2 0. 7 47. 1 32. 3	

¹¹ See Report on the study of agencies in Baltimore, Md., caring for women in confinement, by Louise Pearce, M. D. Transactions of the third annual meeting of the American Association for Study and Prevention of Infant Mortality, Cleveland, Ohio, 1912, pp. 272-275.

Table VI.—Attendant during confinement period of mothers, by place of confinement, and earnings of father.

		Per cent	tattended	during cor	ifinement	period—
Earnings of father.	Total mothers.1	By physician.			By other	
And the other was funding what w		Total.	In hospital.	Outside of hospital.	By midwife.	and no attend- ant.
Total	11,463	67.4	9.5	57.9	32.4	0.3
Total. No earnings Less than \$850. Less than \$450. \$450\$549. \$550-\$1849. \$550-\$1.849. \$850-\$1.049. \$1,050-\$1,249. \$1,250-\$1,449. \$1,250-\$1,449. \$1,550-\$1,849. \$1,550-\$1,849. \$2,250-\$2,249.	232 7, 331 1, 668 1, 551 1, 566 2, 546 3, 205 1, 675 696 444 390 456 143 101 212	78. 0 60. 6 64. 3 56. 3 63. 4 77. 8 72. 1 81. 9 80. 9 91. 5 93. 4 86. 7 94. 1 97. 6 74. 9	26. 3 7. 9 11. 8 8. 8 7. 0 5. 4 9. 1 6. 6 8. 5 12. 4 17. 2 25. 9 29. 4 25. 7 23. 6 15. 1	51. 7 52. 7 52. 5 47. 5 49. 2 58. 0 68. 7 65. 6 73. 4 67. 5 57. 3 68. 3 74. 1 59. 8	20. 7 39. 1 34. 8 43. 5 43. 7 36. 6 22. 0 27. 5 18. 1 19. 1 8. 2 6. 6 6. 13. 3 5. 9 2. 4 24. 7	1.6

1 Includes only married mothers to whom children were born in 1915.

Of the mothers who were delivered in hospitals relatively the fewest were among families of average earnings—that is, between \$650 and \$849; in this group less than 6 per cent of the mothers went to a hospital. But in the families where the fathers earned nothing and in the families where the fathers earned at least \$1,850, approximately

25 per cent of the mothers were delivered in a hospital.

Midwife care was not so prevalent among the colored as among the white mothers in Baltimore. No one nationality group of white mothers—not even the native white women—showed quite so high a percentage of attendance by a physician as the colored mothers. Of the foreign-born groups, the Jewish mothers had relatively the largest number attended by a physician and the Polish mothers had relatively the fewest. Except among the native white mothers, with their comparatively large numbers in the upper earnings groups, these differences in the prevalence of medical care at confinement, in the several color and nationality groups, correspond with the differences in the numbers reached by prenatal care from the clinics.

A considerable number of mothers had both a midwife and a phy-

A considerable number of mothers had both a midwife and a physician in attendance. In 208 cases (5.3 per cent of all attended by midwives) a physician was called in during labor and the birth certificate was signed by the physician and in 93 cases (2.5 per cent of all delivered by midwives) a physician was in attendance after the delivery. In addition, 287 mothers not attended by a midwife at

confinement employed a midwife as nurse.

Of the 29 mothers having neither physician nor midwife in attendance at confinement, 5 had a physician after the delivery.

Table VII.—Type of attendant during confinement period, by nationality of mother.

Color and nationality of mother.	Total mothers.1	Per cen	t attended	during co	nfinement	period—
		В	y physicia		By other	
		Total.	In hospital.	Outside of hospital.	By midwife.	and no attend- ant.
Total	11, 463	• 67.4	9.5	57.9	32. 4	0.3
Native white Jewish Polish Italian All other foreign-born white	7, 117 996 646 435 780 1, 489	72. 4 64. 9 21. 8 54. 7 56. 5 73. 9	8, 1 23, 8 2, 9 2, 3 5, 9 13, 5	64. 4 41, 1 18. 9 52, 4 50. 6 60, 4	27. 4 35. 0 77. 6 44. 8 42. 8 25. 9	.2 .1 .6 .5

¹Includes only married mothers to whom children were born in 1915.

Visits by attendant during confinement period.

The usual arrangement reported both in cases attended by physicians and in those attended by midwives was a daily visit through the fourth day and at least one visit thereafter. Seven-eighths of the physicians' cases for which the arrangement of visits was reported and practically all the midwife cases fall into this group. The number of visits varied with the economic status of the family. When the fathers' earnings were under \$650, less than 10 per cent of the mothers saw the physician 10 times or oftener; when the fathers earned \$1,850 or more, 40.3 per cent of the mothers saw the physician 10 times or oftener.

Approximately 95 per cent of the mothers who were under the supervision of a physician during pregnancy and 37 per cent of those who had no prenatal care were attended by a physician at con-

finement.

Nursing care.

More than one mother in four had no professional nursing care. The greatest lack of such care appeared in the groups where fathers' earnings were low among mothers who had been attended by a private physician. The midwife usually gave nursing care to the mother whom she had delivered and such nursing care was the predominating type in families where the fathers earned less than \$850. Among the families where the fathers earned \$850 or more, the practical nurse was in attendance more commonly than the midwife. Only 3.5 per cent of all mothers were cared for by a resident trained nurse, and only in families where the father earned \$2,850 or more was this type of care predominant. Care by a visiting nurse was reported by 4.8 per cent of the mothers. Among the foreign-born Jewish mothers and the colored mothers the proportions cared for by a visiting nurse rose to 12.1 per cent and 11.6 per cent, but in both groups more mothers were nursed by midwives than by visiting nurses.

Table VIII.—Number of visits received by mothers from physician following delivery, by earnings of father.

Earnings of father.	Total mothers.1	moth-	Per cent having no visits from physician fol-	Per ce	ent ² hav from phy	ing spec vsician fo	ified nu llowing	imber of delivery.	f visits	Per cent not re-ported as to
		lowing de- livery.	Total.	1	2-3	4-9	10 and over.	Not reported.	visits.	
Total	9, 867	36.7	57.0	0.4	2.1	30.4	15.6	8. 5	6. 8	
No earnings. Under \$850 Under \$450 \$450-\$549 \$550-\$649 \$650-\$849	194 6, 427 1, 457 1, 372 1, 369 2, 229	25. 3 43. 5 38. 8 47. 4 49. 2 40. 6	70.6 50.9 54.8 47.9 46.4 52.9	2.1 .5 1.0 .4 .2 .3	3.6 2.6 3.2 3.1 2.3 2.2	30. 9 29. 9 30. 9 28. 2 28. 6 31. 1	8.2 10.7 8.9 8.2 9.2 14.5	25. 8 7. 1 10. 8 8. 0 6. 1 4. 8	4. 1 5. 6 6. 4 4. 7 4. 4	
\$850-\$1, 849 \$850-\$1, 049 \$1, 050-\$1, 249 \$1, 250-\$1, 449 \$1, 450-\$1, 849	2,699 1,428 582 372 317	25. 6 31. 7 21. 5 22. 0 9. 8	66. 8 60. 5 71. 3 70. 7 82. 6	.3 .5 .2	1.0 1.0 .9 .8 1.6	33. 2 32. 7 39. 2 31. 5 26. 2	24. 5 20. 7 24. 1 26. 9 40. 1	7.9 5.7 7.0 11.6 14.8	7. 6 7. 8 7. 2 7. 3 7. 6	
\$1,850 and over. \$1,850-\$2,249 \$2,250-\$2,849 \$2,850 and over.	362 116 80 166	8. 0 16. 4	85. 4 73. 3	.3	.6	18. 8 17. 2	40.3 28.4 47.0	25. 4 26. 7	6.6	
Not reported	185	31. 9	58. 4	.5	1.6	29. 2	15.7	11.4	9.	

¹ Includes only mothers with no complications of confinement. In tabulation the following were included as complications: Instrumental delivery, Cæsarean section, convulsions, stillbirth, and miscarriage.
² Not shown where base is less than 100.

The period of nursing care ¹² was longest among the mothers having a resident trained nurse, but more than two-thirds of the mothers confined in a hospital and of the mothers employing a practical nurse had nursing care during two weeks or longer. Close to ninetenths of the mothers cared for by a visiting nurse had less than two weeks' nursing care; 30.6 per cent of them were nursed for less than 7 days. Among the midwife cases, over half had care for less than 10 days; 4.5 per cent were nursed for less than 7 days.

The period during which mothers stayed in bed was somewhat

The period during which mothers stayed in bed was somewhat longer than the period during which they had professional nursing care. The usual time was from 10 to 13 days. It was shorter than this among the Poles and the Italians of whom 20 and 17 per cent, respectively, were up and about before the fourth day. But only in families where the fathers earned at least \$1,450 did half the mothers with no reported complications of confinement stay in bed for 14 days or longer.

Extra household help (usually given by a relative) was continued after the professional nursing had ceased and the mother was up and about. It lasted in most cases from four to six weeks. Ninety mothers (0.8 per cent of all) had no help and 269 mothers (2.3 per cent of all) had help which lasted less than one week.

¹⁹ If the mother received more than one type of nursing care, the time during which the dominant type of care was received is here considered.

Table IX.—Type of nursing care 1 received by mothers, by earnings of father.

		Per		Per ce	nt havin	g specifie	ed type o	f nursin	g care.	
Earnings of father.	Total moth-	cent having no	Total.	Hos-	Trained nurse.		Mid	Prac-	Not re-	
	ers.²	nurs- ing. care.3		pital.4	Total.	Resi- dent.	Visit- ing. ⁵	Mid- wife.	tical nurse.	ported.
Total	11, 463	28.6	71.4	9.5	8.3	3. 5	4.8	34. 4	18.7	0. 5
No earnings. Under \$\$50. Under \$\$450. \$450-\$549. \$550-\$649. \$550-\$649. \$550-\$1, 049. \$1, 050-\$1, 249. \$1, 250-\$1, 449. \$1, 250-\$1, 449. \$1, 250-\$1, 449. \$2, 250-\$2, 349. \$2, 250-\$2, 349. \$2, 250-\$2, 349. \$2, 250 and over.	232 7, 331 1, 668 1, 551 1, 566 2, 546 3, 205 1, 675 696 444 390 456 6143 101 212 239	34.9 31.8 37.2 30.1 29.9 30.4 23.6 26.0 25.0 19.8 15.1 7.5 8.4 8.9 6.1	65. 1 68. 2 62. 8 69. 9 70. 1 69. 6 76. 4 74. 0 75. 0 80. 2 84. 9 92. 5 91. 6 91. 1 93. 9 69. 0	26. 7 8. 0 11. 8 9. 0 7. 0 5. 5 9. 1 6. 7 8. 5 12. 4 17. 2 25. 7 29. 4 25. 7 23. 6 15. 1	10.8 7.6 11.0 9.7 5.9 5.2 6.7 7.2 14.1 129.4 15.4 26.7 40.1 9.2	2.6 1.0 .4 1.9 5.6 3.6 4.7 7.0 13.8 28.9 14.7 25.7 40.1 5.0	8.2 6.6 10.6 9.0 5.4 3.3 1.2 1.7 1.0 2 3 4 .7	21. 6 41. 0 35. 9 44. 2 45. 7 39. 4 24. 5 30. 1 21. 1 22. 0 9. 0 0 7. 2 14. 0 6. 9 2. 8 28. 8	4.7 11.3 4.0 .7 11.2 19.0 35.3 31.0 39.4 37.8 43.1 29.2 32.2 31.7 25.9 9 15.5	1.3

¹ In this table nursing care includes only care beginning within first three days after delivery. If two kinds of care were given, the first in order is given preference.

² Includes only married mothers to whom children were born in 1915.

³ Includes 27 mothers who had nursing care only after the third day, and 126 for whom no information in regard to nursing care was secured.

⁴ Includes 6 mothers not delivered in hospital, but taken to hospital within three days from delivery. In addition 25 mothers were taken to hospital later in confinement period.

⁵ In addition, 13 mothers had care from visiting nurse after the third day; 10 of these had no professional nursing within three days, 1 had hospital nursing, 1 midwife, and 1 practical nurse.

Table X .- Type of nursing care 1 received by mothers, by color and nationality of mother.

		Per	Per cent having specified type of nursing care.									
Color and nationality of mother. Total mothers. number of mother in the color and national mothers.	moth- no	having		TT	Trained nurse.			Mid-	Prac-	Туре		
	ing. care.3	Total.	Hos- pital.4	Total.	Resi- dent.	Visit- ing.5	wife.	tical nurse.	not re- ported.			
Total	11,463	28.6	71.4	9.5	8.3	3, 5	4.8	34. 4	18.7	0. 8		
White Native Foreign born Jewish Polish Italian All other	9,974 7,117 2,857 996 646 435 780 1,489	26. 7 28. 1 23. 3 17. 9 11. 6 43. 2 28. 8 40. 8	73. 3 71. 9 76. 7 82. 1 88. 4 56. 8 71. 2 59. 2	8.9 8.1 11.0 23.9 2.9 2.3 5.9 13.6	7.6 7.5 7.8 13.3 3.1 6.2 5.6 13.2	3.8 4.9 .9 1.1 .2 1.7	3.8 2.6 6.9 12.1 2.9 6.2 4.0 11.6	35. 3 29. 4 49. 8 36. 1 82. 0 46. 0 42. 6 28. 5	20. 9 26. 1 7. 8 8. 4 .3 2. 3 16. 4 3. 6			

¹ In this table nursing care includes only care beginning within first three days after delivery. If two kinds of care were given, the first in order is given preference.

² Includes only married mothers to whom children were born in 1915.

³ Includes 27 mothers who had nursing care only after the third day, and 126 for whom no information in regard to care was secured.

⁴ Includes 6 mothers not delivered in hospital, but taken to hospital within three days from delivery. In addition 25 mothers were taken to hospital later in confinement period.

⁶ In addition 13 mothers had care from visiting nurse after the third day; 10 of these had no professional nursing within three days, 1 had hospital nursing, 1 had midwife, and 1 practical nurse.

Table XI.—Duration of nursing care 1 received by mothers, by color and nativity of mother.

Duration of number	Total mothers.2			e white hers.	Foreign-born white mothers.		Colored mothers.	
Duration of nursing care.1	Number.	Per cent distri- bution.	Number.	Per cent distri- bution.	Number.	Per cent distri- bution.	Number.	Per cent distri- bution.
Total	11,463	100.0	7,117	100.0	2,857	100.0	1,489	100.0
With no nursing care 3 With care. Less than 7 days. 7-9 days. 10-13 days. 14 days and over. Duration not reported.	3, 276 8, 187 421 2, 216 2, 618 2, 888 44	28. 6 71. 4 3. 7 19. 3 22. 8 25. 2 . 4	2,002 5,115 146 961 1,734 2,244 30	28. 1 71. 9 2. 1 13. 5 24. 4 31. 5	666 2,191 183 942 601 459 6	23. 3 76. 7 6. 4 33. 0 21. 0 16. 1	608 881 92 313 283 185 8	40. 8 59. 2 6. 2 21. 0 19. 0 12. 4

In this table nursing care includes only care beginning within first three days after delivery.
 Includes only married mothers to whom children were born in 1915.
 Includes 27 mothers who had nursing care only after the third day, and 126 for whom no information in regard to care was secured.

Table XII.—Number of days mothers spent in bed or in hospital following delivery, by earnings of father.

Earnings of father.	Total	Per cent w	ith specifi	ed number following o	r of days in delivery.	n bed or in	hospital
	mothers.1	Less than 1	1-3	4-6	7-9	10-13	14 and over.
Total	2 8, 760	0.1	3.4	4.6	24. 2	45.1	22, 7
No earnings Under \$450 \$450-\$649 \$650-\$849 \$650-\$849 \$1,050-\$1,249 \$1,250-\$1,249 \$1,450 and over Not reported	178 1,229 2,432 1,999 1,275 530 327 626 164	(8) .2	5. 6 6. 2 5. 3 2. 5 1. 5 . 8 . 3 . 6 2. 4	1. 7 6. 4 6. 5 4. 6 2. 7 2. 6 2. 1 1. 1 4. 3	20. 8 30. 7 28. 0 25. 7 19. 1 20. 0 16. 2 9. 3 28. 0	41. 6 35. 1 41. 4 49. 4 53. 8 52. 1 55. 0 39. 0 40. 9	30. 3 21. 4 18. 6 17. 8 22. 8 24. 5 26. 3 50. 0 23. 8

¹ Includes only mothers with no complications of confinement. In tabulation the following were included as complications: Instrumental delivery, Casarean section, convulsions, stillbirth, and miscarriage.

² Excludes 1,107 mothers for whom number of days was not reported or who died without getting up.

Not shown when less than one-tenth of 1 per cent.

Table XIII.—Number of days mothers spent in bed or in hospital following delivery, by color and nationality of mother.

Color and nationality of mother.	Total	Per cent with specified number of days in bed or in hosp following delivery.						
	mothers.1	Less than 1	1-3	4-6	7-9	10-13	14 and over.	
Total	2 8, 760	0.1	3.4	4.6	24. 2	45.1	22.7	
White Native Foreign born Jewish Polish Italian All other Colored	7,621 5,363 2,258 789 521 343 605 1,139	(8) .1 .6	3. 6 1. 2 9. 4 .8 19. 8 16. 6 7. 6 1. 8	4. 9 2. 3 11. 0 1. 9 19. 4 26. 5 6. 8 2. 5	22. 9 19. 9 30. 0 22. 3 34. 9 30. 6 35. 5 32. 7	46. 3 53. 7 28. 7 44. 0 7. 5 17. 8 33. 2 37. 2	22, 2 22, 8 20, 8 31, 1 17, 8 8, 5 16, 9 25, 7	

1 Includes only mothers with no complications of confinement. In tabulation the following were included as complications: Instrumental delivery, Cæsarean section, convulsions, stillbirth, and miscarriage.

2 Excludes 1,107 mothers for whom number of days was not reported or who died without getting up.

3 Not shown when less than one-tenth of 1 per cent.

Table XIV.—Household help at confinement and place of confinement, by color and nativity of mother.

Household help at confine-	Total mothers.1			white hers.		n-born nothers.	Colored mothers.	
ment and place of con- finement.	Number.	Per cent distri- bution.	Number.	Per cent distri- bution.	Number.	Per cent distri- bution.	Number.	Per cent distri- bution.
Total	11,463	100.0	7,117	100.0	2,857	100.0	1,489	100.0
At home. Household help. Adult. Child only. Laundry only. No household help ² Away from home. Not reported.	10,067 9,855 9,701 105 49 212 1,377	87. 8 86. 0 84. 6 . 9 . 4 1. 8 12. 0	6,297 6,163 6,084 49 30 134 808 12	88. 5 86. 6 85. 5 .7 .4 1. 9 11. 4 .2	2,520 2,447 2,384 44 19 73 334 3	88. 2 85. 6 83. 4 1. 5 .7 2. 6 11. 7	1,250 1,245 1,233 12 5 235 4	83. 9 83. 6 82. 8 .8 15. 8

 $^{^1}$ Includes only married mothers to whom children were born in 1915. 2 Includes 122 cases where a practical nurse was employed.

INFANT-WELFARE WORK.

Organizations doing infant-welfare work.

The principal infant-welfare work carried on in Baltimore in 1915 was done by the Babies' Milk Fund Association, which conducted 12 (and from November, 1915, 13) infant-welfare centers. The association nurses were paying instructive visits to the mothers whose babies were less than 1 year of age and nursing sick babies under 3 years of age, and modified milk was dispensed in selected

cases under the direction of a physician.

Infants attended at birth by the obstetrician of the Babies' Milk Fund Association and all infants attended by the outside obstetrical service of Johns Hopkins Hospital or born in the lying-in wards of Johns Hopkins were referred, if not in need of medical treatment, to the nurses of the Babies' Milk Fund Association for supervision. Infants born in other hospitals were less regularly referred to this organization. Many cases were reported to it by charitable organizations. It was the aim of the association to have the nurse visit the mother immediately at the close of the confinement period, in order to give instruction in infant care, and continue her visits at least once a month throughout the first year of the baby's life. After the baby was about a month old, the mother was expected to take him to the infant-welfare center for supervision by the physician. The mothers whose babies were receiving breast milk and no other food were urged to repeat these visits at least once a month. mothers of babies artificially fed were encouraged to report at weekly intervals. The nurse's visits at the home were continued even when the mother failed to take the baby to the infant-welfare center; but it was contrary to the rules of the association for the nurse to direct the feeding of a child who was to be weaned. The centers, again, gave advice about feeding for children who were well or had slight digestive disorders; they did not prescribe treatment for sick children but referred all such cases to the Harriet Lane Hospital or some other clinic for sick children. Nursing care was given, however, to sick children under 3 years of age.

The Babies' Milk Fund Association did not attempt to restrict its infant-welfare work to the very poorest families but as a matter of fact the poorest families predominated among these cases as they did

among the prenatal cases.

The policy of the Mothers' Relief Society in relation to infant supervision was changed twice during 1915. During the first months of the year the baby was referred to the Babies' Milk Fund Association at the end of the confinement period. Later, the policy was followed of having the trained nurse of the Mothers' Relief Society continue to visit the mother and instruct her in infant hygiene until the baby was 6 months old. In November the society decided to continue this visiting throughout the first year of infancy. The nurse paid a visit to the home at least once a month but the society had no infant-welfare center for supervision of well babies by a physician. Some of the artificially fed babies, however, were taken to the

society's physician, or to the Harriet Lane Dispensary or some other clinic, for supervision of the feeding.¹³

Infants reached by infant-welfare work.

Only the supervision and advice given by a physician to a mother visiting an infant-welfare center with her baby for consultation, and home visits by a nurse to instruct the mother in the care of her baby are included in the term "infant-welfare work" as used in the present study. Similar advice and supervision are given by private physicians or resident nurses in many well-to-do homes, but no attempt was made to measure the extent of private supervision. Home visits by a nurse for the treatment or care of a baby in sickness or visits by a mother and baby to a hospital or dispensary for this purpose are also excluded from consideration.

Infant-welfare work had been carried on longer than prenatal work and naturally reached more of the families needing care. In all, 2,935 legitimate infants, or 28.2 per cent of those who survived two weeks, had been visited at least once by an infant-welfare nurse or had been taken at least once to an infant-welfare center for consultation.

In the poorest families approximately one-half of the babies had such supervision—48.8 per cent, where the fathers earned nothing, and 51.6 per cent, where the fathers earned less than \$450. Comparison of the several earnings groups shows a steady decrease in the proportion of infants reached by infant-welfare work as the fathers' earnings rise, but in each group below \$850, from one-fourth to one-half of the babies had supervision by infant-welfare agencies. Where the fathers earned at least \$1,850, 3.1 per cent of the babies had such supervision.

Table XV.—Prevalence of supervision from infant-welfare agencies, by earnings of father.

	Infants v	vho survive	ed 2 weeks.
Earnings of father.	Total.	from infa	upervision int-welfare ncies.
		Number.	Percent.
Total	10,397	2,935	28. 2
No earnings. Under \$850. Under \$450. \$450. \$450. \$450. \$450. \$640. \$550. \$849. \$550. \$849. \$850. \$1,049. \$1,050. \$1,249. \$1,250. \$1,450. \$1,450. \$1,849. \$2,850 and over. \$1,850. \$2,249. \$2,250. \$2,849. \$2,250. \$2,849.	201 6, 624 1, 468 1, 391 1, 437 2, 328 2, 944 1, 551 402 352 421 137 92 192 207	98 2, 347 758 568 455 566 409 266 80 43 20 13 10 2	48.8 35.4 51.6 40.8 31.7 24.3 13.9 17.2 12.5 7 5.7 3.1 7 3.2 9

a Not shown where base is less than 100.

¹³ The work of the Harriet Lane Hospital, a children's hospital connected with Johns Hopkins, is not included in this discussion which is concerned primarily with the preventive and instructive care of mothers and babies.

As in prenatal work, the organizations had been more successful in reaching colored families and foreign-born Jewish families than any others. Nearly two-thirds (60.5 per cent) of the colored babies and nearly one-half (45.1 per cent) of the babies of foreign-born Jewish mothers had supervision from welfare agencies. The actual number of infants who had such supervision was greatest among the native white families (1,302) but the total number of native white families was large and the percentage having care (20 per cent) was lower in this group than in any other. Even when families with similar earnings are compared, it appears that in each group except that in which fathers' earnings were from \$450 to \$549 fewer infants, relatively, of native white mothers than of foreign-born white mothers had supervision from infant-welfare agencies.

Among the Poles and Italians the agencies were more successful in reaching families where the mother could speak English than families where the mother could not speak English, but the reverse was true in the foreign-born Jewish families.

Two-thirds of the infants who had supervision at any time within 12 months after birth were still having it at the end of the year. About 5 per cent died within the year; less than 1 per cent were discharged to a private physician or transferred from one agency to another without further record of the case; about 6 per cent were dropped by the agency because the mother would not cooperate. But the principal loss of cases occurred in families that moved and were not followed to their new addresses; 18.8 per cent of the infants who had had supervision were not having it at the end of the year because their families had moved.

Table XVI.—Prevalence of supervision from infant-welfare agencies, by color and nationality of mother.

	Infants w	Infants who survived 2 weeks.			
Color and nationality of mother.	Total.	Having supervision from infant- welfare agencies.			
	10.207	Number.	Per cent.		
Total	10,397	2,935	28, 2		
Native white Foreign-born white Jewish Polish Italian All other Colored	6,498 2,660 937 598 396 729 1,239	1,302 883 423 134 128 198 750	20. 0 33. 2 45. 1 22. 4 32. 3 27. 2 60. 5		

In every ward, as in the city as a whole, a higher percentage of colored than of white infants had supervision. The need of supervision was of course greatest in the poorest wards, but at the time of this study the work seems to have been more developed or more successful in finding response in certain poor wards than in others. In five of the six wards where the father's median earnings were lowest the percentage having supervision was well above the average for the city (28.2), when all infants are considered together. But when the

white infants and the colored infants are considered separately two of these wards (second and seventeenth) did not show high percentages having supervision. In the seventeenth ward, the number having supervision was 40.9 per cent of the total. But of the white infants in this ward only 7.9 per cent had supervision, as compared with the average, 23.9, for white infants, and of the colored infants, who comprised three-fourths of all the infants in the ward, only 53.3 per cent had supervision, as compared with the average, 60.5, for colored infants. In the second ward, where less than 2 per cent of the infants were colored and where very poor white families predominated, the percentage having supervision (23.2) was approximately the average for all white families, rich and poor, throughout the city. The white babies in the fifth ward had the highest percentage for white infants; 48.1 per cent of the total had supervision.

Table XVII.—Prevalence of supervision from infant-welfare agencies, by color of mother, and ward of residence.

Ward of residence and median earnings of father.	vived :	Per cent¹ of infants who sur vived 2 weeks having super vision from infant-welfare agencies.			
in the first of the property of the state of	Total mothers.	White mothers.	Colored mothers.		
Total. Median earnings under \$650:	28.2	23.9	60. 8		
Ward 5	54.8	48.1	82.7		
Ward 22	47.0	39. 2	73. 7		
Ward 3	41.2	40.6			
Ward 4	41.1	35, 5			
Ward 17	40.9	7.9	53.		
Ward 2	23. 2	22.3	00.0		
Median earnings \$650-\$849:	20.2	22.0			
Ward 18	39.1	31.2	66.		
	38.0	35.5	00.		
Ward 21					
Ward 23	36.7	30.9			
Ward 24	36.1	36.1			
Ward 10	29.8	25.8			
Ward 1	27.5	27.3			
Ward 14	27.5	12.4	39.		
Ward 6	27.1	22.0			
Ward 11	25.9	10.0	42.		
Ward 13	22.7	22.6			
Ward 8	22.6	20.7			
Ward 7	22.4	16.5	71.		
Ward 19	22.4	18.9	and the state of		
Ward 20	18.1	17.0			
Median earnings \$850 and over:	10.1	1			
Ward 12.	21.0	12.8	65.		
Ward 15.	17.2	5.1	60.		
			00.		
Ward 9	15.5	11.9			
Ward 16	13.1	4.6	46.		

¹ Not shown where base is less than 50.

Of the 2,935 infants reached by infant-welfare work, more than half did not receive supervision regularly, but were taken to the centers or were visited by the nurses only at irregular intervals. Over one-third, however, had each an average of a visit a month—either a visit from a nurse or a consultation at the center—from the time the supervision was commenced until the end of the year. And 120 babies, or 4.1 per cent of these reached by the infant-welfare work, had each an average of a visit from the nurse and a visit to the center during each month from the time the baby came under the

supervision of the organization until the end of the year. Nine babies each averaged three or four visits a month, including at least one to the center and one home visit of the nurse in each month during the period from the commencement of care until the end of

the first year.

Of the total number of infants who were reached by infant-welfare work, over half, 55.8 per cent, were never taken to the infant-welfare center; 13.8 per cent were taken once; 14.7 per cent were taken from two to four times; 10.1 per cent were taken from 5 to 10 times; and only 5.3 per cent were taken more than 10 times during the year. The home visits by the nurses were made more regularly and more frequently than the mothers' visits with the baby to the center. In only 62 cases did the mother pay one or more visits to the center and have no home visits from the nurse.

One-half the babies who were reached by infant-welfare work received supervision before the end of the first month, and more than one-third began receiving it during the second or third months. Over 80 per cent of all these infants who received supervision before the end of the third month were breast fed when it began, approximately the same proportion as in the entire group of babies in Baltimore. But among the 392 babies whose supervision began at some time between the beginning of the fourth month and the end of the ninth month, artificial feeding was markedly more prevalent than in the entire group of infants.

APPENDIX VII.—TABLES.

Table 1.—Infant mortality rates in the United States birth-registration area, in certain foreign countries, in Baltimore (selected group) and certain foreign cities, and in cities (population 100,000 or more) in the United States birth-registration area, 1916.

Area.	Infant mortality rate.	City.	Infant mortality rate.
United States birth-registration area Countries with more favorable rates: Scotland. England and Wales. The Netherlands. Switzerland Australia Norway New Zealand	101 97 91 85 178 70 264 51	Baltimore (selected group) Foreign cities with more favorable rates: Edinburgh. London Melbourne Adelaide Christiania Geneva Sidney Wellington Auckland Amsterdam Zurich	89 86 83 80 73 68 65

CITIES IN UNITED STATES BIRTH-REGISTRATION AREA.3

City.	Infant mor- tality rate.	City.	Infant mor- tality rate.	City.	Infant mor- tality rate.
Fall River Lowell New Bedford Scranton Reading Baltimore White Colored Lawrence Pittsburgh White Colored Buffalo Detroit	146 139 131 125 122 104 219 116	Providence Bridgeport. Washington White Colored Boston. White Colored Philadelphia. White Colored Hartford Worcester Syracuse.	110 106 106 83 158 105 104 193 105 102 160 101 101	Albany Springfield, Mass. New York. White. Colored Cambridge. New Haven Lynn. Rochester, N. Y Minneapolis. Grand Rapids. St. Paul	95 93 92 169 91 88 87 86

Annuaire Statistique de la Suisse.
 Compiled from Annuaire Statistique de la Norvège, 1919.
 Birth Statistics, 1916, U. S. Bureau of the Census.

Table 2.—Legitimacy of birth, inclusion in and exclusion from, and reason for exclusion from detailed study; total registered births 1 in Baltimore in 1915.2

Inclusion or exclusion, reason for exclusion, and legitimacy of birth.	Total births.1	Miscar- riages.	Still- births.	Infant deaths.	Live births.
Total registered	14, 636	541	618	1,551	13,477
Legitimate	13,484	474	488	1,270	12,522
Included in detailed analysis. Excluded from detailed analysis. Nonresident hospital cases. Other nonresident cases. Information not available Not located or moved from city.	11,613 1,871 320 61 24 1,466	418 56 11 7	398 90 20 5 1 64	1,117 153 22 7 11 113	10,797 1,725 289 49 23 1,364
Illegitimate Legitimacy not reported (foundlings)	1,124 28	61	108 22	281	955

Includes miscarriages.
 See Appendix II, p. 189, for discussion of exclusions.

Table 3.—Ward of residence, by color and nationality of mother; scheduled legitimate live births in Baltimore in 1915.1

												Live b	oirths.								- 1		1 1		
Color and nationality of mother.												War	d of re	esider	ice.								F		
	Total.	1	2	.3	4	5	6		8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Total	10,797	790	620	627	215	396	596	649	598	496	331	145	409	449	289	598	417	252	269	381	606	447	261	351	6
Vhite mothers	9,492	786	609	616	174	317	544	577	576	465	305	74	348	443	130	468	332	68	204	331	591	407	203	319	6
Native. Foreign born Jewish Polish Italian German Irish, English, Scotch, and English-Canadian Bohemian Lithuanian All other	6, 739 2, 753 961 625 412 318 132 107 100 98	558 228 7 168 16 18 2 3	259 350 49 279 4 8 2 1 1 6	78 538 275 115 133 1	70 104 21 1 38 4 2	59 258 180 2 75	366 178 124 6 24 3 19	432 145 27 4 22 20 3 65	527 49 5 1 7 21 6 9	428 37 1 20 15	214 91 39 21 6 22 1	53 21 12 5 3	322 26 8 5 3 7	416 27 20 2 4	93 37 27 2 2 2 3	416 52 32 32 11 5	307 25 11 4 3 4	38 30 17 	144 60 23 1 8 8 7	283 48 8 1 3 20 6	503 88 31 3 32 15	348 59 7 3 5 18 8 2 8 8	102 101 24 6 26 2 1	276 43 10 1 14 10 3 1	1
Colored mothers	1,305	4	11	11	41	79	52	72	22	31	26	71	61	6	159	130	85	184	65	50	15	40	58	32	-

1 All subsequent tables, unless otherwise specified, are based on the scheduled group of legitimate births occurring in Baltimore during 1915.

Table 4.—Sanitary condition of dwelling, by ward of residence; infants born in 1915 who lived at least two weeks in dwellings studied.

								Infant	s born	in 191	5 who	lived a	t least	2 week	ks in dv	velling	s stud	ied.				البيالا			
Sanitary condi- tion of dwelling.			- 1	H					Y			Wa	rd of r	esiden	ce.										
	Total.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Total	10, 336	754	598	601	207	380	572	621	570	484	317	137	394	434	266	577	405	228	257	361	573	431	250	341	578
Water supply: City Well.	10, 288	754	597	601	207	380	572	621	570	476 6	317	137	392	426 4	266	569 6	398	228	257	360 1	560 11	431	250		578

												- 1												1	
Spring No water Location of water:	6									2			1	2 2		1 1	3 1				1 1				
Dwelling Hall Yard No water Not reported Bath:	9,994	715 27 12	566 25 7	560 38 3	200 7	374 4 2	569	619	569	466 3 15	314	137	387 3 2 2 2	408 1 23 2	262	563 5 8 1	393	221 4 3	255	349 4 8	550 1 20 2	410 21	242 5 3	310 4 27	55
Bath: Bath No bath Notreported. Sewer connection:	6, 111 4, 215 10	318 436	128 469 1	99 500 2	92 115	139 241	373 199	497 123 1	512 56 2	395 89	194 122 1	89 48	337 57	257 177	212 54	495 . 82	336 69	123 105	133 124	246 115	422 151	221 210	79 170 1	143 196 2	27 30
Toilet con- nected	7,960	472	582	592	205	364	517	614	511	317	312	134	313	191	260	451	308	197	220	234	296	178	233	198	26
Toilet not connected. No toilet	. 2	279	14	8	2	16	55	6	59	166	5	3	81	243	6	126	95 1	31	37	126	277	253	16 1	143	31
Not reported.	10	3	2	1 -	100		1	1 -	1	1 -	Per	cent	listribu	ition.1					1		1	1	1	1	
Bath	40.8	100. 0 42. 2 57. 8	100. 0 21. 4 78. 4 . 2	100. 0 16. 5 83. 2 . 3	100. 0 44. 4 55. 6	36.6	100. 0 65. 2 34. 8	100. 0 80. 0 19. 8 . 2	89.8	100. 0 81. 6 18. 4	100. 0 61. 2 38. 5 . 3	100. 0 65. 0 35. 0	100. 0 85. 5 14. 5	100. 0 59. 2 40. 8	100. 0 79. 7 20. 3	100. 0 85. 8 14. 2	100. 0 83. 0 17. 0	100. 0 53. 9 46. 1	100. 0 51. 8 48. 2	100. 0 68. 1 31. 9	100. 0 73. 6 26. 4	100. 0 51. 3 48. 7	31.6	100. 0 41. 9 57. 5 . 6	100. 0 46. 9 53. 1
tion	100.0	-	100. 0 97. 3			100.0		1										-			700				1
Toilet con-	mm o			98.5	99.0	95.8	90.4	98.9	89.6	65. 5	98.4	97.8	79.4	44.0	97.7	78. 2	76.0	86.4	85.6	64.8	51.7	41.3	93. 2	58.1	45. 2
Toilet con- nected Toilet not connected. No toilet		62.6	2.3	1.3	1.0	4.2	9.6	1.0	10.4	34.3	1.6	2.2	20.6	56.0	2.3	21.8	23.5	13.6	14.4	34.9	48.3	58.7	6.4	41.9	54. 8

¹ Not shown when less than one-tenth of 1 per cent.

				-							Li	ve bi	rths in	n 1915	i.				10.0						
Earnings of father and color of mother.	m											W	ard of	resid	ence.										
1	Total.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
All mothers	10,797	790	620	627	215	396	596	649	598	496	331	145	409	449	289	598	417	252	269	381	606	447	001	071	-
Earnings of father:									-				100	110	200	998	417	202	209	991	606	447	261	351	60
Under \$450 \$450-\$549 \$550-\$649 \$650-\$849 \$550-\$1,049 \$1,050-\$1,249 \$1,250-\$1,249 \$1,250-\$1,249 \$1,250-\$1,249 \$1,250-\$2,249 \$2,250-\$2,249 \$2,250-\$2,249 \$2,850 and over No earnings. Not reported White mothers.	1,544 1,449 1,489 2,417 1,595 661 419 371 139 95 197 207 214	93 121 146 209 124 30 21 17 5 7 5 12 786	143 114 136 121 51 12 9 6 3 3 3	186 135 90 118 33 13 11 6 5 22 8 616	46 32 33 37 27 10 7 6 1 2 5 9	105 97 54 56 43 9 3 11 4 1 1 8 4	67 75 91 151 99 29 34 14 6 4 6 9 11	57 72 90 166 126 49 29 17 2 2 7 20 12	49 65 83 167 109 48 28 19 4 3 6 10 7	33 41 50 108 125 51 22 29 12 4 5 5 11	49 48 46 76 60 13 12 12 1 1 2 10 1	34 29 5 13 13 2 4 2 8 1 19 4 11	37 28 44 68 62 37 18 24 13 17 40 11 10	25 33 64 114 78 39 17 27 10 7 25 4 6	58 47 28 39 21 16 15 13 7 7 13 16 9	54 56 52 91 80 52 43 57 25 28 37 9 14	49 27 34 70 71 51 35 37 14 6 9 5 9	98 41 23 35 21 7 3 3 1 1 1 7 11	48 41 26 48 37 18 12 14 3 3 3 6 13	43 55 53 86 51 46 16 8 3 1 3 9 7	33 42 63 184 133 61 33 30 7 4 5 5 6	61 67 80 125 65 18 10 5	70 45 40 50 25 8 4 2 3 9 2	50 51 50 93 55 18 12 4 2 7	58 100 199 88 22 2
Zarnings of fathers: Under \$450. \$450-\$549. \$550-\$649. \$550-\$649. \$850-\$1,049. \$1,050-\$1,249. \$1,250-\$1,449. \$1,450-\$1,849. \$2,250-\$2,849. \$2,250-\$2,849. \$1,850-\$1,840. \$1,850-\$1,840. \$1,850-\$1,840. \$1,850-\$1,840. \$1,850-\$1,840. \$1,850-\$1,840. \$1,850-\$1,840. \$1,850-\$1,840. \$1,850-\$1,840. \$1,850-\$1,840. \$1,850-\$1,840. \$2,750-\$2,849. \$2,850 and over. No earnings Not reported. Colored mothers	1,037 1,093 1,337 2,296 1,560 651 414 365 138 94 196 138 173	90 121 146 209 124 30 21 17 5	139 109 134 121 51 12 9 6 3 3 3 11 11	179 133 90 117 33 13 11 6 5	29 23 28 33 25 10 7 6 1 2 3 7	75 68 43 51 43 9 3 11 4 1 1 5 3	51 57 82 146 99 29 • 34 14 6 4 6 7 9	42 45 80 161 121 49 29 17 2 6 6 13 10	39 62 77 164 109 48 28 19 4 3 6 10 7	23 30 46 104 125 51 22 29 12 4 5 4 10	34 45 46 74 58 13 12 12 1 1 2 6 1	3 5 8 11 2 4 2 8 1 19 3 8 71	15 16 35 63 60 37 16 22 13 17 40 5 9	23 32 62 113 78 39 17 27 10 7 25 4 6	10 9 7 20 14 12 13 12 7 6 13 3 4	9 21 34 79 78 52 42 56 24 28 37 3 5	9 8 28 61 68 49 35 36 14 6 9 2 7	11 2 6 15 16 4 3 2 1 1 1 2 4	21 21 22 43 35 18 12 14 3 3 3	24 40 47 82 51 45 16 8 3 1 3 5 6	30 33 63 183 133 61 33 30 7 4 5 4 5	46 56 73 120 63 18 10 5 1 7 8 40	46 26 34 45 24 8 4 2 3 6 2	33 44 46 92 55 18 12 4 2	56 87 108 192 86 24 21 8 1 1 1 1 5 15
Under \$450. \$450-\$549.	507 356	3	5	7 2	17 9	30 29	16 18	15 27	10 3	10 11	15	31 24	22 12	2 1	48 38	45 35	40 19	87 39	27 20	19 15	3 9	15 11	24 19	17	

Digitized for FRASER
https://fraser/stlouisfed.org

t		١	
ı	0	Š	

\$50-\$649 \$650-\$849 \$1,050-\$1,249 \$1,250-\$1,449 \$1,450-\$1,849 \$1,850-\$2,249 \$2,250-\$2,849 \$2,850 and over No earnings Not reported	152 121 35 10 5 6 1 1 1 69 41	1		i		11 5		10 5 5 1 7 2	6 3	1 1	2 2 2	5 5 2 1 3 cent (6 1	2 1		18 12 2 1 1 1 1 6 9	6 9 3 213 2	17 20 5 3 1 5 7	4 3	6 4 1 4 1	1 1 1	7 5 2		2	
All mothers	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Earnings of father:	14.3 13.4 13.8 22.4 14.8 6.1 3.9 3.4 1.3 9 1.8 1.9 2.0	15.3 18.5 26.5 15.7 3.8 2.7 2.2 .6	18. 4 21. 9 19. 5 8. 2 1. 9 1. 5 1. 0	21. 5 14. 4 18. 8 5. 3 2. 1 1. 8 1. 0 . 8	14.9 15.3 17.2 12.6 4.7 3.3 2.8	24. 5 13. 6 14. 1 10. 9 2. 3 . 8 2. 8 1. 0	12.6 15.3 25.3 16.6 4.9 5.7 2.3 1.0 .7 1.0	13. 9 25. 6 19. 4 7. 6 4. 5 2. 6 . 3	10. 9 13. 9 27. 9 18. 2 8. 0 4. 7 3. 2 . 7 . 5 1. 0 1. 7	10. 1 21. 8 25. 2 10. 3 4. 4 5. 8 2. 4 .8 1. 0 1. 0	14.8 14.5 13.9 23.0 18.1 3.9 3.6 3.6 3.6 3.0	3. 4 9. 0 9. 0 1. 4 2. 8 1. 4 5. 5 .7 13. 1 2. 8	10. 5 16. 6 15. 2 9. 0 4. 4 5. 9 3. 2 4. 2 9. 8 2. 7	17. 4 8. 7 3. 8 6. 0 2. 2 1. 6 6. 5	20. 1 16. 3 9. 7 13. 5 7. 3 5. 5 2. 4 4. 5 5. 5 3. 1	8.7 15.2 13.4 8.7 7.2 9.5 4.2	8. 2 16. 8 17. 0 12. 2 8. 4 8. 9 3. 4 1. 4 2. 2 1. 2	16.3 9.1 13.9 8.3 2.8 1.2 1.2	9. 7 17. 8 13. 8 6. 7 4. 5 5. 2 1. 1 1. 1	13. 9 22. 6 13. 4 12. 1 4. 2 2. 1 . 8 . 3	6. 9 10. 4 30. 4 21. 9 10. 1 5. 4 5. 0 1. 2	15. 0 17. 9 28. 0 14. 5 4. 0 2. 2 1. 1	17. 2 15. 3 19. 2 9. 6 3. 1 1. 5 1. 1 2 1. 1 3. 4	14. 5 14. 2 26. 5 15. 7 5. 1 3. 4 1. 1 . 6	9.3 14.4 17.9 31.7 14.2 4.0 3.5 1.3 2 2 2.5

					In	fants who	lived at	least 2 we	eks in dw	ellings of	specified	monthly	rental.			9	
Ward of residence.	Total infants.	Und	er \$5.	\$5, un	der \$10.	\$10, un	der \$15.	\$15, un	der \$ 25.	\$25, un	der \$50.	\$50 an	d over.	Fi	ee.	Rent • repo	tal not orted.
		Number.	Per cent.	Number.	Per cent.	Number.	Per cent.	Number.	Per cent.	Number.	Per cent.	Number.	Per cent	Number.	Per cent.	Number.	Percent
Total	7,300	350	4.8	2,579	35. 3	2,324	31.8	1,180	16. 2	331	4. 5	44	0.6	95	1.3	397	5. 4
1 2 2 3 4 4 5 5 6 6 6 7 7 8 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	429 462 501 181 318 341 296 393 397 274 256 118 268 329 202 356 247 193 215 274 388 346 215 229 249 249 249 249 259 269 279 279 279 279 279 279 279 279 279 27	69 119 655 11 100 255 11 12 2 111 12 2 66 11 13 3 3 11 15 5 5 21	16. 1 25. 8 13. 0 .6 3. 1 .6 1. 7 .3 3. 1. 1 .4 .8 .7 .3 .3 1. 0 1. 7 .3 .3 1. 1 .8 .8 .7 .3 .1 .1 .6 .7 .7 .3 .3 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1	232 264 302 86 151 127 86 105 51 101 5 39 77 99 28 42 52 23 11 66 89 84 145 102 142 170	54. 1 57. 1 60. 3 57. 5 47. 5 37. 2 29. 1 26. 7 18. 6 39. 5 4. 2 14. 6 24. 0 11. 8 21. 1 16. 1 30. 7 32. 5 21. 6 41. 9 47. 4 49. 1 49. 1	91 46 922 36 977 135 126 198 199 98 24 47 91 112 47 91 75 51 77 71 171 144 65 99 146	21. 2 10. 0 18. 4 19. 9 30. 5 39. 6 42. 6 49. 1 43. 4 38. 3 20. 3 34. 0 34. 0 23. 3 25. 6 23. 5 26. 4 4. 1 41. 6 30. 2 34. 9	20 12 7 7 21 37 53 51 76 82 36 35 57 67 49 115 92 92 112 21 21 24 31	4. 7 2. 6 1. 4 11. 6 11. 6 11. 5 15. 5 17. 2 19. 3 29. 9 14. 1 29. 7 21. 3 32. 3 32. 3 32. 3 37. 2 36. 8 16. 7 15. 5 16. 7 16. 6 17. 2 19. 3 3 20. 4 3 3 20. 6 16. 5 16.	2 1 3 3 13 1 1 6 6 3 5 3 23 45 26 74 28 8 8 8 18 18 18 18 18 18 19 22 22 21 21 21 21 21 21 21 21 21 21 21	.5 .2 .6 .6 .7 .2 .3 .3 .2 .0 .8 .8 .1 .2 .19 .5 .16 .8 .7 .9 .2 .2 .3 .3 .3 .2 .0 .0 .8 .8 .1 .2 .1 .9 .2 .0 .8 .7 .2 .9 .9 .9 .9 .9 .9 .9 .9 .9 .9 .9 .9 .9	10 12 10 3 7	.3 8.55 4.5 3.0 1.55 2.0	8 2 4 4 4 3 8 5 4 3 1 1 5 8 4 1 1 4 2 6 6 4 4 5 1 3 6	1.7 .4 2.2 2.3 .9 2.7 1.3 1.5 5 1.2 2.4 2.0 0.0 1.6 1.0 2.8 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0	15 12 30 20 20 18 13 10 10 14 19 177 16 6 6 5 5 18 16 8 8 3 3 3 3 3 3 3 20 0 20 0 20 11 2 12 12 12 12 12 12 12 12 12 12 12 1	3. 2. 6 6. 11. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1

Table 7.—Tenure of dwelling, by ward of residence; infants born in 1915 who lived at least two weeks in dwellings studied.

Ward of residence.	Total infants.		g owned.	Dwellin	g rented.	Family l	onarding	
Motel 1		Number.	1				our unig.	Tenure
(Total		- Carroot	Per cent.	Number.	Per cent.	Number.	Per cent.	not re- ported.
10081	10, 336	2, 879	27.9	7, 300	70.6	156	1.5	
	754	322	42.7	429	56.9	3	.4	
	598	136	22.7	462	77.3			
	601	97	16.1	501	83. 4	3	.5	
	207	16	7.7	181	87. 4	10	4.8	
	380	55	14.5	318	83.7	7	1.8	********
	572	225	39.3	341	59.6	6	1.0	
	621	310	49.9	296	47.7		1.0	
	570	169	29.6	393		15	2.4 1.2	
	484	192	39. 7		68.9	7	1.2	
				274	56.6	18	3.7	
	317	61	19. 2	256	80.8			
	137	16	11.7	118	86.1	3	2.2	
	394	114	28.9	268	68.0	12	3.0	
	434	92	21.2	329	75.8	13	3.0	
	266	58	21.8	202	75.9	6	2.3	
	577	214	37.1	356	61.7	7	1.2	
	405	153	37.8	247	61.0	5	1.2	
	228	29	12.7	193	84.6	- 6	2.6	
	257	37	14.4	215	83.7	5	1.9	
	361	81	22.4	274	75. 9	6	1.7	
	573	180	31.4	388	67. 7		.9	
	431	83	19.3	346	80.3	5 2	.5	
	250	28	11.2	215	86.0	7	0.0	
	341	51	15.0	289			2.8	
	578	160	27.7	409	84. 8 70. 8	1 9	1.6	

Table 8.—Tenure of dwelling, by color and nationality of mother; infants born in 1915 who lived at least two weeks in dwellings studied.

		Infa	nts w	ho live	d at le	ast 2 w	eeks in	n dwell	lings o	f specif	fied ter	nure.
			D	welling	gowne	ed.						
Color and nationality of mother.	Total infants.	To	tal.		y ents.	By oth	hers in		elling ted.		nily ding.	Ten- ure not re- port-
		Num- ber.	Per cent.	Num- ber.	Per cent.	Num- ber.	Per cent.	Num- ber.	Per cent.	Num- ber.	Per cent.	ed.
Total	10,336	2,879	27.9	2,367	22.9	512	5.0	7,300	70.6	156	1.5	1
Native white Foreign-born white	6,464 2,649	1,991 814	30. 8 30. 7	1, 541 785	23. 8 29. 6	450 29	7. 0 1. 1	4, 351 1, 820	67.3 68.7	121 15	1.9	1
Jewish	931 597 394 308	241 174 97 144	25. 9 29. 1 24. 6 46. 8	237 168 93 135	25. 5 28. 1 23. 6 43. 8	4 6 4 9	1.0 1.0 2.9	684 423 296 163	73. 5 70. 9 75. 1 52. 9	61	.6	
and English-Canadian 1 Bohemian Lithuanian All other	127 101 96 95	33 74 20 31	26. 0 73. 3 20. 8 32. 6	32 71 19 30	25. 2 70. 3 19. 8 31. 6	1 3 1 1	.8 3.0 1.0 1.1	92 27 72 63	72.4 26.7 75.0 66.3	2 4 1	1.6 4.2 1.1	
Colored	1,223	74	6, 1	41	3.4	33	2.7	1,129	92.3	20	1.6	

¹ Includes 93 Irish, 18 English, 8 Scotch, and 8 English-Canadian.

Table 9.—Tenure of dwelling, by earnings of father; infants born in 1915 who lived at least two weeks in dwellings studied.

		Infa	nts w	ho live	datle	ast 2 w	reeks i	n dwel	lings o	f specif	fied ter	nure.
			D	wellin	g own	ed.						Ten-
Earnings of father.	Total infants.	Tot	tal.	pare	y ents.	By oth	hers in		lling ted.	Fan	nily ding.	ure not re-
		Num- ber.	Per cent.	Num- ber.	Per cent.	Num- ber.	Per cent.	Num- ber.	Per cent.	Num- ber.	Per cent.	port- ed.
Total	10,336	2,879	27.9	2,367	22.9	512	5.0	7,300	70.6	156	1,5	1
Under \$450. \$450-\$549. \$550-\$849. \$550-\$1,249. \$1,250-\$1,849. \$1,850 and over. No earnings. Not reported.	1,457 1,387 3,749 2,183 751 419 192 198	171 202 907 911 375 236 23 54	11. 7 14. 6 24. 2 41. 7 49. 9 56. 3 12. 0 27. 3	135 161 703 762 333 220 14 39	9.3 11.6 18.8 34.9 44.3 52.5 7.3 19.7	36 41 204 149 42 16 9 15	5.4	1,270 1,172 2,786 1,239 361 180 153 139	87. 2 84. 5 74. 3 56. 8 48. 1 43. 0 79. 7 70. 2	16 13 56 33 15 3 16 4	1.1 .9 1.5 1.5 2.0 .7 8.3 2.0	i

Table 10.—Dwellings in building; infants born in 1915 who lived at least two weeks in dwellings studied.

N W 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Infants while least 2 we ings studi	no lived at eksin dwellied.		Infants while least 2 we ings stud	ho lived at eksindwell- ied.
Dwellings in building.	Number.	Per cent distribu- tion.	Dwellings in building.	Number.	Per cent distribu- tion.
Total	10,336	100.0	4	196	1.9
1	6, 972 2, 051 812	67.5 19.8 7.9	5-9. 10 and over. Not reported.	218 61 26	2.1 .6 .3

Table 11.—Color, nativity, and mother tongue of population in Baltimore and in Continental United States, 1910.1

		Population	
Color, nativity, and mother tongue.	Balti	more.	Continental United States.
	Number.	Per cent distribu- tion.	Per cent distribu- tion.
Total	558, 485	100.0	100.0
Native white: Native parentage Foreign or mixed parentage.	261, 474 134, 870	46. 8 24. 1	53. 8 20. 5
German English and Celtic. Yiddish and Hebrew Polish. Bohemian and Moravian. Italian All other.	68, 898 29, 740 11, 557 10, 476 4, 396 3, 497 6, 306	12.3 5.3 2.1 1.9 .8 .6 1.1	6. 6 7. 3 . 7 . 8 . 3 . 9 4. 0
Foreign-born white	77,043	13.8	14. 5
German English and Celtic. Yiddish and Hebrew Polish Bohemian and Moravian Italian. All other.	25, 104 10, 603 15, 585 11, 123 3, 354 5, 043 6, 231	4.5 1.9 2.8 2.0 .6 .9	3. 0 3. 7 1. 1 1. 0 . 2 1. 5 4. 0
NegroOther colored	84, 749 349	15. 2 . 1	10.7

¹ Thirteenth Census of the United States, Vol. I, pp. 125, 207, 998-1015.

Table 12.— Years of residence of mother in the United States, by nationality of mother; births 1 in 1915 to foreign-born white mothers.

	Birth	ns ¹ in 191	5 to for	eign-born	white n	nothers o	f specifi	ed nation	ality.
Years of residence of mother in the United States.	Total. births.1	Jewish.	Polish.	Italian.	Ger- man.	Irish, Eng- lish, Scotch, and Eng- lish- Cana- dian. ²	Bohe-mian,	Lithua- nian.	All other.3
Total	2,894	1,011	655	440	331	138	112	105	- 102
Under 5	651	188	160	157	48	15	12	22	49
1	132 186 184 149	41 55 55 37	31 40 45 44	37 40 41 39	5 21 12 10	3 5 2 5	1 3 5 3	4 8 7 3	10 14 17 8
5–9. 10–14. 15–19. 20 and over. Not reported.	792 601 303 535 12	294 258 113 155 3	174 114 73 132 2	126 79 45 33	67 59 23 130 4	24 32 25 40 2	32 23 10 34 1	51 18 8 6	24 18 6 5
				Per cen	t distrik	oution.			
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 5	22.5	18.6	24.4	35.7	14.5	10.9	10.7	21.0	48.0
1	4.6 6.4 6.4 5.1	4.1 5.4 5.4 3.7	4.7 6.1 6.9 6.7	8. 4 9. 1 9. 3 8. 9	1. 5 6. 3 3. 6 3. 0	2. 2 3. 6 1. 4 3. 6	2.7 4.5 2.7	3. 8 7. 6 6. 7 2. 9	9. 8 13. 7 16. 7 7. 8
5–9 10–14 15–19 20 and over Not reported	27. 4 20. 8 10. 5 18. 5 . 4	29. 1 25. 5 11. 2 15. 3 . 3	26.6 17.4 11.1 20.2 .3	28. 6 18. 0 10. 2 7. 5	20, 2 17, 8 6, 9 39, 3 1, 2	17. 4 23. 2 18. 1 29. 0 1. 4	28.6 20.5 8.9 30.4	48. 6 17. 1 7. 6 5. 7	23. 5 17. 6 5. 9 4. 9

Table 13.—Ability to speak English, by literacy and nationality of mother; births in 1915 to foreign-born white mothers of non-English-speaking nationalities.

		Bi	irths in 1918	5.	
Literacy and nationality of mother.	Total.		s able to English.		not able to English.
		Number.	Per cent.1	Number.	Per cent.1
Foreign-born white mothers of non-English-speaking nationalities:					
Literate	1,920	1,417	73.8	503	26, 2
Illiterate	777	227	29. 2	550	70.8
Jewish:					
Literate	814	697	85.6	117	14.4
Illiterate	176	112	63.6	64	36.4
	074	100		* **	
Literate	354 288	187	52.8	167	47.2
talian:	288	47	16.3	241	83.7
Literate	228	107	46, 9	121	53. 1
Illiterate	196	38	19.4	158	
German:	190	90	19.4	198	80.6
Literate	306	272	88.9	34	11.1
Illiterate	21	8	00.9	13	11. 1
All other:		0		10	
Literate	218	154	70, 6	64	29.4
Illiterate	96	22	10.0	74	25. 1

¹ Not shown where base is less than 100.

¹ Includes miscarriages.

2 Includes: 101 Irish, 19 English, 8 Scotch, and 10 English-Canadian.

3 Includes: 24 Russian, 19 Greek, 13 Magyar, 8 Norwegian, 6 Serbian, 5 French, 5 Slovak, 4 Rumanian, 4 Ruthenian, 3 French-Canadian, 3 Dutch, 2 Slavic (n. o. s.), 2 Spanish, 2 Swedish, 1 Arabian, and 1 Danish.

Table 14.—Ability to speak English, by years in the United States and nationality of mother; births in 1915 to foreign-born white mothers of non-English-speaking nationalities.

	Births	to foreig	n-born w		thers rep United St		pecified	number	of years
The second second	Ţ	Jnder 5.			5–9.		10 a	nd over.	
Nationality of mother.			to speak		Unable Eng	to speak lish.		Unable t Eng	
	Total.	Num- ber.	Per cent.1	Total.	Num- ber.	Per cent.	Total.	Num- ber.	Per cent.
Total foreign-born white mothers of non-Eng- lish-speaking nation- alties	627	473	75.4	755	339	44. 9	1,310	245	18.7
Jewish	186 158 152 48 83	104 151 136 23 59	55. 9 95. 6 89. 5	288 171 124 67 105	48 134 84 13 60	16. 7 78. 4 67. 7 19. 4 57. 1	514 312 150 208 126	30 123 61 11 20	5. 8 39. 4 40. 7 5. 3 15. 9

¹ Not shown where base is less than 50.

Table 15.—Literacy of mother, by color and nationality of mother and earnings of father; births in 1915.

			Per cer	it 1 of birt	ths to illi	terate m	others.		
			TA.	Col	lor and r	nationali	y.		
Earnings of father.	Total.	Native			Col-				
- 1- 1- 1		white.	Total.	Jewish.	Polish.	Italian.	Ger- man.	All other.	ored.
Total	9.7	1.9	27.5	17.8	44.8	46.0	6.4	22, 4	12.5
Total Inder \$450 150-\$549 550-\$649 550-\$849 50 and over o earnings ot reported	22. 6 16. 4 11. 7 5. 9 2. 6 15. 3 7. 5	6. 1 5. 0 2. 7 1. 6 0. 5	43. 1 37. 5 29. 6 17. 8 11. 8 50. 9 21. 6	26. 2 27. 5 19. 0 11. 8 8. 8	54. 3 48. 9 45. 6 31. 0 32. 2	62. 3 51. 6 40. 0 30. 6 29. 5	(1) (1) 6. 6 5. 3 2. 1	43. 7 25. 0 26. 6 15. 6 8. 2	14. 2 10. 9 14. 6 10. 4 4. 8 9. 8

¹ Not shown where base is less than 50.

Table 16.—Ability of mother to speak English, by earnings of father and nationality of mother; births in 1915 to foreign-born white mothers of non-English-speaking nationalities.

A STATE OF THE STA			s to moth			
Earnings of father.	All non- English- speaking nation- alities.	Jewish.	Polish.	Italian.	German.	All other.
Total	39.1	18.4	63. 5	66.0	14.4	44.6
Under \$450. \$450-\$549. \$550-\$649. \$650-\$849. \$850 and over. No earnings. No reported.	57. 6 45. 7 43. 1 32. 5 18. 9 48. 1 30. 0	33. 8 18. 3 17. 4 16. 7 9. 1	74. 4 65. 2 59. 2 56. 6 52. 5	77. 0 67. 7 62. 0 54. 1 55. 7	26. 2 14. 7 5. 2	33. 8 20. 0

¹ Not shown where base is less than 50.

Table 17.—Occupation group of father, by color and nativity of mother; births in 1915.

	-			Births to n	nothers of spe	ecified color	and nativity	4
Occupation group 1 of father.	Total	births.	Native	white.	Foreign-be	orn white.	Colo	red.
	Number.	Per cent distribution.	Number.	Per cent distribution.	Number.	Per cent distribu- tion.	Number.	Per cent distribution.
Total	11, 195	100.0	6,937	100.0	2,837	100.0	1,421	100.0
Group I. Group II. Group III. Group III. Group IV. Group V. No occupation Occupation not reported. Own income	1,757 3,535 2,591 2,381 706 201 17	15.7 31.6 23.1 21.3 6.3 1.8 .2	522 1,888 2,048 1,833 549 85 8 4	7.5 27.2 29.5 26.4 7.9 1.2 .1	1,179 470 505 134 44 4 2	17. 6 41. 6 16. 6 17. 8 4. 7 1. 6 . 1	736 468 73 43 23 72 5	51. 8 32. 9 5. 1 3. 0 1. 6 5. 1

¹ For grouping see p. 36.

Table 18.—Infant mortality and stillbirth rates, by earnings of father, and color and nationality of mother; births 1 in 1915.

		Misca	rriages.		Still	births.			Infant
Earnings of father and color and nationality of mother.	Total births.1	Num- ber.	Per cent.2	Births.	Num- ber.	Per cent.2	Live births.	Infant deaths.	mor- tality rate.2
All mothers	11,613	418	3.6	11, 195	398	3.6	10,797	1,117	103.
Earnings of father: Under \$450. \$450. \$549. \$450. \$549. \$550. \$649. \$650. \$849. \$850. \$1,049. \$1,050. \$1,249. \$1,250. \$1,449. \$1,450. \$1,849. \$2,250. \$2,849. \$2,250. \$2,849. \$2,250. \$2,040. \$1,850. \$2,040. \$2,050. \$2,040.	200	75 51 47 85 56 27 19 17 3 3 7	4.4 3.2 3.0 3.3 3.3 3.8 4.2 4.3 2.1 2.9 3.3 5.6	1,615 1,523 1,543 2,490 1,640 678 430 380 143 100 205 222	71 74 54 73 45 17 11 9 4 5 8	4. 4 4. 9 3. 5 2. 9 2. 7 2. 5 2. 6 2. 4 2. 8 5. 0 6. 8	1,544 1,449 1,489 2,417 1,595 661 419 371 139 95 197 207	242 171 162 232 114 44 31 32 5 3 8 43	156, 118, 108, 96, 71, 66, 74, 86, 36, 40,
Not reported	241	15	1	226	12	5.3	214	30	140.
White mothers Earnings of father:	10,104	330	3.3	9,774	282	2.9	9,492	910	95.9
Under \$450. \$450-\$549 \$550-\$649 \$650-\$849 \$850-\$1,049 \$1,050-\$1,249 \$1,250-\$1,449 \$1,450-\$1,849 \$1,450-\$2,249 \$2,250-\$2,849 \$2,250-\$2,849 \$No earnings Not reported.	1,087 1,165 1,420 2,440 1,655 695 444 391 145 102 211 156 193	28 38 41 75 53 27 19 17 3 3 7 8	2.6 3.3 2.9 3.1 3.2 3.9 4.3 4.3 2.1 2.9 5.1 5.7	1,059 1,127 1,379 2,365 1,602 668 425 374 142 99 204 148 182	22 34 42 69 42 17 11 9 4 5 8	2.1 3.0 3.0 2.9 2.6 2.5 2.6 2.4 2.8	1,037 1,093 1,337 2,296 1,560 651 414 365 138 94 196 138 173	159 111 141 218 108 43 28 32 5 3 3 8 29 25	153.3 101.6 105.5 94.9 69.2 66.1 67.6 87.7 36.2 40.8 210.1
Native mothers	7,210	273	3.8	6,937	198	2.9	6,739	646	95. 9
Earnings of father: Under \$450 \$450 - \$549 \$450 - \$549 \$550 - \$649 \$550 - \$649 \$550 - \$1,049 \$1,050 - \$1,249 \$1,250 - \$1,449 \$1,450 - \$1,849 \$1,450 - \$2,249 \$2,250 - \$2,849 \$2,250 - \$2,849 \$2,850 and over No earnings Not reported	477 686 971 1, 840 1, 328 591 340 339 115 89 191 103 140	17 23 35 64 45 25 18 16 3 3 7	3.6 3.4 3.6 3.5 3.4 4.2 5.3 4.7 2.6	460 663 936 1,776 1,283 566 322 323 112 86 184 95	11 19 28 50 32 15 8 8 4 5 7	2.4 2.9 3.0 2.8 2.5 2.7 2.5 2.5 3.6	449 644 908 1,726 1,251 551 314 315 108 81 177 88 127	74 83 98 165 86 40 24 29 5 3 6 16	164. 8 128. 9 107. 9 95. 6 68. 7 72. 6 76. 4 92. 1 46. 3
Foreign-born mothers	2,894	57	2.0	2,837	84	3.0	2,753	264	95. 9
Earnings of father:	610 479 449 600 327 104 104 52 30 13 20 53 53	11 15 6 11 8 2 1 1	1, 8 3, 1 1, 3 1, 8 2, 4 1, 9 1, 0	599 464 443 589 319 102 103 51 30 13 20 53 51	11 15 14 19 10 2 3 1	1.8 3.2 3.2 3.2 3.1 2.0 2.9	588 449 429 570 309 100 100 50 30 13 19 50 46	85 28 43 53 22 3 4 3	144.6 62.4 100.2 93.0 71.2 30.0 40.0
Italian	440	14	3.2	426	14	3.3	412	36	87.4
Earnings of father: Under \$450 \$450-\$549 \$550-\$649 \$650-\$849 \$850-\$1,049	124 99 50 89 33	2 6 4 1	1.6	122 93 50 85 32	2 3 4 1 1	1.6	120 90 46 84 31	20 4 3 7	166.7

¹ Includes miscarriages.

² Not shown where base is less than 100.

Table 18.—Infant mortality and stillbirth rates, by earnings of father, and color and nationality of mother; births ¹ in 1915—Continued.

		Miscar	riages.		Stillb	irths.			Infant
Earnings of father and color and nationality of mother.	Total births. ¹	Num- ber.	Per cent.2	Births.	Num- ber.	Per cent.2	Live births.	Infant deaths.	mor- tality rate. ²
Earnings of father—Contd.				2.0					
Earnings of lather—Contol. \$1,050-\$1,249 \$1,250-\$1,449 \$1,450-\$1,849 \$1,850-\$2,249 \$2,250-\$2,849 \$2,250 and over	15 8			15 8			15 8		
\$1,450-\$1,449	5			5			5		
\$1,850-\$2,249									
\$2,250-\$2,849	1			1			1		
\$2,850 and over No earnings	6			6	2		4	1	
Not reported	10	1		9	1		8	1	
Jewish	1,011	20	2.0	991	30	3.0	961	49	51.
Earnings of father:	100			105		0.0	100	44	E77
Under \$450 \$450-\$549	198 146	3 4	1.5 2.7	195 142	5 3	2.6 2.1	190 139	11 3	57. 21.
\$550-\$649	124	3	2.4	121	4	3.3	117	8	68.
\$650-\$849	190	4	2.1	186	5	2.7	181	13	71.
\$850-\$1,049	129	4	3.1	125	6	4.8	119	3	25.
\$1,050-\$1,249	43 59	2		41 59	2		41 57	1 1	
\$1,450-\$1,849	31			31			31	1	
\$1,050-\$1,249 \$1,250-\$1,449 \$1,450-\$1,849 \$1,850-\$2,249 \$2,250-\$2,849	21			21			21		
\$2,250-\$2,849	7			7			7 12		
\$2,850 and over No earnings	13 28			13 28	1 1		27	4	
Not reported	22			22	3		19	4	
Polish	655	12	1.8	643	18	2.8	625	102	163.
Earnings of father:									
Under \$450	168	4	2.4	164			164	34	207.
\$450-\$549 \$550-\$649	145 149	4 2	2.8	141 147	6	4.3 2.0	135 144	15 22	111 152
\$650-\$849	114	1	8.8	113	3 5 2	4.4	108	14	129
0050 01 040	45			45			43	10	
\$1,050-\$1,249 \$1,250-\$1,449 \$1,250-\$1,449 \$1,850-\$2,249 \$2,250-\$2,849	7			7	1 1		6		
\$1,250-\$1,449	5 1			5 1	1		1	1	
\$1,850-\$2,249	1			1			î		
\$2,250-\$2,849									
\$2,000 and over							10		
No earnings Not reported	10 10	1		10 9			10 9	4 2	
All other	788	11	1.4	777	22	2.8	755	77	102
Earnings of father:									
Under \$450	120	2	1.7	118	4	3.4	114	20	175.
\$450-\$549 \$550-\$649	89 126	1		88 125	3	2.4	85 122	6 10	82
\$650-\$849	207	1 2	1.0	205	3 3 8 1	3.9	197	19	96
\$850-\$1,049	120	3	2.5	117	1	.9	116	9	77
\$1,050-\$1,249	39			39	1		38	2 2	
\$1,250-\$1,449 \$1,450-\$1,849	32 15	1 1		31 14	1		31 13	2	
\$1,850-\$2,249	. 8			8			8		
\$1,450-\$1,849 \$1,850-\$2,249 \$2,250-\$2,849 \$2,850 and over	5			5			5		
\$2,850 and over No earnings	7 9			7			7 9	2 4	
Not reported	11			9	1		10	1	
Colored mothers	1,509	88	5.8	1,421	116	8.2	1,305	207	158
Earnings of father:									
Under \$450	603	47	7.8	556	49	8.8	507	83	163
\$450-\$549	409	13	3.2	396	40	10.1	356	60	168
\$550-\$649 \$650-\$849	170	6 10	3.5	164 125	12	7.3	152 121	21	138
\$850-\$1,049	41	3	1.4	38	3	0.2	35	6	
\$1,050-\$1,249	10			10			10	1	
\$1,250-\$1,449	5			5			5	3	
\$1,450-\$1,849	6			6			6		
\$1,850-\$2,249 \$2,250-\$2,849	1			1			1		
\$2,850 and over	1			1			1		
No earnings	79	5		74	5		69	14	
Not reported	48	4	Contract Contract	44	3		41	5	

¹ Includes miscarriages.

² Not shown where base is less than 100.

							Births	in 1915.						
Occupation of father.							Earn	ings of f	ather.					
	Total.	Under \$450	\$450- \$549	\$550- \$649	\$650- \$849	\$850- \$1,049	\$1,050- \$1,249	\$1,250- \$1,449	\$1,450- \$1,849	\$1,850- \$2,249	\$2,250- \$2,849	\$2,850- and over.	No earnings.	Not re ported
All occupations	11, 195	1,615	1,523	1,543	2, 490	1,640	687	430	380	143	100	205	222	220
Manufacturing and mechanical industries	5,040	734	725	810	1,313	748	282	172	96	33	16	49	1	6
Blacksmiths Boiler makers Builders and contractors. Compositors, linotypers, and pressmen Electricians and electrical engineers Factory operatives Metal Clothing Wood manufacturing. Food canning Other food manufacturing. Textile. Other. Laborers, helpers, and apprentices (not in manufacturing) Machinists, millwrights and toolmakers. Manufacturers, proprietors, officials, etc. Shoemakers and cobblers (not in factory) Skilled mechanics, building trades Tailors Engineers and firemen Others in manufacturing and mechanical industries.	54 42 49 146 98 2,588 951 669 71 170 58 470 325 244 181 66 816 91 162 2	2 464 131 164 24 34 26 6 9 76 125 3 3 11 75 21 7	13 7 1 12 3 474 162 117 40 17 29 14 19 5 86 3 4 4 17 71 13 9 9	6 3 14 6 506 204 114 11 32 210 81 56 9 9 1 1 9 124 13 33 11 32	111 13 22 34 288 709 2992 155 54 7 57 19 125 47 566 10 14 240 21 60 68	16 9 6 33 37 267 88 88 79 22 1 17 2 5 5 8 4 91 24 7 7 174 177 32 31	3 2 6 6 17 12 80 80 40 16 5 2 17 2 48 81 2 2 70	2 3 10 15 5 46 16 18 2 2 3 1 6	1 2 111 110 10 1 1 1 1 1 3 3 3 3 3 3 3 3 3	1 3 5 4 1 2 20	3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	7 2 1 1 1 40	1	222 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
Trade	1,957	222	249	245	354	275	120	129	125	54	35	79	8	62
Bankers, brokers, real estate and insurance agents Deliverymen Laborers Retail and wholesale dealers (officials, etc.). Salesmen and commercial travelers. Others in trade.	123 323 196 745 453 117	2 59 72 60 21 8	1 74 58 68 36 12	2 69 42 61 39 32	8 88 21 120 79 38	20 24 2 116 105 8	17 4 49 43 7	9 81 34 5	21 63 38 38	10 28 15	6 20 7 2	20 38 21	7	6 5 1 34 15

237

Transportation	1,792	375	319	258	381	230	108	32	32	7	3	10	1	36
Chauffeurs, teamsters, and expressmen. Conductors, motormen, and trainmen Express, post, telegraph, and telephone employees. Laborers.	353 402 80 730	78 12 3 274	84 18 7 197	85 22 2 133	68 122 25 89	24 126 15 18	6 58 16	1 21 2 1	3 13 10 1	3	1			4 6
Proprietors, officials, and managers Others in transportation	28 199	7	13	16	6 71	4 43	4 24	2 5	1 4	3 1	1 1	3 7	1	7
Clerical occupations	762	25	45	80	221	155	86	44	51	12	13	9		21
Domestic and personal service	758	215	130	85	137	69	31	26	19	7	5	4	3	27
Barbers Janitors and elevator operators	82 84	5 31	10 26	8 12	30	16 3	2	5	2	1	1		1	1
Proprietors and managers in hotels, pool rooms, etc Saloon keepers and bartenders. Servants.	66 114 124	4 12 61	4 8 27	1 15 14	13 21 12	12 15 6	10 6 3	7 11	8 5	1 5	2 2	1 3	1 1	100
Waiters. Others in domestic and personal service	106 182	30 72	16 39	12 23	19 31	9 8	6 4	3	4					7 5
Public service.	319	18	33	50	51	128	23	3	8	1		1		3
Firemen and policemenLaborers	147 79	1 11	18	5 34	11 15	115	13	1	1					
Officials and inspectors. Others in public service.	28 65	5	$\begin{array}{c} 3 \\ 12 \end{array}$	9	25	6	6 4	2	6	1		1		3
Professional and semiprofessional pursuits	297	8	10	7	25	33	28	24	47	29	28	53	1	4
Agriculture, animal husbandry, and extraction of minerals.	45	15	9	8	7	2			2					2
Farmers and farm workersFishermen	30	7 2	. 4	8	7	1			2					1
Quarrymen	13	6	5			1								1
Own income	7												. 7	
No occupation	201												201	
Not reported	17	3	3		1									10

*									Births	in 1915.								
					- 11				Occ	upation o	of father	r.	1					
Earnings of father and color and nativity of mother.	Totali	infants.	Iar	d II		I]	I	III aı	nd IV	I	п]	.V		v	porte	not re-
	Num- ber.	Per cent distri- bution.	Num- ber.	Per cent distri- bution.	Num- ber.	Per cent distri- bution.	Num- ber.	Per cent distri- bution.	Num- ber.	Per cent distri- bution.	Num- ber.	Per cent distri- bution. ²	Num- ber.	Per cent distri- bution.2	Num- ber.	Per cent distri- bution.2	Num- ber.	Per cent distri- bution,2
All mothers	11, 195	100.0	5, 292	100.0	1,757	100.0	3,535	100.0	4,972	100.0	2,591	100.0	2,381	100.0	706	100.0	225	100.0
Earnings of father: Under \$450. \$450-\$549. \$550-\$649. \$650-\$849. \$550-\$1,049. \$1,050-\$1,249. \$1,250-\$1,849. \$1,850 and over. No earnings. Not reported.	1, 615 1, 523 1, 543 2, 490 1, 640 678 810 448 222 226	14. 4 13. 6 13. 8 22. 2 14. 7 6. 1 7. 2 4. 0 2. 0 2. 0	1,324 1,138 1,016 1,152 392 107 78 8	25. 0 21. 5 19. 2 21. 8 7. 4 2. 0 1. 5 . 2	684 459 299 225 44 9 4	38. 9 26. 1 17. 0 12. 8 2. 5 . 5 . 2	640 679 717 927 348 98 74 8	18. 1 19. 2 20. 3 26. 2 9. 8 2. 8 2. 1 . 2	273 363 515 1, 286 1, 155 498 547 203 10 122	5. 5 7. 3 10. 4 25. 9 23. 2 10. 0 11. 0 4. 1 . 2 2. 5	156 212 356 798 505 232 208 63 2 59	6. 0 8. 2 13. 7 30. 8 19. 5 9. 0 8. 0 2. 4 . 1 2. 3	117 151 159 488 650 266 339 140 8 63	4.9 6.3 6.7 20.5 27.3 11.2 14.2 5.9 .3	15 19 12 51 93 73 185 237 4 17	2.1 2.7 1.7 7.2 13.2 10.3 26.2 33.6 .6 2.4	3 3 1 1 208 10	1.3 1.3 .4
Nativewhitemothers	6, 937	100.0	2,410	100.0	522	100.0	1,888	100.0	3,881	100.0	2,048	100.0	1,833	100.0	549	100.0	97	100.0
Earnings of father: Under \$450. \$450-\$549. \$550-\$649. \$650-\$849. \$650-\$1,049. \$1,050-\$1,249. \$1,250-\$1,849. \$1,850 and over. No earnings. Not reported.	460 663 936 1,776 1,283 566 645 382 95 131	6.6 9.6 13.5 25.6 18.5 8.2 9.3 5.5 1.4 1.9	314 426 556 707 248 74 50 7	13. 0 17. 7 23. 1 29. 3 10. 3 3. 1 2. 1 . 3	119 126 129 113 22 3 2	22.8 24.1 24.7 21.6 4.2 .6 .4	195 300 427 594 226 71 48 7	10. 3 15. 9 22. 6 31. 5 12. 0 3. 8 2. 5 4	141 227 371 1,034 966 436 445 170 2 89	3.6 5.8 9.6 26.6 24.9 11.2 11.5 4.4 .5 2.3	91 133 260 641 429 210 181 54 1	4. 4 6. 5 12. 7 31. 3 20. 9 10. 3 8. 8 2. 6 (⁸)	50 94 111 393 537 226 264 116 1 41	2. 7 5. 1 6. 1 21. 4 29. 3 12. 3 14. 4 6. 3 .1 2. 2	4 8 9 34 69 56 150 205 4 10	.7 1.5 1.6 6.2 12.6 10.2 27.3 37.3	1 2 1 89 4	

239

Foreign-born white	1		1		1	1					1	1 1		1				
mothers	2,837	100.0	1,678	100.0	499	100.0	1,179	100.0	975	100.0	470	100.0	505	100.0	134	100.0	50	100.0
Earnings of father: Under \$450. \$450-\$549 \$550-\$649. \$650-\$849. \$850-\$1,049. \$1,050-\$1,249. \$1,250-\$1,849. \$1,850 and over. No earnings.	599 464 443 589 319 102 154 63 53	21. 1 16. 4 15. 6 20. 8 11. 2 3. 6 5. 4 2. 2 1. 9	483 351 312 342 121 29 24 1	28.8 20.9 18.6 20.4 7.2 1.7 1.4 .1	207 122 83 64 14 4	41. 5 24. 4 16. 6 12. 8 2. 8 . 8	276 229 229 278 107 25 24 1	23. 4 19. 4 19. 4 23. 6 9. 1 2. 1 2. 0	105 107 129 234 175 60 98 33 7	10.8 11.0 13.2 24.0 17.9 6.2 10.1 3.4	54 61 84 142 67 22 24 9	11. 5 13. 0 17. 9 30. 2 14. 3 4. 7 5. 1 1. 9	51 46 45 92 108 38 74 24 6	10.1 9.1 8.9 18.2 21.4 7.5 14.7 4.8 1.2	10 5 2 13 23 13 32 29	7.5 3.7 1.5 9.7 17.2 9.7 24.0 21.6	1 1	
Not reported	51	1.8	15	.9	5	1.0	10	.8	27	2, 8	6	1.3	21	4.2	7	5.2	2	
Colored mothers	1,421	100.0	1,204	100, 0	736	100.0	468	100.0	116	100.0	73	100.0	43	100.0	23	100.0	78	100.0
Earnings of father: Under \$450. \$450-\$549. \$450-\$849. \$550-\$649. \$650-\$849. \$850-\$1,049. \$1,050-\$1,249. \$1,250-\$1,849. \$1,850 and over. No earnings.	556 396 164 125 38 10 11 3	39. 1 27. 9 11. 5 8. 8 2. 7 . 7 . 8 . 2 5. 2	527 361 148 103 23 4 4	43.8 30.0 12.3 8.6 1.9 .3	358 211 87 48 8 2 2	48.6 28.7 11.8 6.5 1.1	169 150 61 55 15 2	36.1 32.1 13.0 11.8 3.2 .4 .4	27 29 15 18 14 2 4	23. 3 25. 0 12. 9 15. 5 12. 1 1. 7 3. 4	11 18 12 15 9		16 11 3 3 5 2 1		1 6 1 4 1 4 3 3		1	
Not reported	44	3.1	34	2, 8	20	2.7	14	3.0	$\begin{bmatrix} 1 \\ 6 \end{bmatrix}$	5. 2	5	6.8	1				73 4	

¹ For grouping see p. 36.

ELess than one-tenth of 1 per cent.

² Not shown where base is less than 100.

Table 21.—Estimated median earnings of father, by occupation group of father and color and nativity of mother; births in 1915.

	Estimat	ed median	earnings	of father.2
Occupation group of father,1		Color and	l nativity	of mother.
	Total.	Native white.	Foreign- born white.	Colored.
Total ³ . Group I. Group II. Group III. Group IV. Group V	\$705 489 610 786 923 1,513	\$796 560 654 811 942 1,594	\$618 483 585 696 855 1,219	\$474 452 489 596 491 850

For grouping see p. 36.
 For method by which median earnings are computed, see Appendix IV, p. 197.
 Computations exclude cases of no occupation and cases in which earnings were not reported.

Table 22.—Earnings of father, by regularity of his employment, and by color and nativity of mother; births in 1915.

			Birth	s to moth	ers of spe	cified colo	or and nat	ivity.
Earnings of father and regularity of employment.	Total	births.	Native	white.		n-born ite.	Colo	ored.
	Number.	Per cent distri- bution.	Number.	Per cent distri- bution.	Number.	Per cent distri- bution.	Number.	Per cent distri- bution.
Fathers employed throughout the year	6, 524	100.0	4, 548	100.0	1,318	100.0	658	100.0
Earnings of father: Under \$450. \$450. \$549. \$550. \$649. \$650. \$849. \$850. \$1,049. \$1,050. \$1,249. \$1,250 and over. No earnings. Not reported.		4.6 10.0 12.8 24.8 19.4 8.5 18.1 .2 1.7	46 278 540 1,187 1,000 461 965 5 66	1. 0 6. 1 11. 9 26. 1 22. 0 10. 1 21. 2 1	73 143 192 347 239 83 203 6 32	5. 5 10. 8 14. 6 26. 3 18. 1 6. 3 15. 4 . 5 2. 4	179 233 100 85 26 10 12 1 12	27. 2 35. 4 15. 2 12. 9 4. 0 1. 5 1. 8
Fathers not employed throughout the year	4,639	100.0	2,365	100.0	1,517	100.0	757	100.0
Earnings of father: Under \$450. \$450-\$549. \$550-\$649. \$650-\$849. \$850-\$1,049. \$1,050-\$1,249. \$1,250 and over. No earnings. Not reported.	870 375 124 78	28. 4 18. 7 15. 3 18. 8 8. 1 2. 7 1. 7 4. 5 1. 8	414 385 396 588 283 105 62 90 42	17. 5 16. 3 16. 7 24. 9 12. 0 4. 4 2. 6 3. 8 1. 8	526 321 251 242 80 19 14 47 17	34.7 21.2 16.5 16.0 5.3 1.3 .9 3.1	377 163 64 40 12 2 73 26	49. 8 21. 5 8. 5 5. 3 1. 6
Fathers' employment not reported.	32		24		. 2		. 6	
Earnings of father: \$650-\$849. Not reported.	1 31		1 23		. 2		. 6	

Table 23.—Duration of nonemployment, by earnings of father, and by color and nativity of mother; births in 1915.

- Nega- Lagaria (III)			Birth	s to moth	ers of spe	cified colo	r and nat	ivity.
Duration of nonemployment	Total	births.	Native	white.	Foreig wh	n-born ite.	Colo	ored.
and earnings of father.	Num- ber.	Per cent distri- bution.	Num- ber.	Per cent distri- bution.	Num- ber.	Per cent distribution.	Num- ber.	Per cent distri- bution.
Total	11,195	100.0	6,937	100.0	2,837	100.0	1,421	100.0
Employed entire year Nonemployed	6,524 4,639	58. 3 41. 4	4,548 2,365	65, 6 34, 1	1,318 1,517	46. 5 53. 5	658 757	46.
Under 3 months	2,387 831 569 852	21. 3 7. 4 5. 1 7. 6	1,403 367 253 342	20. 2 5. 3 3. 6 4. 9	655 356 195 311	23. 1 12. 5 6. 9 11. 0	329 108 121 199	23. 2 7. 6 8. 2 14. 6
Employment not reported	32	.3	24	. 3	2	.1	6	
Under \$450	1,615	100.0	460	100.0	599	100.0	556	100.0
Employed entire year Nonemployed	298 1,317 359 386 285 287	18. 5 81. 5 22. 2 23. 9 17. 6 17. 8	46 414 100 121 125 68	10. 0 90. 0 21. 7 26. 3 27. 2 14. 8	73 526 109 183 116 118	12. 2 87. 8 18. 2 30. 6 19. 4 19. 7	179 377 150 82 44 101	32. 5 67. 6 27. 6 14. 7. 9 18. 5
\$450-\$549	1,523	100.0	663	100.0	464	100.0	396	100.0
Employed entire year	654 869 479 180 39 171	42. 9 57. 1 31. 5 11. 8 2. 6 11. 2	278 385 235 76 16 58	41. 9 58. 1 35. 4 11. 5 2. 4 8. 7	143 321 152 84 21 64	30.8 69.2 32.8 18.1 4.5 13.8	233 163 92 20 2 49	58.8 41. 23. 5. 12.
\$550-\$649	1,543	100.0	936	100.0	443	100.0	164	100.0
Employed entire year. Nonemployed. Under 3 months. 3 months, under 6. 6 months and over. Period not reported.	832 711 478 107 13 113	53.9 46.1 31.0 6.9 .8 7.3	540 396 273 64 9 50	57.7 42.3 29.2 6.8 1.0 5.3	192 251 161 38 3 49	27. 5 56. 7 36. 3 8. 6 . 7 11. 1	100 64 44 5 1 14	61.6 39.6 26.8 3.6 8.8
\$650-\$1,049	4,130	100.0	3,059	100.0	908	100.0	163	100.0
Employed entire year. Nonemployed. Under 3 months. 3 months, under 6. 6 months and over. Period not reported. Employment not reported.	2,884 1,245 904 137 16 188 1	69. 8 30. 1 21. 9 3. 3 . 4 4. 6	2,187 871 657 91 9 114 1	71.5 28.5 21.5 3.0 .3 3.7	586 322 208 46 7 61	64. 5 35. 5 22. 9 5. 1 .8 6. 7	111 52 39 13	68. 31. 23.
\$1,050 and over	1,936	100.0	1,593	100.0	319	100.0	24	
Employed entire year Nonemployed Under 3 months 3 months, under 6 6 months and over. Period not reported	1,734 202 155 13 1 33	89. 6 10. 4 8. 0 .7 .1 1, 7	1,426 167 132 10	89.5 10.5 8.3 .6	286 33 22 2 1 8	89.7 10.3 6.9 .6 .3 2.5	22 2 1 1	
No earnings Earnings not reported	222 226		95 131		53 51		74 44	

¹ Not shown where base is less than 100.

101351°-23---16

Table 24.—Cause of nonemployment of father, by color and nativity of mother; births in 1915.

	in the		Birth	s to moth	ers of spe	cified cole	or and nat	ivity.
Cause of nonemployment of father.	Total	births.	Native	white.		n-born ite.	Colo	red.
	Number.	Per cent distri- bution.	Number.	Per cent distri- bution.	Number.	Per cent distri- bution.	Number.	Per cent distri- bution.
Total.	11, 195	100.0	6,937	100.0	2,837	100.0	1, 421	100.0
Employed throughout year Nonemployed at some time during year	6, 524 4, 639	58. 3 41. 4	4, 548 2, 365	65. 6 34. 1	1,318 1,517	46. 5 53. 5	658 757	46. 3 53. 3
Work not available Illness Other reasons	3,625 721 293	32. 4 6. 4 2. 6	1,802 424 139	26. 0 6. 1 2. 0	1,248 223 46	44. 0 7. 9 1. 6	575 74 108	40. 5 5. 2 7. 6
Employment not reported	32	.3	24	.3	2	.1	6	.4

Table 25.—Duration of unemployment of father, by color and nativity of mother; births in 1915 in families with fathers unemployed because work was not available.

	Birt	hs in i	familie	s with	father	rs unei	mploye	ed beca	ause w	ork no	ot avai	lable.
				1	2	Color	r and r	ativit	y of mo	other.	1	PAY.
		Per cent dis-			tive wl	hite.	Fo	reign-b white.		(Colored	i.
Duration of unemployment of father.			nt dis-	3-7		ent dis-	Nº 1		nt dis-	*		nt dis-
	Num- ber.	In- clud- ing not re- port- ed.	Ex- clud- ing not re- port- ed.	Num- ber.	In- clud- ing not re- port- ed.	Ex- clud- ing not re- port- ed.	Num- ber.	Number. Including not reported.	Ex- clud- ing not re- port- ed.	Num- ber.	In- clud- ing not re- port- ed.	Ex- clud- ing not re- port- ed.
Total	3,625	100.0		1,802	100.0		1,248	100.0		575	100.0	
Duration not reported Duration reported	759 2, 866	20. 9 79. 1	100.0	303 1,499	16. 8 83. 2	100.0	274 974	22. 0 78. 0	100.0	182 393	31. 7 68. 3	100.0
Under 3 months	1, 983 660 175 34 14	54. 7 18. 2 4. 8 . 9 . 4	69. 2 23. 0 6. 1 1. 2 . 5	1,135 276 68 14 6	63. 0 15. 3 3. 8 . 8 . 3	75. 7 18. 4 4. 5 . 9 . 4	567 293 90 19 5	45. 4 23. 5 7. 2 1. 5 . 4	58. 2 30. 1 9. 2 2. 0 . 5	281 91 17 1 3	48. 9 15. 8 3. 0 . 2 . 5	71. 5 23. 2 4. 3 . 3 . 8

Table 26.—Source of family income, by earnings of father; births in 1915.

			Bi	rths in	1915 in	1 fam	ilies v	vhere e	arning	gs of f	ather v	vere-	-	
	- 11		-17	N	ot sole	sour	ce of i	ncome	, but s	upple	emente	d by	_	1
Earnings of father.	hs.	Sole	source come.	motion child or k	ings of her or dren both, with other rces.	incl in fa earn	urces luded amily lings 1		eals, fts.	ing me ten out	rance, vest- ents, ants side, ents.		her ome.	ranortad
	Total births.	Number.	Per cent.	Number.	Per cent.	Number.	Per cent.	Number.	Per cent.	Number.	Per cent.	Number.	Per cent.	Source not renorted
Total	11, 195	6, 175	55. 2	2, 531	22.6	425	3.8	1, 105	9.9	763	6.8	187	1.7	
Under \$850	7,171	3,672	51.2	1,881	26. 2	284	4.0	820	11.4	381	5.3	132	1.8	=
Under \$450. \$450-\$549. \$550-\$649. \$650-\$849.	1,615 1,523 1,543 2,490	422 723 908 1,619	26. 1 47. 5 58. 8 65. 0	529 462 387 503	32. 8 30. 3 25. 1 20. 2	77 55 60 92	4.8 3.6 3.9 3.7	442 176 91 111	27. 4 11. 6 5. 9 4. 5	82 77 78 144	5. 1 5. 1 5. 1 5. 8	63 29 19 21	3.9 1.9 1.2	
850 and over	3,576	2,413	67.5	542	15.2	103	2.9	136	3.8	352	9.8	27	.8	m
\$850-\$1,049. \$1,050-\$1,249. \$1,250-\$1,449. \$1,450-\$1,849. \$1,450-\$2,249. \$2,250-\$2,849. \$2,850 and over.	1,640 678 430 380 143 100 205	1,098 470 288 263 92 75 127	67. 0 69. 3 67. 0 69. 2 64. 3 75. 0 62. 0	288 108 58 51 15 8 14	17. 6 15. 9 13. 5 13. 4 10. 5 8. 0 6. 8	58 22 15 5 2 1	3. 5 3. 2 3. 5 1. 3 2. 0 . 5	56 31 11 22 7 4 5	3. 4 4. 6 2. 6 5. 8 4. 9 4. 0 2. 4	123 44 55 36 28 11 55	7. 5 6. 5 12. 8 9. 5 19. 6 11. 0 26. 8	17 3 3 2 1	1.0 .4 .7 .5 .7	
No earnings	222 226	7 83	3. 2 36. 7	38 69	17. 1 30. 5	28 10	12.6 4.4	109 40	49.1 17.7	17 14	7.7	22 6	9.9	

¹ In family earnings, besides earnings of father, mother, and children, are included income from tenants in home, earnings of foster parents, grandmothers, and aunts, pensions, compensation allowances, and alimony.

Table 27.—Source of family income, by family earnings; births in 1915.

			Birth	s in 1915 i	n famili	es where	family 6	earnings	were-	
				Not sole	e source (ofincome	, but sup	plement	ted by—	
Family earnings. ¹	Total births.	Sole so	urce of ome.	Meals	or gifts.	vestmer ants or	nce, in- nts, ten- ntside, ents.	Otheri	ncome.	Source not re- ported.
		Num- ber-	Per cent.	Num- ber.	Per cent.	Num- ber.	Per cent.	Num- ber	Per cent.	
Total	11,195	9,131	81.6	1,105	9.9	763	6.8	187	1.7	9
Under \$850	6,585	5, 249	79.7	874	13. 3	362	5. 5	100	1.5	
Under \$450. \$450-\$549. \$550-649. \$650-\$849.	1,185 1,309 1,518 2,573	694 1,051 1,268 2,236	58. 6 80. 3 83. 5 86. 9	398 178 150 148	33. 6 13. 6 9. 9 5. 8	67 59 81 155	5. 7 4. 5 5. 3 6. 0	26 21 19 34	2. 2 1. 6 1. 3 1. 3	
\$850 and over	4,208	3,601	85.6	159	3.8	374	8.9	72	1.7	2
\$850-\$1,049 \$1,050-\$1,249 \$1,250-\$1,849 \$1,850 and over	1,776 879 1,034 519	1,552 770 884 395	87. 4 87. 6 85. 5 76. 1	67 37 39 16	3.8 4.2 3.8 3.1	132 54 90 98	7. 4 6. 1 8. 7 18. 9	25 18 21 8	1.4 2.0 2.0 1.5	2
No earnings Not reported	40 362	11 270	27. 5 74. 6	21 51	52. 5 14. 1	8 19	20. 0 5. 2	15	4.1	7

¹Infamily earnings, besides earnings of father, mother, and children, are included income from tenants in home, earnings of foster parents, grandmothers, and aunts, pensions, compensation allowances, and alimony.

Table 28.—Earnings of father as sole source of family income, by amount of his earnings and color and nativity of mother; births in 1915.

	Births in	n families		ings of fath	ner were so	le source	
Earnings of father.		e white hers.		orn white	Colored	mothers.	
	Number.	Per cent of total births.2	Number.	Per cent of total births.2	Number.	Per cent of total births.2	
Total	4,611	66. 5	1,277	45.0	287	20.2	
Under \$450 \$450-\$549 \$550-\$649 \$550-\$849 \$1,050-\$1,049 \$1,050-\$1,249 \$1,250-\$1,449 \$1,450-\$1,549 \$1,550-\$2,249 \$2,250-\$2,849 \$2,250-\$2,849 \$2,250 and over No earnings Not reported	149 411 626 1, 281 928 420 235 240 80 65 116 2 2 58	32. 4 62. 0 66. 9 72. 1 72. 3 74. 2 73. 0 74. 3 71. 4	199 214 229 312 154 46 50 18 12 9 10 5	33. 2 46. 1 51. 7 53. 0 48. 3 45. 1 48. 5	74 98 53 26 16 4 3 5	13.3 24.7 32.3 20.8	

 $^{^1}$ For total births in each color and nativity and father's earnings group, see Table 17, p. 233. 2 Not shown where base is less than 100.

Table 29.—Family earnings, by earnings of father; births in 1915.

	In distance	abus		Births	in fam	ilies w	here fa	ther ea	arned	speci	fied a	mount	t.	
Family earnings.	Total k	oirths.	Under	\$550	\$550-	-\$849	\$850-	\$1,249		250- 849	\$1,85 ov	0and er.		
ramny earnings.	Number.	Per cent distribution.	Number.	Per cent distribution.	Number.	Per cent distribution.	Number.	Per cent distribution.	Number.	Per cent dis- tribution.	Number.	Per cent dis- tribution.	No earnings.	Not reported.
Total	11, 195	100.0	3, 138	100.0	4,033	100.0	2,318	100.0	810	100.0	448	100.0	222	226
Under \$550. \$550-\$849. \$850-\$1,249. \$1,250-\$1,849. \$1,850 and over. No earnings.	2, 494 4, 091 2, 655 1, 034 519 40	22. 3 36. 5 23. 7 9. 2 4. 6	625	74.7 19.9 2.9 .8	452	11.2 1.6			770			99.6	147 11 3 3 4 40	1 2
Not reported	362	3. 2	49	1.6	46	1.1	20	.9	10	1.2	2	.4	14	22

Table 30.—Earnings of mother, by color and nativity; births ¹ in 1915 to mothers employed within year after birth of infant.

The Yorkson of	S Angle	Birt	hs 1 in 19	015 to mo	thers em	ployed v	vithin ye	ar after b	oirth.	
Earnings of mother	To	tal.	higain)		White 1	nothers.			Cole	ored
during year after birth of infant.			То	tal.	Nat	tive.	Foreig	n born.	mot	hers.
	Num- ber.	Per cent dis- tribu- tion.	Num- ber.	Per cent distribution.	Num- ber.	Per cent dis- tribu- tion.	Num- ber.	Per cent distribution.	Num- ber.	Per cent distribution.
Total	3, 354	100.0	2, 321	100.0	1,237	100.0	1,084	100.0	1,033	100. (
Under \$50. \$50 -\$149. \$150 -\$249. \$250 -\$249. \$250 -\$249. \$350 -\$549. \$550 and over. No earnings. Not reported.	645 1,048 639 258 146 41 4 573	19. 2 31. 2 19. 1 7. 7 4. 4 1. 2 . 1 17. 1	439 587 387 210 128 39 3 528	18. 9 25. 3 16. 7 9. 0 5. 5 1. 7 . 1 22. 7	231 303 238 153 87 28 3 194	18. 7 24. 5 19. 2 12. 4 7. 0 2. 3 . 2 15. 7	208 281 149 57 41 11	19. 2 26. 2 13. 7 5. 3 3. 8 1. 0	206 461 252 48 18 2 1	19. 9 44. 6 24. 4 4. 6 1. 7

¹Includes miscarriages.

Table 31.—Monthly rental, by color and nationality of mother; infants born in 1915 who lived at least two weeks in rented dwellings studied.

	*	I	nfants	whol	ived at	least	2 week	s in dw	vellings	s studi	ed.	
			o o		For	eign-b	orn wh	ite mo	thers.		- 7	
Monthly rental.	Total.	Native white mothers.	Total.	Jewish.	Polish.	Italian.	German.	Irish, English, Scotch, and English-Canadian.	Bohemian.	Lithuanian.	All other foreign.	Colored mothers.
Total	7,300	4,351	1,820	684	423	296	163	92	27	72	63	1,129
Under \$5. \$5, under \$10. \$10, under \$15. \$15, under \$20. \$20, under \$25. \$25, under \$35. \$25, under \$35. \$35, under \$30. \$50 and over. Free. Not reported.	350 2, 579 2, 324 905 275 250 81 44 95 397	123 1,375 1,553 599 163 158 73 40 70 197	203 909 416 89 23 14 6 4 5 151	11 314 206 38 13 5 4 1 2 90	165 229 7 3 1 1 17	13 182 66 14 1	4 58 72 9 2 1 1 1 15	19 40 17 6 4 1 2 1 2	2 20 3 1	4 55 9 1 1 1 1	4 32 13 6 1 1 1 5	24 298 358 217 88 78 20 49
				No.	Per	cent di	stribu	tion.1	1		1310	11/1
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under \$5. \$5, under \$10. \$10, under \$15. \$15, under \$20. \$20, under \$25. \$25, under \$35. \$35, under \$50. \$50 and over. Free. Not reported.	4. 8 35. 3 31. 8 12. 4 3. 8 3. 4 1. 1 . 6 1. 3 5. 4	2.8 31.6 35.7 13.8 3.7 3.6 1.7 .9 1.6 4.5	11. 2 49. 9 22. 9 4. 9 1. 3 . 8 . 3 . 2 . 3 8. 3	1.6 45.9 30.1 5.6 1.9 .7 .6 .1 .3 13.2	39. 0 54. 1 1. 7 . 7	4. 4 61. 5 22. 3 4. 7	2. 5 35. 6 44. 2 5. 5 1. 2 . 6 . 6 9. 2					2.1 26.1 31.4 19.2 7.9 6.9 .2

¹ Not shown where bas eis less than 100.

Table 32.—Monthly rental, by earnings of father; infants born in 1915 who lived at least two weeks in rented dwellings studied.

		I	nfants	born i	n 1915	who li	ved at	least 2	weeks	in dw	ellings	studie	d.	
Monthly							Earni	ngs of	father.					
rental.	Total.	Under \$450.	\$450- \$549	\$550- \$649	\$650-	\$850-	\$1,050- \$1,249	\$1,250- \$1,449	\$1,450- \$1,849	\$1,850-	\$2,250- \$2,849	\$2,850 and over.	No earn- ings.	Not re- ported.
Total	7,300	1,270	1,172	1,117	1,669	916	323	196	165	54	41	85	153	139
Under \$5. \$5, under \$10. \$10, under \$15. \$15, under \$20. \$20, under \$25. \$25, under \$35. \$25, under \$35. \$35, under \$50. \$50 and over. Free. Not reported.	350 2, 579 2, 324 905 275 250 81 44 95 397	105 624 300 89 42 39 1	85 555 324 102 30 19 1	71 487 390 83 16 17 7 46	53 587 664 206 42 27 1	13 184 385 206 43 25 1	1 43 114 88 30 26 1 1 1 18	2 16 52 57 19 21 1	7 24 37 33 29 17 3	1 6 5 5 13 10 5	2 7 2 7 14 5	1 4 2 16 28 29	12 46 28 11 2 3 3 3	28 35 10 9 8 3 1 1 9
				May	al li	Per	cent di	istribu	tion.1			and)	Tivi	
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under \$5 \$5, under \$10. \$10, under \$15. \$15, under \$20. \$20, under \$25. \$25, under \$35. \$35, under \$50. \$50 and over. Free. Not reported.	4.8 35.3 31.8 12.4 3.8 3.4 1.1 .6 1.3 5.4	8.3 49.1 23.6 7.0 3.3 3.1 .1	7.3 47.4 27.6 8.7 2.6 1.6 .1	6. 4 43. 6 34. 9 7. 4 1. 4 1. 5	3. 2 35. 2 39. 8 12. 3 2. 5 1. 6 .1	1. 4 20. 1 42. 0 22. 5 4. 7 2. 7 .1	.3 13.3 35.3 27.2 9.3 8.0 .3 .3 5.6	1.0 8.2 26.5 29.1 9.7 10.7 .5	4. 2 14. 5 22. 4 20. 0 17. 6 10. 3 1. 8				7.8 30.1 18.3 7.2 1.3 2.0 2.0 2.0	5. 8 20. 1 25. 2 7. 2 6. 5 5. 8 2. 2 7 6. 5

¹ Not shown where base is less than 100.

Table 33.—Estimated median rental, by estimated median earnings of father and by color and nationality of mother; births in 1915.

	Median	Annual rental.					
Color and nationality of mother.	annual earnings of father.1	Median amount.2	Per cent of median earnings.				
Total	\$706	\$132	18.6				
Native whiteForeign-born white	796 619	141 102	17. 7 16. 5				
Jewish. Polish Italian. All other	664 555 540 619	115 70 101 119	17.3 12.6 18.7 19.2				
German . Irish, English, Scotch, and English-Canadian . Bohemian . Lithuanian . Other .	718 781 703 525 671	130 159 95 95 108	18. 1 20. 4 13. 5 18. 1 16. 1				
Colored.	474	156	32.9				

¹ Based on births, except for Irish, English, Scotch, and English-Canadian, Lithuanian, Bohemian, and "all other" foreign which are based on issues.

² Based on infants living at least 2 weeks in dwellings studied.

Table 34.—Sanitary arrangements of dwelling, by color and nationality of mother and earnings of father; infants born in 1915 who lived at least two weeks in dwellings studied.

	Infa	nts who liv		2 weeks in ry arrange	dwellings ments.	with spec	ified			
Color and nationality of mother and earnings of father.	Total	All arran	gements.1	No	one.	Other dwellings.				
	infants.	Number.	Per cent.	Number.	Per cent.	Number.	Per cent.			
All earnings groups:	10,336	4,486	43. 4	351	3.4	5,499	53. 2			
Native white Foreign-born white	6,464 2,649	3,273 816	50.6 30.8	190 126	2.9 4.8	3,001 1,707	46. 4 64. 4			
Jewish Italian Polish All other	931 394 597 727	389 80 35 312	41. 8 20. 3 5. 9 42. 9	11 9 71 35	1. 2 2. 3 11. 9 4. 8	531 305 491 380	57. 0 77. 4 82. 2 52. 3			
Colored. Earnings offather under \$650: All mothers.	1,223 4,272	397 1,081	32. 5 25. 3	35 234	2.9 5.5	791 2,957	64. 7 69. 2			
Native white Foreign-born white	1,913 1,409	556 236	29. 1a 16. 7	111 91	5.8 6.5	1,246 1,082	65. 1 76. 8			
Jewish	432 424 243 310	107 20 30 79	24. 8 4. 7 12. 3 25. 5	7 52 8 24	1.6 12.3 3.3 7.7	318 352 205 207	73.6 83.0 84.4 66.8			
Colored	950	289	30.4	32	3.4	629	66. 2			

¹ Dwellings having "all arrangements" have bath and toilet connected with sewer, and reserved for xclusive use offamily.

Table 35.—Number of persons in household, by number of rooms in dwelling, and by color and nativity of mother; infants born in 1915 who lived at least two weeks in dwellings studied.

Number of persons ¹ in household and color and nativity of mother.		5 235	-			Infant	s born	in 1915	whol	ived at	least	2 week	s in dv	velling	s studi	ied.	+				*
				· In					1	Numbe	r of ro	oms in	dwelli	ing.	THE R						
	Total.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	18	19	22	Not re- ported.
All mothers	10, 336	42	731	1,404	1,297	1,130	3, 585	884	677	286	163	47	34	22	13	5	1	6	1	1	, 7
Number of persons in household: 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 Not reported.	111 1,882 1,931 1,720 1,563 1,142 866 559 322 186 100 44 29 5 6 6 11 3 2 2 1 1 2 2	4 25 8 8 1 3 1 1	2 307 201 104 69 29 10 7	1 568 362 224 126 58 43 22	246 297 249 184 153 90 51 20 4 4 2	1 145 249 197 195 142 105 53 26 12 1 3	3 446 619 641 658 471 334 200 107 59 25 10 5	49 94 142 158 119 111 83 59 32 32 16 9 7 7 1	24 60 82 91 96 88 81 64 32 33 9 5 2 2	6 23 34 44 36 41 36 23 20 111 7 4	3 12 32 17 22 21 14 8 15 5 6 6 4 1 1	3 2 6 7 4 7 4 3 4 4 1	1 3 3 5 7 2 6 6 3 2	3 4 3 2 4 3 1 1	1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	1 1 1 1 1 1	1	i	
White mothers	9,113	27	674	1,355	1,148	976	3, 239	714	506	221	132	39	29	20	13	5	1	6	1	1	
Number of persons in household: 1.	8 1,730 1,789 1,539 1,375 972 700 447	2 17 5 2 1	2 283 181 99 66 27 9 6	1 557 346 214 117 56 42 22	229 267 210 162 135 78 44	1 134 217 171 174 117 82 47	2 427 491 586 582 412 284 166	48 85 123 134 96 78 60	23 56 59 74 72 56 57	6 23 33 35 24 30 27	3 12 31 13 19 19 19	3 2 6 6 3 6 2	1 3 2 4 7	2 4 3 2 3	1 1 2 1 4 1	1 1 1 1		1 1 1	·····i		

9	259 147 76 27 17 3 4 1 2 1 15	9	272	732	18 4 	19 11 1 2	93 54 23 8 5 1 1 4 2,671	41 27 12 4 4 1 1 569	53 21 23 6 1 2 3 407	16 11 8 6 1	6 9 3 1 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 3 3 3 1 1 37	1 1 26	3 1 1 1	1 13	5	1	1	1	1	3 4
Number of persons in household: 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 17 18 19 Not reported.	3 1, 296 1, 320 1, 072 982 665 479 282 164 93 57 19 155 2 2 1 1 2 9	1 4 3 3	154 77 24 13 2 1	394 206 82 30 12 6 2	179 190 120 84 62 32 16 7	1 115 178 121 129 70 46 19 8 3 1 1	1 376 501 498 496 331 224 123 59 35 15 4	42 74 109 103 78 61 14 24 18 8 4 4	21 51 49 65 58 46 38 39 16 18 3 1	6 23 28 34 21 28 23 10 7 7 7 5 1	2 11 28 11 18 15 9 5 6 6 3 1 1 3	3 2 6 6 3 3 5 2 3 3 2 2	1 3 2 4 6 1 1 4 1 2	2 4 3 2 3 2 1	1 1 2 1 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	i	1
Foreign-born mothers Number of persons in household: 1 2 3 4 5 6 7 8 9 10 11 12	5 434 469 467 393 307 221 165 95 54 19 8	18 13 2 1 1 1	2 129 104 75 53 25 8 6	1 163 140 132 87 44 36 20	50 77 90 78 73 46 28 11 4	19 39 50 45 47 36 28 11 8	568 1 51 90 88 86 81 60 43 34 19 8 8	6 11 14 31 18 17 16 17 9 4	99 2 5 10 9 14 10 19 14 5 5 3	5 1 3 2 4 6 4 1 1	1 1 1 3 2 1 4 1 1 1 2	1	12	1 1							

¹ The number of persons in household does not include infants born in 1915.

Table 35.—Number of persons in household, by number of rooms in dwelling, and by color and nativity of mother; infants born in 1915 who lived at least two weeks in dwellings studied—Continued.

Number of persons ¹ in household and color and nativity of mother.						Infants	born	in 1915	who l	ived a	t least	2 week	s in dv	welling	s studi	ied.					
		Number of rooms in dwelling.																			
	Total.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	18	19	22	Not re ported
Number of persons in household—Con. 13	2 1 2 1 6						1 1 1 1	i	12					1							
Colored mothers	1,223	15	57	49	149	154	346	170	171	65	31	8	5	2							
Number of persons in household: 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	3 92 142 181 188 170 166 112 63 39 24 17 17 12 2 2	2 8 3 1 1 1 1	24 20 5 3 2 1 1	11 16 10 9 9 2 1	17 30 39 22 18 12 7 2	11 32 26 21 25 23 6 7 1	1 19 28 55 76 59 50 34 14 5 2 2	1 9 19 24 23 33 23 18 5 4 5 3 1 1	1 4 23 17 24 32 24 11 11 10 3 4	1 9 12 11 9 7 9 3 1 3	1 4 3 2 4 2 6 2 5 1 1	1 1 2 1 1 1	1 1 2	i							
Not reported	7					1	····i	····i	3												

¹ The number of persons in household does not include infants born in 1915.

Table 36.—Average number of persons per room, by size of household and color and nationality of mother; infants born in 1915 who lived at least two weeks in dwellings studied.

					In	fants wh	o lived a	t least 2	weeks in	dwelling	gs studie	d.				
			Native white		Foreign-born white mothers.										Colored	
Average number of persons per room and number of persons in household. ¹	Tot	al.		mothers.		Total.		ish.	sh. Polish.		Italian.		All other.		mothers.	
	Num- ber.	Per cent distri- bution.	Num- ber.	Per cent distri- bution.	Num- ber.	Per cent distri- bution.	Num- ber.	Per cent distri- bution.	Num- ber.	Per cent distribution.	Num- ber.	Per cent distri- bution.	Num- ber.	Per cent distri- bution.	Num- ber.	Per cent distri- bution.
All households	10, 336	100.0	6,464	100.0	2,649	100.0	931	100.0	597	100.0	395	100.0	726	100.0	1, 223	100.0
Number of persons per room: Less than 1 1 but less than 2. 2 or more Not reported.	5, 544 4, 269 498 25	53.6 41.3 4.8 .2	4,108 2,237 107 12	63. 6 34. 6 1. 7 . 2	882 1,418 343 6	33. 3 53. 5 12. 9 . 2	342 506 83	36. 7 54. 4 8. 9	68 345 183 1	11. 4 57. 8 30. 7 . 2	107 230 55 3	27. 1 58. 2 13. 9 . 8	365 337 22 2	50. 3 46. 4 3. 0 . 3	554 614 48 7	45. 3 50. 2 3. 9 . 6
Households of 1 to 4	5, 484	100.0	3,691	100.0	1,375	100.0	506	100.0	314	100.0	175	100.0	380	100.0	418	100.0
Number of persons per room: Less than 1. 1 but less than 2. 2 or more. Not reported.	3,999 1,347 138	72. 9 24. 6 2. 5	3,020 640 31	81. 8 17. 3 . 8	689 596 90	50. 1 43. 3 6. 5	273 218 15	54. 0 43. 1 3. 0	59 189 66	18.8 60.2 21.0	72 97 6	41. 1 55. 4 3. 4	285 92 3	75. 0 24. 2 . 8	290 111 17	69. 4 26. 6 4. 1
Households of 5 and over	4,830	100.0	2,764	100.0	1,268	100.0	425	100.0	282	100.0	217	100.0	344	100.0	798	100.0
Number of persons per room: Less than 1. 1 but less than 2. 2 or more. Not reported.	1,545 2,922 360 3	32. 0 60. 5 7. 5 . 1	1,088 1,597 76 3	39. 4 57. 8 2. 8 . 1	193 822 253	15. 2 64. 8 20. 0	69 288 68	16. 2 67. 8 16. 0	9 156 117	3. 2 55. 3 41. 5	35 133 49	16. 1 61. 3 22, 6	80 245 19	23. 3 71. 2 5. 5	264 503 31	33. 1 63. 0 3. 9
Households of number not reported.	22	100.0	9	100.0	6	100.0			1	100.0	3	100.0	2	100.0	7	100.0

¹ The number of persons in household does not include infants born in 1915.

Table 37.—Average number of persons per room, by earnings of father and color and nativity of mother; infants born in 1915 who lived at least two weeks in dwellings studied.

		Infants v	who lived	l at least 2	weeks in	dwellings	studied.	
Average number of persons 1 per room and earnings of father.	To	otal.		e white		gn-born mothers.	Colored	mothers.
	Num-	Per cent distri- bution.	Num-	Per cent distri- bution.2	Num-	Per cent distri- bution.2	Num-	Per cent distri- bution.2
All earnings groups	10, 336	100.0	6, 464	100.0	2, 649	100.0	1, 223	100.0
Persons per room: Less than 1	5, 544 4, 767	53. 6 46. 1	4, 108 2, 344	63. 6 36. 3	882 1,761	33. 3 66, 5	554 662	45. 3 54. 1
1 but less than 2 2 or more	4, 269 498	41. 3 4. 8	2, 237 107	34.6 1.7	1,418 343	53. 5 12. 9	614 48	50. 2 3. 9
Not reported	25	.2	12	.2	6	.2	7	.6
Under \$550	2, 844	100.0	1,041	100.0	995	100.0	808	100.0
Persons per room: Less than 1 1 or more 1 but less than 2 2 or more.	994 1,840 1,555 285	35. 0 64. 7 54. 7 10. 0	441 599 551 48	42. 4 57. 5 52. 9 4. 6	206 785 581 204	20. 7 78. 9 58. 4 20. 5	347 456 423 33	42. 9 56. 5 52. 4 4. 1
Not reported	10	.4	1	.1	4	.4	5	.6
\$550-\$849	3,749	100.0	2, 527	100.0	963	100.0	259	100.0
Persons per room: Less than 1	1, 905 1, 836 1, 682 154	50. 8 49. 0 44. 9 4. 1	1, 456 1, 066 1, 025 41	57. 6 42. 2 40. 6 1. 6	321 641 535 106	33. 3 66. 6 55. 6 11. 0	128 129 122 7	49. 4 49. 8 47. 1 2. 7
Not reported	8	.2	5	.2	1	.1	2	.8
\$850-\$1,249	2, 183	100.0	1,745	100.0	397	100.0	41	100.0
Persons per room: Less than 1 1 or more 1 but less than 2 2 or more	1,509 671 644 27	69. 1 30. 7 29. 5 1. 2	1, 283 460 452 8	73. 5 26. 4 25. 9 . 5	200 196 177 19	50. 4 49. 4 44. 6 4. 8	26 15 15	63. 4 36. 6 36. 6
Not reported	3	.1	2	.1	1	.3		
\$1,250 and over	1, 170	100.0	951	100.0	205	100.0	14	100.0
Persons per room: Less than 1 1 or more	958 209 201 8	81. 9 17. 9 17. 2 . 7	824 124 119 5	86. 6 13. 0 12. 5 . 5	122 83 80 3	59. 5 40. 5 39. 0 1. 5	12 2 2	85.7 14.3 14.3
Not reported	3	.3	3	.3				
No earnings	192	100, 0	81	100.0	47	100, 0	64	100.0
Persons per room: Less than 1 1 or more 1 but less than 2 2 or more	67 125 108 17	34. 9 65. 1 56. 2 8. 9	31 50 47 3		11 36 27 9		25 39 34 5	
Earnings not reported	198	100.0	119	100.0	42	100.0	37	100.0
Persons per room: Less than 1 1 or more. 1 but less than 2 2 or more.	111 86 79 7	56. 1 43. 4 39. 9 3. 5	73 45 43 2	61. 3 37. 8 36. 1 1. 7	22 20 18 2		16 21 18 3	
Not reported	1	.5	1	.8 .				

¹ The number of persons in household does not include infants born in 1915... 3 Not shown where base is less than 100.

Table 38.—Total number of births 1 to mother, by earnings of father and color and nativity of mother; single births in 1915.

Earnings of father and color and nativity of mother.	Per cent o porting sp	f births in ecified num	1915 to maker of tot	others re- al births.1
	1-3	4-6	7-9	10 and over.
All mothers	62. 9	23. 5	9. 5	4.1
Earnings of father: Under \$550. \$550-\$849 \$850-\$1,249 \$1,250-\$1,849. \$1,850 and over. No earnings. Not reported. Native white mothers.	63. 5 68. 1 68. 8 75. 3 62. 0	26. 5 23. 7 21. 1 21. 8 17. 4 25. 0 22. 5	12. 9 9. 2 7. 3 6. 5 5. 7 8. 8 7. 7	5.8 3.7 3.4 2.9 1.6 4.2 4.5
	09.4	20.8	7.1	2.7
Earnings of father:	71. 0 72. 9 79. 9 71. 0	21. 9 22. 0 19. 9 19. 6 15. 0 18. 3 22. 5	10.6 7.3 6.4 4.9 3.7 8.6 5.4	3.8 2.5 2.8 2.6 1.3 2.2 2.3
Foreign-born white mothers	52.3	28.4	13.3	5.9
Earnings of father: Under \$550. \$550-\$849. \$850-\$1,249. \$1,250-\$1,849. \$1,850 and over. No earnings. Not reported.	54. 4 56. 0 51. 9 45. 9 52. 9	30. 1 27. 3 26. 3 30. 5 32. 8 25. 5 22. 4	14. 9 12. 6 11. 3 13. 0 18. 0 9. 8 12. 2	6. 2 5. 7 6. 4 4. 5 3. 3 11. 8 4. 1
Colored mothers	52.2	27.5	13.0	7.3
Earnings of father: Under \$550. \$550-\$849 \$850 and over. No earnings. Not reported.	51. 4 50. 5 64. 3 56. 9 56. 8	27. 7 27. 0 23. 2 33. 3 22. 7	13. 3 14. 6 8. 9 8. 3 9. 1	7.6 7.8 3.6 1.4 11.4

¹Includes miscarriages.

Table 39.—Total number of births ¹ to mother, by nationality of mother; births ¹ in 1915 to foreign-born white mothers.

Nationality of mother.	Per cent of births ¹ to mothers reporting specified number of total births, ¹				
	1-3	4-6	7 and over.		
Foreign-born white mothers: Jewish. Polish Italian. All other	53. 3 45. 2 45. 9 56. 3	29. 1 29. 3 34. 5 25. 1	17.6 25.5 19.5 18.5		

¹ Includes miscarriages.

Table 40.—Keeping of lodgers, by color and nationality of mother; infants born in 1915 who lived at least two weeks in dwellings studied.

Color and nationality of mother.	whose kept	ofinfants ¹ mothers specified er of lodg-
	1 or more.	3 or more.
All mothers	8.4	0.9
Native white mothers	6. 5 12. 2	1.7
Jewish. Polish. Italian. All other	8. 7 11. 1 18. 3 14. 2	.8 .5 4.8 2.1
German. Irish, English, Scotch, and English-Canadian. Bohemian Lithuanian Other	8. 8 16. 5 7. 9 22. 9 26. 3	2. 1 10. 5
Colored mothers	10.3	1.3

¹ Infants who lived at least two weeks in dwellings studied.

Table 41.—Mother pregnant within year after birth of infant, by color and nationality of mother; live births in 1915.

	Live	births in	1915.	
Color and nationality of mother.	Total.	To mothers pregnant within the year following.		
		Number.	Per cent.	
Total	10, 797	1, 563	14. 5	
Native white	6,739 2,753	840 460	12. 5 16. 7	
Jewish. Polish Italian. All other	961 625 412 755	90 144 118 108	9. 4 23. 0 28. 6 14. 3	
Colored	1,305	263	20. 2	

Table 42.—Type of feeding, by month of life, and by earnings of father and color and nativity of mother; infants born in 1915 to native white and colored mothers not employed within year after birth.

	•	Infar	nts whose		were not I type of	employed feeding.	and who	had
Month of life of infant, earnings of father, and color and nativity of mother.	Total infants.	Breast f	eeding.	Mixed f	eeding.	Artificial	Type of	
nativity of mother.		Num- ber.	Per cent.	Num- ber.	Per cent.	Num- ber.	Per cent.	feeding not re- ported.
NATIVE WHITE MOTHERS.		7				100		
Earnings of father under \$550: Second month Third month Sixth month Ninth month Earnings of father, \$550 and over: Second month Third month Sixth month Ninth month	975 923 831 759 4,998 4,846 4,626 4,495	770 663 431 218 3, 868 3, 405 2, 443 1, 393	79. 1 71. 8 51. 9 28. 7 77. 4 70. 3 42. 8 31. 0	56 79 174 309 224 275 684 1,437	5.7 8.6 21.0 40.7 4.5 5.7 14.8 32.0	149 181 226 232- 905 1, 165 1, 498 1, 664	15. 3 19. 6 27. 2 30. 6 18. 1 24. 0 32. 4 37. 0	1 1 1 1
COLORED MOTHERS. Earnings of father under \$550: Second month. Third month. Sixth month. Ninth month. Earnings of father, \$550 and over: Second month. Third month.	757 629 394 297	613 478 230 97 237 201	81. 0 76. 0 58. 4 32. 7	69 69 88 136	9.1 11.0 22.3 45.8	75 82 76 64 40 35	9. 9 13. 0 19. 3 21. 5	
Sixth month Ninth month	203 165	118 57	58. 1 34. 5	47 70	23. 2 42. 4	38 38	18.7 23.0	

Table 43.—Type of feeding, by month of life of infant, and by literacy and color and nativity of mother; infants born in 1915.

Month of life of infant, literacy, and color and nativity of mother.		t of infants d type of f	
month of me of mant, neeracy, and color and nativity of mother.	Breast feeding.	Mixed feeding.	Artificial feeding.
Native white mothers:			100
Literate— First month. Second month. Third month Sixth month Ninth month. Illiterate—	86.7	2.3	11. (
	77.3	4.8	17. 9
	70.1	•6.2	23. 7
	52.1	16.0	31. 9
	30.1	33.6	36. 3
First month Second month Third month Sixth month Ninth month Ninth month Foreign-born white mothers:	79. 4	5.6	15. 1
	75. 6	8.1	16. 3
	71. 1	9.9	19. 0
	55. 7	17.4	27. 0
	33. 0	39.4	27. 8
Literate— First month Second month Third month Sixth month Ninth month Illiterate—	91. 5	3.0	5. 5
	85. 2	5.8	9. 0
	79. 0	9.0	12. 0
	58. 2	23.8	18. 0
	27. 4	48.8	23. 8
First month Second month Third month Sixth month Ninth month Colored mothers:	90. 8	4. 2	5. 0
	83. 5	8. 3	8. 3
	78. 4	11. 1	10. 5
	60. 1	23. 3	16. 6
	30. 4	48. 8	20. 8
Literate— First month Second month. Third month. Sixth month. Ninth month.	90. 5	2. 4	7. 1
	78. 9	9. 0	12. 1
	70. 4	14. 2	15. 4
	48. 5	28. 6	22. 9
	21. 9	48. 8	29. 3
Illiterate— First month. Second month Third month Sixth month. Ninth month.	87. 9	6. 0	6.0
	71. 3	18. 9	9.8
	58. 5	26. 8	14.8
	34. 3	43. 8	21.9
	15. 7	58. 2	26.1

Table 44.—Prevalence of artificial feeding, by month of life of infant, and by ability of mother to speak English and nationality of mother; infants born in 1915 to Jewish, Polish, and Italian mothers.

In the property of the party of	Moth	ers able to English.	speak	Mothers not able to speak English.				
Month o life of infant and nationality of	Inf	ant surviv	ors.	Infant survivors.				
mother.		Artificia	ally fed.		Artificially fed.			
	Total.	Number.	Per cent.	Total.	Number.	Per cent.		
Jewish mothers: First month Second month. Third month. Sixth month. Ninth month. Twellth month.	786 766 764 759 755 748	18 43 56 94 135 193	2.3 5.6 7.3 12.4 17.9 25.8	175 169 168 166 165 165	9 12 14 25 36 47	5. 1 7. 1 8. 3 15. 1 21. 8 28. 8		
Polish mothers: First month Second month Third month Sixth month Ninth month Twelfth month	223 207 205 201 191 186	9 17 22 34 39 48	4.0 8.2 10.7 16.9 20.4 25.8	402 383 382 368 353 343	20 26 38 54 60 75	5. 0 6. 8 9. 9 14. 7 17. 0 21. 9		
Italian mothers: First month. Second month. Third month. Sixth month. Ninth month. Twelfth month.	140 134 134 133 131 130	5 10 11 23 29 41	3.6 7.5 8.2 17.3 22.1 31.5	272 261 259 253 250 247	6 12 17 30 55 73	2.: 4.: 6.: 11.: 22.: 29.:		

Table 45.—Prevalence of artificial feeding, by month of life of infant, and by literacy and nationality of mother; infants born in 1915 to Jewish, Polish, and Italian mothers.

	Lit	erate moth	iers.	Illiterate mothers. Infant survivors.			
(1.0)	Inf	ant surviv	ors.				
Month of life of infant and nationality of mother.		Artifici	ally fed.		Artifici	ally fed.	
	Total.	Number.	Per cent.	Total.	Number.	Per cent.	
Jewish mothers: First month. Second month. Third month. Sixth month. Ninth month. Twelfth month.	791 769 768 764 760 754	20 42 56 98 142 201	2. 5 5. 5 7. 3 12. 8 18. 7 26. 7	169 165 163 160 159 158	7 13 14 21 29 39	4. 1 7. 9 8. 6 13. 1 18. 2 24. 7	
Polish mothers: First month Second month Third month Sixth month Ninth month Twelfth month	339 316 314 305 290 284	18 26 38 54 61 76	5. 3 8. 2 12. 1 17. 7 21. 0 26. 8	285 273 272 264 254 245	11 16 22 34 38 47	3. 5. 8. 12. 15.	
Italian mothers: First month. Second month. Third month. Sixth month Ninth month. Twelfth month.	220 213 211 210 205 204	5 11 13 25 44 57	2.3 5.2 6.2 11.9 21.5 27.9	190 180 180 174 174 171	6 11 15 28 40 57	3. 6. 8. 16. 23. 33.	

Table 46.—Prevalence of mixed feeding and artificial feeding, by month of life of infant, and by place of employment and color and nationality of mother; infants born in 1915 to mothers employed within year after birth.

			Per	cent of inf	ant survi	vors.1		
Place of employment and color and nationality of		Mixe	d fed.			Artificia	ally fed.	
mother.	Second month.	Third month.	Sixth month.	Ninth month.	Second month.	Third month.	Sixth month.	Ninth month.
Native white mothers: Employed at home Employed away from	5.6	5.3	16.9	37.0	16.0	24, 2	31.2	34. (
home			26.7	38.2			44.8	45.
Foreign-born white mothers: Employed at home Employed away from	6.3	11.4	26.2	48.3	9.2	11.8	18.8	25,
home			28.7	58.9			28.7	24.5
Jewish mothers: Employed at home Employed away from	6.7	13.9	36.2	60.0	4.7	6.0	12.3	20.0
Polish mothers: Employed at home. Employed away from	3.6	7.7	17.3	46.7	10.9	12.3	18.5	16.
home			31.5	65.0			20.4	13.8
Italian mothers: Employed at home. Employed away from home.	8.1	11.1	18.1	40.5	2.7	8.3	16.7	25.
All other: Employed at home. Employed away from	5.8	9.3	22.0	37.1	19.4	24.0	31.4	37.6
home Colored mothers: Employed at home		19.6	28.4	54.4		17. 5	20.2	28.0
Employed away from home		46.8	48.6	53.3		31.5	33.1	39.

¹ Each infant is classified according to type of feeding and mother's employment in each month, except that if a mother worked away from home following a period of work at home the latter is disregarded; a mother's employment is assumed to continue from the time it commenced until the end of infant's first year of life. Per cent not shown where base is less than 50.

Table 47.—Infant deaths per 1,000 live births, by cause of death and age; legitimate live births in 1915, Baltimore study, and total registered live births in 1915 in cities of 10,000 or more population in United States birth-registration area.

	Infant mortality rate per 1,000 live births.										
Age at death.	All ca	auses.	Gastric	and in- diseases.		ratory ases.	Malformations.				
	Balti- more study.	Regis- tration cities.1	Balti- more study.	Regis- tration cities.1	Balti- more study.	Regis- tration cities.1	Balti- more study.	Regis- tration cities.1			
Total	103.5	103.3	29.1	26.6	19.7	17.8	3.6	6.1			
Under 3 months. Under 2 weeks. 2 weeks, under 1 month. 1 month, under 2. 2 months, under 3.	56. 0 37. 0 7. 1 6. 0 5. 8	60. 4 35. 4 8. 0 9. 2 7. 8	5.9 .7 .8 1.4 3.0	9.0 1.0 1.8 3.0 3.1	6.7 1.9 1.6 1.5 1.8	6.3 1.3 1.5 1.9 1.6	3. 0 2. 5 .3 .2	5. 4 4. 1 . 6			
2 months, under 6	19. 4 15. 1 13. 0	18.1 14.0 10.9	9.3 7.4 6.5	8.0 5.9 3.8	5.1 4.5 3.4	4.1 3.9 3.5	.6				

		Infant mo	rtality rate	per 1,000 li	ve births.	
Age at death.	Early i	nfancy.	Epiden other communication	municable	All othe	r causes.
Age at team.	Balti- more study.	Regis- tration cities.1	Balti- more study.	Regis- tration cities. ¹	Balti- more study.	Regis- tration cities.1
Total	37.7	35.0	6.7	8.5	6.7	9.3
Under 3 months. Under 2 weeks. 2 weeks, under 1 month. 1 month, under 2. 2 months, under 3. 3 months, under 6. 6 months, under 9. 9 months, under 9.	35. 4 29. 9 3. 1 1. 8 . 6 1. 4 . 7	32.0 25.9 2.7 2.1 1.4 2.0 .7	1.9 .8 .4 .6 .1 1.0 1.5 2.2	2.8 .6 .6 .9 .7 1.8 1.9 2.0	3.1 1.2 1.2 1.3 2.0 .8	4. 9 2. 4 . 9 . 8 1. 7 1. 4 1. 3

 $^{^1\}mathrm{Cities}$ of birth-registration area, 1915. Based on unpublished data furnished by U. S. Census. 101351°-23---17

Table 48.—Infant deaths, by cause of death, with reference to classification numbers in International List of Causes of Death; deaths among legitimate live births in 1915, Baltimore study, and total deaths in United States death-registration area in 1915.

Abridged International	Detailed International	Cause of death.2	infar in Ba	ns among nts born altimore 1915.	death-reg	deaths in gistration n 1915.
List No.1	List No.1		Num- ber.	Per cent distri- bution.	Num- ber.	Per cent distri- bution.
		All causes	1, 117	100, 0	148, 561	100.0
		Gastric and intestinal diseases 3	314	28.1	34,394	23.2
24	102, 103	Diseases of the stomach	6	.5	2, 193	1.5
25	104	Diarrhea and enteritis	308	27.6	32, 201	21.7
		Respiratory diseases 4	213	19.1	23, 886	16. 1
20	89	Acute bronchitis	24	2.1	3, 401	2.3
Part of 23	91	Broncho-pneumonia	149	13.3	13, 904	9.4
22	92	Pneumonia	40	3.6	6,581	4.4
Part of 33	150	Malformations	39	3.5	9,327	6.3
		Early infancy	407	36.4	51,765	34.8
Part of 33	151[1]	Premature birth	225	20.1	29, 027	19. 5
Part of 33	\\ 151[2], 152[2], 153	Congenital debility	12 100 15			2000
Part of 37			138	12.4	16,824	11.3
Part of 37	152[1]	Injuries at birth Epidemic and other communi- cable diseases. ⁵	44 72	3.9 6.4	5,914 12,109	4. 0 8. 2
5	6	Measles	8	.7	965	0
6	7	Scarlet fever	1	.1	146	.6
7	8	Whooping cough	18	1.6	3, 119	2.1
8	9	Diphtheria and croup	4	.4	869	. 6
9	10	Influenza	7	.6	982	.7
Part of 12	14	Dysentery	1	.1	491	
Part of 12	18	Erysipelas	4	.4	750	.3
Part of 37	24	Tetanus			299	2
13	28, 29	Tuberculosis of the lungs	4	.4	851	.2
14	30	Tuberculous meningitis	10	.9	1, 194	.8
15	31, 32, 33, 34, 35 37	Other forms of tuberculosis	1	.1	421	.3
Part of 37	37	Syphilis	14	1.3	2,022	1.4
35	155 to 186	External causes	10	.9	1,727	1. 2
38	187, 188, 189	Diseases ill-defined or unknown	7	.6	2,943	2.0
-	44	All other causes	55	4.9	12, 420	8.4
17	61	Meningitis	10	.9	1,444	1.0
Part of 37	71	Convulsions	15	1.3	2,301	1.5
19	79	Organic diseases of the heart.			590	.4
The same of the sa	The second second second	Other	30	2.7	8,085	5.4

¹ The numbers indicate the classification in the abridged and the detailed lists, respectively, of the Manual of the International List of Causes of Death.

² The causes of death included in this list are those used by the U. S. Bureau of the Census (see Mortality Statistics, 1915, p. 442) in classifying the deaths of infants under 1 year. They are those causes of death or groups of causes which are most important at this age. The numbers of the detailed and abridged International Lists will facilitate their identification. In order to make discussion of the figures easier, these causes of death have been grouped in 8 main groups.

³ The term "gastric and intestinal diseases," as used in the tables and discussion, includes, as above shown, only the diseases of this type which are most important among infants; i. e., diseases of the stomach, diarrhea, and enteritis. It does not include all "diseases of the digestive system" as classified under this heading according to the detailed International List.

⁴ The term "respiratory diseases which are most important among infants; i. e., acute bronchitis, bronchopneumonia, and pneumonia. It does not include all "diseases of the respiratory system" as classified under this heading according to the detailed International List.

⁵ The term "epidemic and other communicable diseases," as used in the tables and discussion, includes only those of this group which are most important among infants.

Table 49.—Infant mortality rates, by cause of death, and by color and nativity of mother; live births in 1915.

	Total	deaths.	Death	s amon	g infan	ts born and nat	to mot	hers of s	specifie	d color
					WI	nite.			Col	ored
Cause of death.	Num-	Infant mor-	То	tal.	Na	tive.	Foreig	n born.		hers.
	ber.	tality rate.	Num- ber.	Infant mor- tality rate.	Num- ber.	Infant mor- tality rate.	Num- ber.	Infant mor- tality rate.	Num- ber.	Infant mor- tality rate.
All causes	1,117	103.5	910	95.9	646	95.9	264	95.9	207	158.6
Gastric and intestinal diseases. Diseases of the stomach Diarrhea and enteritis. Respiratory diseases. Acute bronchitis. Broncho-pneumonia Pneumonia Malformations. Early infancy Premature birth Congenital debility Injuries at birth. Epidemic and other commu-	314 6 308 213 24 149 40 39 407 225 138 44	29. 1 .6 28. 5 19. 7 2. 2 13. 8 3. 7 3. 6 37. 7 20. 8 12. 8 4. 1	274 5 269 149 13 103 33 36 342 183 119 40	28. 9 . 5 28. 3 15. 7 1. 4 10. 9 3. 5 3. 8 36. 0 19. 3 12. 5 4. 2	194 4 190 92 7 65 20 27 257 145 81	28. 8 .6 28. 2 13. 7 1. 0 9. 6 3. 0 4. 0 38. 1 21. 5 12. 0 4. 6	80 1 79 57 6 38 13 9 85 38 38 38	29. 1 .4 28. 7. 20. 7 2. 2 13. 8 4. 7 3. 3 30. 9 13. 8 13. 8 3. 3	40 1 39 64 11 46 7 3 65 42 19	30. 7 29. 9 49. 0 8. 4 35. 4 2. 3 49. 8 32. 2 14. 6 3. 1
micable diseases Measles Scarlet fever. Whooping cough. Diphtheria and croup Influenza. Dysentery. Erysipelas Tuberculosis of the lungs. Tuberculos meningitis. Other forms of tuberculosis Syphilis. External causes Diseases ill-defined or unknown	4 7	6.7 .7 .1 1.7 .4 .6 .1 .4 .4 .9 .1 1.3	50 8 1 11 4 6 6 1 1 10	5.3 .8 .1 1.2 .4 .6 .1 .1 .1 1.1	32 5 1 6 1 5 2 1 9	4.7 .7 .1 .9 .1 .7 .3 .1 1.3	18 3 5 3 1 1 2 1 2 1	6.5 1.1 1.8 1.1 .4 .7 .4 .7	7 1 3 10 3	16. § 5. 4 2. 8 7. 7 2. 8
All other causes. Meningitis. Convulsions. Other.	55 10 15 30	5.1 .9 1.4 2.8	46 9 10 27	4.8 .9 1.1 2.8	35 8 7 20	5.2 1.2 1.0 3.0	11 1 3 7	1.1 4.0 .4 1.1 2.5	9 1 5 3	6. 9 3. 8 2. 3

						Deaths	among in	fants bo	rn in 191	5.					
						0	ccurring	in speci	fied mon	th of life.					
Cause of death.	Total.		First.									1			
		Total.	Under 2 weeks.	2 weeks, under 1 month.	Second.	Third.	Fourth.	Fifth.	Sixth.	Sev- enth.	Eighth.	Ninth.	Tenth.	Elev- enth.	Twelfth
All causes	1,117	477	400	77	65	63	62	71	76	56	56	51	49	42	4
Gastric and intestinal diseases	314	17	8	9	15	32	27	29	44	36	24	20	27	21	2
Diseases of the stomach Diarrhea and enteritis Respiratory diseases Acute bronchitis Broncho-pneumonia Pneumonia Malformations Early infancy Premature birth Congenital debility Injuries at birth Endemic and other communicable diseases.	6 308 213 24 149 40 39 407 225 138 44 72	1 16 37 6 20 11 27 357 216 97 44 13	1 7 20 2 11 7 27 323 197 83 43	9 17 4 9 4 	15 16 5 7 4 3 19 7	1 31 19 2 12 5 2 6 1 5	2 25 21 1 17 3 3 5	1 28 17 14 3 1 5 1 4	44 17 2 12 3 2 5	36 12 1 8 3	24 20 2 16 2 1 3 3	20 17 2 13 2 1 1	27 14 11 11 2 1	1 20 12 2 10 1 1	2 1
Measles. Scarlet fever. Whooping cough.	8 1 18				2		3	2	2		1 2	2 1	1 1	3	
Diphtheria and croup. Influenza. Dysentery.	4 7 1	2	2		1			1			3	1		1	
Erysipelas. Tuberculosis of the lungs. Tuberculous meningitis. Other forms of tuberculosis.	4 10 1	·····i		1	1				1			1 3	1	1 2	
Syphilis External causes. Diseases ill-defined or unknown Il other causes.	14 10 7 55	10 2 3 21	7 1 2 10	3 1 1 11	1 4	2 1	1	1 1 1 13	1 4	2 2	1	4	2		
Meningitis. Convulsions. Other.	10 15 30	9 12	6 4	3 8	1 3	1	1	5 1 7	1 2 1	2	1	4	·····i		

					D	eaths ar	nong in	fants bo	orn to m	others	of specif	ied colo	r and n	ationalit	у.				
						1			WI	nite mot	hers.						1.1	Col	ored
	Total dea	infant ths.		- 1							Fo	reign b	orn.						hers.
Age at death.			To	tal.	Nat	tive.	To	tal.		Pol	lish.			Irish, Eng-					
Total	Num- ber.	Per cent distribu-tion.	Num- ber.	Per cent distribu-tion.	Num- ber.	Per cent distribu-tion.	Num- ber.	Per cent distribution.	Jew- ish.1	Num- ber.	Per cent distri- bu- tion.	Ital- ian.1	Ger- man.1	lish, Scotch, and Eng- lish- Cana- dian.1	DOHG-	Lithu- anian.¹	All other.1	Num- ber.	Per cent distri- bu- tion.
Total	1, 117	100.0	910	100.0	646	100.0	264	100.0	49	102	100.0	36	30	15	10	12	10	207	100.0
Under 1 month	477	42.7	394	43. 3	286	44. 3	108	40. 9	26	35	34. 3	17	12	4	7	5	2	83	40.
Under 1 day. \ day, under 2. 2 days, under 3. 2 days, under 7. 1 week, under 2. 2 weeks, under 1 month.	208 40 42 51 59 77	18. 6 3. 6 3. 8 4. 6 5. 3 6. 9	178 36 37 40 43 60	19. 6 4. 0 4. 1 4. 4 4. 7 6. 6	135 24 24 25 33 45	20. 9 3. 7 3. 7 3. 9 5. 1 7. 0	43 12 13 15 10 15	16. 3 4. 5 4. 9 5. 7 3. 8 5. 7	10 4 4 3 3 2	13 4 3 4 3 8	12. 7 3. 9 2. 9 3. 9 2. 9 7. 8	5 2 2 5 2 1	7 1 1 1	1 1	3 1 1 1 1	1 1 1	1	30 4 5 11 16 17	14. 5 1. 9 2. 4 5. 3 7. 7 8. 2
1 month, under 2 2 months, under 3 3 months, under 6 6 months, under 9 9 months, under 12	65 63 209 163 140	5. 8 5. 6 18. 7 14. 6 12. 5	51 52 159 138 116	5. 6 5. 7 17. 5 15. 2 12. 7	35 34 113 98 80	5. 4 5. 3 17. 5 15. 2 12. 4	16 18 46 40 36	6. 1 6. 8 17. 4 15. 2 13. 6	3 1 7 7 5	3 10 19 17 18	2. 9 9. 8 18. 6 16. 7 17. 6	2 4 6 3 4	1 2 7 4 4	3 2 3 3	1 1 1	1 1 2 2 2 1	3 2 3	14 11 50 25 24	6. 8 5. 3 24. 2 12. 1 11. 6

¹ Per cent distribution not shown where base is less than 50.

Table 52.—Infant deaths, by calendar month of death and cause; live births in 1915.

					De	aths amon	g infants b	oorn in 191	5.			11-	
Cause o fdeath.	, sylvin i ii	- mun				Occurring	g in specifi	ed calenda	r month.				
e manage trade	Total.	January	Febru- ary.	March.	April.	May.	June.	July.	August.	Septem- ber.	October.	November.	Decem- ber.
All causes	1,117	65	81	112	89	75	68	144	140	100	91	76	7
Gastric and intestinal diseases	314	(0) 5	7	9	11	9	10	78	89	46	30	10	1
Diseases of the stomach Diarrhea and enteritis		2	7	9 32	11 22	9 14	1 9 14	77 11	87 7	46 13	30 14	9 11	1
Respiratory diseases	24 149	1	1 19	6 22	18 2	2 11 1	8	ii	6	11 2	3 10 1	7 3	1
Pneumonia	40 39 407	1	10 3 24	6 50	41	2 40	7 30	3 34	1 29	32	32 17	2 45 25	3
Early infancy	225 138		14 10	27 14 9	25 14 2	21 15 4	20 7 3	18 12 4	15 12 2	21 9 2	12 3	14 6 3	j
Epidemic and other communicable diseases Measles	72	1	7	10 3	6 2	5	2	8		i	î		
Scarletfever	18		2	4	2	2		4	1				
Diptheria and croup	7		4 2						i				
Erysipelas. Tuberculosis of the lungs	. 4		1	1	·····i	1 1	1	2	1		. 1		
Tuberculous meningitisOther forms of tuberculosisSyphilis	1 14					1	1	2 2	1	3	2	2	
External causes	. 10		$\begin{bmatrix} 2 \\ 6 \end{bmatrix}$ $\begin{bmatrix} 1 \\ 6 \end{bmatrix}$	2		1 3	4	8	3 5	1 2	1 6	5	- William
All other causes	10 15 30		$\begin{bmatrix} 2 \\ 2 \\ 4 \end{bmatrix}$	1 2	3	3	1 1 2	3 1	4		. 3	2 3	

Table 53.—Infant mortality rates, by calendar month of birth and cause of death; live births in 1915.

		Totalinfa	nt deaths.				Infant	deaths from	n specified	causes.					
Month of birth.	Live births.		Infant		and intes- iseases.		ratory ases.	Malfor-	Early i	nfancy.	Epidemic and other		Diseases ill defined or		
Total	21	10.707	10.797	Number.	mortality rate.		Infant mortality rate.	Number.	Infant mortality rate.	mations.	Number.	Infant	cable	External causes.	unknown and all other causes.
Total	10,797	1,117	103.5	314	29. 1	213	19.7	39	407	37.7	72	10	62		
January February March April May June July August September October November December	885 891 973 793 828 878 999 936 909 904 886 915	82 97 113 103 88 101 97 78 78 94 101 85	92. 7 108. 9 116. 1 129. 9 106. 3 115. 0 97. 1 83. 3 85. 8 104. 0 92. 9	33 36 24 38 20 25 21 19 18 30 24 26	37. 3 40. 4 24. 7 47. 9 24. 2 28. 5 21. 0 20. 3 19. 8 33. 2 27. 1 28. 4	14 21 14 16 20 14 31 17 16 18 16	15. 8 23. 6 14. 4 20. 2 24. 2 15. 9 31. 0 18. 2 17. 6 19. 9 18. 1 17. 5	2 2 7 3 4 5 4 1	24 26 57 41 36 38 30 27 29 26 44 29	27. 1 29. 2 58. 6 51. 7 43. 5 43. 3 30. 0 28. 8 31. 9 28. 8 49. 7 31. 7	25 55 55 55 13 65 86 67 55	3 1 1 1 1 3	33 34 48 66		

Table 54.—Infant deaths from gastric and intestinal diseases per 1,000 live births, by age at death; Baltimore City, 1915 and 1916, cities of birth-registration area, 1915, and legitimate group in Baltimore study.

		eaths from liseases per		
Age at death.	Balti-	Cities of birth-	Baltimor	re City.
	more group.1	registra- tion area.	1915	1916
Total	29. 1	26.7	29. 9	32.7
Under 3 months. 3 months, under 6. 6 months, under 9. 9 months, under 12.	5. 9 9. 3 7. 4 6. 5	9. 0 8. 0 5. 9 3. 8	7. 7 9. 2 8. 1 4. 8	9. 9 8. 6 8. 2 6. 0

 $^{1}\,\mathrm{In}$ the Baltimore group the deaths under 1 year of age among infants born in 1915 occurred partly in 1915 and partly in 1916.

Table 55.—Infant deaths from diarrhea and enteritis per 1,000 live births, by age at death; England and Wales, 1891 to 1917.

			Infant deaths from diarrl and enteritis per 1,000 l births.						
	Period.	A	Age at death.						
		Under 3 months.	3-6 months.	6-12 months.					
1901–1910 1911–1915 1916		5. 58 5. 56 3. 53	8. 51 6. 97 6. 35 3. 50 3. 47	9. 71 7. 92 7. 33 3. 58 3. 41					

(Based on reports of registrar general of births, deaths, and marriages in England and Wales: 1915, ed. 8484; 1916, ed. 8869; 1917, cmd. 40.)

Table 56.—Mean temperature and precipitation, by calendar month; Baltimore, 1915 and 1916.

	Monthly	mean ten	in Baltimo	and total ore.
Calendar month.	19	15	19	16
	Mean tempera- ture (° F.).	Precipitation (inches).	Mean tempera- ture (° F.).	Precipitation (inches).
January February March April May July August. September October November December	39, 4 59, 2 62, 2 70, 6 76, 9 74, 2 71, 5 59, 6 47, 0	6. 81 4. 75 1. 06 1. 37 3. 19 6. 23 2. 22 9. 93 2. 30 3. 86 1. 59 3. 08	39. 5 33. 6 37. 0 52. 6 66. 6 69. 4 78. 0 76. 8 67. 6 57. 6 47. 3 36. 0	1. 51 3. 21 3. 61 3. 66 3. 49 5. 33 5. 00 81 1. 81 1. 61 1. 97 3. 99

Source: U. S. Department of Agriculture, Weather Bureau, monthly issues Climatological Data, Maryland and Delaware Section, 1915 and 1916, and Monthly Meteorological Summary, 1915 and 1916.

Table 57.—Infant deaths from epidemic and communicable diseases per 1,000 live births, by age at death and cause of death; Baltimore City, 1915 and 1916, cities of birth-registration area, 1915, and legitimate group in Baltimore study.

			1	Infant dea	ths at spec	eified age u	nder 1 year	r per 1,000	live births.			
				Cities o	the birth-	-registra-	+		Baltimo	ore City.		
Cause of death	Ba	timore stu	idy.		on area, 19			1915		1916		
	Under 1 year.		6 months, under 12.	Under 1 year.		6 months, under 12.	Under 1 year.		6 months, under 12.	Under 1 year.	Under 6 months.	6 months under 12
Epidemic and communicable diseases. Syphilis. Other epidemic and communicable diseases. Measles Whooping cough. Tuberculosis of the lungs. All other	6.7 1.3 5.4 .7 1.7 .4 2.6	2.9 1.3 1.7 .8 .1 .8	3.7 .7 .8 .3 1.9	8.5 1.6 6.9 .9 1.9 .6 3.5	4.6 1.5 3.1 .2 1.0 .3 1.6	3.9 .2 3.7 .7 .9 .3 1.9	8.9 4.5 4.4 .6 1.0 .7 2.2	5. 9 4. 0 1. 9 . 1 . 4 . 4 1. 0	3.0 .5 2.5 .4 .5 .3 1.2	9.1 4.0 5.1 .6 2.0 .5 2.1	5.5 3.6 1.9 .1 .9 .1	3. 3. 1.

Table 58.—Monthly death rates, by type of feeding, and by color and nationality of mother; infants born in 1915.

		Sul	osequer	it deat	hs.		Breas	t fed.			Mixed	d fed.		A	rtificia	ally fed	1.	1	Not re	portec	1.	
Month of life of infant and nationality of mother.	Infant sur- vivors.	Iny	rear.	In m	onth.	Infant		bseque	ent	Infant		ibsequ deaths		Tufant		bseque	ent	In-	St	ibsequ death	ent	No fed
	vivors.	Num- ber.	Per 1,000.	Num-		sur- vivors.	In	-	onth.	sur- vivors.	In	-	onth.	Infant sur- vivors.	In	In m	onth.	fant-		1	onth.	die
		ber.	1,000.	ber.	1,000.		year.	Num- ber.	Per 1,000.		year.	Num-	Per 1,000.1	VIVOIS.		Num-		vors.	year.	Num-		one
All mothers:									,			DCI.	1,000.			ber.	1,000.1			ber.	1,000.1	
First month. Second month Third month Fourth month Fifth month Sixth month Seventh month Eighth month Ninth month White mothers:	10, 797 10, 320 10, 255 10, 192 10, 130 10, 059 9, 983 9, 927 9, 871	1,117 640 575 512 450 379 303 247 191	103. 5 62. 0 56. 1 50. 2 44. 4 37. 7 30. 4 24. 9 19. 3	477 65 63 62 71 76 56 56 51	44. 2 6. 3 6. 1 6. 1 7. 0 7. 6 5. 6 5. 6 5. 2	9, 283 8, 176 7, 400 6, 457 5, 905 5, 352 4, 215 3, 590 2, 825	570 319 228 163 133 97 65 48 31	139 32 18 15 20 12 7 8 8	15. 0 3. 9 2. 4 2. 3 3. 4 2. 2 1. 7 2. 2 2. 8	281 608 844 1,303 1,614 1,977 2,845 3,291 3,890	34 50 52 53 49 44 46 44 39	12 4 8 7 9 8 9 11 12	42.7 6.6 9.5 5.4 5.6 4.0 3.2 3.3 3.1	958 1,531 2,006 2,426 2,605 2,725 2,919 3,042 3,153	240 271 294 293 265 236 191 154 121	53 29 37 40 41 56 40 36 31	55. 3 18. 9 18. 4 16. 5 15. 7 20. 6 13. 7 11. 8 9. 8	6 5 5 6 6 5 4 4 3	1 3 3 2 1 1	1		2
First month. Second month. Third month. Fourth month. Fifth month. Sixth month. Seventh month. Eighth month. Ninth month. Ninth month. Native mothers:	9,492 9,098 9,047 8,995 8,952 8,896 8,836 8,791 8,743	910 516 465 413 370 314 254 209 161	95. 9 56. 7 51. 4 45. 9 41. 3 35. 3 28. 7 23. 8 18. 4	394 51 52 43 56 60 45 48 45	41. 5 5. 6 5. 7 4. 8 6. 3 6. 7 5. 1 5. 5 5. 1	8,137 7,223 6,568 5,761 5,288 4,808 3,827 3,276 2,587	446 254 179 127 108 79 54 42 26	.107 25 14 7 17 9 4 7	13. 1 3. 5 2. 1 1. 2 3. 2 1. 9 1. 0 2. 1 2. 7	245 484 654 1,036 1,304 1,623 2,378 2,782 3,328	28 38 37 37 36 31 32 32 32	9 3 6 4 6 6 6 6 9 11	36.7 6.2 9.2 3.9 4.6 3.7 2.5 3.2 3.3	870 1,386 1,820 2,192 2,354 2,460 2,627 2,729 2,825	198 224 248 246 223 202 167 134 105	40 23 32 32 32 45 35 31 27	46. 0 16. 6 17. 6 14. 6 13. 6 18. 3 13. 3 11. 4 9. 6	6 5 5 6 6 5 4 4 3	4 1 3 3 2 1 1	1		2
First month. Second month. Third month. Fourth month Fifth month. Sixth month. Seventh month. Eighth month. Ninth month. Foreign-born mothers:	6,739 6,453 6,418 6,384 6,351 6,308 6,271 6,237 6,207	646 360 325 291 258 215 178 144 114	95. 9 55. 8 50. 6 45. 6 40. 6 34. 1 28. 4 23. 1 18. 4	286 35 34 33 43 37 34 30 34	42. 4 5. 4 5. 3 5. 2 6. 8 5. 9 5. 4 4. 8 5. 5	5, 681 4, 985 4, 497 3, 922 3, 588 3, 290 2, 675 2, 324 1, 871	296 159 109 75 64 47 31 24 13	75 14 5 4 12 7 3 3 3 3	13. 2 2. 8 1. 1 1. 0 3. 3 2. 1 1. 1 1. 3 1. 6	156 313 403 646 823 1,012 1,472 1,736 2,092	20 26 25 22 23 20 24 23 23	7 2 5 2 3 1 4 6 10	44.9 6.4 12.4 3.1 3.6 1.0 2.7 3.5 4.8	726 1,153 1,517 1,814 1,938 2,004 2,123 2,176 2,243	155 175 191 193 170 147 123 97 78	29 19 24 27 28 29 27 21 21	39. 9 16. 5 15. 8 14. 9 14. 4 14. 5 12. 7 9. 7 9. 4	4 2 1 2 2 2 1 1 1	3 1 1 1	3		1
First month. Second month Third month Fourth month Fifth month Sixth month Seventh month Lighth month Ninth month	2,753 2,645 2,629 2,611 2,601 2,588 2,565 2,554 2,536	264 156 140 122 112 99 76 65 47	95. 9 59. 0 53. 3 46. 7 43. 1 38. 3 29. 6 25. 5 18. 5	108 16 18 10 13 23 11 18 11	39. 2 6. 0 6. 8 3. 8 5. 0 8. 9 4. 3 7. 0 4. 3	2, 456 2, 238 2, 071 1, 839 1, 700 1, 518 1, 152 952 716	150 95 70 52 44 32 23 18 13	32 11 9 3 5 2 1 5 4	13. 0 4. 9 4. 3 1. 6 2. 9 1. 3 . 9 4. 2 5. 6	89 171 251 390 481 611 906 1,046 1,236	8 12 12 15 13 11 8 9 7	2 1 1 2 3 5 2 3 1	22.5 5.8 4.0 5.1 6.2 8.2 2.2 2.9	144 233 303 378 416 456 504 553 582	43 49 57 53 53 55 44 37 27	8 5 4 16 8 10	76. 4 17. 2 26. 4 13. 2 9. 6 35. 1 15. 9 18. 1 10. 3	2 3 4 4 4 3 3 3 2	1 2 2 1 1 1	i		

Jewish— First month Second month Third month Fourth month	961 935 932 931	49 23 20 19	51. 0 24. 6 21. 5 20. 4	26 3 1 3	27. 1 3. 2 1. 1 3. 2	878 803 746 638	25 14 11 10	7 2	8. 0 2. 5	39 76 115 193	1 3 2 3	1 1	5. 2	27 55 70 98	6 6 7 5	2		1 1 1 1 2	1	1	 16
Fifth month Sixth month Seventh month Eighth month Ninth month Polish—	928 925 924 924 920	16 13 12 12 12 8	17. 2 14. 1 13. 0 13. 0 8. 7	3 1 4 3	3. 2 1. 1 4. 3 3. 3	581 514 366 297 206	8 6 6 4 3	1 1 2	1.7 3.4 9.7	232 290 419 471 542	2 2 2	îi	1.8	113 119 137 154 171	5 4 5 5 3	1 1 2	8.8 8.4 13.0	2 2 2 2 2 1	1 1 1 1	1	
First month. Second month. Third month. Fourth month. Fitth month. Sixth month. Seventh month. Eighth month. Ninth month. Italian—	625 590 587 577 575 569 558 551 544	102 67 64 54 52 46 35 28 21	163. 2 113. 6 109. 0 93. 6 90. 4 80. 8 62. 7 50. 8 38. 6	35 3 10 2 6 11 7 7 7	56. 0 5. 1 17. 0 3. 5 10. 4 19. 3 12. 5 12. 7 5. 5	559 507 477 430 402 369 276 241 185	64 42 33 21 18 13 7 6 5	13 2 7 1 2 1 1 1 1	23. 3 3. 9 14. 7 2. 3 5. 0 2. 7 3. 6 4. 1 5. 4	17 38 47 74 92 111 188 213 259	5 8 8 9 8 6 8 6 3	1 1 2 2 2 2 3	18. 0 10. 6 14. 1	29 43 60 71 79 88 93 96 99	14 17 22 23 25 27 20 16 13	3 1 2 1 8 4 3 2		1 2 3 2 2 1 1 1	1 1 1	14	19
First month. Second month. Third month. Fourth month. Fitth month. Sixth month. Seventh month. Eighth month. Ninth month. All other—	412 395 393 389 388 386 383 382 381	36 19 17 13 12 10 7 6 5	87. 4 48. 1 43. 3 33. 4 30. 9 25. 9 18. 3 15. 7 13. 1	17 2 4 1 2 3 1 1 1	41. 3 5. 1 10. 2 2. 6 5. 2 7. 8 2. 6 2. 6 2. 6	372 348 327 302 287 256 201 161 125	19 13 10 7 7 5 3 1	5 2 2 2 1	13. 4 5. 7 6. 1 7. 0 3. 9	18 25 38 50 59 77 117 141 172	1 2 2 2 2 1	2		11 22 28 37 42 53 65 80 84	5 6 6 4 3 3 4 4 3	2 1 1 1 1					11
First month Second month Third month Fourth month Fifth month Sixth month Seventh month Seventh month Colored mothers:	755 725 717 714 710 708 700 697 691	77 47 39 36 32 30 22 19 13	102. 0 64. 8 54. 4 50. 4 45. 1 42. 4 31. 4 27. 3 18. 8	30 8 3 4 2 8 3 6 4	39. 7 11. 0 4. 2 5. 6 2. 8 11. 3 4. 3 8. 6 5. 8	647 580 521 469 430 379 309 253 200	42 26 16 14 11 8 7 7 4	7 5 1 2 1	10. 8 8. 6 2. 1 7. 9 5. 0	15 32 51 73 98 133 182 221 263	1 1 1 1 1 1 1	1	7.5	77 113 145 172 182 196 209 223 228	18 20 22 21 20 21 15 12 8	6 3 3 2 7 3 4 3	26. 5 20. 7 17. 4 11. 0 35. 7 14. 4 17. 9 13. 2				16
First month Second month Third month Fourth month Fifth month Sixth month Seventh month Lighth month Ninth month	1, 305 1, 222 1, 208 1, 197 1, 178 1, 163 1, 147 1, 136 1, 128	207 124 110 99 80 65 49 38 30	158. 6 101. 5 91. 1 82. 7 67. 9 55. 9 42. 7 33. 5 26. 6	83 14 11 19 15 16 11 8 6	63. 6 11. 5 9. 1 15. 9 12. 7 13. 8 9. 6 7. 0 5. 3	1,146 953 832 696 617 544 388 314 238	124 65 49 36 25 18 11 6 5	32 7 4 8 3 3 3 1	27. 9 7. 3 4. 8 11. 5 4. 9 5. 5 7. 7 3. 2 4. 2	36 124 190 267 310 354 467 509 562	6 12 15 16 13 13 14 12 9	3 1 2 3 3 2 3 2 1	8. 1 10. 5 11. 2 9. 7 5. 6 6. 4 3. 9 1. 8	88 145 186 234 251 265 292 313 328	42 47 46 47 42 34 24 20 16	13 6 5 8 9 11 5 4	41. 4 26. 9 34. 2 35. 9 41. 5 17. 1 16. 0 12. 2				35

¹Rate not shown where base is less than 100.

Table 59.—Monthly death rates, by type of feeding, and by earnings of father and color and nativity of mother; infants born in 1915.

		Total.			Breast fed			Mixed fed.		. A	rtificially f	ed.	Feeding por	not reted.
Month of life of infant, earnings of father, and color and nativity of mother.	Infant	Deaths in	n month.	Infant	Deaths i	n month.	Infant	Deaths i	n month.	Infant	Deaths i	n month.	Infant	Deaths
	survivors.	Number.	Per cent.2	survivors.	Number.	Percent.2	survivors.	Number.	Per cent.2	survivors.	Number.	Per cent.2	survivors.	month.
ALL MOTHERS.				`										
Earnings of father: Under \$450—														
First month	1,495	44	2.9	1,332	31	2.3	50			110	11	10.0	3	
Second month	1, 451	17	1.2	1, 165	10	.9	114			170	7	4.1	2	
Third month	1, 434	15	1.0	1,039	5	.5	173	4	2.3	220	6	2.7	2	
Fourth month	1,419	11	.8	882	2	.2	254	1	.4	281	8	2.8	2	
Fifth month	1,408	18	1.3	793	6	.8	308	4	1.3	305	8	2.6	2	
Sixth month	1,390	20	1.4	705	4	.6	355	3	.8	328	13	4.0	2	
Seventh month	1,370	14	1.0	526	1	.2	488	3	.6	354	10	2.8	2	
Fighth month	1,356	16	1.2	428	1		554	4	.7	372	11	3.0	2	
Eighth month	1,340	6	1.2	332	1	.3	626	1		381	5	1.3	1	
Tenth to twelfth month	1,334	32	2.4	331	10	3.0	626	7	1.1	376	15	4.0	1	
\$450-\$549—	1,004	04	2.4	901	10	0.0	020		1.1	010	1	2.0		1
	1,412	30	0 1	1,279	19	1.5	38	2	ALCOHOL:	95	9			
First month	1,382		2.1	1,138			92	1		152	1 4	2.6		
Second month	1,382	9	.7	1, 138	5	.4	137	3	2.2	207	7	3.4		
Third month		15	1.1	881	0		214	1	.5	263	9	3.4		
Fourth month	1,358	12	.9		2 2	.2	267	1	.4	276	4	1 4		
Fifth month	1,346	7	.5	803	2	.2	329	1	3	285	16	5.6		
Sixth month	1,339	18	1.3	725	1	.1	476	1	.2	292	8	2.7		
Seventh month		9	.7	553			549	3	.5	303	2	7		
Eighth month	1,312	6	.5	460	1	.2	631	0	.2	323	4	1.2		
Ninth month	1,306	6	. 5	352	1	.3	630	1	1.1	319	13	4.1		
Tenth to twelfth month 3	1,300	22	1.7	351	2	.6	630	1	1.1	919	10	4.1		
\$550-\$649					100		00	3		124	7	5.6	1	
First month	1,452	29	2.0	1,294	18	1.4	33	3		205	4	2.0	1	1
Second month		12	.8	1,147	7	.6	71	1		205	7	2.6	,	
Third month	1,411	9	.6	1,047	2	.2	92				1			
Fourth month		11	.8	914	4	.4	164	1	.6	324	6	1.9		
Fifth month		9	.6	849	1	.1	207	2	1.0	335	6	1.8		
Sixth month	1,382	5	.4	775	1	.1	254	1	.4	353	3			
Seventh month	1,377	14	1.0	603	2	.3	398	2	.5		10			
Eighth month	1,363	12	.9	523	3	.6	457			. 383	9			
Ninth month	1,351	7	.5	426			. 539			. 386	7			
Tenth to twelfth month 8	1,344	1 17	1.3	426	2	.5	539	4	.7	379	11	2.9	1	

\$650-\$849— First month	2,362	1 .	00	0.050			0-				1			1
		51	2.2	2,078	37	1.8	60	4		224	10	4.5		
Second month	2,311	9	.4	1,858	4	.2	113	1	.9	340	4	1.2		
Third month	2,302	11	.5	1,684	4	.2	166			452	7	1.5		
Fourth month	2,291	14	.6	1,495	3	.2	251	1	1	545	10	1.8	(110,100,000,000,000,000,000,000,000,000	
Fifth month	2,277	19	.8	1, 367	8	.6	331	1	. 4	579		1.0		
Sixth month	2, 258	0	.4	1,240	0	2		1	,3		10	1.7		
Seventh month	2, 249	0			2		413	1	.2	605	6	1.0		
Eighth month		6	.3	1,001	1	.1	604			644	5	.8		
Eighth month	2,243	10	.4	852	2	.2	726	2	.3	665	6	.9		
Ninth month	2,233	16	.7	682	3	.4	861	4	.5	690	9	1.3		
Tenth to twelfth month 3	2,217	32	1.4	679	7	1.0	857	4	.5	681	21	3.1		
850-\$1,249		18.0			1	2.0	001	-		001	21	0.1		
First month	2,205	25	1.1	1,928	16	.8	53	4	The second	224		0.0		
Second month	2, 180	10	.5					1	*******		8	3.6		
Third month.		10		1,711	5	.3	107			360	5	1.4	2	
Fourth wouth	2,170	6	.3	1,577			119	1	.8	472	5	1.1	2	
Fourth month	2, 164	4	.2	1,383	1	.1	203			576	3	.5	2	
Fifth month	2, 160	7	.3	1,266	3	.2	262	1	.4	630	3	.5	2	
Sixth month	2,153	12	.6	1,144	2	.2	345	1	.3	662	0	1.4	2	
Seventh month	2, 141	4	.2	932	2	.2	496	1	.2	711	1		- 4	
Eighth month	2, 137	5	9	798	1	.1	590	1			1	.1	2	
Ninth month	2, 132		4		1				********	747	4	. 5	2	
Tenth to twelfth month 3		11	.5	621	2	.3	742	4	.5	767	5	.7	2	
	2, 121	23	1.1	619			738	3	.4	762	20	2.6	2	
31,250-\$1,849-		1			A									
First month	767	19	2.5	651	10	1.5	27	2		88	6	Carrier Ave	1	
Second month	748	3	.4	574		2222	39			135	3	2.2	1	
Third month	745	1	.1	519	1	.2	55			171	9	2. 4		
Fourth month	744	2	.3	472	1		74							
Fifth month	742	2				********		1		198	1	. 5		
Sixth month		2	.3	441	********		85			216	2	.9		
Sixth month	740	3	.4	408	1	.2	108			224	2	. 9		
Seventh month	737	3	.4	321			172	1	.6	244	2	.8		
Eighth month	734	1	.1	282	1	.41	192			260		.0		
Ninth month	733			223	Section 1	March College	235			275				
Tenth to twelfth month 3	733	6	.8	223	2	.9	235			275				
1,850 and over—	100	0	.0	220	4	. 0	200		*******	2/5	4	1.5		
First month	101	5	1.2	377	5	10	10						100000	
	424	5	1.2		5	1,3	12			35				
Second month	419			317			27			75				
Third month	419	1	.2	274			38			107	1	.9		
Fourth month	418	1	.2	232			59			127	ī	.8		
Fifth month	417			207	100000000000000000000000000000000000000		87			143		.0		
Sixth month	417			196			71			150			*******	
Seventh month	417			156									********	
			********				91			170				
Eighth month	417	1	.2	137			98			182	1	.5		
Ninth month	416	1	.2	109			112			195	1	. 5		
Tenth to twelfth month ³	415			109		100000000000000000000000000000000000000	112	CONTRACTOR OF STREET		194				

¹ Excludes 35 not fed (died at once).
2 Not shown where base is less than 100.
3 Figures are infant survivors at beginning of tenth month, who are classified according to type of feeding in the ninth month; and deaths in tenth, eleventh, and twelfth months in each of these groups. The rate shows the deaths in these three months per 1,000 survivors at the beginning of the tenth month.

Table 59.—Monthly death rates, by type of feeding, and by earnings of father and color and nativity of mother; infants born in 1915 1—Continued.

	W = 1/1	Total.	un de		Breast fed			Mixed fed.		Aı	rtificially fo	ed.	Feeding por	not re- ted.
Month of life of infant, earnings of father, and color and nativity of mother.	Infant	Deaths i	n month.	Infant	Deaths i	n month.	Infant	Deaths i	n month.	Infant	Deaths i	n month.	Infant	Deaths
	survivors.	Number.	Per cent.2	survivors.	Number.	Per cent.2	survivors.	Number.		survivors.	Number.	Per cent.	survivors.	month.
ALL MOTHERS—continued.				17 31										
Carnings of father—Continued.		17.00	0 10 1			11					live II	110		
No earnings—							N. A. Santa				1 1 - 1		A	
First month	201	2	1.0	168	1	. 6	1			31	1		1	
Second month	199	1	.5	131	l î	.8	23			44			1	
Third month	198	3	1.5	111	1	. 9	34			53	2			
Fourth month	195	4	2.1	92	2		44	2		59				
Fifth month	191	7	3. 7	81			46	I		64	7			
Sixth month	184	9	4.9	74	1		52	1		58	7			
Seventh month	175	5	2.9	56	î		63	Î		56	3			
Eighth month	170	1	. 6	48			67	Î		55				
Ninth month	169	1		37			74			58				
Tenth to twelfth month	169	5	3.0	37			74	1		58	4			
Not reported—	109	0	3.0	0,			12	-						
First month	210	3	1.4	176	2	1.1	7	Daniel Co.	William Street	27	1	Mariana		
Second month	207	4	1.9	135	1	.7	22	1		50	2			0.000
Third month	207	2	1.0	120	1		30	1		52	2		1	
	203	3	1.5	106		. 9	40			53	2		2	
Fourth month	198	9	1.0	98	1	.9	41			57	i		2	
	198	4	1.0	85			50			60	-		1	
Sixth month				67			57			72	1			
Seventh month	196	1	.5	62			58			75	3			
Eighth month	. 195	4	2.1	43	***********		70	1 2		78	0			
Ninth month	191	3	1.6	43	1		67	1		78	2			
Tenth to twelfth month	187	3	1.0	42			01	1		10	-			
NATIVE WHITE MOTHERS.	1					-								
Earnings of father: Under \$550— .	3.1	1				1 3						11		
First month	1,058	26	2.5	928	18	1.9	21	1 Summer	The second second	107	6	5.6	2	
Cocond month	1,038	9	.9	814	1	1 1	58	1		160	7	4.4		Landing.
Second month		12	1.2	729	1	1	86	5		208	6	2.9		
Third month		10	1.0	622	1	.1	130	1	.8	259	9	3.5		
Fourth month	1,011			557			169		.6	275	6	2.2		
Fifth month	1,001	10	1.0		3	.5	205		.0	279	11	3.9		
Sixth month	. 991	12	1.2	507 393	1	.2	300		.3	286	12	4.2		
Seventh month	979	14	1.4	1 993	1 1	1 .0	. 500	1 1		1 400	12	1 7.2		

Eighth month	965 958 954	7 4 18	1.9	336 264 264	: <u>2</u>		348 400 400	4	1.1	281 294 290	3 4 13	1.1		
\$550-\$849—	904	10	1.0	204	4	.0	400	9	. 8	290	15	4.5		
First month	2,568	49	1.9	2,227	31	1.1	00	1		000	10	1 0		
Second month	2,519	13		1,971		1.4	60	4		280	13	4.6	1	1
Second month	2,519		.5		6	.3	112	1	.9	436	6	1.4		
Third month	2,506	14	.6	1,778	3	.2	147			581	11	1.9		
Fourth month	2,492	16	.6	1,552	4	.3	253			687	12	1.7		
Fifth month	2,476	20	.8	1,422	6	.4	333	1	.3	-721	13	1.8		
Sixth month	2,456	9	.4	1,304	. 2	.2	405			747	7	.9		
Seventh month	2,447	12	.5	1,072			592	1	.2	783	11	1.4		
Eighth month	2,435	14	.6	930	2	.2	713	ī	1	792	11	1 4		
Ninth month	2,421	17	.7	768	2	.3	847	3	.4	806	12	1.5		
Tenth to twelfth month?	2,404	33	1.4	766	6	.8	844	5	.6	794	22	2.8		
\$850-\$1,249—	2, 101	00	2,2	100	0	.0	014	0	.0	194	44	4.0		*******
First month	1,761	18	1.0	1 504	10	.7	24	1	(100	-	0.0		
Second month				1,524			41	1		196	1	3.6		
Second month	1,743	8	.5	1,347	5	.4	79			316	3	. 9	1	
Third month	1,735	4	.2	1,232			83			419	4	1.0	1	
Fourth month	1,731	2	.1	1,078		********	144			508	2	.4	1	
Fifth month	1,729	7	.4	986	3	.3	191	1	.5	551	3	. 5	1	
Sixth month	1,722	10	.6	897	2	.2	246	1	.4	578	7	1.2	1	
Seventh month	1,712	4	.2	740	2	.3	356	1	.3	615	1	.2	1	
Eighth month	1,768	- 4	.2	636	la marila		433	distant.		638	4	.6	1	
Ninth month	1,704	10	.6	498	1	.2	554	4	.7	651	5	.8	1	
Tenth to twelfth month	1,694	18	1.1	497			550	2	.5	646	15	2.3	i	
\$1,250-\$1,849—	1,001	10	4.1	401			000	0		0.40	10	4.0	1	
T31 / 13	609	15	2.5	514	10	1.9	00	0		7-	3	American State		
Second month	594	3			10	1.9	20	4	********	75		********		
second month		3	.5	449			24			121	3	2.5		
Third month	591	1	.2	404	1	.2	35			152				
Fourth month	590	1	.2	365			46			179	1	.6		
Fifth month	589			345			50			194				
Sixth month	589	3	5	322	1	.3	65			202	2	1.0		
Seventh month	586	3	.5	259			109	1	.9	218	2	.9		
Eighth month	583	1	.2	234	1	.4	119			230				
Ninth month	582	1		188			151			243				
Tenth to twelfth month 3	582	6	1.0	188	2	1.1	151			243	4	1 6		
\$1,850 and over—	004	0	1.0	100	4	1.1	191			240	4	1.0		
First month	000	5	1.4	000	5	10	144	TO A TOWN OF		00				
first month	360	5	1.4	320	0	1.6	11			29				
Second month	355	*******		267			23			65				
Third month	355	1	.3	232			30			93	1			
Fourth month	354	1	.3	196			47			111	1	.9		
Fifth month	353			177			53			123				
Sixth month	353			171			54			128				
Seventh month	353			140			68			145				
Eighth month	353	1	.3	123			73			157	1	. 6		
Ninth month	352	1		101			83			168	1	.0		
Tenth to twelfth month 3	352			101			83			168				
Tentu to twentu mouth of	302	*********		101			00			108		********	1	********

¹ Excludes 35 not fed (died at once).
2 Not shown where base is less than 100.
3 Figures are infant survivors at beginning of tenth month, who are classified according to type of feeding in the ninth month; and deaths in tenth, eleventh, and twelfth months in each of these groups. The rate shows the deaths in these three months per 1,000 survivors at the beginning of the tenth month.

Table 59.—Monthly death rates, by type of feeding, and by earnings of father and color and nativity of mother; infants born in 1915 1—Continued.

		Total.			Breast fed			Mixed fed.		Aı	rtificially f	ed.	Feeding por	not re-
Month of life of infant, earnings of father, and color and nativity of mother.	Infant	Deaths in	n month.	Infant	Deaths i	n month.	Infant	Deaths i	n month.	Infant	Deaths i	n month.	Infant	Deaths
	survivors.	Number.	Per cent.2	survivors.		Per cent.2	survivors.	Number.	Per cent.2	survivors.	Number.	Per cent.2	survivors.	month.
NATIVE WHITE MOTHERS—con.														
Earnings of father—Continued No earnings—											-			
First month	86			66						19			1	
Second month	86	1		66 57	1		6			22			1	
Second month	85	1		50			7			28	1			
Fourth month	84	1		43			9	1		28 32				
Fifth month	84 83 78 75	5		43 41			9			33	5			
Sixth month	78	3		37	1		13			28	2			
Seventh month	75	1		30			17			28	1			
Eighth month	74			28			19			27				
Ninth month	74			24			21			29				
Tenth to twelfth month 3	74	2		24			21	1		29	1			
Not reported—	1.2	-		21						20	-			
First month	125	1	.8	102	1	1.0	3			20			V	
Second month	124	1	.8	80	1	1.0	11			33				
Third month	123	1	.8	72	1		15			36				
Fourth month	122	0	1.6	66			17			38	2			
Fifth month	120	1	.8	60			18			41	ĩ		1	
Sixth month	119	1	.0	52			24			42	-		1	
Seventh month	119			41			30			48			1	
Eighth month	119			37			31			51				
Ninth month		3	2.5				36	1		52	4			
Ninth month Tenth to twelfth month 3	116 113	3 3	2.6 2.7	28 28			33	0		52	2	********		
FOREIGN-BORN WHITE MOTHERS.	113	3	2.1	20			30			02	4			
Earnings of father: Under \$450—													/	
First month	569	11	1.9	506	8	1.6	27			35	3		1	
Second month	558	6	1.1	455	5	1.1	44			57	1		2	
Third month	552	7	1.3	416	3	.7	65			69	4		2	
Fourth month	545	1	.2	362			99			82	1		2	
Fifth month	544	4	.7	335	2	.6	119	2	1.7	88			2	
Sixth month	540	9	1.7	294	1	.3	142	2	1.4	102	6	5.9	2	
Seventh month	531	4	.8	228	-		190	1	.5	111	3	2.7	0	

Eighth month	527	7	1.3	188			218	1	.5	119	1 5	4.2	1 2	1
	520	3	.6	145	1	.7	253			121	2	1.7	1	1
Tenth to twelfth month 3	517	14	2.7	144	5	3.5	253	2	.8	119	7	5. 9	1	
450-\$549		1 8	YEAR				1				1	0.0	-	
First month	444	5	1.1	419	5	1.2	14	100	the same of	11	Land and			-
Second month	439	3	.7	390	9	.5	26			23				*******
Third month	436	1 4	.9	365	2	.8	39				1 1	********		
Fourth month	432	-			0	.0				32	1			
Fifth month		********	*********	317			68			47				
Fifth month	432		********	299			84			49				
Sixth month	432	4	.9	268			110	i	.9	54	3			
Seventh month	428			204			168			56				
Eighth month	428	2	.5	161			199	1	.5	68	1			
Ninth month	426	111111111111111111111111111111111111111		120			234	-		72	1			
Tenth to twelfth month 3	426	5	1.2	120	2	1.7	234	*********	*******					
550-\$849—	120	0	1.4	120	4	1.1	404	1	.4	72	2			
First month	0777	10	10	000			-		-					
Coopered Coopered	977	18	1.8	903	14	1.6	29	2		45	2			
Second	959	5	.5	829	4	.5	54			76	1			
Third month	954	4	.4	767	3	.4	82			105	1	1.0		
Fourth month	950	6	.6	697	2	.3	118	1	.8	135	3	2.0		
Fifth month	944	7	.7	647	2	.5	152	1	.7	145	3	2.1		
Sixth month	937	1	1 .4	583	1	.2	197	1						
Seventh month	933	7			1	.4		1	.5	157	2	1.3		
Fighth month		4	.4	437	********		321	1	.3	175	3	1.7		
Eighth month	929	8	.9	367	3	.8	372	1	.3	190	4	2.1		
Ninth month	921	5	.5	279	1	.4	441	1	.2	201	3	1.5		
Tenth to twelfth month 3	916	13	1.4	278	2	.7	440	3	.7	198	8	4.0		
350 and over—		100			1		1000			200		1.0		
First month	609	9	1.5	550	1	.7	17			41	4	140000		
Second month	600	1	.2	501	*		39				4		1	
Third month	599	2	.3						*******	59	1		1	
Fourth month				466	*******		56	1		76	1		1	
Total month	597	2	.3	415	1	.2	89			92	1		1	
Fifth month	595			374			111			109			1	1000000
Sixth month	595	2	.3	331			145			118	2	1.7	i	
Seventh month	593			250			205			137		2	1	*****
Eighth month	593	1	.2	209	1	.5	232			151		********	1	******
Ninth month	592	2	.3	155	1	.6				101			1	
Tenth to twelfth month 3	590	3			1	.0	274			162	1	.6	1	
o earnings—	990	3	.5	154			274			161	3	1.8	1	
o earnings—		1 (2)				7.6		ALCOHOLD IN	DECEMBER 1					
First month	47	1		40						7	1	bladen and	la constant	the same
Second month	46			31			6			9	A			
Third month	46			28			7			11				
Fourth month	46	1		23			10			13				
Fifth month	45	1		20		********		1						
Sixth month		1					9			16	1			
Covereth month	44	4		20			9	1		15	3			
Seventh month	40	2		14	1		13			13	1			
Eighth month	38			9			16			13	22220867			
Ninth month	38			6			19			13				
Tenth to twelfth month 3	38	4		6			19			13		*********		

Figures are infant survivors at beginning of tenth month, who are classified according to type of feeding in the ninth month, and deaths in tenth, eleventh, and twelfth months in each of these groups. The rate shows the deaths in these three months per 1,000 survivors at the beginning of the tenth month.

Table 59.—Monthly death rates, by type of feeding, and by earnings of father and color and nativity of mother; infants born in 1915 1—Concluded.

	-1-1	Total.	2017	10///11	Breast fed	est.		Mixed fed.	a lent	A	rtificially f	ed.	Feeding por	not reted.
Month of life of infant, earnings of father, and color and nativity of mother.	Infant	Deaths i	n month.	Infant	Deaths i	n month.	Infant	Deaths i	n month.	Infant	Deaths i	n month.	Infant	Deaths
	survivors.	Number.	Per cent.2	survivors.	Number.	Per cent.2	survivors.	Number.	Per cent.2	survivors.	Number.	Per cent.2	survivors.	in month.
FOREIGN-BORN WHITE MOTHERS—continued.			- 7-											
Earnings of father—Continued. Not reported—	200									1000		. 4=		
First month	45	2		28 32	. 1		2			5	1			
Second month	43	1		32			2	1		9				
Third month	42	1		29			2			10	1		1	
Fourth month	41			25 25 22			6			9			1	
Fifth month	41	1		25			6		********	9			1	
Sixth month	40			22			8			10				
Seventh month Eighth month	40 39	1		19 18			9		********	12 12	1			
Ninth month	39			11			15			13				
Tenth to twelfth month 3	38	1		10	1		15 15		*******	13				
COLORED MOTHERS.			10							1				
Earnings of fathers:		14	100								-1 - 31	1.23	1	
Under \$450— First month	100	10	0.0	444	10	0.7	14	1		31		2.0		No. of the last
Second month	489 473	16	3.3	444 374	12 5	2.7	14 48	********		51	4		********	
Third month	467	3	.6	316	0	1.3	75			76	1			
Fourth month	464	6	1.3	258	2	.8	105	1	********	101	1	4.0		
Fifth month	458	6	1.3	227	ī	.4	122		8	109	4	3.7		
Sixth month	452	8	1.8	202	2	1.0	136	î	.7	114	5	4.4		
Seventh month	444	3	.7	144		1.0	176	Î	.6	124	2	1.6		
Eighth month	441	4	. 9	115			191	la constante		135	4	3.0		
Ninth month	437	2	. 5	85			213			139	2	1.4		
Tenth to twelfth month 3	435	11	2.5	85	3		213	4	1.9	137	4	2.9		
\$450-\$549-	1936			1000	1 (2)				1	30		1		100000000000000000000000000000000000000
First month	347	16	4.6	314	7	2.2	12	2		21	7			
Second month	331	2	.6	270	1	:4	30			31	1			
Third month	329	4	1.2	242	2	.8	45	1		42	1			
Fourth month	325	6	1.8	204	2	1.0	66	1		55	3			
Fifth month	319	5	1.6	178	2	1.1	81	1		60	2			
Sixth month	314	5	1.6	159	1	.6	91			64	4			

Seventh month	309 1	2	6.5	110	[130	1	.81	69	1	[[
Eighth month	307	2	.7	88	1		147	1	.7	72				
	305	3	1.0	70	1		157	1	.6	78	1			
Tenth to twelfth month 3	302	6	2.0	69	Contract of the		156	4	2.6	77	2			
	004	· ·	2.0	00			200				3.		0.000,000,000	
\$550 and over—	000	4.0	4.6	290	12	4.1	7	1	Control of the last	29	2	and to the	100	Constitution of
First month	326	15			12	71.7	00	1		42	9			
Second month	311	4	1.3	243	1	.4	26	1			2			
Third month	307	2	.7	222			37			48	2			
Fourth month	305	4	1.3	193	1	.5	54	2		. 58	1			
Fifth month	301	3	1.0	179			62	1		60	2			
Sixth month	298	1	.3	155			79	1		64				
Seventh month	297	1	1.3	115	3	2.6	110			72	1			
	293		2.0	93			121			79			100000000000000000000000000000000000000	
Eighth month	293		.3	72			139			82	1			
Ninth month		1		72			139			81	2			
Tenth to twelfth month 3	292	5	1.7	12	1		139			01	9			
No earnings—	115.0	100	1	100	1 153	132				(0) 2	7.0	A SHOW WOLLD	1 - 1 - COM	
First month	68	1		62	1		1			5				
Second month	67			43	1		11			13				
Third month	67	2		33	1		20			14	1			
Fourth month	65	2		26	2		25			14				
	63	i	100000000000000000000000000000000000000	20	The state of the state of		28		0.0000000000000000000000000000000000000	15	1		Control of the	
	62	2		17			30	0.0000000000000000000000000000000000000		15	2			
Sixth month	60	2		10			33			15	ī		Contract Contract	
Seventh month		2		12			32	1		15				
Eighth month	58	1		11				1						
Ninth month	57			7			34	*******		16				
Tenth to twelfth month 3	57	2		7			34			16	2			
Not reported—								A STATE OF THE STA	-			1		
First month	40	10000000000		36			2			2				
Second month	40	2		23			9			8	2			
PRINT 1 1	38	leer carried		19			13			6	Control of the control			
	38			15	1		17			6				
Fourth month	37	1		13	1		17			7				
Fifth month														
Sixth month	37.			11			18			8				
Seventh month	37			7			18			12				
Eighth month	37	1		7			18			12	1			
Ninth month	36	Steam follow		4			19			13				
Tenth to twelfth month 3	36			4			19			13				
Tenen oo awentin montan	30			-			20			-				
	-	1			1-1-						-	A CONTRACTOR OF THE PARTY OF TH		-

product of the selfice of a source of a test to part

¹ Excludes 35 not fed (died at once).
2 Not shown where base is less than 100:
3 Figures are infant survivors at beginning of tenth month, who are classified according to type of feeding in the ninth month, and deaths in tenth, eleventh, and twelfth months in each of these groups. The rate shows the deaths in these three months per 1,000 survivors at the beginning of the tenth month.

Table 60.—Computed infant mortality rates, by type of feeding, and by earnings of father and color and nativity of mother; infants born in 1915.

		Breast-fe	d infants.			Mixed-fe	d infants.		1	Artificially	-fed infants	
Earnings of father and color and nativity of mother.	Nun	nber.	Total	Com- puted	Nun	aber.	Total months	Com- puted	Nun	iber.	Total months	Com- puted
	First month.	Ninth month.	months of feeding.1	infant mortali- ty rate.2	First month.	Ninth month.	of feeding.1	infant mortali- ty rate.2	First month.	Ninth month.	of feeding.1	infant mortali- ty rate. ²
All mothers	9,283	2,825		43.3	281	3,890		87.4	958	3, 153		191.
Earnings of father:	2,611 3,372 1,928 651 377 168 176	684 1,108 621 223 109 37 43	14, 422 19, 835 11, 360 3, 891 2, 005 798 892	61. 8 46. 1 22. 5 23. 2 13. 3 (3) (3)	88 93 53 27 12 1	1,257 1,400 742 235 112 74 70	5, 655 5, 740 2, 917 987 575 404 375	87. 8 108. 5 44. 6 91. 9	205 348 224 88 35 31 27	704 1,076 767 275 195 58 78	4,717 7,502 5,149 1,811 1,184 478 524	310. 185. 117. 130. 27. (3) (3)
Native white mothers	5,681	1,871		32.7	156	2,092		85.8	726	2,243		160.
Earnings of father:	928 2,227 1,524 834 66 102	264 768 498 289 24 28	5,150 13,024 8,938 4,807 376 538	39. 0 39. 0 20. 2 31. 1 (3) (3)	21 60 41 31	400 847 554 234 21 36	1,717 3,462 2,127 1,061 101 185	107. 0 89. 3 48. 4 69. 7 (3)	107 280 196 104 19 20	294 806 651 411 29 52	2,149 5,833 4,472 2,633 246 361	289. 178. 109. 77. (3)
Foreign-born white mothers	2,456	716		50.2	89	1,236		61.0	144	582		232.
Earnings of father: Under \$550. \$550-\$849. \$550 and over. No earnings. Not reported.	925 903 550 40 38	265 279 155 6 11	5, 472 5, 509 3, 251 191 219	63. 8 51. 1 20. 9 (3) (3)	41 29 17	487 441 274 19 15	2,099 1,766 1,168 89 59	35. 1 101. 3 17. 9 (³) (³)	46 45 41 7 5	193 201 162 13 13	1,196 1,229 945 110 89	274. 196. 169. (³)
Colored mothers	1,146	238		90.2	36	562		146.8	88	328		347.
Earnings of father: Under \$550. \$550 and over. No earnings. Not reported.	758 290 62 36	155 72 7 4	3,800 1,562 231 135	91. 4 88. 0 (³) (³)	26 7 1 2	370 139 34 19	1,839 635 214 131	140. 4 229. 0 (³) (³)	52 29 5 2	217 82 16 13	1,372 534 122 74	387. 252. (³) (³)

¹ For first nine months of life only.

² Per 1,000 infants fed. For method of computation, see Appendix V, p. 199.

³ Rate not computed.

Table 61.—Computed infant mortality rates, by type of feeding, and by nationality of mother; infants born in 1915 to foreign-born white mothers.

TE WYLDWYNEY	1	Breast-fe	d infants.			Mixed-fe	d infants.	50000	1	Artificially	-fed infants	3.
Nationality of mother.	Nun	iber.	Total months	Com- puted	Nun	aber.	Total	Com- puted	Nun	aber.	Total	Com-
	First month.	Ninth month.	of feeding.1	infant mortali- ty rate. ²	First month.	Ninth month.	months of feeding.1	infant mortali- ty rate.2	First month.	Ninth month.	months of feeding.1	infant mortali- ty rate.2
Foreign-born white mothers	2,456	716		50.2	89	1,236		61.0	144	582		232.
Jewish. Polish. Italian All others.	878 559 372 647	206 185 125 200	5,029 3,446 2,379 3,588	31. 4 83. 7 43. 3 48. 6	39 17 18 15	542 259 172 263	2,377 1,039 697 805	26. 1 105. 8 85. 4 77. 2	27 29 11 77	171 99 84 228	944 658 422 1,317	137.: 385.: 152.: 230.:

¹ For first nine months of life only.

² Per 1,000 infants fed. For method of computation, see Appendix V, p. —.

Table 62.—Monthly death rates, by type of feeding, month of life and cause of death; infants born in 1915.

	Deaths	in month	from speci	fied causes p	per 1,000 su	rvivors fee	in specif	fied way.
Month of life.	Gasti	ric and int	estinal dis	eases.		All of	ther cause	s.
	Total.	Breast fed.	Mixed fed.	Artifi- cially fed.	Total.	Breast fed.	Mixed fed.	Artifi- cially fed.
First. Second. Third. Fourth. Fifth. Sixth. Seventh. Eighth. Ninth. Tenth.	1. 6 1. 5 3. 1 2. 6 2. 9 4. 4 3. 6 2. 4 2. 0 2. 7	1.3 .9 .8 .2 .3 .6 .5 .3	7.1 5.9 3.1 2.5 3.1 1.1 1.2 1.3	3. 1 5. 2 10. 5 9. 1 8. 4 13. 9 10. 6 5. 9 4. 4 6. 6	42.6 4.8 3.0 3.4 4.1 3.2 2.0 3.2 3.1 2.2	13. 7 3. 1 1. 6 2. 2 3. 0 1. 7 1. 2 1. 9 2. 5 2. 4	35. 6 6. 6 3. 6 2. 3 3. 1 5. 1 2. 1 1. 8	52. 2 13. 7 8. 0 7. 3 6. 6 3. 1 5. 9 5. 4 3. 9

Table 63.—Computed mortality rates for first 10 months of life, by cause of death of infant and color of mother; infants born in 1915.

Cause of death of infant and color of mother.	Computed months fants.	d deaths of life po	in first 10 er 1,000 in-
	Breast fed.	Mixed fed:	Artifi- cially fed.
All mothers:			W 8
Gastric and intestinal diseases. All other causes. White mothers:	6.3	24. 4	75. 1
	32.9	59. 5	108. 8
Gastric and intestinal diseases	5. 9	22.3	75. 5
	28. 4	51.2	89. 3
Colored mothers: Gastric and intestinal diseases	8.0	41. 6	72. 7
	67.1	99. 7	280. 7

Table 64.—Death rates from each month to end of first year, by month in which artificial feeding began; infants born in 1915 and artificially fed during some part of first year of life.

Month in which artificial feeding began.	Per cent	Per cent of subsequent deaths among survivors at beginning of specified month of life.										
neiai ieeding began.	Second.	Third.	Fourth.	Fifth.	Sixth.	Seventh.	Eighth.	Ninth.				
First. Second. Third Fourth Fifth Sixth Seventh Eighth Ninth After ninth 2	20.7 13.3 (1) (1) (1) (1) (1) (1) (1) (1) (2.8	18. 7 12. 4 10. 6 (1) (1) (1) (1) (1) (1) (1) (2. 4	16. 4 11. 2 9. 7 8. 0 (1) (1) (1) (1) (1) (1) (2. 2.	13. 8 9. 9 8. 8 8. 0 5. 5 (1) (1) (1) (1)	11. 9 8. 6 7. 5 6. 6 5. 1 7. 3 (¹) (¹) (¹)	9. 6 6. 9 6. 0 3. 9 3. 3 7. 3 4. 4 (1) (1)	7. 4 5. 4 5. 6 3. 0 3. 3 5. 0 3. 6 1. 8 (1)	6. 4 3. 2 4. 2 2. 1 2. 4 4. 4 3. 2 1. 1				

¹ Since the basis of classification requires that all infants of the several groups shall be alive at the beginning of the month when first artificially fed, rates for subsequent deaths among survivors at beginning of previous month are not shown.
² Computed from monthly rates for breast-fed infants.

Table 65.—Computed (annual) infant mortality rates, by month in which artificial feeding began; infants born in 1915.

Month of life in which exclusively artificial feeding began.	Infants whose artificial feeding began in stated month.	Computed (annual) infant mortality rates per 1,000 fed. ¹	Month of life in which exclusively artificial feeding began.	Infants whose artificial feeding began in stated month.	Computed (annual) infant mortality rates per 1,000 fed. ¹
FirstSecond. Third. Fourth. Fitth. Sixth.	952 622 508 461 217 165	251. 1 170. 5 125. 5 106. 3 79. 3 99. 6	Seventh Eighth Ninth Tenth or eleventh Twelfth	250 163 146 384 157	73. 3 49. 8 53. 6 48. 2

¹For computation of annual rate it is assumed that during month next preceding the month in which artificial feeding began, the infants were mixed fed and that during earlier months they were breast fed. Computations are based on monthly death rates for breast or mixed fed infants, Table 58, and on the per cent of subsequent deaths among survivors at the beginning of the months in which artificial feeding began, Table 64.

² Data not available for estimate.

Table 66. — Monthly death rates, by month of life, and by month in which artificial feeding began; infants born in 1915, and artificially fed.

Month	Mo	onthly de	ath rates	sper 1,000	infants	whose ar	rtificial fe	eding be	ganinsp	ecified n	nonth.
of life.			Fifth.	Sixth. Seventh.		Eighth.	Ninth.	Tenth.	Eleventh		
First Second Third Fourth Fifth Sixth Seventh Eighth Ninth Tenth Eleventh	55. 7 24. 5 27. 4 30. 5 21. 8 24. 7 24. 1 10. 4 15. 7 12. 2	11. 3 13. 0 14. 8 13. 4 18. 6 15. 5 22. 8 12. 6 5. 5 12. 8	9.8 9.9 14.1 16.3 4.1 14.6 12.7 8.5 15.1	15. 2 28. 6 9. 1 9. 2 4. 6 9. 3 4. 7	4.6 18.5 9.4 4.8 9.6	24, 2 6, 2 12, 5 6, 3 6, 4 19, 2	8. 0 4. 0 4. 0 24. 4 4. 2		6.8	14. 6	

Table 67.—Weaning before end of first year of life, by color and nationality of mother; infants born in 1915 and surviving at one year.

		oorn in 191 g at 1 year			
Color and nationality of mother.	m-t-1	Completely weaned from breast.			
	Total.	Number.	Per cent.1		
Total	9,680	• 3,567	36.8		
White mothers	6,093	3, 193 2, 449	37. 2 40. 2		
	2,489	744	29. 9		
Foreign born Jewish. Polish Italian. German Irish, English, Scotch, and English-Canadian ² . Bohemian Lithuanian. All other ³ .	912 523 376 288 117 97 88	744 240 120 114 114 50 28 40 38			

¹ Not shown where base is less than 100.

² Includes: 85 Irish, 17 English, 8 English-Canadian, and 7 Scotch ³ Includes: 19 Russian, 17 Greek, 11 Magyar, 8 Norwegian, 5 Serbian, 5 French, 5 Slovak, 4 Rumanian, ³ Ruthenian, 3 French-Canadian, 2 Dutch, 2 Slavic (n. o. s.), 2 Swedish, 1 Arabian, and 1 Danish.

Table 68.—Weaning before end of first year of life, by earnings of father; infants born in 1915 and surviving at one year.

	Infants born in 1915 and surviving at 1 year of age.				
Earnings of father.	Total.		ely weaned breast.		
		Number.	Per cent.		
Total	9,680	3,567	36. 8		
Under \$450 \$450-\$59 \$550-\$649 \$650-\$849 \$850-\$1,049 \$1,050-\$1,249 \$1,250-\$1,449 \$1,450-\$1,849 \$1,850-\$2,249 \$2,250-\$2,249 \$2,250-\$2,349 \$0 avainings Not reported	1,302 1,278 1,327 2,185 1,481 617 388 339 134 92 189 164 184	439 377 429 762 550 291 161 160 72 55 119 62 90	33.7 29.5 32.3 34.9 37.1 47.2 41.5 47.2 53.7		

¹ Not shown where base is less than 100.

Table 69.—Infant mortality and stillbirth rates, by color and nationality of mother; births in 1915.

		Stillbi	rths.		Infant deaths.		
Color and nationality of mother.	Total.	Number.	Per 1,000 births.	Live births.	Number.	Infant mortality rate.1	
Total	11, 195	398	35. 6	10, 797	1, 117	103. 5	
White mothers	9,774	282	28.9	9, 492	910	95. 9	
Native	6, 937 2, 837	198 84	28. 5 29. 6	6,739 2,753	646 264	95. 9 95. 9	
Jewish	991 643 426 327	30 18 14 9	30. 3 28. 0 32. 9 27. 5	961 625 412 318	49 102 36 30	51. 0 163. 2 87. 4 94. 3	
English-Canadian ² Bohemian Lithuanian All other ³	135 110 104 101	3 3 4 3	22. 2 27. 3 38. 5 29. 7	132 107 100 98	15 10 12 10	113. 6 93. 5 120. 0	
Colored mothers	1,421	116	81.6	1,305	207	158.6	

¹ Not shown where base is less than 100.
² Includes 101 Irish, 19 English, 10 English-Canadian, and 8 Scotch.
³ Includes 24 Russian, 19 Greek, 13 Magyar, 8 Norwegian, 6 Serbian, 5 French, 5 Slovak, 4 Rumanian, 4 Ruthenian, 3 French-Canadian, 3 Dutch, 2 Slavic (n. o. s.), 2 Spanish, 2 Swedish, 1 Arabian, and 1 Danish.

Table 70.—Infant mortality and stillbirth rates, by color and nationality of mother; births, all pregnancies.¹

	Births, all pregnancies.									
Color and nationality of mother.		Stillb	irths.		Infant deaths.					
Color and nationancy of mounes.	Total.	Number.	Per cent.	Live births.	Number.	Infant mortality rate.				
Total	36, 047	1, 203	3.3	34, 844	4, 158	119.3				
White mothers	31, 312	872	2.8	30, 440	3,407	111.9				
Native Foreign born	20, 258 11, 054	562 310	2.8 2.8	19,696 10,744	2, 185 1, 222	110. 9 113. 7				
Jewish	3,656 2,749 1,758 1,355 1,536	95 68 57 42 48	2. 6 2. 5 3. 2 3. 1 3. 1	3, 561 2, 681 1, 701 1, 313 1, 488	232 439 189 165 197	65. 2 163. 7 111. 1 125. 7 132. 4				
Colored mothers	4,735	331	7.0	4, 404	751	170.				

 $^{1\,\}mathrm{To}$ mothers of scheduled legitimate issues in 1915 who reported no previous illegitimate births.

Table 71.—Infant mortality rates, by cause of death, and by color and nationality of mother; live births in 1915.

Part of Manager	Mortality	Mortality rates among infants born to mothers of specified color at ality.									
Cause of death.	Native		Foreign-born white.								
	white.	Total.	Italian.	Jewish.	German.	Polish.	All other.	Colored.			
All causes	95.9	95.9	87.4	51.0	94.3	163.2	107.6	158.6			
Gastric and intestinal diseases Respiratory diseases	38.8 13.7 4.0 38.1	29.1 20.7 3.3 30.9	9.7 26.7 9.7 34.0	9.4 9.4 1.0 22.9	22.0 25.2 31.4	68.8 32.0 3.2 43.2	38.9 20.6 4.6 27.5	30.7 49.0 2.3 49.8			
Epidemic and other commu- nicable diseases. Tuberculosis. Syphilis. External causes.	4.7 1.4 .3 .9	6.5 .4 .7 .4	4.9	6.2	12.6	1.6	11.4	16.9 3.7 7.7 2.3			
Diseases ill-defined or un- known	5.2	1.1 4.0		2.1	3.1	4.8 9.6		6.			

¹ For figures upon which these rates are based, see Tables 49 and 69, pp. 259 and 280.

Table 72.—Excess mortality among infants of Polish mothers over that among infants of other foreign-born white mothers when the effect of greater proportion of employed among Polish mothers is eliminated; infants of Polish mothers not employed away from home during infant's lifetime.

Annual Control of the	gainfull	of Polish mothers not ly employed away ome during specified of infant's life. ¹			
Month of life,	Survivors at begin- ning of specified month.	Actual deaths.	Expected deaths.2		
Total.		86	53.1		
First . Second . Third . Fourth . Fifth . Sixth . Seventh . Eighth . Ninth . Ninth . Tenth to twelfth .	614 570 561 530 521 505 486 471 449 410	35 3 9 2 5 7 2 6 2 15	23.9 3.4 3.9 2.1 2.6 4.5 1.9 3.3 1.8 5.7		

¹The figures include in each month all infants whose mothers were not employed away from home during that month.

² Expected on the basis of monthly death rates among all infants of foreign-born white mothers. These expected deaths are slightly greater than would have been expected on the basis of monthly death rates among infants of foreign-born white mothers not employed away from home.

Table 73.—Stillbirth rates, by earnings of father and color and nativity of mother; births in 1915.

		Total.		Births to mothers of specified color and nativity.											
		Total.		Nat	tive wl	nite.	Foreig	gn-bor	n white.	Colored.					
Earnings of father.		Still	births.		Still	births.		Still	lbirths.		Still	births.			
	Births.	Num- ber.	Per 1,000 births.	Births.	Num- ber.	Per 1,000 births. ¹	Births.	Num- ber.	Per 1,000 births.1	Births.	Num- ber.	Per 1,000 births.			
Total	11, 195	398	35. 6	6,937	198	28. 5	2, 837	84	29.6	1,421	116	81.6			
Under \$450. \$450-\$549. \$550-\$649. \$650-\$849. \$850-\$1,249.	1,615 1,523 1,543 2,490 2,318	71 74 54 73 62	44. 0 48. 6 35. 0 29. 3 26. 7	460 663 936 1,776 1,849	11 19 28 50 47	23. 9 28. 7 29. 9 28. 2 25. 4	599 464 443 589 421	11 15 14 19 12	18. 4 32. 3 31. 6 32. 3 28. 5	556 396 164 125 48	49 40 12 4 3	88. 1 101. 0 73. 2 32. 0			
\$850-\$1,049 \$1,050-1,249	1,640 678	45 17	27. 4 25. 1	1, 283 566	32 15	24. 9 26. 5	319 102	10.	31. 3 19. 6	38 10	3				
\$1,250-\$1,849	810	20	24.7	645	16	24.8	154	4	26. 0	11					
\$1,250-\$1,449 \$1,450-\$1,849	430 380	11 9	25. 6 23. 7	322 323	8 8	24. 9 24. 8	103 51	3 1	29.1	5 6					
\$1,850 and over	448	17	37.9	382	16	41.9	63	1		3					
\$1,850-\$2,249 \$2,250-\$2,849 \$2,850 a n d	143 100	4 5	28. 0 50. 0	112 86	4 5	35. 7	30 13			1 1					
over	205	8	39.0	184	7	38.0	20	1		1					
No earnings Not reported	222 226	15 12	67. 6 53. 1	95 131	7 4	30. 5	53 51	3 5		74 44	5 3				

¹ Not shown where base is less than 100.

Table 74.—Infant mortality rates, by earnings of father and color and nativity of mother; live births in 1915.

		m 4 1		L	ive bir	ths to n	nothers	of spec	ified co	lor and	nativi	ty.
	10.00	Total.		Na	Native white.			n-borr	white.		Colorec	1.
Earnings of father.	-171		fant aths.			fant aths.			fant aths.			fant aths.
S) and	Live births.	Num- ber.	Infant mor- tality rate.1	Live births.	Num- ber.	Infant mor- tality rate.1	Live births.	Num- ber.	Infant mor- tality rate.1	Live births.	Num- ber.	Infant mor- tality rate.1
Total	10,797	1,117	103. 5	6,739	646	95. 9	2,753	264	95. 9	1,305	207	158.6
Under \$450. \$450-\$549. \$550-\$649 \$650-\$849. \$850-\$1,249.	1,544 1,449 1,489 2,417 2,256	242 171 162 232 158	156. 7 118. 0 108. 8 96. 0 70. 0	449 644 908 1,726 1,802	74 83 98 165 126	164. 8 128. 9 107. 9 95. 6 69. 9	588 449 429 570 409	85 28 43 53 25	144. 6 62. 4 100. 2 93. 0 61. 1	507 356 152 121 45	83 60 21 14 7	163. 7 168. 5 138. 2 115. 7
\$850-\$1,049 \$1,050-\$1,249	1,595 661	114 44	71. 5 66. 6	1, 251 551	86 40	68. 7 72. 6	309 100	22 3	71. 2 30. 0	35 10	6	
\$1,250-\$1,849	790	63	79.7	629	53	84.3	150	7	46.7	11	3	
\$1,250-\$1,449 \$1,450-\$1,849	419 371	31 32	74. 0 86. 3	314 315	24 29	76. 4 92. 1	100 50	4 3	40.0	5 6	3	
\$1,850 and over	431	16	37.1	366	14	38.3	62	2		3		
\$1,850-\$2,249 \$2,250-\$2,849 \$2,850 and over.	139 95 197	5 3 8	36. 0 40. 6	108 81 177	5 3 6	46. 3	30 13 19	2		1 1 1		
No earnings Not reported	207 214	43 30	207. 7 140. 2	88 127	16 17	133.9	50 46	13 8		69 41	14 5	

¹ Not shown where base is less than 100.

Table 75.—Infant mortality rates, by earnings of father and color and nativity of mother; live births, all pregnancies.

Earnings of father.	Live births, all pregnancies.												
	Total.			Color and nativity of mother.									
				Native white.			Foreign-born white.			Colored.			
		Infant deaths.			Infant deaths.			Infant deaths.			Infant deaths.		
	Live births.	Num- ber.	Infant mor- tality rate.	Live births.	Num- ber.	Infant mor- tality rate.	Live births.	Num- ber.	Infant mor- tality rate.1	Live births.		Infant mor- tality rate.1	
Total	34, 844	4, 158	119.3	19,696	2,185	110.9	10,744	1,222	113.7	4,404	751	170. 5	
Under \$450. \$450-\$549. \$550-\$649. \$650-\$849. \$850-\$1,249.	5,751 4,837 4,975 7,521 6,874	915 634 627 877 648	159. 1 131. 1 126. 0 116. 6 94. 3	1,512 1,980 2,788 4,963 5,159	218 268 355 581 467	144. 2 135. 4 127. 3 117. 1 90. 5	2,500 1,724 1,655 2,100 1,550	366 183 181 231 160	145. 4 106. 1 109. 4 110. 0 103. 2	1,739 1,133 532 458 165	331 183 91 65 21	190. 3 161. 3 171. 1 141. 9 127. 3	
\$850-\$1,049 \$1,050-\$1,249	4,780 2,094	443 205	92. 7 97. 9	3,469 1,690	300 167	86. 5 98. 8	1,180 370	127 33	107. 6 89. 2	131 34	16 5	122.	
\$1,250-\$1,849	2,371	200	84.4	1,756	151	86.0	581	42	72.3	34	7		
\$1,250-\$1,449 \$1,450-\$1,849	1,291 1,080	105 95	81.3 88.0	879 877	74 77	84. 2 87. 8	392 189	24 18	61. 2 95. 2	20 14			
\$1,850 and over	1,134	61	53.8	892	54	60.5	239	7	29.3	3			
\$1,850-\$2,249 \$2,250-\$2,849 \$2,850 and over.	366 240 528	18 10 33	49. 2 41. 7 62. 5	249 199 444	18 10 26	72.3 50.3 58.6	116 40 83	7		1 1 1			
No earnings Not reported	683 698	107 89	156. 7 127. 5	259 387	47 44	181.5 113.7	215 180	25 27	116.3 150.0	209 131	35 18	167. 5 137. 4	

¹ Not shown where base is less then 100.

Table 76.—Stillbirth rates, by earnings of father and color and nativity of mother; births, all pregnancies.

Earnings of father.	Total.			Births to mothers of specified color and nativity; all pregnancies.									
				Na	tive wl	hite.	Foreig	n-born	white.	Colored.			
		Stillbirths.			Stillbirths.		10.70	Stillbirths.		4	Stillbirths.		
	Births.	Num- ber.	Per 1,000 births.	Births.	Num- ber.	Per 1,000 births.	Births.	Num- ber.	Per 1,000 births.1	Births.	Num- ber.	Per 1,000 births.	
Total	36, 047	1, 203	33. 4	20, 258	562	27.7	11,054	310	28.0	4,735	331	69.9	
Under \$450. \$450-\$549. \$550-\$649. \$650-\$849. \$850-\$1,249.	6,002 5,050 5,123 7,735 7,078	251 213 148 214 204	41. 8 42. 2 28. 9 27. 7 28. 8	1,552 2,039 2,858 5,094 5,308	40 59 70 131 149	25. 8 28. 9 24. 5 25. 7 28. 1	2,561 1,786 1,701 2,160 1,593	61 62 46 60 43	23. 8 34. 7 27. 0 27. 8 27. 0	1,889 1,225 564 481 177	150 92 32 23 12	79.4 75.1 56.7 47.8 67.8	
\$850-\$1,049 \$1,050-\$1,249	4, 915 2, 163	135 69	27. 5 31. 9	3,561 1,747	92 57	25, 8 32, 6	1,213 380	33 10	27. 2 26. 3	141 36	10 2	70.9	
\$1,250-\$1,849	2,439	68	27.9	1,813	57	31.4	592	11	18.6	34			
\$1,250-\$1,449 \$1,450-\$1,849	1,326 1,113	35 33	26. 4 29. 6	904 909	25 32	27. 7 35. 2	402 190	10 1	24. 9 5. 3	20 14			
\$1,850 and over	1,172	38	32.4	922	30	32, 5	247	8	32.4	3			
\$1,850-\$2,249 \$2,250-\$2,849 \$2,850 and over.	375 251 546	9 11 18	24. 0 43. 8 33. 0	257 206 459	8 7 15	31. 1 34. 0 32. 7	117 44 86	1 4 3	8.5	. 1			
No earnings Not reported	723 725	40 27	55.3 37.2	274 398	15 11	54.7 27.6	225 189	10 9	44. 4 47. 6	224 138	15 7	67. 0 50. 7	

¹ Not shown where base is less than 100.

Table 77.—Neonatal infant mortality rates, earnings of father, and color and nationality of mother; live births in 1915.

		Infant deaths at specified age.						
Earnings of father and color and nationality of mother.	Live births.	Under	month.	1 month and over.				
and Marian	births.	Number.	Per 1,000 live births.1	Number.	Per 1,000 live births.1			
All mothers	10,797	477	44. 2	640	59.			
Earnings of father: Under \$450	1, 544	93						
\$ 450- \$ 549.	1 449	67	60. 2 46. 2	149 104	96. 71.			
\$550-\$649	1, 489 2, 417 2, 256	66	44.3	96	64.			
\$650-\$849. \$850-\$1,249.	2,417	106	43. 9	126	52.			
\$1,250-\$1,849	790	76 42	33. 7 53. 2	82 21	36. 26.			
\$1,850 and over	431	12	27.8	4	9.			
No earnings	207	8 7	38.6	35	169.			
Not reported	214	7	32.7	23	107.			
Native white mothers.	6, 739	286	42, 4	360	53.			
Under \$450	449	29	64.6	45	100.			
\$450-\$549. \$550-\$649.	644	32	49.7	51	79.			
\$650-\$849	908 1,726	40 75	44. 1 43. 5	58 90	63. 52.			
\$850-\$1,249. \$1,250-\$1,849.	1,802	59	32. 7	67	37.			
\$1,250-\$1,849	629	35	55. 6	18	28.			
\$1,850 and over	366	11	30. 1	3	8.			
No earnings. Not reported.	88 127	2 3	23.6	14 14	110.			
			ATT		a manage			
Foreign-born white mothers Earnings of father:	2,753	108	39, 2	156	56.			
Under \$650	1,466	56	38. 2	100	68.			
Under \$450. \$450-\$549.	588 449	30 10	51. 0 22. 3	55	93.			
\$450~\$549. \$550~\$649.	429	16	37. 3	18 27	40. 62.			
\$650 and over	1, 191	45	37. 8	42	35.			
\$650-\$849	570	24	42.1	29	50.			
\$850-\$1,249 \$1,250 and over	409 212	13	31. 8 37. 7	12	29.			
No earnings	50	8 4	31.1	1 9	4.			
Not reported	46	3		5				
Jewish	961	26	27.1	23	23.			
Earnings of father: Under \$650	446	10	22, 4	12	26.			
\$650 and over	469	14	29. 9	5	10.			
No earnings.	27	1		3				
Not reported.	19	1	••••••	3	*******			
Polish Earnings of father:	625	35	56. 0	67	107.			
Under \$650	443	22	49.7	49	110.			
\$650 and over	163	12	73. 6	13	79.			
No earnings Not reported.	10	1		3 2				
Italian			44.0		**********			
Earnings of father:	412	17	41.3	19	46.			
Under \$650	256	12	46. 9	15	58. 6			
\$650 and over	144	4	27.8	3	20.			
No earnings	8			1				
		1		••••••				
All other.	755	30	39. 7	47	62.3			
Earnings of father: Under \$650	321	12	37. 4	24	74.8			
\$650 and over	415	15	36. 1	21	50. 6			
No earnings Not reported	9	2		2				
	10	1		••••••				
Colored mothers Earnings of father:	1,305	83	63. 6	124	95. (
Under \$450. \$450-\$549.	507 356	34 25	67. 1	49	96. 6			
\$550-\$649	152	10	70, 2 65, 8	35 11	98. 3 72. 4			
\$650 and over	180	11	61.1	13	72.			
No earnings	69	2		12				
Not reported	41	1	The second second second second	4	THE RESERVE OF THE PARTY OF THE			

¹ Not shown where base is less than 100.

Table 78.—Infant mortality rates, by cause of death, earnings of father, and color and nationality of mother; live births in 1915.

same tubbers to also	N 61		Infant deaths from specified causes.									
Earnings of father and color and nationality of mother.	Live births.		linfant aths.	Gastric and intestinal diseases.		Respiratory and other communi- cable diseases.		Early infancy.		Other causes.		
		Num- ber.	Infant mor- tality rate.1	Num- ber.	Infant mor- tality rate.1	Num- ber.	Infant mor- tality rate.1	Num- ber.	Infant mor- tality rate.1	Num- ber.	Infant mor- tality rate.1	
All mothers	10,797	1,117	103.5	314	29.1	285	26. 4	407	37.7	111	10.3	
Earnings of father: Under \$450. \$450-\$549. \$550-\$649. \$650-\$449. \$850-\$1,249. \$1,250-\$1,849. \$1,850 and over. No earnings. Not reported.	1,544 1,449 1,489 2,417 2,256 790 431 207 214	242 171 162 232 158 63 16 43 30	156. 7 118. 0 108. 8 96. 0 70. 0 79. 7 37. 1 207. 7 140. 2	73 59 46 55 41 8 2 20 10	47.3 40.7 30.9 22.8 18.2 10.1 4.6 96.6 46.7	74 42 41 63 33 8 2 13 9	47. 9 29. 0 27. 5 26. 1 14. 6 10. 1 4. 6 62. 8 42. 1	76 53 63 91 64 36 9 7	49. 2 36. 6 42. 3 37. 6 28. 4 45. 6 20. 9 33. 8 37. 4	19 17 12 23 20 11 3 3	12.3 11.7 8.1 9.5 8.6 13.6 7.6 14.5 14.6	
Native white moth-	6,739	646	95.9	194	28.8	124	18.4	257	38.1	71	10.	
Earnings of father:	449 644 908 1,726 1,802 629 366 88 127	74 83 98 165 126 53 14 16 17	164. 8 128. 9 107. 9 95. 6 69. 9 84. 3 38. 3	23 34 34 44 31 8 2 10 8	51. 2 52. 8 37. 4 25. 5 17. 2 12. 7 5. 5	17 14 17 38 24 7 1 2 4	37. 9 21. 7 18. 7 22. 0 13. 3 11. 1 2. 7	28 28 41 67 51 28 8 3	62. 4 43. 5 45. 2 38. 8 28. 3 44. 5 21. 9	6 7 6 16 20 10 3 1	13. 4 10. 9 6. 6 9. 3 11. 1 15. 9 8. 2	
Foreign-born white mothers	2,753	264	95.9	80	29.1	75	27.2	85	30.9	24	8.7	
Earnings of father: Under \$650 Under \$450 \$450-\$549 \$550-\$649 \$650 and over \$650-\$849 \$550-\$1,249 \$1,250 and over No earnings Not reported	1,466 588 449 429 1,191 570 409 212 50 46	156 85 28 43 87 53 25 9 13 8	106. 4 144. 6 62. 4 100. 2 73. 0 93. 0 61. 1 42. 5	53 33 12 8 20 10 10	36. 2 56. 1 26. 7 18. 6 16. 8 17. 5 24. 4	45 21 7 17 24 18 5 1 4 2	30.7 35.7 15.6 39.6 20.2 31.6 12.2 4.7	42 24 4 14 36 19 10 7 3 4	28. 6 40. 8 8. 9 32. 6 30. 2 33. 3 24. 4 33. 0	16 7 5 4 7 6	10. 9 11. 9 11. 1 9. 3 5. 9 10. 5	
Jewish Earnings of father: Under \$650 \$650 and over No earnings	961 446 469 27	22 19 4	51, 0 49, 3 40, 5	9 5 2 2	9. 4 11. 2 4. 3	8 4 1	15. 6 17. 9 8. 5	7 12 1	22. 9 15. 7 25. 6	3 2 1	3.1 4.5 2.1	
Not reported Polish Polish	19 625	102	163. 2	43	68.8	21	33.6	2 27	43.2	11	17.6	
Earnings of father: Under \$650 \$650 and over No earnings Not reported	443 163 10 9	71 25 4 2	160. 3 153. 4	31 8 2 2	70. 0	13 7 1	29. 3 42. 9	20 6 1	45. 1 38. 6	7 4	15. 8 24. 5	
Italian Earnings of father:	412	36	87.4	4	9.7	13	31.6	14	34.0	5	12. 1	
Under \$650. \$650 and over. No earnings. Not reported.	256 144 4 8	27 7 1	105. 5 48. 6	4	15. 6	10 3	39. 1 20. 8	9 4 1	35. 2 27. 8	4	15. 6	
All other Earnings of father:	755	77	102.0	24	31.8	26	34. 4	22	29.1	5	6.6	
Under \$650. \$650 and over. No earnings. Not reported.	321 415 9 10	36 36 4 1	112. 1 86. 7	13 10 1	40. 5 24. 1	14 10 2	43. 6 24. 1	6 14 1 1	18. 7 33. 7	3 2	9.3	
Colored mothers Earnings of father:	1,305	207	158.6	40	30.7	86	65. 9	65	49.8	16	12. 3	
Under \$450	507 356 152 180 69 41	83 60 21 24 14 5	163. 7 168. 5 138. 2 133. 3	17 13 4 1 5	33. 5 36. 5 26. 3 5. 6	36 21 7 12 7	71. 0 59. 0 46. 1 66. 7	24 21 8 10 1	47. 3 59. 0 52. 6 55. 6	6 5 2 1 1 1 1 1	11. 8 14. 0 13. 2 5. 6	

¹ Not shown where base is less than 100.

Table 79.—Deaths before feeding per 1,000 live births, and infant death rates per 1,000 fed, by earnings of father and color and nativity of mother; live births in 1915.

			died at not fed.		Infants fed	ι.
Earnings of father and color and nativity of mother.	Live births.		Per 1,000		Subseque	ent deaths
		Number.	live births.1	Number,	Number.	Per 1,000 fed.1
All mothers	10, 797	269	24. 9	10, 528	848	80. 5
Earnings of father:	1, 544 1, 449 1, 489 2, 417 2, 256 790 431 207 214 6, 739 449 644 908 1, 726 1, 802	49 37 37 55 51 23 7 6 4 172	31. 7 25. 5 24. 8 22. 8 22. 8 22. 6 29. 1 16. 2 29. 0 18. 7 25. 5	1, 495 1, 412 1, 412 2, 362 2, 362 2, 205 767 424 201 210 6, 567 437 621 884 1, 684 1, 761	193 134 125 177 107 40 9 37 26 474 62 60 74 123 85	129. 1 94. 6 86. 1 74. 6 52. 2 21. 2 184. 1 123. 8 96. 6 83. 7 73. 6
\$1,250-\$1,849. \$1,850 and over. No earnings Not reported.	629 366 88 127	20 6 2 2	31. 8 16. 4 15. 7	609 360 86 125	33 8 14 15	54.5 22.5 120.0
Foreign-born white mothers	2,753	62	22.5	2,691	202	75. 1
Earnings of father: Under \$450. \$450-\$549. \$550-\$649. \$650-\$849. \$850-\$1,249. \$1,250 and over. No earnings. Not reported.	588 449 429 570 409 212 50 46	19 5 11 11 8 4 3 1	32. 3 11. 1 25. 6 19. 3 19. 6 18. 9	569 444 418 559 401 208 47 45	66 23 32 42 17 5 10 7	116. (51. 8 76. 6 75. 1 42. 4 24. (
Colored mothers	1,305	35	26.8	1,270	172	135. 4
Earnings of father:	507 356 152 180 69 41	18 9 2 4 1	35, 5 25, 3 13, 2 22, 2	489 347 150 176 68 40	65 51 19 20 13 4	132, 9 147, 0 126, 7 113, 6

¹ Not shown where base is less than 100.

Table 80.—Type of feeding, by month of life and earnings of father and color and nativity of mother; infants born in 1915.

					Per	cent of	survi	vors.1				
Earnings of father and color and nativity of		Breas	t fed.			Mixe	d fed.		A	rtificia	ally fed	1.
mother.	1st mo.	3d mo.	6th mo.	9th mo.	1st mo.	3d mo.	6th mo.	9th mo.	1st mo.	3d mo.	6th mo.	9th mo.
All mothers	88. 2	72.2	53. 2	28.6	2.7	8.2	19.7	39.4	9.1	19.6	27.1	32.
Carnings of father: Under \$450. \$450-\$549. \$550-\$649. \$650-\$849. \$850-\$1,049. \$1,050-\$1,249. \$1,250-\$1,449. \$1,450-\$1,449. \$1,450-\$2,249. \$2,250-\$2,849. \$2,850 and over. No earnings. Not reported.	90. 6 89. 2 88. 0 87. 8 86. 6 84. 1 86. 0 90. 5 87. 1 88. 7	72.6 74.9 74.2 73.2 73.9 69.8 70.5 68.7 67.9 65.2 63.7 56.1 59.4	50. 8 54. 1 56. 1 54. 9 55. 1 48. 6 56. 5 53. 6 51. 9 41. 3 46. 3 40. 2 43. 6	24.8 27.0 31.5 30.5 30.5 25.8 31.6 29.0 31.3 21.7 24.7 21.9 22.5	3.4 2.7 2.3 2.6 2.5 2.1 3.9 1.5 1.1 4.6 .5 3.3	12.1 10.0 6.5 7.2 5.9 4.6 7.5 7.2 8.8 7.6 10.0 17.2 14.9	25.6 24.6 18.4 18.3 16.3 15.5 14.9 14.2 15.6 17.4 28.3 25.6	46. 8 48. 3 39. 9 38. 6 35. 9 32. 3 33. 4 30. 5 27. 6 29. 3 25. 3 43. 8 36. 6	7.4 6.7 8.5 9.5 9.7 11.3 12.7 10.1 8.0 11.8 6.7 15.5 12.9	15. 4 15. 1 19. 3 19. 6 20. 2 25. 6 22. 0 24. 1 23. 4 27. 2 26. 3 26. 8 25. 7	23.6 21.3 25.5 26.8 28.7 35.9 28.6 32.2 32.6 40.2 36.3 31.5 30.8	28. 24. 28. 30. 33. 41. 40. 41. 48. 50. 34. 40.
Native white mothers.	94000	70.1	52. 2	30.1	2.4	6.3	16.0	33.7	11.2	23.6	31.8	36.
Zarnings of father: Under \$450. Under \$450. \$450-\$549. \$550-\$649. \$650-\$849. \$850 and over. \$850-\$1,049. \$1,050-\$1,249. \$1,250-\$1,449. \$1,450-\$1,449. \$1,550 and over. No earnings. Not reported. Foreign-born white	87, 9 87, 7 86, 3 86, 4 87, 0 85, 4 84, 0 84, 8 88, 9	71. 0 74. 0 69. 4 72. 2 70. 3 69. 7 72. 5 67. 6 70. 6 66. 1 65. 4 58. 8 58. 5	52. 5 52. 5 50. 3 53. 1 53. 1 52. 2 54. 1 47. 6 57. 2 52. 1 48. 4 47. 4 44. 1	30. 5 26. 6 28. 2 33. 9 30. 6 29. 8 31. 1 25. 0 34. 0 30. 6 28. 7 32. 4 24. 1	2.2 2.1 1.9 2.3 2.4 2.6 2.4 2.1 2.9 3.6 3.1	6.6 8.0 8.7 4.4 6.5 5.5 4.9 4.6 5.4 6.5 8.5 8.2 12.2	17. 7 19. 3 21. 6 17. 2 16. 1 13. 7 14. 4 14. 1 10. 4 11. 6 15. 3 16. 7 20. 3	36. 9 41. 8 41. 7 35. 1 34. 9 29. 9 33. 6 30. 0 27. 2 24. 7 23. 6 28. 4 31. 1	10, 7 10, 1 10, 1 10, 1 11, 3 11, 0 10, 5 12, 5 13, 1 11, 6 8, 1 22, 1 16, 0	22. 4 18. 1 21. 9 23. 3 23. 1 24. 8 22. 6 27. 8 24. 1 27. 4 26. 2 32. 9 29. 3	29. 8 28. 1 28. 2 29. 7 30. 8 34. 1 31. 5 38. 3 32. 3 36. 3 35. 9 35. 6	32. 31. 30. 31. 34. 40. 35. 45. 38. 44. 47. 39. 44.
mothers	91.3	78.9	58.7	28.3	3.3	9.6	23.6	48.8	5.4	11.5	17.6	23
Under \$\$50.	89. 1 94. 4 93. 3 91. 8 90. 5 90. 4 92. 9 89. 4	79. 8 75. 6 83. 7 81. 2 79. 8 77. 9 80. 1 80. 6 73. 5 60. 9 70. 7	60. 0 54. 6 62. 0 64. 9 60. 2 55. 7 59. 2 54. 1 51. 5 45. 5 55. 0	29. 2 27. 9 28. 2 29. 7 30. 7 26. 2 29. 0 29. 9 20. 6 15. 8 28. 2	3. 5 4. 8 3. 2 2. 4 3. 4 2. 8 2. 6 2. 0 3. 4	9.6 11.8 8.9 8.5 8.6 9.4 8.5 5.1 12.7 15.2 4.9	23. 5 26. 4 25. 5 18. 6 22. 9 24. 4 22. 3 22. 4 28. 4 20. 5 20. 0	49. 7 48. 7 54. 9 48. 7 47. 2 46. 4 43. 1 43. 3 52. 5 50. 0 38. 5	4.6 6.2 2.5 4.8 6.7 7.0 5.1 7.2 14.9 11.1	10.6 12.5 7.3 10.2 11.6 12.7 11.5 14.3 13.7 23.9 24.4	16. 4 19. 0 12. 5 16. 6 16. 9 19. 8 18. 5 23. 5 20. 1 34. 1 25. 0	21. 23. 16. 21. 22. 27. 27. 26. 34. 33.
Colored mothers Earnings of father:	90. 2	68.9	46.8	21.1	2.8	15.7	30.4	49.8	7.0	15.4	22.8	29.
Under \$450. \$450-\$549. \$550-\$649 \$650 and over. No earnings. Not reported.	86.7	67. 7 73. 6 65. 7 77. 8 49. 3 50. 0	44.7 50.6 48.5 54.9 27.4 29.7	19.5 23.0 22.6 26.3 12.3 11.1	2. 9 3. 5 2. 0 2. 3 1. 5 5. 0	16. 1 13. 7 13. 6 10. 8 29. 9 34. 2	30. 1 29. 0 25. 0 27. 8 48. 4 48. 6	48. 7 51. 5 43. 6 50. 6 59. 6 52. 8	6.3 6.1 11.3 6.8 7.4 5.0	16. 3 12. 8 20. 7 11. 4 20. 9 15. 8	25. 2 20. 4 26. 5 17. 3 24. 2 21. 6	31. 25. 33. 23. 28. 36.

¹ Percentages are based upon total number of survivors at the beginning of the month whose type of feeding was reported.

Table 81.—Type of feeding, by month of life and by nationality; infants born in 1915 to foreign-born white mothers.

1-1-1					Per cent of survivors.									
Nationality of mother.	Breast fed.					Mixe	d fed.		Artificially fed.					
	1st mo.	3d mo.	6th mo.	9th mo.	1st mo.	3d mo.	6th mo.	9th mo.	1st mo.	3d mo.	6th mo.	9th mo.		
Foreign-born white mothers: Jewish Polish Italian All other	93. 0 92. 4 92. 8 87. 6	80. 1 81. 7 83. 2 72. 7	55. 7 65. 0 66. 3 53. 5	22. 4 34. 1 32. 8 28. 9	4.1 2.8 4.5 2.0	12. 4 8. 0 9. 7 7. 1	31. 4 19. 5 19. 9 18. 8	59. 0 47. 7 45. 1 38. 1	2. 9 4. 8 2. 7 10. 4	7. 5 10. 3 7. 1 20. 2	12. 9 15. 5 13. 7 27. 7	18. 6 18. 2 22. 0 33. 0		

¹ Percentages are based upon total number of survivors at the beginning of the month whose type of feeding was reported.

Table 82.—Relative mortality among infants in families where the father earned \$450 to \$549 in comparison with that among infants in families where the futher earned \$550 to \$849, when effect of differences in type of feeding is eliminated; infants born in 1915 to foreign-born white mothers.

	Infar	its bori	n in 19	15 to fo	reign-l	born w	hite m 50 to \$	others 549.1	in fam	ilies w	here fa	thers
		Total.		В	reast fe	d.	М	ixed fe	d.	Artificially fed.		
Month of life.	Sur-	Deaths in month.		Sur-		Deaths in month.		Deaths in month.		Sur-	Deaths in month.	
	viv- ors.1	Ex- pect- ed. ²	viv- ors.	Ac- tual.	Ex- pect- ed. ²	viv- ors.	Ac- tual.	Ex- pect- ed. ²	viv- ors.	Ac- tual.	Ex- pect- ed. ²	
Total		23	29.8		12	15.0		3	6.0		8	8, 8
FirstSecondThird.FourthFitth	444 439 436 432 432	5 3 4	8. 0 2. 2 1. 7 2. 5 3. 0	419 390 365 317 299	5 2 3	6.5 1.9 1.4 .9 1.4	14 26 39 68 84		1.0	11 23 32 47 49	1 1	.5 .3 .3 1.0
Sixth. Seventh Eighth Ninth. Tenth to twelfth	432 428 428 426 426	25	1.8 1.5 3.2 2.0 3.9	268 204 161 120 96	2	1.3 .4 .7	110 168 199 234 249	1 1 1	.6 .5 .5 .5	54 56 68 72 81	3 1 2	1. 0 1. 4 1. 1 1. 5

¹ Excluding 5 live-born infants who died at once, never fed. The total live births in foreign-born white families, father's earnings group, \$450 to \$549, was 449; 5 infants died at once, never fed; if the rate for deaths of infants not fed (22.0 per 1,000 live births) among infants in foreign-born white families, father's earnings group \$550 to \$849, had applied to the group \$450 to \$549, 9.9 deaths would have occurred of infants not fed, instead of the 5 that actually occurred.

2 For this comparison the numbers breast fed, mixed fed, and artificially fed during each month of life are multiplied by monthly death rates for breast fed, mixed fed, and artificially fed infants, respectively, for the same month of life in foreign-born white families where the fathers earned \$550 to \$849.

3 Figures for survivors at beginning of tenth, and deaths in tenth, eleventh, and twelfth among them.

101351-23-19

Table 83.—Infant mortality rates in favored group, by earnings of father and color and nativity of mother; live births in 1915.

	I	avored grou	p.1		All others	
Earnings of father and color		Infan	t deaths.		Infan	t deaths.
and nativity of mother.	Live births.	Number.	Infant mortality rate. ²	Live births.	Number.	Infant mortality rate.2
Native white mothers Earnings of father:	4,035	301	74.6	2,704	345	127.6
Under \$450. \$450-\$549. \$550-\$649. \$650-\$849. \$850-\$1,249. \$1,220-\$1,849. \$1,850 and over. No earnings. Not reported.	185 301 492 1,063 1,175 453 281 26 59	21 36 43 777 64 38 13 2	113. 5 119. 6 87. 4 72. 4 54. 5 83. 9 46. 3	264 343 416 663 627 176 85 62 68	53 47 55 88 62 15 1 14 10	200. 8 137. 6 132. 2 132. 7 98. 9 85. 2
Foreign-born white mothers	832	49	58.9	1,921	215	111, 9
Under \$450. \$450-\$549 \$550-\$649 \$550-\$649 \$850-\$1,249 \$1,250 and over No earnings Not reported.	112 102 127 214 159 102 4 12	11 5 9 16 5 3	98. 2 49. 0 70. 9 74. 8 31. 4 29. 4	476 347 302 356 250 110 46 34	74 23 34 37 20 6 13 8	155, 5 66, 3 112, 6 103, 9 80, 0 54, 5
Colored mothers	201	18	89. 6	1,104	189	171. 2
Under \$450. \$450-\$549. \$550-\$649. \$650-\$849. \$850 and over. No earnings. Not reported.	49 66 34 27 15 4	3 7 2 4 1		458 290 118 94 44 65 35	80 53 19 10 9	174. 6 182. 8 161. 0

¹ The "favored group" includes only infants from the second to the sixth in order of birth, born after an interval of at least 2 years since preceding issue to literate mothers not employed during pregnancy or the year after the birth.

2 Not shown where base is less than 100.

Table 84.—Death rates in favored group per 100 (infants who lived at least two weeks), by average number of persons per room and earnings of father; infants born in 1915 to white mothers, who lived at least two weeks in dwellings studied.

	Infai	nts (of	whit	e motl	hers) v	vho li num	ved at	least 2	wee s per	eks in c	dwellir	igs wit	h spec	ified a	verage	
]	Less	than 1.	n 1.			11	but le	ess tha	n 2.		2 or more.			
Earnings of father.	Favo	red gro	up.1	(Others.		Favored group.				Others		Linn	Deaths.		
	T.,	Deat	hs.	Tail	Dea	ths.		Dear	ths.		Des	aths.	In-	glara.		
	In- fants.	Num- ber.	Per ct.2	In- fants.	Num- ber.	Per ct.2	In- fants.	Num- ber.	Per ct. 2		Num- ber.	Per ct.2	######################################	Num- ber.	Per ct.2	
Total	3,247	108	3.3	1,743	114	6.5	1,437	77	5. 4	2,218	207	9.3	450	51	11.3	
Under \$450 \$450-\$549 \$550-\$849 \$850-\$1,249 \$1,250 and	113 193 1,146 1,025		7. 1 5. 2 4. 0 2. 6	147 194 631 458	19 13 39 25	12. 9 6. 7 6. 2 5. 5	175 188 680 272	16 11 36 8	9. 1 5. 9 5. 3 2. 9	385 384 880 357	44 32 87 24	11. 4 8. 3 9. 9 6. 7	159 93 147 27	19 6 14 3	9.5	
over No earnings Not reported .	704 12 54	14 1 2	2.0	242 30 41	10 6 2	4.1	92 15 15	3		107 59 46	1 10 9	.9	8 12 4			

^{1 &#}x27;'Favored group''includes only infants from the second to the sixth in order of birth, born after an interval of at least 2 years since preceding issue, to literate mothers not employed during pregnancy or the year after the birth.

Not shown where base is less than 100.

Table 85.—Infant mortality rates, by occupation group 1 and earnings of father and color and nativity of mother; live births in 1915.

	Live bir	thsinfam	ilieswhere	efathers v	were emploup.2	loyed in sp	ecified oc	cupations
Earnings of father and color	Gro	ups I an	d II.	Groups	s III, IV,	and V.	Occupa	tion not
and nativity of mother.	- 14	Infant	deaths.	Zee lize	Infant	deaths.	1-12-3	
y the state of	Live births.	Num- ber.	Infant mortal- ityrate.8	Live births.	Num- ber.	Infant mortal- ityrate.	Live births.	Infant deaths.
Native white mothers Earnings of father:	2,344	247	105. 4	4, 304	380	88.3	8	3
Under \$450. \$450-\$549. \$550-\$649. \$650-\$849. \$850-\$1, 249. \$1, 250-\$1, 849. 1, 850 and over. No earnings. Not reported.	307 416 536 689 313 48 7	54 53 48 63 21 3	175. 9 127. 4 89. 6 91. 4 67. 1	141 226 372 1,036 1,489 581 359 5	19 30 50 102 105 50 14	134. 8 132. 7 134. 4 98. 5 70. 5 86. 1 39. 0	1 14	1
Foreign-born white mothers	1,638	164	100.1	1,068	88	82.4	4	1
Under \$450. \$450-\$549. \$550-\$649. \$550-\$849. \$550-\$1, 249. \$1, 250 and over. No earnings. Not reported.	476 338 302 335 147 25	69 25 28 26 12 2	145. 0 74. 0 92. 7 77. 6 81. 6	111 110 127 235 262 187 7 29	16 3 15 27 13 7 2 5	144. 1 27. 3 118. 1 114. 9 49. 6 37. 4	1 1	1
Colored mothers Earnings offather:	1,100	165	150.0	133	28	210. 5	4	1
Under \$450. \$450-\$549 \$550-\$649. \$650 and over. No earnings. Not reported.	480 324 136 128	76 55 18 14	158, 3 169, 8 132, 4 109, 4	27 32 16 52 1 5	7 5 3 10 1 2		4	ï

Table 86.—Excess mortality in overcrowded dwellings, with effect of differences in father's earnings eliminated; infants (born in 1915 to native white mothers) who lived at least two weeks in dwellings with one or more persons per room.

	lived a	t least 2	white mot weeks in ersons per	hers) who dwellings room.
Earnings of father.		Actual	Expected	d deaths.1
	Infants.	deaths.	Number.	Per 100 infants.2
All	2,344	208	132.6	
Under \$450. \$450-\$549. \$550-\$649. \$550-\$649. \$850-\$1,249. \$1,250 and over. No earnings. Not reported.	267 332 432 634 460 124 50 45	41 33 34 51 26 4 9	20. 0 23. 6 29. 8 28. 5 17. 5 3. 3 8. 1 1. 8	7.5 7.1 6.9 4.5 3.8 2.7

 $^{^1}$ Expected deaths are calculated by applying to the infants in each earning group the rates for infants (of native white mothers) in the same earnings group who lived in dwellings with less than 1 person per

¹ For grouping see p. 36. ² In families where father had no occupation (including those who lived on own income) 83 births to native-white mothers, with 16 deaths; 43 births to foreign-born white mothers, with 11 deaths; and 68 births to colored mothers, with 13 deaths, were reported. ⁸ Not shown where base is less than 100.

room.

Not shown where base is less than 100. Derived from Table 90.

Table 87.—Excess mortality, by ward of residence and cause of death, over mortality expected when differences due to color and nationality are eliminated; live births in 1915.

		Infant mortality rates from specified causes.												
Ward of residence.	Live births.			Early i	nfancy.	intes	ic and stinal ases.	Respiratory and other communicable diseases.						
		Actual.	Ex- pected.1	Actual.	Ex- pected.1	Actual.	Ex- pected.1	Actual.	Ex- pected.					
Total	10,797	103. 5	103. 5	37.7	37.7	29. 1	29.1	26.4	26. 4					
	790 620 627 215 396 649 598 496 331 145 409 449 289 289 289 381 606 447 261	117. 7 140. 3 106. 9 97. 7 65. 7 85. 6 92. 4 92. 0 78. 6 102. 7 89. 7 92. 9 86. 9 128. 0 80. 3 93. 5 146. 8 107. 8 107. 8 108. 5 146. 5 146. 5 136. 5 136. 5	110. 0 123. 5 88. 0 106. 5 86. 9 91. 8 100. 9 98. 0 100. 4 96. 1 123. 4 104. 6 95. 1 126. 3 107. 2 107. 2 107. 2 108. 9 108. 9	38. 0 40. 3 36. 7 23. 3 20. 2 33. 6 40. 1 43. 5 24. 2 20. 7 42. 3 30. 1 33. 6 4 55. 8 36. 7 46. 2 47. 0	38. 7 39. 0 31. 4 35. 8 32. 6 35. 2 37. 3 36. 9 36. 3 42. 1 39. 4 42. 9 42. 9 42. 9 39. 5 39. 5 38. 8 38. 8 38. 8 38. 8 38. 8 38. 8 39. 8 5 8 5 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	34. 2 58. 1 35. 1 27. 9 7. 6 23. 5 20. 0 15. 1 30. 2 42. 2 13. 8 14. 7 20. 0 17. 3 18. 4 33. 6 33. 8 14. 9 42. 0 26. 4 58. 2	37. 0 45. 3 23. 6 26. 5 16. 7 24. 8 28. 7 28. 8 29. 0 26. 3 28. 9 28. 1 28. 1 28. 5 27. 5 27. 5 28. 9 28. 9 28. 9 28. 9 28. 9 28. 1 28. 5 27. 5 28. 9 28. 9	34. 2 33. 9 25. 5 32. 6 27. 8 18. 5 18. 5 18. 5 23. 4 16. 1 39. 3 41. 4 26. 9 17. 8 38. 1 19. 2 25. 1 19. 2 25. 1 19. 2 19. 2	22. 9 26. 5 23. 9 32. 6 29. 3 26. 0 21. 2 22. 6 23. 9 42. 8 42. 8 25. 9 19. 44. 6 29. 3 28. 5 31. 6 26. 2 21. 1 24. 4 33. 0					

¹ Expected rates are found by dividing the births in each ward into the deaths calculated by applying the rates for all births in each color and nationality group to the live births of the corresponding groups in the ward.

Table 88.—Excess mortality in overcrowded dwellings, with effect of differences in father's earnings eliminated; infants (born in 1915 to foreign-born white mothers) who lived at least two weeks in dwellings with less than one and with two or more persons per room.

Infants (of foreign-born white mothers) who lived at least

A STATE OF THE PROPERTY OF THE PARTY OF THE	2 weeks	in dwelli	ngs with s	specified n	imber of p	ersons per			
Earnings of father.	1	ess than 1		2 or more.					
		Dea	ths.		Deaths.				
A A A A A A A A A A A A A A A A A A A	Infants.	Actual.	Expect- ed.1	Infants.	Actual.	Expect- ed.1			
Infant death rates		4.0	5.4		10.5	7.6			
Total	882	35	47.3	343	36	25. 9			
Under \$450. \$450-\$549. \$550-\$649. \$650-\$849. \$850-\$1,249. \$1,250 and over. No earnings. Notreported.	100 106 107 214 200 122 11 22	15 3 5 4 3 2 2 1	10. 1 4. 6 7. 5 12. 4 6. 6 1. 2 2. 3 2. 6	131 73 64 42 19 3 9	14 3 6 5 3	13. 2 3. 1 4. 5 2. 4 . 6			

¹ Expected deaths are calculated by applying to the infants in each earnings group the rates for all infants (of foreign-born white mothers) in the same earnings group who lived at least 2 weeks in dwellings studied.

Table 89.—Excess mortality in overcrowded dwellings, with effect of differences in nationality eliminated; infants (born in 1915 to foreign-born white mothers) who lived at least two weeks in dwellings studied.

	Infants (offoreign-born white mothers) who lived at least 2 weeks in dwellings with specified number of persons per room.											
Nationality of mother.	L	ess than		1	it less th		2 or more.					
		1	aths.			aths.		Deaths.				
	Infants.	Actual.	Expect-	Infants.	Actual.	Expect- ed.1	Infants.	Actual.	Expect-			
Infant death rates	882	4.0	5.5	1,418	6.4	6.5	040	10.5	8.6			
Jewish Polish Italian Otherforeign	342 68 107 365	(2) (2) (2) (2) (2)	9. 1 8. 5 5. 4 25. 6	506 345 230 337	(2) (2) (2) (2) (2)	13. 5 43. 3 11. 6 23. 6	83 183 55 22	(2) (2) (2) (2) (2)	29. 4 2. 2 22. 9 2. 8 1. 5			

 $^{^1\,^{\}prime\prime}$ Expected deaths" are based on rates for all infants in families of specified nationality. 2 Not tabulated.

Table 90.—Per cent of infant deaths, by average number of persons per room, earnings of father, and color and nativity of mother; infants born in 1915 who lived at least two weeks in dwellings studied.

	Infai	nts wh	o live	ed at le	east 2	week	s in d	welling per ro	gs wi	th spe	cified a	avera	ge nu	mber of
Earnings of father	7	Fotal.1		Les	s than			less th		20	or more	e.	Not r	eported
and color and na- tivity of mother.	In-	Deat	ths.	In-	Deat	ths.	In-	Dear	ths.	In-	Deat	ths.	In-	
	fants.	Num- ber.	Per ct.2	fants.	Num- ber.	Per ct.2	fants.	Num- ber.	Per ct.2	fants.	Num- ber.	Per ct.2	fants.	Deaths
All mothers	10, 336	692	6.7	5, 544	267	4.8	4, 269	359	8.4	498	58	11.6	25	1
Earnings of father: Under \$450. \$450-\$549. \$550-\$649. \$650-\$849. \$850-\$1,249. \$1,250 and over. No earnings. Not reported.	1, 457 1, 387 1, 428 2, 321 2, 183 1, 170 192 198	111 105 139 91 31 34	7.4 6.0 4.2	446 548 609 1,296 1,509 958 67 111	43 38 36 54 53 27 9 7	6.9	824 731 726 956 644 201 108 79	64 61 76 34 4	8.4 7.9 5.3 2.0 15.7		22 7 7 7 9 3	12, 2 6, 7	7 3 6 2 3 3	1
Native white mothers	6, 464	395	6. 1	4, 108	187	4.6		193		107		14. 0	12	
Earnings of father: Under \$450. \$450-\$549. \$550-\$649. \$650-\$849. \$850-\$1,249. \$1,250 and over. No earnings. Not reported.	428 613 872 1,655 1,745 951 81 119	53 64 97 75 26 14	7.3 5.9 4.3	160 281 437 1,019 1,283 824 31 73	12 20 30 46 49 22 5	4.5	239 312 411 614 452 119 47 43	36 30 34 48 26 4 7	8.3 7.8	28 20 21 20 8 5 3	5 3 3		1 3 2 2 3	
Foreign-born white moth- ers	2,649	166	6, 3	882	35	4. 0	1,418	91	6. 4	343		10. 5	6	4
Earnings of father: Under \$450. \$450-\$549. \$550-\$649. \$650-\$849. \$850-\$1,249. \$1,250 and over. No earnings. Not reported.	556 439 414 549 397 205 47 42	56 19 29 32 13 2 10		100 106 107 214 200 122 11 22	3 5 4 3 2 2	15. 0 2. 8 4. 7 1. 9 1. 5 1. 6	321 260 242 293 177 80 27 18	24 13 18 23 6	5.0	131 73 64 42 19 3 9		10. 7	4 1 1	3
Colored mothers	1, 223	131	10. 7	554		8. 1	614		12, 2	48	7		7	4
Earnings of father. Under \$450. \$450-\$549. \$550 and over. No earnings. Not reported.	473 335 314 64 37	39 1	10. 8	186 161 166 25 16	15	8. 6 9. 3 5. 4	264 159 139 34 18	31 21	11.7	21 12 7 5 3	3 1 2 1		2 3 2	1 2 1

¹ Does not include 61 infants (25 subsequent deaths) surviving first two weeks, for whom housing data were not secured. 2 Not shown where base is less than 100.

Table 91.—Percentage of infant deaths, by cause of death, sanitary arrangements of dwelling, earnings of father, and color and nationality of mother; infants born in 1915 who lived at least two weeks in dwellings studied.

,00010	Intants	wnonve	datleasi	Zweeks	mawen	mgs or sp	ecified sa		ccommo	iaulous.
attention (Dwe	llings wi	th 3 spec	rified ite	ms.1	Dwellin	ıgs lackir	ig 1 or me	ore of 3 s	pecified
Earnings of father and color and nationality of		10	Dea	ths.	127 49			Deat	ths.	
mother.	Infants.	All ca	uses.	Gastri		Infants.	Allca	uses.	Gastri	
		Num- ber.	Per cent.2	Num- ber.	Per cent.2		Num- ber.	Per cent.2	Num- ber.	Per cent.2
All mothers	4,486	197	4.4	66	1.5	5,850	495	8.5	230	3.9
Earnings of father: Under \$550 \$550-\$849. \$850-\$1,249. \$1,250-\$1,849 \$1,850 and over No earnings	644 1,389 1,324 578 385 72	55 71 42 13 5	8.5 5.1 3.2 2.2 1.3 11.1 3.2	17 25 14 6	2.6 1.8 1.1 1.0	2, 200 2, 360 859 173 34 120 104	216 173 49 12 1 26 18	9.8 7.3 5.7 6.9	107 71 26 2 15 9	4. 9 3. 0 3. 0 1. 2
Not reported Native white	94	3		40	1 7	Table		-	135	4. 2
mothers Earnings of father:	3,273	135	7.9	48	2.5	763	260	8.1	47	6. 2
Under \$550. \$550-\$849. \$850-\$1,249. \$1,250-\$1,849. \$1,850 and over. No earnings. Not reported.	278 999 1,093 474 329 39 61	56 36 12 5 3	5.6 3.3 2.5 1.5	21 11 6	2.1 1.0 1.3	1,528 652 122 26 42 58	105 39 9 	6.9 6.0 7.4	53 19 2 7 7	3. 5 2. 9 1. 6
Foreign-born		25	3.1	11	1.3	1,833	141	7.7	66	3.6
white mothers Earnings of father: Under \$550. \$550-\$849. \$850-\$1,249. \$1,250 and over. No earnings.	139 286 211 152 12 16	10 8 5 1 1	7. 2 2. 8 2. 4 0. 7	4 3 3 3	2.9 1.0 1.4	856 677 186 53 35 26	65 53 8 1 9	7.6 7.8 4.3 1.9	38 15 7 4 2	4. 2. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3.
Not reported Jewish	389	6	1, 5	4	1.0	542	17	3.1	4	0.
Earnings of father: Under \$650 \$650 and over No earnings Not reported	107 266 8 8	4 1 1	3.7	2 1 1	1.9	325 190 18 9	7 5 2 3	2.2 2.6	2 1 1	0.0
Polish Earnings of father: Under \$650 \$650 and over No earnings Not reported	35 20 15	3 2 1		1		562 404 139 10 9	51 15 4 2	12.8 12.6 10.8	30 8 2 2	7. 7. 5.
Italian	. 80	3	3.8			. 314	16	5.1	4	1.
Earnings of father: Under \$650 \$650 and over No earnings Not reported	30 47	3				213 93 4 4	12 3 1	5.6	4	1.
All other. Earnings of father: Under \$650 \$650 and over	79 224	3 10	3.8 4.5	2 4	1.9 2.5 1.8		36 22 12 2	9.5 6.8	9 6 1	3. 3. 3.
No earnings Not reported	5 s 397	37	9.3	7	1,8	. 4	94	11.4	29	3.
Colored mother Earnings of father: Under \$550 \$550 and over No earnings Not reported	227 132 21 17	23 8 4 2	10.1	6 1	2.6	581	67 20 6 1	11.5	22 3 4	3. 1.

Bath, toilet connected with sewer and reserved for exclusive use of family.
 Not shown where base is less than 50.

Table 92.—Employment of mother at any time after marriage, during pregnancy of 1915, or during lifetime of infant born in 1915, by place of employment, earnings of father, and color and nativity of mother; mothers (maternal histories) and births in 1915.

and the state of	M	others.	2		Birth	sin 1	915.1		1	Live bi	rthsir	1915.	
Earnings of father and color and nativity of mother.	Employed away from home at any time after mar- riage.		le de la companya de			rs empl regnan			To mothers employeduring lifetime of infant and within 1 months after the				
	Total.	Num-	Per	Total.	Away	from	At ho	ome.	Total.	Away	from	At ho	me.
		ber.	ct.3		Num- ber.	Per ct.3	Num- ber.	Per ct.3		Num- ber.	Per ct.3	Num- ber.	Per ct.3
All mothers	11, 169	2, 562	22.9	11,613	1,400	12, 1	1,819	15.7	10, 797	855	7.9	1,929	17.
Earnings of father: Under \$450. \$450-\$549. \$550-\$649. \$550-\$849. \$550-\$1,049. \$1,050-\$1,249. \$1,250 and over. No earnings. Not reported.	1,549 1,476 1,528 2,519 1,665 693 1,289 218 232	777 534 398 404 146 41 54 136 72	36. 2	1,590 2,575 1,696 705 1,307 235	494 325 202 169 45 11 16 89 49	29. 2 20. 6 12. 7 5. 6 2. 7 1. 6 1. 2 37. 9 20. 3	241 79	20.7 19.5 16.5 13.2 14.2 11.0 17.9 22.8	1,449 1,489 2,417 1,595 661	93 85 20 5 7 84	22.1 12.4 6.2 3.5 1.3 0.7 0.6 40.6 19.2	329 254 378 256 88 144 43	22. 17. 15. 16. 13. 11. 20.
Native white mothers	7,069	966	13,7	7, 210	394	5. 5	710	9.8	6,739	235	3.5	801	11.
Earnings of father: Under \$450. \$450-\$549. \$550-\$649. \$650-\$849. \$650-\$849. \$1,050-\$1,049. \$1,250 and over. No earnings. Not reported.	463 661 949 1,807 1,308 581 1,060 101 139	57	40. 6 23. 9 18. 0 11. 7 6. 4 5. 0 3. 1 56. 4 24. 5	971 1,840 1,328 591 1,074 103	7 12 21	15.5 12.5 7.6 4.1 2.0 1.2 1.1 20.4 12.9	79 120 162 134 45 74 13	12.2 11.5 12.4 8.8 10.1 7.6 6.9 12.6 17.9	449 644 908 1,726 1,251 551 995 88 127	42 25 38 10 1 2	15. 4 6. 5 2. 8 2. 2 . 8 . 2 . 2	86 123 189 156 53 78 14	13. 13. 11. 12. 9. 7.
Foreign - born white mothers	2,830	748	26. 4	2,894	329	11.4	735	25. 4	2,753	200	7.3	763	27.
Earnings of father: Under \$450 \$450-\$549 \$550-\$649 \$650-\$849 \$850-\$1,049 \$1,050-\$1,249 \$1,250 and over No earnings Not reported	594 472 433 590 317 103 217 53 51	161 136 123 44 10 17 22	38. 4 34. 1 31. 4 20. 8 13. 9 9. 7 7. 8	479 449 600 327 104	70 66 47 9 3 2 13	14.6 14.7 7.8 2.8 2.9	123 98 142 94 31	23. 9 25. 7 21. 8 23. 7 28. 7 29. 8 31. 1	449 429 570 309 100	43 33 26 8 2 2 12	9.6 7.7 4.6 2.6 2.0	130 98 152 86 33	29. 22. 26. 27. 33. 29.
Colored mothers	1,270	848	66.8	1,509	677	44.9	374	24.8	1,305	420	32. 2	365	28.
Earnings of father: Under \$450. \$450-\$549. \$550-\$649. \$650-\$849. \$850-\$1,049. \$1,050-\$1,249. \$1,250 and over. No earnings. Not reported.	492 343 146 122 40 9 12 64 42	215 91 69 18 2 4 57	73. 4 62. 7 62. 3 56. 6	409 170	169 62 47 9 1 2 55	50.9 41.3 36.5 34.8	105 44	24. 0 25. 7 25. 9 26. 7	356 152	94 35 21 2 2 2 3 40	26. 4 23. 0 17. 3	113	31. 21. 30.

 ¹ Includes miscarriages.
 ² Mothers for whom maternal history was secured. Schedule did not include employment at home prior to pregnancy of 1915.
 ³ Not shown where base is less than 100.

Table 93.—Employment of mother at any time after marriage, during pregnancy of 1915, or during lifetime of infant born in 1915, by place of employment and nationality; foreign-born white mothers (maternal histories) and births in 1915.

		reign-b e moth		Birtl	ns in 19 whit	915 to e mot	foreign hers.1	-born	Live	births born w	in 191 hite m	5 to for others.	eign-
Nationality of mother.		Employed away from home at any time after marriage.					during of 1915			Employed during life- time of infant and within 12 months of birth.			
	Total.			Total.	At home.		Away from home.		Total.	At home.		Away from home.	
		Num- ber.	Per cent.		Num- ber.	Per cent.	Num- ber.	Per cent.		Num- ber.	Per cent.	Num- ber.	Per cent.
Total	2,830	748	26.4	2,894	735	25.4	329	11.4	2,753	763	27.7	200	7.3
Jewish	995 634 433 768	66 421 53 208	6. 6 66. 4 12. 2 27. 1	1,011 655 440 788	289 104 162 180	28.5 15.9 36.8 22.8	13 215 17 84	1.3 32.8 3.9 10.7	961 625 412 755	289 116 165 193	30.1 18.6 40.0 25.6	9 146 7 38	.9 23.4 1.7 5.0
German Irish, English, Scotch, and English-Cana-	321	69	21.5	331	59	17.8	29	8.8	318	(3)	(3)	(3)	(3)
dianBohemianLithuanianOther	136 109 102 100	13 27 67 32	9.6 24.8 65.7 32.0	138 112 105 102	23 27 34 37	16.7 24.1 32.4 36.3	10 30 11	2.9 8.9 28.6 10.8	132 107 100 98	(3) (3) (3)	(3) (3) (3) (3)	(3) (3) (3) (3)	(8) (8) (8) (3)

Includes miscarriages.
 Mothers for whom maternal history was secured. Schedule did not include employment at home prior to pregnancy of 1915 birth.
 Not available.

Table 94.—Employment of mother away from home after marriage, by number of births, 1 earnings of father, and color and nativity of mother; mothers (maternal histories).

		Mot	hers rep	orting	specifie	d numb	er of bir	ths.1	100
Earnings of father during year after		1-3.	and the	1 415	4-6.		7	and ove	er.
1915 birth and color and nativity of mother.		Emp	loyed.	174	Emp	loyed.		Emp	loyed.
	Total.	Num- ber.	Per cent.2	Total.	Num- ber.	Per cent.2	Total.	Num- ber.	Per cent.2
Native white mothers	4,884	604	12.4	1,487	215	14.5	698	147	21.
Under \$450. \$450-\$549. \$550-\$649.	279 432 626	101 97	36. 2 22. 5	108 142	48 36	44. 4 25. 4	76 87	39 25	
\$650-\$849 \$850-\$1,249 \$1,250 and over	1.254	102 133 78	16.3 10.6 5.9	226 384 387	39 50 22	17.3 13.0 5.7	97 169 174	30 29 13	17.5
No earnings	796 74 95	25 42 26	3.1	190 17 33	5 10 5	2.6	74 10 11	3 5 3	
Foreign-born white mothers Earnings of father:	1,468	356	24.3	811	219	27.0	551	173	31.
Under \$450. \$450-\$549. \$550-\$649.	269 244 216	107 75 56	39.8 30.7 25.9	177 150 127	59 55 46	33.3 36.7 36.2	148 78	62 31 34	41.
\$650-\$849. \$850-\$1,249.	339 232	65 24	19.2 10.3	154 112	34 16	22.1 14.3	90 97 76	24 14	
\$1,250 and over No earnings Not reported	109 28 31	9 15 5	8.3	67 13 11	4 4 1		41 12	3	
Colored mothers	679	403	59.4	334	238	71.3	9 257	207	80.
Under \$450. \$450-\$549.	255 187	171 101	67.1 54.0	129 91	101 60	78.3	108 65	89 54	82.4
\$550-\$649. \$650 and over. No earnings.	77 100 34	40 46 28	46.0	37 46 21	25 24 20		32 37 9	26 23 9	
Not reported	26	17		10	. 8		6	6	

¹ Includes miscarriages.

² Not shown where base is less than 100.

Table 95.—Employment of mother during pregnancy, or within 12 months after the birth, by color of mother; live births in 1915.

	I	Live births	in 1915 to-	_
Employment of mother during pregnancy of 1915 or after 1915 birth.	Whiter	nothers.	Colored	mothers.
	Number.	Per cent distribu- tion.1	Number.	Per cent distribu- tion.1
Total	9,492	100.0	1,305	100.0
Not employed during pregnancy or after birth. Employed only after death of infant. Employed at home only 2 Employed away from home. Employment not reported	1,663	73. 0 . 6 17. 5 8. 8	318 12 320 655	24. 4 . 9 24. 5 50. 2

Table 96.—Occupation of mother and employment away from home before and after marriage, by color and nationality; mothers (maternal histories).

			Mothers.		
Employment of mother away from home, and color and nationality of mother.	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	me .			
	Total.	Total.	Factory.	Domestic.	Other.
All mothers	11, 169	8, 791	5, 438	1,918	1, 435
Not employed . Employed . Before marriage only . After marriage . Employment not reported .	8, 791 6, 229	6, 229	4,031	954	1, 435 1, 244 191
White mothers	9, 899	7,627	5, 342	893	1,392
Not employed . Employed . Before marriage only . After marriage . Employment not reported .	5, 913 1, 714	5, 913	4,003	693	1, 392 1, 217 175
Native mothers	7,069	5, 520	3, 830	503	1, 187
Not employed . Employed . Before marriage only . After marriage . Employment not reported .	5, 520 4, 554 966	4,554	3, 118	359	1, 187 1, 077 110
Foreign-born mothers	2, 830	2, 107	1,512	390	205
Not employed Employed Before marriage only After marriage Employment not reported.	722 2,107 1,359 748 1	2, 107 1, 359 748	1, 512 885 627	390 334 56	205 140 65
Jewish	995	704	588	22	94
Not employed Employed Before marriage only After marriage	291 704 638 66	704 638 66	588 552 36	22 18 4	94 68 26

Not shown when under one-tenth of 1 per cent.
2 Includes 4 white mothers and 6 colored mothers who worked at home during pregnancy and away after death of infant, and 1 white mother who may have worked away during life of infant but for whom employment after birth was not reported.

Table 96.—Occupation of mother and employment away from home before and after marriage, by color and nationality; mothers (maternal histories)—Continued.

an apricincide 1			Mothers.		
Employment of mother away from home, and color and nationality of mother.		Em	ployed aw	ay from hor	me.
	Total.	Total.	Factory.	Domestic.	Other.
Polish	634	599	516	54	29
Not employed Employed Before marriage only After marriage Employment not reported.	34 599 178 421 1	599 178 421	516 123 393	54 40 14	29 15 14
Italian	433	147	111	4	32
Not employed Employed. Before marriage only After marriage.	286 147 94 53	147 94 53	111 70 41	4 4	32 20 12
German	321	270	114	135	
Not employed Employed Before marriage only After marriage.	51 270 201 69	270 201 69	114 69 45	135 114 21	21 18 3
Irish, English, Scotch, and English-Canadian	136	122	26	87	9
Not employed	14 122 109 13	122 109 13	26 21 5	87 80 7	9 8 1
Bohemian	109	101	40	59	2
Not employed Employed. Before marriage only After marriage.	8 101 74 27	101 74 27	40 17 23	55	2 2
Lithuanian	102	97	84	6	7
Not employed Employed. Before marriage only After marriage.	5 97 30 67	97 30 67	84 21 63	3	7 6 1
All other	100	67	33	23	11
Not employed. Employed. Before marriage only After marriage.	33 67 35 32	67 35 32	33 12 21	20	11 3 8
Colored mothers	1, 270	1, 164	96	1,025	48
Not employed. Employed. Before marriage only. After marriage. Employment not reported.	104 1, 164 316 848 2	1, 164 316	96 28 68	261	4: 27 16

Table 97.—Occupation, by time of employment away from home and color and nationality of mother; mothers (maternal histories).

	100				Ŋ	Iothers 1 o	fspecified	color and r	nationality	100.0			
						The h	White.	100					
Occupation and time of employment of mother 1 before marriage only and after	Total						F	oreign born	n.		W-1		
marriage.	mothers.	Total.	Native.	Total.	Jewish.	Polish.	Italian.	German.	Irish, English, Scotch, and English- Canadian.	Bohe-mian.	Lithu- anian.	All other.	Colored.
Total	11,169	9,899	7,069	2,830	995	634	433	321	136	109	102	100	1,270
Not employed away from home Employed awayfrom home	2,371 8,791	2,267 7,627	1,545 5,520	722 2,107	291 704	34 599	286 147	51 270	14 122	8 101	5 97	33 67	10- 1, 16-
Factory work. Domestic work. Other work.		5,342 893 1,392	3,830 503 1,187	1,512 390 205	588 22 94	516 54 29	111 4 32	114 135 21	26 87 9	40 59 2	84 6 7	33 23 11	1,02 4
Before marriage only Factory work. Domestie work Other work. After marriage. Factory work. Domestic work. Other work.	6, 229 4, 031 954 1, 244 2, 562 1, 407 964 191	5,913 4,003 693 1,217 1,714 1,339 200 175	4,554 3,118 359 1,077 966 712 144 110	1,359 885 334 140 748 627 56 65	638 552 18 68 66 36 4 26	178 123 40 15 421 393 14 14	94 70 4 20 53 41	201 69 114 18 69 45 21	109 21 80 8 13 5 7	74 17 55 2 27 27 23 4	30 21 3 6 67 63 3 1	35 12 20 3 32 21 3 8	31: 2: 26: 2: 84: 6: 76: 1:
Employment not reported	7	5	4	1		1							

¹ Based on 11,169 mothers for whom maternal history was secured.

Table 98.—Occupation and place of employment of mother during pregnancy, by color and nationality; births in 1915.1

					Births in	1915 ¹ to n	nothers of s	pecified co	olor and nati	ionality.			
		1		1.		1	White						
Occupation and place of employment of mother during pregnancy of 1915 issue.	Total births.1	1					F	Foreign bor	n. 🐃				
The state of the s	DII tils.	Total.	Native.	Total.	Jewish.	Polish.	Italian.	German.	Irish, English, Scotch, and English- Canadian. ²	Bohe-mian.	Lithu- anian.	All other.8	Colored.
All mothers.	11,613	10, 104	7,210	2,894	1,011	655	440	331	138	112	105	102	1,509
Not employed Employed At home Keeping lodgers Sewing (for factory) Sewing (not for factory) Laundering Helping in husband's business Doing other home work Away from home Factory operatives. Canning, shucking. Clothing. Other factory. Charwork, laundress, etc. Domestic servant. Any other occupation Employment not reported.	8, 391 3, 219 1, 819 1, 819 90 362 347 124 1, 400 609 332 133 144 439 232 120 3	7, 934 2, 168 1, 445 686 173 58 74 344 110 723 560 325 106 129 54 23 86 2	6, 105 1, 104 710 422 37 32 56 107 56 394 272 103 54 115 42 15 65	1, 829 1, 064 735 264 136 28 18 237 54 329 288 222 52 14 12 2 8	709 302 289 69 15 13 1 163 28 13 9 7 2	335 319 104 46 22 7 1 22 6 215 205 191 8 6 2 17 1	261 179 162 61 69 2 2 18 12 17 11 3 7	243 88 59 28 5 2 7 12 5 29 17 13 1 3 8 8 3	1111 277 233 20 3 3 4 4 2 1 1 2	75 37 27 6 4 8 8 7 2 100 7 6 1 1	41 64 34 15 17 2 30 29 4 25	54 48 37 19 9 4 2 2 1 1 10 1 1 11 18 4 4 3 3 1	45; 1,05; 37; 46; 22; 288; 67; 44; 67; 44; 7,27; 1; 388; 200; 34;
						Per ce	ent distrib	ution,4					
All mothers.	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Not employed . Employed . At home . Keeping lodgers .	72.3 27.7 15.7 6.3	78. 5 21. 5 14. 3 6. 8	84.7 15.3 9.8 5.9	63. 2 36. 8 25. 4 9. 1	70.1 29.9 28.5 6.8	51. 1 48. 7 15. 9 7. 0	59.3 40.7 36.8 13.9	73.4 26.6 17.8 8.5	80. 4 19. 6 16. 7 14. 5	67. 0 33. 0 24. 1 5. 4	39. 0 61. 0 32. 4 14. 3	52. 9 47. 1 36. 3 18. 6	30.3 69.6 24.8 3.0

Digitized for FRASER
https://fraser/et/louisfed.org
Federal Research Bank of S

Sewing (for factory) Sewing (not for factory) Laundering. Helping in husband's business. Doing other home work Away from home Factory operatives Canning, shucking, etc Clothing. Other factory Charwork, laundress, etc Domestic servant. Any other occupation Employment not reported.	3.1 3.0 1 1 12.1 5.2 2.9 1.1	1.7 .6 .7 3.4 1.1 7.2 5.5 3.2 1.0 1.3 .5 .2	.5 .4 .8 1.5 .8 5.5 3.8 1.4 .7 1.6 .6 .2	4.7 .9 .6 .8.2 1.9 11.4 10.0 7.7 1.8 .5 .4 .3 .7	1.5 1.3 1.1 16.1 2.8 1.3 1.3 .9 .7 .2	3.4 1.1 .2 3.4 9 32.8 31.3 29.2 1.2 .9 .3 .2	15.7 .5 4.1 2.7 3.9 2.5 .7 1.6 .2	1.5 .6 2.1 3.6 1.5 8.8 5.1 3.9 2.4 .9	2.2 2.9 1.4 .7	7. 1 6. 2 1. 8 8. 9 6. 2 5. 4 . 9	2012	1.0 9.8 1.0 10.8 7.8 3.9 2.9 1.0	.1 1.5 19.1 .2 .9 44.9 3.2 .5 1.8 1.0 25.5 13.9 2.3
--	--	--	---	--	--	---	---	--	-------------------------	---	------	---	---

1 Includes miscarriages.
2 Includes 101 Irish, 19 English, 8 Scotch, and 10 English-Canadian.
3 Includes 24 Russian, 19 Greek, 13 Magyar, 8 Norwegian, 6 Serbian, 5 French, 5 Slovak, 4 Rumanian, 4 Ruthenian, 3 French-Canadian, 3 Dutch, 2 Slavic (n. o. s.), 2 Spanish, 2 Swedish, 1 Arabian, and 1 Danish.
4 Not shown when less than one-tenth of 1 per cent.

Table 99.—Occupation of mother, by place and time of employment; live births in 1915 to mothers employed.

	Live	births to n	nothers em	ployed.	
Occupation of mother.		ig 1915 nancy.	During lifetime of infant.		
	Number.	Per cent distribu- tion.	Number.	Per cent distribu- tion.	
All mothers employed	2,911	100.0	2,784	100.0	
at home.	1,682	57.8	1,929	69.	
Keeping lodgers. Sewing (for factory). Sewing (not for factory). Laundering Helping in husband's business. Doing other home work.	71	24. 0 5. 5 2. 4 10. 7 11. 3 3. 8	948 143 66 303 345 124	34. 5. 2. 10. 12. 4.	
Away from home	1,229	42.2	855	30.	
Cannery operative. Other factory operative. Charwork, laundry, etc. Domestic. All other. Not reported.	233 386 191 104	10.8 8.0 13.3 6.5 3.6	220 141 297 121 75	7. 5. 10. 4. 2.	

Table 100.—Employment of mother during pregnancy of 1915 and during lifetime of infant, by color and nationality; births in 1915.

	Per cent empl	of mothers oyed
Color and nationality of mother.	During preg- nancy.2	During life of infant.3
Total.	27.7	25. 8
White	21.5	21.5
Native Foreign born.	15.3 36.8	15. 4 35. 0
Jewish. Polish. Italian. Other.	29. 9 48. 7 40. 7 33. 5	31. 0 41. 9 41. 7 30. 6
Colored	69.6	60.

Includes miscarriages.
 Based on total births in 1915.
 Based on live births.

Table 101.—Employment of mother during pregnancy of 1915, by employment after the birth, at home and away from home, by color of mother; live births in 1915.

	Live births in 1915 to—									
Employment of mother.	All m	others.	White	mothers.	Colored mothers.					
	Live births.	Infant deaths.	Live births.	Infant deaths.	Live births.	Infant deaths.				
Total	10,797	1,117	9, 492	910	1,305	20				
Employed at home during 1915 pregnancy.	1,682	159	1,359	118	323	4				
Not employed after birth of infant Employed after death of infant:	147	23	130	20	17	8				
At home. Away. Employed during life of infant:	54 10	54 10	35 4	35 4	19 6	19				
At home	1,412 58 1	70 2	1,172 17 1	58 1	240 41	12				
Employed away during 1915 pregnancy	1,229	221	659	106	570	115				
Not employed after birth of infant Employed after death of infant:	363	41	274	27	89	14				
At home	10 104	10 104	4 51	4 51	6 53	6 53				
At home	158 594	10 56	71 259	4 20	87 335	6 36				
Not employed during 1915 pregnancy 1	7,886	737	7,474	686	412	51				
Not employed after birth of infant Employed after death of infant:	7, 250	640	6, 932	603	318	37				
At home Away Employed during life of infant:	22 51	22 51	19 42	19 42	3 9	3				
At home. Away Employment after birth not reported.	359 203 1	7 16 1	321 159 1	6 15 1	38 44	1				

 $^{^{\}rm 1}$ Includes 3 live births (2 white, 1 colored) and 1 death (white); employment during 1915 pregnancy not reported.

Table 102.—Infant mortality rates, by mother's employment away from home during pregnancy or within year after birth, earnings of father, and color and nativity of mother; live births in 1915.

	Live births in 1915 to mothers—									
Earnings of father and color and nativity	during	ed away fr pregnancy ter birth.	om home or within	Not employed away from home during pregnancy or within year after birth.						
of mother.		Infant	deaths.		Infant deaths.					
	Live births.	Number.	Infant mortality rate.2	Live births.	Number.	Infant mortality rate.2				
All mothers	1,553	302	194. 5	9, 244	815	88. 2				
Earnings of father:	112 63 501 216 167 36	181 69 10 5 24 13 99 42 30 5 4 11 7	203. 1 169. 1 214. 3 197. 6 194. 4 179. 6	2, 102 3, 498 2, 195 1, 203 95 151 6, 238 877 2, 467 1, 766 983 47 98	232 325 148 74 19 17 547 115 233 121 63 5	110. 4 92. 9 67. 4 61. 5 112. 6 87. 7 131. 1 94. 4 68. 5 64. 1				
Foreign-born white mothers	381	70	183. 7	2,372	194	81.8				
Earnings of father: Under \$550. \$550-\$849 \$850 and over No earnings. Not reported.	213 128 18 16 6	43 19 2 3 3	201. 9 148. 4	824 871 603 34 40	70 77 32 10 5	85. 0 88. 4 53. 1				
Colored mothers	671	133	198. 2	634	74	116.7				
Earnings of father: Under \$550. \$550 and over. No earnings. Not reported.	462 126 55 28	96 24 10 3	207. 8 190. 5	401 206 14 13	47 21 4 2	117. 2 101. 9				

 $^{^1}$ Includes 2 mothers whose employment was not reported. 2 Not shown where base is less than 100.

Table 103.—Infant mortality rates (by cause of death) and stillbirth rates, by employment of mother during pregnancy and color and nativity of mother; births in 1915.

		Still	births.				Infant	deaths		
Employment during pregnancy of 1915, and color and nativity	Total		Per	Live births.	To	otal.		arly incy.		other uses.
of mother.		Num- ber.	1,000 births.1		Num- ber.	Infant mor- tality rate.1	Num- ber.	Infant mor- tality rate.1	Num- ber.	Infant mor- tality rate.1
All mothers	11, 195	398	35.6	10,797	1, 117	103. 5	407	37.7	710	65. 8
Not employed	8, 123 1, 752 1, 317 3	240 70 88	29. 5 40. 0 66. 8	7,883 1,682 1,229 3	736 159 221 1	93. 4 94. 5 179. 8	293 44 70	37. 2 26. 2 57. 0	443 115 151 1	56. 2 68. 4 122. 9
Native white mothers	6,937	198	28. 5	6,739	646	95.9	257	38.1	389	57.7
Not employed Employed at home. Employed away from home. Employment not reported.	5,896 674 366 1	162 18 18	27. 5 26. 7 49. 2	5,734 656 348 1	541 56 49	94. 3 85. 4 140. 8	223 18 16	38. 9 27. 4 46. 0	318 38 33	55. 5 57. 9 94. 8
Foreign-born white mothers.	2,837	84	29.6	2,753	264	95. 9	85	30.9	179	65.0
Not employed Employed at home Employed away from home Employment not reported	1,791 723 322 1	53 20 11	29. 6 27. 7 34. 2	1,738 703 311 1	144 62 57 1	82. 9 88. 2 183. 3	50 15 20	28. 8 21. 3 64. 3	94 47 37 1	54. 1 66. 9 119. 0
Colored mothers	1,421	116	81.6	1,305	207	158.6	65	49.8	142	108. 8
Not employed Employed at home. Employed away from home. Employment not reported	436 355 629 1	25 32 59	57. 3 90. 1 93. 8	411 323 570 1	51 41 115	124, 1 126, 9 201, 8	20 11 34	48. 7 34. 1 59. 6	31 30 81	75. 4 92. 9 142. 1

¹ Not shown where base is less than 100.

101351°-23-20

Table 104.—Excess infant mortality (by cause of death) and stillbirth rates among infants of mothers employed during pregnancy, over those expected when effect of differences in color and nationality and earnings of father is eliminated; births in 1915.

		Still	oirths.			is from auses.		arly ney.		other
Employment of mother during pregnancy.	Total births.	Num- ber.	Per 1,000 1 births.	Live births.	Num- ber.	Infant mor- tality rate.1	Num- ber.	Infant mor- tality rate.1	Num- ber.	Infant mor- tality rate.1
ALL MOTHERS.										
Not employed: Actual Expected ²	8,123	240 256	29. 5 31. 5	7,883	736 759	93. 4 96. 3	293 290	37. 2 36. 8	443 469	56. 2 59. 5
Employed at home: Actual Expected 2	1,752	70 70	40. 0 40. 0	1,682	159 176	94. 5 104. 6	44 62	26. 2 36. 9	115 114	68. 4
Employed away from home: Actual Expected ² Employment not reported	1,317	88 72	66. 8 54. 7	1,229	221 170 1	179. 8 138. 3	70 54	57. 0 43. 9	151 116 1	122.9
NATIVE WHITE MOTHERS.										
Not employed: Actual	5,896	162 168	27. 5 28. 5	5,734	541 538	94.3 93.8	123 217	38.9 37.8	318 321	55. 56.
Employed at home: Actual Expected 2 Employed away from home:	674	18 19	26. 7 28. 2	656	. 56 65	85. 4 99. 1	18 25	27. 4 38. 1	38 40	57. 61.
Actual	366	18 11	49. 2 30. 1		. 42	140. 8 120. 7	16 15	46. 0 43. 1	33 27	94. 77.
FOREIGN-BORN WHITE MOTHERS.	57,5° 1									
Not employed: Actual. Expected ²	1,791	53 53	29. 6 29. 6		. 144	82. 9 90. 9	50 52	28. 8 29. 9	94 106	54. 61.
Employed at home: Actual Expected 2	723	. 20 22			00	88. 2 88. 2				66. 58.
Employed away from home: Actual Expected ² Employment not reported.	322	. 9			- 44					102.
COLORED MOTHERS.	1									
Not employed: Actual Expected 2.	436	25			51 63					
Employed at home: Actual Expected ² Employed away from home:	355	32 29			41 49				33	102.
Actual	629	. 52			. 84					

¹ Not shown where base is less than 100.
² Expected stillbirths and deaths are calculated by applying to the births (or live births) in each nationality, earnings and employment of mother group, the average rates prevailing in the same nationality and earnings group; among the foreign-born white mothers average rates prevailing in each nationality group are used.

Table 105.—Prevalence of premature births, by employment during pregnancy and color and nativity of mother; live births in 1915.

			Live birth	S.	
Employment during pregnancy of 1915, and color and nativity of mother.		T2-11	Prematu	m	
	Total.	Full term.	Number.	Per cent.	Term not reported.
All mothers	10,797	10, 196	591	5. 5	10
Not employed . Employed at home . Employed away from home . Employment not reported .	7,883 1,682 1,229 3	7,430 1,615 1,149 2	450 65 76	5. 7 3. 9 6. 2	3 2 4 1
Native white mothers	6,739	6,322	415	6.2	2
Not employed . Employed at home . Employed away from home . Employment not reported .	5,734 656 348 1	5,377 619 325 1	356 36 23	6. 2 5. 5 6. 6	1
Foreign-born white mothers	2,753	2,654	97	3.5	2
Not employed . Employed at home . Employed away from home . Employment not reported .	703	1,669 687 297 1	67 16 14	3. 9 2. 3 4. 5	2
Colored mothers	1,305	1,220	79	6.1	6
Not employed . Employed at home Employed away from home Employment not reported	570	384 309 527	27 13 39	6. 6 4. 0 6. 8	1 4 1

¹ Not shown where base is less than 100.

Table 106.—Infant mortality rates, by cause of death and by employment of mother during pregnancy and color and nativity; full-term live births in 1915.

	Full-	Infant	mortality	rates.1
Employment during pregnancy of 1915, and color and nativity of mother.	term live births.	All causes.	Early infancy.	All other causes.
All mothers	10, 196	77.7	14.7	63.0
Not employed . Employed at home . Employed away from home . Employment not reported .	1,615 1,149	67. 2 76. 2 147. 1	13. 9 9. 3 27. 9	53. 3 66. 9 119. 2
Native white mothers	6,322	68.3	13.4	54.9
Not employed Employed at home. Employed away from home. Employment not reported	619	67. 0 63. 0 101. 5	13. 9 6. 5 • 18. 5	53. 1 56. 5 83. 0
Foreign-born mothers	2,654	78.7	15.8	62.9
Not employed . Employed at home . Employed away from home . Employment not reported .	687 297	63. 5 78. 6 161. 6	13. 2 11. 6 40. 4	50, 3 67. 0 121. 2
Colored mothers	1,220	123.8	18.9	104.9
Not employed . Employed at home . Employed away from home .	309	85. 9 97. 1 167. 0	15. 6 9. 7 26. 6	70. 3 87. 4 140. 4

¹ Not shown where base is less than 100.

Table 107.—Interval between cessation of work and confinement, by occupation and color of mother; births in 1915 $^{\rm 1}$ to mothers employed during pregnancy.

Occupation and place of amplement	Total	Per cent interva ment.	ers reporting of work ar	g specified ad confine-		
Occupation and place of employment during pregnancy of 1915 and color of mother.	births.1	None.	Under 2 weeks.	2 weeks, under 2 months.	2 months and over.	Interval not re- ported.
All mothers employed during preg- nancy	3,219	45.1	7.2	10.7	35.6	1.3
Employed at home	1,819	67.1	6.3	8.6	16.7	1.3
Keeping lodgers. Sewing (for factory)	732 174 80	86. 1 32. 8	2, 0 8, 6	3. 3 16. 7	7. 1 40. 8	1. 5 1. 1
Sewing (not for factory) Laundering Husband's business Other home work	362 347 124	48. 3 70. 3 69. 4	10. 2 9. 2 8. 1	15. 2 8. 1 10. 5	25. 1 11. 8 8. 1	1. 1 . 6 4. 0
Employed away from home	1,400	16.6	8.5	13.4	60.1	1.4
Factory operatives. Canning, shucking, etc. Clothing. Other factory Charwork, laundress, etc. Domestic servant. Any other occupation.	609 332 133 144 439 232 120	7. 1 9. 0 3. 8 5. 6 31. 0 13. 4 18. 3	8. 5 10. 8 10. 5 1. 4 10. 5 5. 6 6. 7	12. 3 17. 8 6. 0 5. 6 14. 6 15. 5 10. 8	70. 6 61. 7 79. 7 82. 6 42. 6 65. 1 61. 7	1. 5 . 6 4. 9 1. 4 2. 5
White mothers	2,168	50.3	6.6	9.6	32.0	1.4
Employed at home	1,445 723	70. 7 9. 7	5. 5 8. 9	7. 8 13. 3	14. 7 66. 5	1.3 1.7
Colored mothers	1,051	34. 4	8.5	12.8	43.1	1.1
Employed at home. Employed away from home	374 677	53. 5 23. 9	9. 1 8. 1	11. 5 13. 6	24. 6 53. 3	1.3

¹ Includes miscarriages.

² Not shown where base is less than 100.

Table 108.—Infant deaths under 1 month per 1,000 live births and stillbirth rates, by interval between cessation of work and confinement, color of mother, and place of employment; births in 1915 to mothers employed during pregnancy.

]	Births in 19	015 to moth	ers emplo	yed during	pregnanc	7.			
		Still	oirths.	Infant deaths.						
Interval between cessation of work and confinement, color of mother, and place of employment.	Total births.		D 1 000	То	tal.	Under 1 month of age.				
		Number.	Per 1,000 births. ¹	Number.	Per 1,000 live births.1	Number.	Per 1,000 live births.1			
Mothers employed at home: White	1,397	38	27.2	118	86.8	36	26. 5			
Interval— None or under 2 weeks 2 weeks and over Not reported	1,067 312 18	23 14 1	21. 6 44. 9	83 32 3	79. 5 107. 4	24 11 1	23. 0 36. 9			
Colored	355	32	90.1	41	126.9	14	43.3			
Interval— None or under 2 weeks 2 weeks and over Not reported	218 132 5	20 10 2	91. 7 75. 8	23 16 2	116. 2 131. 1	9 4 1	45. 5 32. 8			
Mothers employed away from home: White	688	29	42. 2	106	160.8	50	75, 9			
Interval— None or under 2 weeks 2 weeks and over Not reported	116 560 12	7 21 1	60. 3 37. 5	16 89 1	146. 8 165. 1	9 41	82. 6 76. 1			
Colored	629	59	93. 8	115	201.8	45	78.9			
Interval— None or under 2 weeks 2 weeks and over Not reported	186 436 7	18 40 1	96. 8 91. 7	48 65 2	285. 7 164. 1	19 26	113. 1 65. 7			

¹ Not shown where base is less than 100.

Table 109.—Age of infant when mother began work, by place of mother's employment and color and nationality of mother; infants born in 1915 to mothers employed during infant's first year of life, and subsequent infant deaths.

	Iı	nfants of	mothers em	of specification of spe	ied color luring in	and nati fant's life	onality	who wer	е
Age of infant, and place of		Total.			White.			Native.	,
employment of mother.	In- fants.	Subsequent deaths in year.	Deaths before end of month of life.	In- fants.	Subsequent deaths in year.	Deaths before end of month of life.	In- fants.	Subsequent deaths in year.	Deaths before end of month of life.
Mothers employed after birth of infant	2,784	161	15	1,999	104	14	1,036	52	5
Age of infant: Under 1 month. 1 month. 2 months. 3 months.	755 537 293 269	58 37 21	2 3 3	686 351 171 153	46 17 12 3	2 3 2	282 192 98 82	23 10 8	1 1
4 months. 5 months. 6 months. 7 months.	166 117 152 100	9 11 3 4	1 3 1	109 67 98 71	3 7 9 2 2	1 3	73 36 54 43	4 2 1 2	1 1
8 months	115 102 107 58	1 4 2	1 1	79 71 84 46	1 3 2	1 1	50 40 44 35	2	
Not reported Employed at home	13 1,929	87	8	13 1,564	68	8	801	34	
Age of infant: Under 1 month	695	45 18	2 3	652 305	41 12	2 3	268 165	, 21	
1 month	405 194 140 97	18 12 2 1	2	141 100 72	9	2	80 57 46	5	
5 months 6 months 7 months	60 86 56	4 1		38 62 42	3	••••••	26 34 27 22	1	
8 months	49 56 54 25	3 1	1	31 42 46 21	2 1	1	25 30 14	1	
Not reported Employed away from	12	,		12	•••••		7		
hôme	855	74	7	435	36	6	235	18	
Age of infant: Under 1 month 1 month 2 months	60 132 99	13 19 9	1	34 46 30	5 5 3		14 27 18 25	2 4 3	
3 months	. 66	9 8 7 3 3	1 3	53 37 29 36	3 7 6 2	1 3	27 10 20	4 1 1 2	
7 months		3 1 1 1 1	1	29 48 29 38	1 1 1	1	16 28 15 14	·····i	
11 months Not reported	33			25			21		

Table 109.—Age of infant when mother began work, by place of mother's employment and color and nationality of mother; infants born in 1915 to mothers employed during infant's first year of life, and subsequent infant deaths—Continued.

Infants of mothers of specified color and nationality who were employed during infant's life. Foreign born. Age of infant, and place of employment of mother. Total. Italian. Jewish. Subse. Subse. Subse-Deaths Deaths Deaths quent before quent before quent deaths before In-In-Inend of end of end of fants. fants. fants. in month in month in month of life. of life. year. year. year. of life. Mothers employed after birth of infant. 963 52 9 172 8 1 298 4 2 Age of infant: Under 1 month..... 1 152 2 221 159 35 16 3 68 1 23 2 months 73 71 3 months..... months..... 83 2 months. 31 3 6 months.... 44 months.... 6 3 8 months. 29 31 6 9 months 10 months..... 1 4 11 months. 11 Not reported... 6 2 Employed at home... 6 165 1 289 4 763 34 Age of infant: 2 Under 1 month... 20 2 2 75 34 1 month.. 140 64 3 67 61 15 2 months..... 1 15 13 months. 26 10 837 5 months..... 2 12 36 months..... 6 months..... 15 2 8 months ... 9 1 9 months..... 17 10 months..... 16 3 5 11 months. Not reported..... 5 Employed away from 3 200 18 7 home. Age of infant: Under 1 month..... 1 month..... 20 3 19 1 months. 12 3 28 3 months. months..... 10 3 5 2 months..... 19 16 6 months. 1 7 months.... 13 months.... 20 14 24 12 9 months. i 10 months...

11 months.... Not reported.

Table 109.—Age of infant when mother began work, by place of mother's employment and color and nationality of mother; infants born in 1915 to mothers employed during infant's first year of life, and subsequent infant deaths—Concluded.

6	Infant	ts of mot	hers of s	pecified c	olor and	nationa 's life.	lity who	were em	ployed
			Fore	ign born					
Age of infant, and place of employment of mother.		Polish.			All other			Colored	
i.	Infants.	Subsequent deaths in year.	Deaths before end of month of life.	Infants.	Subsequent deaths in year.	Deaths before end of month of life.	Infants.	Subsequent deaths in year.	Deaths before end of month of life.
Mothers employed after birth of infant	262	25	4	231	15	2	785	57	
Age of infant:	66 20 15 26 11 16 20 12 18 19 29 8 2	6 2 1 3 3 3 5 1 1 1 1 2 9	1 1 1 2	109 36 19 15 6 9 10 9 7 4 2 2 3	12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	69 186 122 116 57 50 54 29 36 31 23 12	12 20 9 8 2 2 2 1 2	
Age of infant: Under 1 month. 1 month. 2 months. 3 months. 4 months. 5 months. 6 months. 7 months. 8 months. 10 months. 11 months. Not reported. Employed away from home.	55 11 8 5 3 2 7 3 2 8 7 4 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	104 28 16 10 5 4 8 5 4 3 1 1 2 2 3	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	43 100 53 40 25 22 24 14 18 14 8 4	4 6 3 2 1 1 1	
home. Age of infant: Under 1 month. 1 month. 2 months 3 months 4 months 5 months 6 months 7 months 8 months 9 months 10 months 11 months Not reported.	111 9 7 211 8 14 13 9 16 11 22 4	2 1 3 3 4 1	1	5 8 3 5 1 5 2 4 4 3 3 1 1	1	1	26 86 69 76 32 28 30 15 18 17 15 8	8 14 6 6 1 1 1 1	

Table 110.—Excess mortality among infants of mothers employed during infant's lifetime, by time of resumption of work, place of employment, and color and nationality of mother, over mortality expected when effect of differences in color and nationality of mother is eliminated; infants born in 1915 to mothers employed during infant's lifetime.

*	Infants	of mothers at home.	employed	Infants of mothers employed away from home.				
Age of infant when mother began work, and color and nationality of mother.		Dea	iths.		Deaths.			
_	Total.	Actual.	Ex- pected.1	Total.	Actual.	Ex- pected.1		
Total	1,929	87	92.4	855	74	46. 5		
Under 3 months. 3 months, under 6. 6 months and over Age not reported	1,294 297 326 12	75 7 5	72. 7 13. 6 6. 1	291 255 308 1	41 24 9	23. 4 16. 2 6. 9		
Native white mothers	801	34	35.0	235	18	6.7		
Under 3 months. 3 months, under 6. 6 months and over. Age not reported.	513 129 152 7	32 1 1	27. 7 5. 0 2. 3	59 62 114	9 5 4	2. 2 2. 9 1. 6		
Foreign-born white mothers	763	34	31.1	200	18	11.0		
Under 3 months. 3 months, under 6 6 months and over Age not reported	585 81 92 5	30 2 2	26.5 2.9 1.7	51 57 91 1	4 11 3	4.3 4.1 2.6		
Colored	365	19	26.3	420	38	28.8		
Under 3 months 3 months, under 6. 6 months and over.	196 87 82	13 4 2	18. 5 5. 7 2. 1	181 136 103	28 8 2	16. 9 9. 2 2. 7		

¹ Expected deaths are calculated by applying to the infants of employed mothers in each color and nationality group the average rates of subsequent deaths in the same color and nationality group. The number of infants whose mothers went to work during the first month of the infant's life is multiplied by the rate of subsequent deaths among all survivors of the first month; the number of infants whose mothers went to work during the second month is multiplied by the average of the rates of subsequent deaths among survivors at the beginning and survivors at the end of the second month; and similarly for each later month. The results are then added together to form the groups shown in the table. In calculating expected deaths in the foreign-born white group, calculations were made separately for the Jewish, Polish, Italian, and all other groups and the results added to form the total in the foreign-born white group.

Table 111.—Excess mortality among infants of mothers employed during infant's lifetime, by place of employment, over mortality expected when effect of differences in infants' ages and in fathers' earnings is eliminated; infants born in 1915 to native white and to colored mothers.

	Infa	nts w	hose moth n some pr	ers' emplo	oyment be- onth.1
Earnings of father, and color, nativity, and place of employment of mother.		iving ning	at begin- of ² —	Infant	deaths.3
Mothers employed at home. Native white mothers. Earnings of father: Under \$550. \$550-\$849. \$\$50-\$1,249. \$1,250 and over. Colored mothers. Earnings of father: Under \$550. \$550 and over. Mothers employed away from home. Native white mothers. Earnings of father: Under \$550. \$550. \$550.	Sec	ond oth.	Twelfth month.	Actual.	Expected.
Mothers employed at home	-	296	1,033	47	55.1
Native white mothers		257	710	31	31.5
\$1,250 and over		50 111 71 25	141 300 196 73	10 7 12 2	10.0 14.1 6.1 1.3
Colored mothers		39	323	10	25.0
Earnings of father: Under \$550. \$550 and over.		32 7	238 85	15 1	18. 4 5. 2
Mothers employed away from home		30-	480	40	28. 1
Native white mothers		13	157	9	6.2
Earnings of father: Under \$550.		7 5 1	95 51 9 2	8 1	4.6
Colored mothers		17	323	31	21.9
Earnings of father: Under \$550. \$550 and over.		15 2	267 56	26 5	18. 8 3. 1

¹ From this comparison are omitted (1) infants of foreign-born white mothers; (2) infants of native white and of colored mothers in families where the fathers earned nothing or amounts not reported; (3) the lifetime and deaths of infants lived in the months in which the mothers went to work—that is, if the mothers went to work in the tenth month, the lifetime and deaths in that month, and (4) lifetime and deaths of infants in eases where the age of the infant at the time the mother went to work was not reported.
² The numbers for months between the second and the twelfth are omitted.
³ The actual deaths are the sum of the deaths occurring month by month among the "infant survivors" at the beginning of each month. The expected deaths are the sum of the deaths among these infant survivors expected on the basis of monthly death rates among all infants of native white and of colored mothers respectively in the specified fathers' earnings group.

Table 112.—Nationality of mother, by place of her employment and age of infant when mother began work; infants born in 1915 to mothers employed during infant's lifetime.

	Infants of specified age when mothers began work.								
Color and nationality of mother and place of employment.	Under 3	months.	3 months						
proyment.	Number.	Per cent distribu- tion.	Number.	Per cent distribu- tion.	Not reported.				
Mothers employed at home	1, 294	100.0	623	100.0	12				
Native white	239 74 124	39. 6 18. 5 5. 7 9. 6 11. 4 15. 1	281 50 41 40 42 169	45. 1 8. 0 6. 6 6. 4 6. 7 27. 1	7 1 1 1 3				
Colored		100.0	563	100.0	1				
Native white. Polish All other foreign-born white. Colored.	59 27	20. 3 9. 3 8. 2 62. 2	176 118 30 239	31. 3 21. 0 5. 3 42. 5	i				

Table 113.—Earnings of father, by mother's place of employment, color and nativity; and age of infant when mother began work; infants of mothers employed during infant's lifetime.

	4	Infa	nts of	specifie	d age w	hen mo	others b	egan w	vork—		
			At hom	ie.		Away from home.					
Earnings of father and color and nativity of mother.		Under 3 months.		3 months and over.		Under 3 months.		3 months and over.			
	Num- ber.	Per cent distribution.	Num- ber.	Per cent distribution.	Age not re- ported.	Num- ber.	Per cent distribution.	Num- ber.	Per cent dis- tribu- tion.	Age not re- ported.	
All mothers	1,294	100.0	623	100.0	12	291	100.0	563	100.0		
Earnings of father:	228 216 175 612 26 37 513 39 54 84 314 7 15	17. 6 16. 7 13. 5 47. 3 2. 0 2. 9 100. 0 7. 6 10. 5 16. 4 61. 2 1. 4 2. 9	155 111 78 247 17 15 281 281 34 31 39 158 7 12	24. 9 17. 8 12. 5 39. 6 2. 7 2. 4 100. 0 12. 1 11. 0 13. 9 56. 2 2. 5 4. 3 100. 0	2 1 7 2 7	1119 544 233 299 500 16 59 16 10 5 114 2 51	40. 9 18. 6 7. 9 10. 0 17. 2 5. 5 100. 0 27. 1 16. 9 8. 5 20. 3 23. 7 3. 4	222 125 69 88 34 25 176 53 32 20 39 18 14	39. 4 22. 2 12. 3 15. 6 6. 0 4. 4 100. 0 30. 1 18. 2 11. 4 22. 2 10. 2 8. 0		
Earnings of father:	123 95 72 269 10 16	21. 0 16. 2 12. 3 46. 0 1. 7 2. 7	44 34 25 65 4 1	25. 4 19. 7 14. 5 37. 6 2. 3 . 6 100. 0	1 1 3	22 10 2 11 5 1	43. 1 19. 6 3. 9 21. 6 9. 8 2. 0	48 33 30 27 7 3 239	32. 4 22. 3 20. 3 18. 2 4. 8 2. 0		
Earnings of father:	66 67 19 29 9 6	33. 7 34. 2 9. 7 14. 8 4. 6 3. 1	77 46 14 24 6 2	45. 6 27. 2 8. 3 14. 2 3. 6 1. 2		81 34 16 6 31 13	44. 8 18. 8 8. 8 3. 3 17. 1 7. 2	121 60 19 22 9 8	50. 6 25. 1 7. 9 9. 2 3. 8 3. 3		

Table 114.—Interval between cessation of work and confinement, by interval between confinement and resumption of work; infants of mothers employed away both during pregnancy and within year after the birth.

	Infants of mothers employed away dur- ing pregnancy and resuming such work within specified time after birth.						
Interval between cessation of work and confinement.	Under 3	months.	3 months and over.				
	Number.	Per cent distrib- ution.	Number.	Per cent distrib- ution.			
Total	236	100.0	358	100.0			
None . Under 2 weeks . 2 weeks, under 2 months . 2 months and over . Not reported .	80 23 43 88 2	33. 9 9. 7 18. 2 37. 3 . 8	40 24 49 241 4	11. 2 6. 7 13. 7 67. 3 1. 1			

Table 115.—Excess mortality among infants of mothers employed away from home during infant's lifetime, by mother's employment during pregnancy and age of infant when mother resumed work, over mortality expected when effect of differences in mother's color and nationality, and father's earnings is eliminated; infants of mothers employed away from home during infant's lifetime.

	Infants of mothers employed away during lifetime of infant									
Ago of infant when mother required work		r employed ng pregna:		Mother not employed away during pregnancy.						
Age of infant when mother resumed work.		Dea	ths.		Dea	aths.				
	Infants.	Actual.	Ex- pected.1	Infants.	Actual.	Ex- pected.1				
All	594	56	35.0	260	18	10.7				
Under 3 months	236 183 175	33 17 6	19. 9 11. 3 3. 8	54 72 2 134	8 7 3	4. 2 4. 1 2. 4				

See note 1, Table 110, p. 313.
 Includes 1 infant of a mother whose employment was not reported.

Table 116.—Infant survivors and infant deaths, by type of feeding, month of life, place of mother's employment, and color and nationality of mother; infants of mothers employed during infant's lifetime.

		Infan	ts of mo	thers em	ployed d	uring inf	ant's life	etime.		
Month of life of infant, and place of employment, color, and nationality of	То	tal.	Breas	st fed.	Mixe	d fed.	Artifici	ally fed.	Not reported.	
mother.	Infant sur- vivors.	Deaths in month.	Infant sur- vivors.	Deaths in month.	Infant sur- vivors.	Deaths in month.	Infant sur- vivors.	Deaths in month.	Infant sur- vivors	
All mothers employed dur-										
ing infant's life: Second month	770		MOM				101	9		
Third month	753 1,282	5 7	597 860	2	55 177	2	101 245	3 4		
Third month Fourth month Fifth month Sixth month Seventh month Eighth month Ninth month Nonth month	1,565 1,821	13	903	1	297	2	364	10		
Fifth month	1,821	13	933	2	428	3 3	459	8		
Sixth month	1,821 1,973 2,063 2,199 2,283 2,385	24	915 717	1 1 1	532 751	3	525 594	17 10		
Eighth month	2,199	16 15	642	1	894	2	662	12		
Ninth month	2,283	13	500		1.059	5	723	7		
Tenth month		15	385	2	1,195 1,313	4 2 5 3 2	804	10		
Tenth month. Eleventh month. Twelfth month.	2,471 2,566	11 14	294 242	3	1,313	4	863 919	9 7		
Employed at home dur-	2,000	1.7	242	0	1,100	- 2	510	1		
Employed at home dur- ing infant's life:	0.0	-	200				-	1 1 12		
Second month	693	4	566	2	43 110		84 190	2 2		
Third month Fourth month Fifth month Sixth month Seventh month Fighth month	1,091	3 9	813	1	192		274	8		
Fifth month	1,280 1,411 1,503	5	823	1 2	266	1	321	8 3 9 2		
Sixth month	1,503	12	797	2	344	1 1 1	361 406	9		
Eighth month	1,551 1,633	12	624 552	1	520 624	1	456	10		
Eighth month Ninth month	1,677	8 7	430	1	751	3	495	4		
Tenth month Eleventh month	1,718	7	330	2	847	3 1 1	540	8		
Twelfth month	1,718 1,766 1,811	9 6	241 196	1	942 997	1	582 618	8		
Employed away from	1,011	0	190	1	991	1	010	*		
Employed away from home during infant's	1									
life: Second month	60	1	31		12	1	17	1	1	
Third month	191	4	69		67	2	55	1 2 2 5 8 8 2 3 6 1 3		
Fourth month	285	4	90		105	2 2 2 3 1 2 2 1 3	90	2		
Fifth month	410	4 8 12 12 3 5 8 2	110	1 2	162	2	138 164	5		
Sixth month Seventh month Eighth month.	470 512	12	118	1	188 231	3	188	8		
Eighth month	566	3	90		270	1	206	2		
Ninth month	606	5	70		308	2	228	3		
Tenth month	667 705	8	55 53		348 371	1	264 281	0		
Twelfth month	755	8	46	2	408	3	301	3		
White mothers employed	7.100				-		-			
during infant's life: Second month. Third month. Fourth month. Sixth month. Seventh month Eighth month Ninth month. Tenth month. Tenth month. Teth month. Teth month. Teth month.	684		257	2	42	130	85	9	1000	
Third month	1,028	5	557 746	1	97	1	185	2 3 7 5		
Fourth month	1,192 1,338	7	745		177		269	7		
Fifth month	1,338	8	758 732	1	246	2	333 381	5		
Seventh month	1,438 1,488	14 9	732 584	2	324 484	2	419	10		
Eighth month	1,577	9	531	2	581	1	464	7	1	
Ninth month	1,638 1,707 1,770	10	420	1 2	712	4	505	6 7 5 5 8 5		
Fleventh month	1,707	7 9	331 258	2	813 908		562	9		
Twelfth month	1,844	8	212	2	981	1 1	503 651	5		
Twelfth month Employed at home dur-					7					
ing infant's life— Second month	050		200		00		70			
Third month	650 948	3	533 701	2	39 82		78 165	2 2		
Fourth month	1.084	6	694		155		234	6 2		
Fifth month	1,178	4	693	1	208	1 1	276	2		
Sixth month	1,246	8	665	1 1	271 408	1	309 340	6		
Fifth month. Sixth month. Seventh month. Eighth month.	1,246 1,276 1,336	8	527 474	1	483		378	7	200	
		4 8 2 8 7 6	376	1 2	584	3	409	3		
Tenth month Eleventh month Twelfth month	1,394	6	294	2	655		444	1 7 3 4 7		
Eleventh month	1,429 1,468	7 5	218 177	1	730 780		480 511	4	1	

Table 116.—Infant survivors and infant deaths, by type of feeding, month of life, place of mother's employment, and color and nationality of mother; infants of mothers employed during infant's lifetime—Continued.

		Infan	ts of mo	thers em	ployed d	luring in	fant's life	etime.		
Month of life of infant, and place of employment, color, and nationality of	То	tal.	Breas	st fed.	Mixe	d fed.	Artifici	ally fed.	Not reported.	
mother.	Infant sur- vivors.	Deaths in month.	Infant sur- vivors.	Deaths in month.	Infant sur- vivors.	Deaths in month.	Infant sur- vivors.	Deaths in month.	Infant sur- vivors	
White mothers employed during infant's life—Con. Employed away from home during infant's life—										
Second month. Third month. Fourth month. Fifth month. Sixth month. Seventh month. Lighth month. Ninth month. Tenth month. Eleventh month. Twelfth month. Twelfth month. I welfth month. I mothers employed during infant's life—	34 80 108 160 192 212 241 268 313 341 376	2 1 4 6 7 1 3 1 2 3	24 45 51 65 67 57 57 44 37 40 35	1 1 1	3 15 22 38 53 76 98 128 158 178 201	1 1 1 1 1 1 1 1 1 1 1 1	7 20 35 57 72 79 86 96 118 123 140	1 1 3 4 5 2 1 1 1		
Second month Third month Fourth month Fifth month Sixth month Seventh month Eighth month Ninth month Tenth month Tenth month Tenth month Twelfth month	282 471 565 641 707 736 787 826 871 907 947	2 3 6 6 6 3 3 5 4 4 5	220 325 336 346 342 285 262 217 172 131 105	1 1 1 1 1 2	16 30 61 90 130 197 246 307 366 424 465	1 1 3 3 1	46 116 168 205 235 254 279 302 333 352 377	1 26 4 5 2 3 2 2 2 3 3		
Employed at home dur- ing infant's life— Second month. Third month. Fourth month. Fifth month. Sixth month. Sixth month. Lighth month. Ninth month. Tenth month. Tenth month. Tenth month. Eleventh month. Eleventh month. Eleventh month. Twelfth month. Twelfth month. Twelfth month.	268 430 507 559 602 625 658 682 701 722 749	2 2 5 3 3 1 3 3 4 3 3	210 303 311 318 312 260 235 194 157 113 89	1 1 1 2	15 23 52 74 102 161 202 252 292 341 378	1 2	43 104 144 167 188 204 221 236 252 268 282	1 2 5 1 3 1 2 3 3		
life— Second month. Third month. Fourth month. Fifth month. Sixth month. Seventh month. Eighth month. Treath month. Tenth month. Televenth month. Twelfth month. Twelfth month. Toreign-born mothers em-	14 41 58 82 105 111 129 144 170 185 198	1 1 3 3 2 2 2	10 22 25 28 30 25 27 23 15 18 16	1	1 7 9 16 28 36 44 55 74 83 87	1	3 12 24 38 47 50 58 66 81 84 95	1 3 2 2 2 11		
ployed during infant's life— Second month Third month Fourth month Fifth month Sixth month Seventh month Eighth month Ninth month Tenth month Tenth month Tenth month Treth month	402 557 627 697 731 752 790 812 836 863 897	2 2 1 2 8 6 6 5 3 5 3	337 421 409 412 390 299 269 203 159 127 107	1 1 1 1 1 1 1	26 67 116 156 194 287 335 447 484 516	1 2 1 1 1	39 69 101 128 146 165 203 229 251 274	1 1 1 5 4 4 3 3 5 2		

Table 116.—Infant survivors and infant deaths, by type of feeding, month of life, place of mother's employment, and color and nationality of mother; infants of mothers employed during infant's lifetime—Continued.

		Infar	nts of mo	others em	ployed o	during in	fant's lif	etime.	
Month of life of infant, and place of employment, color, and nationality of mother.	To	otal.	Brea	st fed.	Mixe	ed fed.	Artifici	ially fed.	Not re ported
money.	Infant sur- vivors.	Deaths in month.	Infant sur- vivors.	Deaths in month.	Infant sur- vivors.	Deaths in month.	Infant sur- vivors.	Deaths in month.	Infant sur- vivors
Foreign-born mothers employed during infant's life—Continued. Employed at home during infant's life—Second month. Third month.	382 518	2 1 1	323 398	1 1	24 59		35 61	1	
Fourth month. Fifth month. Sixth month. Seventh month. Eighth month.	577 619 644 651 678	1 5 1 5 4 2 4	383 375 353 267 239	1 1	103 134 169 247 281	1	90 109 121 136 157	1 1 3 1 4	
Ninth month Tenth month Eleventh month Twelfth month. Employed away from home during infant's	688 693 707 719	4 2 4 2	182 137 105 88	1	332 363 389 402	1 	173 192 212 229	2 2 4 1	
Second month	20	;-	14 23		2		4		
Third month Fourth month Fifth month	39 50 78 87	1 1 3	26 37		8 13 22 25	1 1	8 11 19	1	
Sixth month Seventh month Eighth month Ninth month	101 112 124	3 5 1 1	37 32 30 21	1	40 54 73	1 1	25 29 28 30	2 3 1	
Tenth month Eleventh month Twelfth month	143 156 178	1 1 1	21 22 22 22 19		84 95 114		37 39 45	1 1 1	
during infant's life— Second month	152		134		10		8		
Third month Fourth month Fifth month	219 241 255		175 155 147		30 59 75		14 26 32		
Sixth month Seventh month Eighth month	266 269 275		135 92 80		95 135 145		35 41 49		
Ninth month	281 283 288 293	1	54 40 29 20		167 175 180 187	1	59 67 78 86	i	1
Employed at home dur- ing infant's life— Second month	150		133		10		7		
Fourth month. Fifth month. Sixth month.	216 237 250		173 153 145		30 59 74		13 24 30		•••••
Seventh month Eighth month Ninth month	260 263 269 275	·····i	133 90 78 54		94 134 144 165	······································	32 38 46 55		
Tenth month Eleventh month Twelfth month Employed away from	276 279 284	1	40 29 20		172 175 182		63 74 82	1	
Employed away from home during infant's life—	9								
Second month Third month Fourth month Fifth month.	2 3 4 5		2 2				1 1 2 2		
Sixth month Seventh month Eighth month	6 6 6		1 2 2 2 2 2 2 2		1 1 1		3 3		
Ninth month Tenth month	6 7 9		2		2 3 5		3 4 4		
Twelfth month	9				5		4		

Table 116.—Infant survivors and infant deaths, by type of feeding, month of life, place of mother's employment, and color and nationality of mother; infants of mothers employed during infant's lifetime—Continued.

		Infar	its of mo	thers em	ployed o	during in	fant's life	etime.		
Month of life of infant, and place of employment, color, and nationality of	То	tal.	Brea	st fed.	Mixe	d fed.	Artificially fed.		Not reported.	
mother.	Infant sur- vivors.	Deaths in month.	Infan sur- vivor							
Polish mothers employed										
Polish mothers employed during infant's life— Second month	0.0									
Third month	66 85	1	54 63		3 10		9			
Fourth month	99	1	68		18		13	1		
Fifth month	125	1	77		27	1	21			
Sixth month	135	4	78		31	1	26	3		
Seventh month	146	5	63	1	55	1	28	3		
Eighth month	161	3	66	1	69	1	26	1		
Ninth month	170	2	50	1	94		26	1		
Tenth month	186	*******	43 41		110	******	33			
Eleventh month Twelfth month	204 229	3 2	36	1	126 150		37 43	3 1		
Employed at home dur-	440	-	90	1	100		40	1		
ing infant's life—										
Employed at home dur- ing infant's life— Second month.	55		47		2		6			
Third month	65		52		5		8			
Fourth month	73		54		10		9			
Fifth month	78 81		54		12		12			
Sixth month	81	1	52 40		14 27		15	1		
Seventh month Eighth month	89	2	42	1	32		15 15	1		
Ninth month	90	1	33	1	42		15	1		
Tenth month	91		25		49		17			
Eleventh month	98	2	22		57 61		19	2		
Twelfth month	103	1	20	1	61		22			
Employed away from								The same		
home during infant's										
life—	11	Constant	7	and the	1		9	and the state of		
Second month	20	1	11		5		3 4	1		
Fourth month	26		14		8		4	1		
Fifth month	47	1	23		15	1	9			
Sixth month	54	3	26		17	1	11	2		
Seventh month	64	5	23	1	28	1	13	2 3		
Eighth month	72 80	1	24		37	1	• 11			
Ninth month	80	1	17 18		52		11	1		
Tenth month	95 106	1	19		61 69		16			
Twelfth month	126	1	16		89		18 21	1 1		
alian mothers employed	120	-	20		00		21	1		
alian mothers employed during infant's life—					100					
Second month	76		68		6		2			
Third month	111	1	90	1	12		9			
Fourth month	126	1	92		16		18	1		
Fifth month	141	1	97 96	1	25 29		19			
Sixth month Seventh month Eighth month	149 151	1	76	1	47		24			
Eighth month	159	1	64		58		28 37	1		
Ninth month	159	î	54		66		39	1		
Tenth month	159		45		72		42			
Eleventh month	161	2	35		83		43	2		
Twelfth month	163		31		84		48			
Employed at home dur- ing infant's life—										
Second month	74		66		6		2			
Third month	108	1	87	1	12	*******	9			
Fourth month	122	1	90	1	14		18	1		
Fifth month	136		95		22		19			
Sixth month	144	1	94	1	26		24			
Seventh month	146		75		43		28 37			
Eighth month	153	1	62		54		37	1		
Ninth month	153	1	52		62		39	1		
Tenth month	153	2	43 34		68		42			
	155	1 /	54		78		43	2		

Table 116.—Infant survivors and infant deaths, by type of feeding, month of life, place of mother's employment, and color and nationality of mother; infants of mothers employed during infant's lifetime—Continued.

	O O	Infan	ts of mo	thers em	ployed	luring in	ıfant's li	fetime.		
Month of life of infant, and place of employment, color, and nationality of mother.	То	otal.	Brea	st fed.	Mixe	ed fed.	Artificially fed.		Not reported.	
mother.	Infant sur- vivors.	Deaths in month.	Infant sur- vivors.	Deaths in month.	Infant sur- vivors.	Deaths in month.	Infant sur- vivors.	Deaths in month.	Infan sur- vivors	
talian mothers employed during infant's life—Con. Employed away from home during infant's life—										
Second monthThird month	2 3		2 3							
Fourth month	4		2		2		•••••			
Fifth month	4 5		2		3					
Sixth month	5		2 2 1		3					
Seventh month Eighth month	5 5 6 6		2		4					
Ninth month	6		2 2 2		4					
Tenth month	6		2		4					
Eleventh month Twelfth month	6 7		1		5 4		2			
All other foreign-born white mothers employed during infant's life—										
Second month	108 142	2	81 93	1	7 15		20 34	1		
Fourth month	161		94		23		44			
Fifth month	176	1	91		29	·····i	56	1		
Sixth month	181 186	3	81 68		39	1	61	2		
Eighth month	195	2	59		50 63		68 73	1 2		
Ninth month	202	2	45		63 78		79	1		
Tenth month	208	2	31		90		87	2		
Eleventh month	210 212	1	22 20		95 95		93			
Employed at home dur- ing infant's life— Second month					95	•••••	97	1		
Second month	103	2	77	1	6		20	1		
Third month	129 145		86 86		12 20		31 39			
Fifth month	155	1	81		26		48	·····i		
Sixth month	159	3	74		35	1	50			
Seventh month	160	1	62		43		55	2 1 2		
Eighth month	167 170	2	57 43		51 63		· 64	1		
Tenth month	173	î	29		74		70	1		
Eleventh month	175	1	20		79		76			
Twelfth month	176	1	18		79		79	1		
Employed away from home during infant's life—										
Second month	5 13		7		1 3		3	•••••		
Fourth month	16		8		3		5			
Fifth month	21		10		3		8			
Sixth month	22 26		7		4 7		. 11		• • • • • •	
Eighth month	28		7 6 2 2 2 2 2 2		12		13			
Ninth month	32		2		15		15			
Tenth month	35		2		16		17			
Eleventh month	35 36		2		16 16		17	• • • • • • • • • • • • • • • • • • • •		
olored mothers employed during infant's life—						••••	18			
Second month Third month	69 254	1 2	40 114		13 80	·····i	16 60	1 1		
Fourth month	373	6	158	1	120	2	95			
Fifth month	483	5	175 183	1	182	1	126	3 3 7		
Sixth month	535	10	183	2	208	1	144	7		
Seventh month Eighth month	575 622	7 6	133 111		267 313	3	175 198	4 5		
Ninth month	645	3	80		347	1	218	2		

Table 116.—Infant survivors and infant deaths, by type of feeding, month of life, place of mother's employment, and color and nationality of mother; infants of mothers employed during mother's lifetime—Concluded.

	100	Infan	ts of mo	thers em	ployed d	luring in	fant's lif	etime.	
Month of life of infant, and place of employment, color, and nationality of	Total.		Breas	Breast fed.		Mixed fed.		Artificially fed.	
mother.	Infant sur- vivors.	Deaths in month.	Infant sur- vivors.	Deaths in month.	Infant sur- vivors.	Deaths in month.	Infant sur- vivors.	Deaths in month.	Infant sur- vivors.
Colored mothers employed during infant's life—Con. Tenth month. Eleventh month. Twelfth month. Employed at home dur-	678 701 722	8 2 6	54 36 30	1	382 405 424	3 1 3	242 260 268	5 1 2	
ing infant's life— Second month. Third month. Fourth month. Fifth month. Sixth month. Sixth month. Eighth month. Ninth month. Tenth month. Tenth month. Eleventh month. Eleventh month. Eleventh month. Employed away from home during infant's	43 143 196 233 257 275 297 307 324 337 343	3 1 4 2 4 1 1 2 1	33 90 119 130 132 97 78 54 36 23 19	i i	4 28 37 58 73 112 141 167 192 212 217	1 1 1 1	6 25 40 45 52 66 78 86 96 102 107	2 1 3 1 3 1	
life— Second month. Third month. Fourth month. Fifth month. Sixth month. Seventh month. Lighth month. Tenth month. Tenth month. Televenth month. Twelfth month.	26 111 177 250 278 300 325 338 354 364 379	1 2 3 4 6 5 2 2 7	7 24 69 45 51 36 33 26 18	1 1	9 52 83 124 135 155 172 180 190 193 207	1 2 1 1 2 1 2	10 35 55 81 92 109 120 132 146 158	1 1 1 2 4 3 2 1 5	

Table 117.—Excess mortality among infants of mothers employed during infant's lifetime, by place of employment, over mortality expected when effect of differences in type of feeding, in color and nationality and (in native white families) in earnings of father are eliminated; infants of mothers employed during infant's lifetime.

	Deaths among infants whose mothers were employed.							
Type offeeding and color and nationality of mother.	Atl	iome.	Away fro	om home.				
	Actual deaths.	Expected deaths.2	Actual deaths.	Expected deaths.2				
Total	83	96. 8	68	53. 8				
Breast	14 10 59	20. 5 16. 7 59. 6	6 20 42	4. 4 13. 2 36. 2				
Native white	32	34.9	15	8.3				
Breast	5 3 24	5. 2 5. 0 24. 7	2 4 9	1. 4 6. 5				
Foreign-born white	32	35. 2	16	10.9				
Breast	7 2 23	9. 4 5. 1 20. 7	1 4 11	1. 4 2. 7 6. 8				
Colored	19	26.7	37	34, 6				
Breast	2 5 12	5. 9 6. 6 14. 2	3 12 22	2. 6 9. 1 22. 9				

¹ Deaths among infants of native white mothers in families where the fathers earned nothing or the amounts were not reported are omitted from the actual and expected deaths; likewise deaths in two very small groups, 11 infants whose mothers worked away from home, in fathers' earnings groups \$850 and over, and 27 infants with mixed feeding whose mothers worked at home, in fathers' earnings groups \$1,250 and over.

and 27 miants with infact recting which makes meaning the cover.

2 The expected deaths are calculated by applying to the months of lifetime lived by infants fed in each specified way at each age whose mothers were employed at home or away from home in each color and nativity group—for the native white group in each earnings group, and for the foreign-born white in each major nationality group—the rates which prevailed among all infants in the corresponding age, type of feeding, color, and nativity, earnings, and nationality group. These deaths were then added to form the groups shown in the table.

Table 118.—Infant mortality rates, by time of mother's employment away from home, color and nativity of mother, and earnings of father; live births, all pregnancies.

			L	ive birth	s, all pre	gnancies	S			
The state of the s	Mother:	never em away.1	ployed	Mother before	employe marriage	d away	Mother employed away after marriage.			
Earnings of father during year after 1915, birth and color and nativity of mother.	Tell	Infant	leaths.		Infant	deaths.		Infant	deaths.	
mouner.	Live births.	Num- ber.	Infant mor- tality rate.2	Live births.	Num- ber.	Infant mor- tality rate.2	Live births.	Num- ber.	Infant mor- tality rate.2	
All mothers	8, 181	812	99. 3	17, 491	1,825	104. 3	9, 172	1, 521	165. 8	
Earnings of father:	2, 053 2, 535 2, 631 589 153 220	240 271 223 28 19 31	116. 9 106. 9 84. 8 47. 5 124. 2 140. 9	3, 616 7, 106 5, 871 498 133 267	438 785 534 31 13 24	121. 1 110. 5 90. 9 62. 2 97. 7 89. 9	4, 919 2, 855 743 47 397 211	871 448 91 2 75 34	177. 1 156. 9 122. 5	
Native white mothers	4,603	452	98. 2	12,143	1,271	140.7	2,950	462	156. 6	
Earnings of father:	596 1,363 1,979 482 60 123	74 158 170 27 7 16	124. 2 115. 9 85. 9 56. 0	1,744 5,217 4,538 397 65 182	229 596 395 26 10 15	131. 3 114. 2 87. 0 65. 5	1, 152 1, 171 398 13 134 82	183 182 53 1 30 13	158. 9 155. 4 133. 2 223. 9	
Foreign-born white mothers	3, 291	323	98. 2	4, 423	435	98. 3	3,030	464	153.	
Earnings of father: Under \$550 \$550-\$849. \$550-\$1,849 \$1,850 and over No earnings. Not reported.	1,316 1,078 615 107 88 87	148 106 45 1 12 11	112. 5 98. 3 73. 2 9. 3	1, 293 1, 645 1, 256 98 61 70	133 157 130 5 2 8	102. 9 95. 4 103. 5	1,615 1,032 260 34 66 23	268 149 27 1 11 8	165. 9 144. 4 103. 9	
Colored mothers	287	37	128.9	925	119	128. 6	3, 192	595	186.	
Earnings of father: Under \$550. \$550-\$849. \$850-\$1,849.	94 37	18 7 8	127.7	579 244 77	76 32 9	131.3 131.1	2, 152 652 85	420 117 11	195. 179.	
\$1,850 and over No earnings Not reported	. 5	4		3 7 15	1 1		. 197 106	34 13	172. 122.	

¹ Includes 12 for whom employment was not reported. ² Not shown where base is less than 100.

Table 119.—Stillbirth rates, by time of mother's employment away from home, color and nativity of mother, and earnings of father; births, all pregnancies.

				Births,	all preg	nancies.				
Earnings of father during year		neve yed aw	er em-			ployed e mar-	Mother employed away after mar riage.			
after 1915 birth and color and nativity of mother.		Still	births.		Still	births.		Stillbirths.		
	Births. Num- Per 1,000 Births. Num- I	Per 1,000 births. ²	Births.	Num- ber.	Per 1,000 births.					
All mothers	8, 443	262	31.0	17,978	487	27.1	9,626	454	47.2	
Earnings of father:										
Under \$450	1,187	33	27.8	1,651	58	35, 1	3, 164	160	50, 6	
\$450-\$549	940	41	43.6	2,085	62	29.7	2,025	110	54. 3	
\$550-\$649	952	29	30.5	2,614	65	24.9	1,557	54	34.	
\$650-\$849	1,644	32	19.5	4,681	124	26.5	1,410	58	41.	
\$850-\$1,849	2,716 613	85 24	31.3	6,024	153 13	25. 4 25. 4	777 48	34	43.8	
\$1,850 and over No earnings	163	10	39. 2 61. 3	511 135	2	14.8	425	28	65.9	
Not reported	228	8	35. 1	277	10	36.1	220	9	40. 9	
Native white mothers	4,750	147	30.9	12,453	310	24.9	3,055	105	34.	
Earnings of father:										
Under \$450	242	7	28.9	640	14	21.9	670	19	28.	
\$450-\$549	374	13	34.8	1,146	28	24.4	519	18	34.	
\$550-\$649	508 879	10	19.7 15.9	1,779 3,571	38 95	21. 4 26. 6	571 644	22 22	38. 3	
\$650-\$849	2,052	73	35.6	4,655	117	25. 1	414	16	38.	
\$850-\$1,849 \$1,850 and over	502	20	39.8	407	10	24.6	13	10	90.1	
No earnings	66	6	00.0	67	2	21.0	141	7	49.	
Not reported	127	4	31.5	188	6	31.9	83	i		
Foreign-born white mothers.	3,378	87	25.8	4,542	119	26. 2	3,134	104	33.	
Earnings of father:	0.40	10	1.0	200		01.0	1 015	01	90	
Under \$450	858 491	13 20	15. 2 40. 7	686 642	17	24. 8 28. 0	1,017	31 24	30.	
\$450-\$549 \$550-\$649	421	16	38.0	696	18	25. 9	584	12	20.	
\$650-\$849	690	17	24.6	993	26	26. 2	477	17	35.	
\$850-\$1,849	624	9	14.4	1,289	33	25. 6	272	12	44.	
\$1,850 and over	111	4	36.0	101	3	29.7	35	1		
No earnings Not reported	92 91	4 4		61 74	4		72 24	6		
Colored mothers	315	28	88.9	983	58	59.0	3,437	245	71.	
Fornings of fother										
Under \$450	87	13		325	27	83.1	1,477	110	74.	
\$450-\$549	75	8		297	16	53.9	853	68	79.	
\$550-\$649	23	8 3		139	9	64.7	402	20	49.	
\$650 and over	115	4	34.8	200	6	30.0	380	25	65.	
Noearnings	5			7			212	15	70.	
Not reported	10			15			113	7	61.	

¹ Includes 12 for whom employment was not reported.
⁹ Not shown where base is less than 100.

Table 120.—Infant mortality rates, by number of births ¹ to mother, her employment away from home, and color and nativity; live births, all pregnancies.

	Live bi	rths, all 1	pregnanc	ies, to m	others h	aving spe	ecified nu	ımber of	births.
1000	1-3.			4-6.	3	7 and over.			
Employment away from home, and color and na- tivity of mother.		Infant	deaths.	,	Infant	deaths.		Infant	deaths.
	Live births.	Num- ber.	Infant mor- tality rate.2	Live births.	Num- ber.	Infant mor- tality rate.2	Live births.	Num- ber.	Infant mor- tality rate.2
All mothers	11,590	1,106	95. 4	11,464	1,239	108.1	11,790	1,813	153. 8
Not employed	2,259	167	73.9	2,865	247	86. 2	3,045	396	130. (
Employed before marriage only Employed after marriage Employment not reported	7,135 2,190 6	599 338 2	84. 0 154. 3	5,704 2,889 6	590 402	103. 4 139. 1	4,652 4,093	636 781	136. 7 190. 8
Native white mothers	7,888	721	91.4	6,395	689	107.7	5,413	775	143.2
Not employed	1,652	113	68.4	1,582	154	97.3	1,360	185	136. (
Employed before marriage only	5,278 955 3	457 151	86. 6 158. 1	3,909 898 6	405 130	103.6 144.8	2,956 1,097	409 181	138. 4 165. (
Foreign-born white mothers	2,624	237	90.3	3,677	356	96.8	4,443	629	141. (
Not employed	499	43	86. 2	1,209	88	72.8	1,582	191	120.
Employed before marriage only Employed after marriage Employment not reported	1,517 607 1	109 84 1	71. 9 138. 4	1,465 1,003	139 129	94.9 128.6	1,441 1,420	187 251	129.8 176.8
Colored mothers	1,078	148	137.3	1,392	194	139.4	1,934	409	211.
Not employed	108	11	101.9	74	5		103	20	194.
Employed before marriage only	340 628 2	33 103 1	97.1 164.0	330 988	46 143	139. 4 144. 7	255 1,576	40 349	156. 9 221.

 ¹ Includes miscarriages.
 ² Not shown where base is less than 100.

Table 121.—Infant mortality rates (by cause of death) and stillbirth rates, by employment of mother away from home, during pregnancy and after birth, and by color and nativity of mother; births in 1915.

		Still	births.			Infant	deaths	
Employment away from home, and color and nativity of mother.	Total births.		Per	Live births.	Early	infancy.		other uses.
and married or motion.	DII VIIIS	Num- ber.	1,000 births. ¹	DI UIIS	Num- ber.	Infant mortal- ity rate.1	Num- ber.	Infant mortal- ity rate.1
All mothers	11, 195	398	35. 6	10, 797	407	37.7	710	65. 8
Not employed Employed before birth in 1915:	2,356	72	30.6	2,284	73	32.0	123	53. 9
Before marriage only	6,347	193	30. 4	6, 154	220	35.7	346	56. 2
during pregnancy of 1915. During pregnancy of 1915. Employed only after birth in 1915. Employment not reported.	1, 144 1, 317 24 7	43 88 2	37. 6 66. 8	1,101 1,229 22 7	43 70 1	39. 1 57. 0	84 151 5 1	76. 3 122. 9
Native white mothers	6,937	198	28.5	6,739	257	38.1	389	57.7
Not employed	1,512	43	28.4	1,469	48	32.7	72	49. (
Employed before birth in 1915: Before marriage only	4, 585	127	27.7	4,458	168	37. 7	250	56. 1
during pregnancy of 1915. During pregnancy of 1915. Employed only after birth in 1915. Employment not reported	463 366 7 4	10 18	21. 6 49. 2	453 348 7 4	25 16	55. 2 46. 0	31 33 3	68.4
Foreign-born white mothers	2, 837	84	29.6	2,753	85	30.9	179	65. (
Not employed Employed before birth in 1915:	735	18	24. 5	717	19	26. 5	45	62. 8
Before marriage only. After marriage and prior to but not	1,386	43	31.0	1,343	36	26.8	67	49.8
during pregnancy of 1915. During pregnancy of 1915. Employed only after birth in 1915. Employment not reported.	387 322 6 1	10 11 2	25. 8 34. 2	377 311 4 1	10 20	26. 5 64. 3	28 37 1 1	74.3 119.0
Colored mothers	1,421	116	81.6	1,305	65	49.8	142	108. 8
Not employed Employed before birth in 1915: Before marriage only	109	11	100.9	98	6		6	
After marriage and prior to but not	376	23	61. 2	353	16	45. 3	29	82.2
during pregnancy of 1915. During pregnancy of 1915. Employed only after birth in 1915. Employment not reported	294 629 11 2	23 59	78. 2 93. 8	271 570 11 2	8 34 1	29. 5 59. 6	25 81 1	92, 3

¹ Not shown where base is less than 100.

Table 122.—Excess mortality among infants of mothers employed away from home, by time of mother's employment, over mortality expected when effect of differences in number of births 1 to mother, color and nativity of mother, and earnings of father are eliminated; live births, all pregnancies.

	Live births, all pregnancies.									
Employment of mother away from home before an		Actual	deaths.	Expected deaths.3						
atter marriage.	Live births. ²	Number.	Infant mortality rate.	Number.	Infant mortality rate.					
Total	33, 463	3,962	118.4	3, 960. 9	118.4					
Not employed after marriage Never employed. Employed before marriage only. Employed after marriage Employment not reported.	24, 892 7, 801 17, 091 8, 564 7	2,550 762 1,788 1,412	102. 4 97. 7 104. 6 164. 9	2,740.7 869.5 1,871.2 1,220.2	110. 1 111. 5 109. 5 142. 5					

¹ Includes miscarriages.
² The 1,381 live births and 196 actual deaths in families where fathers earned nothing or the amounts were not reported are omitted from the computation.
³ Expected deaths are calculated by applying to the live births in each mother's employment, color and nativity, number of issues, and father's earnings group the rates prevailing among all infants (irrespective of mother's employment) in the same color and nativity, number of issues, and father's earnings group.

Table 123.—Employment of mother away from home, by age of mother when she began work, and color and nativity; births (all pregnancies) to mothers employed away from home at some time prior to birth in 1915.

and Service and Control of the Contr	Total	births.	Births, all pregnancies, to mothers who began work away from home at specified age.							
Employment away from home and color and nativity of mother.			Und	ler 14.	14	-15.				
	Number.	Per cent distribu- tion.	Number.	Per cent distribu- tion.	Number.	Per cent distribu- tion.				
All mothers	27,604	100.0	9,319	100.0	8,002	100.0				
Employment away from home: Before marriage only. After marriage	17,978 9,626	65. 1 34. 9	5,518 3,801	59. 2 40. 8	5,618 2,384	70. 2 29. 8				
Native white mothers	15, 508	56. 2	5, 160	55. 4	4,949	61.8				
Employment away from home: Before marriage only After marriage.	12, 453 3, 055	45. 1 11. 1	3,805 1,355	40. 8 14. 5	4, 112 837	51. 4 10. 5				
Foreign-born white mothers	7,676	27.8	2,270	24. 4	1,985	24. 8				
Employment away from home: Before marriage only	4, 542 3, 134	16. 5 11. 4	1;397 873	15. 0 9. 4	1,268 717	15. 8 9. 0				
Colored mothers	4,420	16.0	1,889	20.3	1,068	13. 3				
Employment away from home: Before marriage only. After marriage.	983 3,437	3. 6 12. 5	316 1,573	3. 4 16. 9	238 830	3. 0 10. 4				

Births, all pregnancies, to mothers who began work away from home at specified age.

Employment away from home and color and nativity of mother.	16-	-19.	20-	-24.	25 and	1	
	Num- ber.	Per cent distri- bution.	Num- ber.	Per cent distri- bution.	Num- ber.	Per cent distri- bution.	Not reported.
All mothers	7,788	100.0	1,543	100.0	729	100.0	223
Employment away from home: Before marriage only After marriage	5,810 1,978	74. 6 25. 4	848 695	55. 0 45. 0	66 663	9. 1 90. 9	118 105
Native white mothers	4,367	56.1	715	46.3	227	31.1	90
Employment away from home: Before marriage only After marriage	3,889 478	49. 9 6. 1	561 154	36. 4 10. 0	33 194	4. 5 26. 6	53 37
Foreign-born white mothers	2,244	28.8	672	43.6	440	60.4	65
Employment away from home: Before marriage only After marriage.	1,549 695	19. 9 8. 9	255 417	16.5 27.0	33 407	4. 5 55. 8	40 25
Colored mothers	1,177	15.1	156	10.1	62	8.5	68
Employment away from home: Before marriage only After marriage.	372 805	4.8 10.3	32 124	2.1 8.0	62	8.5	25 43

Table 124.—Employment of mother during pregnancy of 1915, by place of employment, age when she began work away from home, and color and nativity; births in 1915 to mothers employed away from home at some time prior to the birth.

	T	otal	births	S.							no began fied age.
Place of employment during pregnand of 1915, and color and nativity	ey of					Unde	er 14.		1	1-1	5.
mother.	Num	ber.	disti	cent. ribu- on.	Nu	mber.	dist	cent ribu- on.	Number		Per cent distribu- tion.
All mothers	8,	809	1	00.0		2, 530	1	100.0	2,635		100. 0
Not employed Employed at home. Employed away from home. Employment not reported.	1,	192 299 317 1		70. 3 14. 7 15. 0		1, 595 436 499		63. 0 17. 2 19. 7	1, 919 359 357		72, 8 13, 6 13, 5
Native white mothers	5,	415	1	00.0		1,501	- 1	100.0	1,752		100.0
Not employed		542 506 366 1		83. 9 9. 3 6. 8		1,170 174 157		77.9 11.6 10.5	1,481 156 118	5	84. 5 8. 9 6. 6
Foreign-born white mothers	2,	095	1	00.0		540	1	100.0	527	7	100.0
Not employed. Employed at home. Employed away from home		304 469 322		62. 2 22. 4 15. 4		335 123 82		62. 0 22. 8 15. 2	354 114 58	5	67. 2 21. 8 11. 0
Colored mothers	1,	299	1	00.0		489	1	100.0	356	3	100.0
Not employed Employed at home. Employed away from home.	:::	346 324 629		26. 6 24. 9 48. 4		90 139 260		18. 4 28. 4 53. 2	84 88 184	3	23. 6 24. 7 51. 7
Place of employment during preg- nancy of 1915, and color and nativity		n 191 19.	5 to 1	mothe	ers w	ecified	gan vage.		away from	m l	nome at
of mother.	Number.	dis	cent stri- tion.	Num	ber.	Per ce distr bution	i- N	lumbe	Per ce distr butio	i-	Not reported.
All mothers.	2,886	1	00.0		559	100	.0	14	4 100.	0	55
Not employed	2, 177 386 323		75. 4 13. 4 11. 2		396 86 77	15	.8	7: 2: 5:	0 13.	9	33 12 9
Native white mothers	1,777	1	00.0		301	100	.0	6	0 100.	0	24
Not employed . Employed at home. Employed away from home. Employment not reported.	1,573 138 66		88. 5 7. 8 3. 7		259 27 15	9	.0	4	8		* 19
Foreign-born white mothers	730	1	00.0		206	100	.0	7	8 100	0	14
Not employed	461 168 101	AL S	63. 2 23. 0 13. 8		114 48 44	*23	.3	3 1 3	1		94
Colored mothers	379	1	.00.0		52	100	.0		6 100	0	17
Not employed	143 80 156		37. 7 21. 1 41. 2		23 11 18				1		5 5 7

¹ Not shown where base is less than 100.

Table 125.—Excess mortality and stillbirth rates among infants of mothers employed away from home, by age of mother when she began work, over average rates after effect of differences of color and nativity is eliminated; births, all pregnancies.

	Births, all pregnancies.							
Age at which mother began work away from home	Total.	Stillbirth	rates per pirths.	Infant m per 1 births.	ortality ,000 live			
		Actual.	Ex- pected.1	Actual.	Ex- pected.1			
Under 14. 14-15 16-19 20-24 25 and over	9,319 8,002 7,788 1,543 729	36.1 34.5 30.3 29.8 41.2	35. 8 32. 9 33. 8 32. 0 31. 8	139. 6 122. 6 106. 9 127. 6 161. 7	127. 7 123. 7 125. 0 123. 2 123. 3			

¹ To find expected rates, the births in each group of births to mothers employed, classified by color and nativity and by mother's age at beginning work, are multiplied by the rates prevailing among all infants in each color and nativity group; the sum of the deaths (or stillbirths) in each age of mother group is then divided by the births in that group.

Table 126.—Excess mortality (by cause of death) and stillbirth rates among infants of mothers employed away from home, by age of mother when she began work, over average rates after effect of differences of color and nativity is eliminated; births in 1915.

	Births in 1915.											
Age at which mother began work away from home.		Stillbirth	rates per pirths.	Infant mortality per 1,000 live births								
	Total.	Actual.	Ex- pected.1	Early i	nfancy.	All other causes.						
				Actual.	Ex- pected.1	Actual.	Ex- pected.1					
Under 14. 14-15. 16-19. 20-24. 25 and over.	2,530 2,635 2,886 559 144	40.7 41.4 31.5 19.7 34.7	39. 1 36. 1 36. 0 34. 3 27. 1	38. 3 38. 0 41. 1 31. 0 57. 6	39. 8 39. 4 39. 0 38. 0 33. 1	75. 8 72. 8 54. 7 74. 8 64. 7	70. 6 67. 5 67. 8 66. 8 60. 4					

¹ To find expected rates, the births in each group of births to mothers employed, classified by color and nativity and by mother's age at beginning work, are multiplied by the rates prevailing among all infants in each color and nativity group; the sum of the deaths (or stillbirths) in each age of mother group is then divided by the births in that group.

Table 127.—Infant mortality rates, by literacy of mother, earnings of father, and color and nationality of mother; live births in 1915.

*	Lit	erate moth	iers.	Illi	terate mot	ners.
Earnings of father and color and nation-		Infant	deaths.		Infant	deaths.
ality of mother.	Live births.	Number.	Infant mortality rate.1	Live births.	Number.	Infant, mortality rate.1
All mothers	9,746	979	100.5	1,041	136	130.6
Earnings of father:	1, 193 1, 206 1, 314 2, 273 2, 186 773 428 177 196 6, 610	192 145 140 220 152 61 16 30 23	160, 9 120, 2 106, 6 96, 8 69, 5 78, 9 37, 4 169, 5 117, 3 94, 1	349 241 174 144 69 17 3 30 14	50 26 22 12 6 2 2 13 5	143. 107. 126. 83.
Earnings of father:	0,010	022	34, 1	121	24	109.
Under \$450. \$450-\$549 \$550-\$649 \$650-\$849 \$650-\$849 \$1,250 and over. No earnings. Not reported.	421 611 883 1,699 1,790 993 88 125	68 75 93 163 125 66 16	161. 5 122. 7 105. 3 95. 9 69. 8 66. 5	27 33 25 27 11 2	6 8 5 2 1 1	
Foreign-born white mothers	1,987	174	87.6	761	89	117.0
Earnings of father:	912 333 278 301 1,014 466 548 26 35 791	94 48 18 28 73 45 28 3 4	103. 1 144. 1 64. 7 93. 0 72. 0 96. 6 51. 1	551 254 170 127 177 104 73 24 9	62 37 10 15 14 8 6 10 3	112. 145. 58. 118. 79. 76.
Earnings of father: Under 8650 \$650 and over No earnings Not reported Polish	337 421 17 16 339	18 15 1 3 59	53. 4 35. 6	108 48 10 3 285	4 4 3 1 42	37.
Earnings of father: Under \$650. \$650 and over. No earnings. Not reported. Italian.	219 111 3 6 220	37 21 1	168. 9 189. 2 72. 7	224 52 7 2 190	34 4 3 1 20	151.
Earnings of father: Under \$650. \$650 and over. No earnings. Not reported.	114 100 2 4	12 3 1	105. 3 30. 0	141 44 2 3	15 4	106.
All other	637	62	97.3	117	15	128.
Earnings of father: Under \$650. \$650 and over. No earnings. Not reported.	242 382 4 9	27 34 1	111.6 89.0	78 33 5 1	9 2 4	
Colored mothers	1, 149	183	159.3	153	23	150.
Earnings of father: Under \$550. \$550 and over. No earnings. Not reported.	756 294 63 36	128 41 11 3	169. 3 139. 5	106 38 6 3	15 4 3 1	141.

¹ Not shown where base is less than 100.

Table 128.—Relative mortality among infants of illiterate mothers when effect of differences in mother's color and nationality and father's earnings is eliminated; births in 1915 to illiterate mothers.

Color and nationality of mother.	Deaths an of illitera	mong infants te mothers.
	Actual.1	Expected.2
Total	118	119.9
Native white mothers Jewish mothers Polish mothers Italian mothers All other foreign-born white mothers Colored mothers.	23 8 38 19 11 19	14. 9 7. 2 44. 4 18. 0 12. 9 22. 5

¹ The 44 live births and 18 actual deaths in families where the father's earnings were "none" or "not reported" are omitted in this computation.

² Expected deaths in each nationality group are the sum of the deaths found by multiplying the births (for illiterate mothers) classified by father's earnings by the rates prevailing among all infants in the corresponding nationality and earnings groups.

Table 129.—Infant mortality rates, by mother's ability to speak English, earnings of father, and nationality of mother; live births in 1915 to foreign-born white mothers of non-English-speaking nationalities.

	Live bir	ths to fore	eign-born w speaking na	hite motl	ners of nor	n-English-	
Earnings of father and nationality of	Motl	ner able to English.		Mother not able to speak English.			
mother.		Infant	deaths.		Infant	deaths.	
	Live births.	Number.	Infant mortality rate.1	Live births.	Number.	Infant mortality rate.1	
Foreign-born white mothers of non- English-speaking nationalities	1,594	125	78.4	1,027	124	120. 7	
Earnings of father: Under \$450. Under \$450. \$450-\$549. \$50-\$649. \$650 and over \$650-\$849. \$850 and over No earnings Not reported Jewish.	711 244 235 232 825 363 462 27 31	60 30 12 18 57 33 24 3 5	84. 4 123. 0 51. 1 77. 6 69. 1 90. 9 51. 9	712 334 199 179 279 171 108 22 14	91 - 53 - 15 - 23 - 21 - 13 - 8 - 10 - 2 - 10	127. 8 158. 7 75. 4 128. 5 75. 3 76. 0 74. 1	
Earnings of father: Under \$650. \$650 and over. No earnings. Not reported. Polish	336 14 19 17 223	18 16 1 4 39	53.6 38.6	110 55 8 2 402	4 3 3	36. 4	
Earnings of father: Under \$650. \$650 and over. No earnings. Not reported. Italian.	144 72 3 4 140	23 15 1 1	159. 7	299 91 7 5	48 10 4 1 25	160. 5	
Earnings of father: Under 8650. \$650 and over. No earnings. Not reported.	72 66	7 4		184 78 4 6	20 3 1 1	108.7	
All other	170	14	82.4	132	18	136, 4	
Earnings of father: Under \$650. \$650 and over. No earnings. Not reported.	63 100 2 5	4 9 1	90.0	91 37 3 1	11 5 2		

¹ Not shown where base is less than 100.

Table 130.—Relative mortality among infants of mothers not able to speak English, as compared with mortality expected on the basis of average rates, when effect of differences in mother's color and nationality and father's earnings is eliminated; live births in 1915 to foreign-born white mothers unable to speak English.

Nationality of mother.	of foreign	ong infants born white unable to glish.1
	Actual.2	Expected.2
Total	112	113. 4
Jewish. Polish. Italian. All other.	7 58 23 24	8.3 62.8 23.9 18.4

¹ Actual and expected deaths in families where the father's earnings were "none" or "not reported" are omitted.

omitted.

2 The expected deaths in each nationality group are the sum of the deaths found by multiplying the births (to mothers unable to speak English) classified by father's earnings by the mortality rates for all infants in the corresponding nationality and earnings group.

Table 131.—Prevalence of infant-welfare work, by ability of mother to speak English and nationality; infants born to Jewish, Polish, and Italian mothers and surviving two weeks.

	Total	Infants surviving 2 weeks and having specified postnatal care (institutional).							
Ability to speak English and nationality of mother.	infants surviv- ing two weeks.		ed as bet- n poor.	No care.					
		Number.	Per cent.	Number.	Per cent.				
Jewish: Able to speak English Not able to speak English	768 169	177 53	23. 0 31. 4	439 75	57. 2 44. 4				
Italian: Able to speak English Not able to speak English	134 262	30 24	22.4 9.2	84 184	62. 7 70. 2				
Polish: Able to speak English Not able to speak English	210 388	14 20	6.7 5.2	156 308	74. 3				

Table 132.—Infant mortality and stillbirth rates, by order of birth; births in 1915, and births, all pregnancies.

		Births in 1915.							Births, all pregnancies.						
Order of birth.1		Stillbirths.			Infant deaths.			Stillbirths.			Infant deaths.				
		Num- ber.	Per 1,000 births.	Live births.	Num- ber.	Infant mor- tality rate.	Births.	Num- ber.	Per 1,000 births.	Live births.	Num- ber.	Infant mor- tality rate.			
Total	11, 195	398	35. 6	10, 797	1, 117	103. 5	36, 047	1, 203	33. 4	34, 844	4, 158	119.3			
First	2, 999 2, 471 1, 525 1, 164 1, 503 1, 058 475	131 62 44 37 54 42 28	43. 7 25. 1 28. 9 31. 8 35. 9 39. 7 58. 9	2, 868 2, 409 1, 481 1, 127 1, 449 1, 016 447	272 223 136 120 157 129 80	94. 8 92. 6 91. 8 106. 5 108. 4 127. 0 179. 0	10, 754 7, 698 5, 279 3, 812 4, 684 2, 884 936	427 198 149 111 156 109 53	39. 7 25. 7 28. 2 29. 1 33. 3 37. 8 56. 6	10, 327 7, 500 5, 130 3, 701 4, 528 2, 775 883	1, 196 770 572 470 591 395 164	115. 8 102. 7 111. 5 127. 0 130. 5 142. 3 185. 7			

^{1&}quot;Order of birth" means order of issue for births in 1915 and order of pregnancy for births, all pregnancies.

Table 133.—Infant mortality and stillbirth rates, by order of birth and color of mother; single births in 1915, and single births, all pregnancies, to mothers who reported no plural births.

	*	Sin	gle birt	ths in 19	15.		Births, all pregnancies to more reported no plural birth					rs who
Order of birth 1 and color of mother.		Stillbirths.		Infant deaths.			Still	Stillbirths.			Infant deaths.	
color of mother.	Births.	Num- ber.	Per 1,000 births.	Live births.	Num- ber.	In- fant mor- tality rate.	Births.	Num- ber.	Per 1,000 births.	•	Num- ber.	In- fant mor- tality rate.
All mothers	10, 915	378	34.6	10, 537	1,023	97. 1	33, 612	1,089	32. 4	32, 523	3,671	112. 9
Order of birth: First Second and third Fourth to sixth Seventh to ninth Tenth and later White mothers.	2,956 3,910 2,570 1,032 447 9,529	126 103 84 42 23	42. 6 26. 3 32. 7 40. 7 51. 5	2,830 3,807 2,486 990 424 9,260	259 334 241 120 69 834	91. 1 87. 7 96. 9 121. 2 162. 7	10, 330 12, 246 7, 740 2, 531 765 29, 205	398 322 234 92 43 783	38. 5 26. 3 30. 2 36. 3 56. 2	9, 932 11, 924 7, 506 2, 439 722	1, 114 1, 208 900 323 126	112. 2 101. 3 119. 9 132. 4 174. 5
Order of birth: First. Second and third Fourth to sixth. Seventh to ninth Tenth and later	2, 699 3, 443 2, 189 852 346	98 75 56 27 13	36. 3 21. 8 25. 6 31. 7 37. 6	2,601 3,368 2,133 825 333	223 268 193 96	85. 7	9, 184 10, 730 6, 631 2, 079 581	304 220 169 62 28	33. 1 20. 5 25. 5 29. 8 48. 2	8,880 10,510 6,462 2,017 553	966 984 714 244 92	105. 6 108. 8 93. 6 110. 5 121. 0 166. 4
Colored mothers	1,386	109	78.6	1,277	189	148.0	4, 407	306	69. 4	4, 101	671	163.6
Order of birth: First Second and third Fourth to sixth Seventh to ninth Tenth and later	257 467 381 180 101	28 28 28 15 10	108. 9 60. 0 73. 5 83. 3 99. 0	229 439 353 165 91	66 48 24	157. 2 150. 3 136. 0 145. 5 164. 8	1, 146 1, 516 1, 109 452 184	94 102 65 30 15	82. 0 67. 3 58. 6 66. 4 81. 5	1,052 1,414 1,044 422 169	148 224 186 79 34	140. 7 158. 4 178. 2 187. 2 201. 2

^{1&}quot;Order of birth" means order of issue for births in 1915 and order of pregnancy for births, all pregnancies.

Table 134.—Stillbirth rates, by number of births ¹ to mothers, order of pregnancy, and color of mother; single births, all pregnancies, to mothers who reported no plural births.

		Total.		Single births, all prognancies, to mothers who reported no plural births and who reported specified number of total births.							
					1-3.		4-6.				
Order of pregnancy and color of mother. ²	Stillbirths.				Stillb	irths.	The state of	Stillbirths.			
	Births. Number.	Per 1,000 births.	Births.	Num- ber.	Per 1,000 births.	Births.	Num- ber.	Per 1,000 births.			
All mothers	33,612	1,089	32. 4	11,855	408	34. 4	11,226	320	28. 5		
Order of pregnancy: First	10,330 7,312 4,934 7,740 2,531 765	398 186 136 234 92 43	38. 5 25. 4 27. 6 30. 2 36. 3 56. 2	6,691 3,750 1,414	271 98 39	40. 5 26. 1 27. 6	2,385 2,342 2,316 4,183	88 53 57 122	36. 9 22. 6 24. 6 29. 2		
White mothers	29, 205	783	26.8	10,689	311	29.1	9,802	228	23.3		
Order of pregnancy: First. Second Third Fourth to sixth. Seventh to ninth Tenth and later.	9,184 6,438 4,292 6,631 2,079 581	304 130 90 169 62 28	33. 1 20. 2 21. 0 25. 5 29. 8 48. 2	6,060 3,372 1,257	209 71 31	34. 5 21. 1 24. 7	2,083 2,046 2,021 3,652	67 34 38 89	32. 2 16. 6 18. 8 24. 4		

Single births, all pregnancies, to mothers who reported no plural births and who reported specified number of total births.¹

Section 1	18.5%						
	20001140	7-9.	,	10 and over.			
Order of pregnancy and color of mother. ³		Stillb	irths.	VI V	Stillbirths.		
	Births.	Number.	Per 1,000 births.	Births.	Number.	Per 1,000 births.	
All mothers	6,882	206	29.9	3,649	155	42. 5	
Order of pregnancy; First Second. Third. Fourth to sixth Seventh to ninth Tenth and later.	915 891 888 2,597 1,591	27 23 26 82 48	29. 5 25. 8 29. 3 31. 6 30. 2	339 329 316 960 940 765	12 12 14 30 44 43	35. 4 36. 5 44. 3 31. 3 46. 8 56. 2	
White mothers. First. Second. Third Fourth to sixth Seventh to ninth. Tenth and later	5,900 781 763 766 2,236 1,354	151 21 18 14 63 35	25. 6 26. 9 23. 6 18. 3 28. 2 25. 8	2,814 260 257 248 743 725 581	93 7 7 7 7 17 27 28	33. 0 26. 9 27. 2 28. 2 22. 9 37. 2 48. 2	

 $^{^{1}}$ Includes miscarriages. 2 The figures and rates for infants of colored mothers are not given separately, since the groups are too small to yield satisfactory comparison.

Table 135.—Infant mortality rates, by number of births ¹ to mother, order of pregnancy, and color of mother; single live births, all pregnancies, to mothers who reported no plural births.

		Total.		Live repo	Live births, all pregnancies, to mothers who reported no plural births and who reported specified number of total births. ¹						
		Infant deaths.			1-3		4-6				
Order of pregnancy and color of mother. ²	Live		Infant		Infant	deaths.		Infant	deaths.		
	births.	Num- ber.	mortality rate.	Live births.	Number.	Infant mor- tality rate.	Live births.	Num- ber.	Infant mor- tality rate.		
All mothers	32, 523	3,671	112.9	11,447	1,059	92.5	10,906	1,135	104. 1		
Order of pregnancy: First. Second. Third. Fourth to sixth. Seventh to ninth. Tenth and later.	9, 932 7, 126 4, 798 7, 506 2, 439 722	1, 114 696 512 900 323 126	112, 2 97, 7 106, 7 119, 9 132, 4 174, 5	6, 420 3, 652 1, 375	637 304 118	99. 2 83. 2 85. 8	2, 297 2, 289 2, 259 4, 061	283 212 219 421	123. 2 92. 6 96. 9 103. 7		
White mothers	28, 422	3,000	105.6	10, 378	914	88.1	9, 574	957	100.0		
Order of pregnancy: First Second Third Fourth to sixth Seventh to ninth Tenth and later	8,880 6,308 4,202 6,462 2,017 553	966 571 413 714 244 92	108. 8 90. 5 98. 3 110. 5 121. 0 166. 4	5, 851 3, 301 1, 226	565 255 94	96. 6 77. 2 76. 7	2,016 2,012 1,983 3,563	246 176 184 351	122. 0 87. 5 92. 8 98. 5		

Live births, all pregnancies, to mothers who reported no plural births and who reported specified number of total births.¹

Order of pregnancy and color of mother.3		7–9	VI		10 and over.			
r-g, and cold of mounts.		Infant d			Infant deaths.			
	Live births.	Number.	Infant mortality rate.	Live births.	Number.	Infant mortality rate.		
All mothers	6,676	890	133. 3	3,494	587	168. (
Order of pregnancy: First. Second. Third. Fourth to sixth Seventh to ninth. Tenth and later.	888 868 862 2,515 1,543	133 123 126 319 189	149. 8 141. 7 146. 2 126. 8 122. 5	327 317 302 930 896 722	61 57 49 160 134 126	186. 5 179. 8 162. 2 172. 0 149. 6 174. 5		
White mothers	5,749	715	124. 4	2,721	414	152. 1		
Order of pregnancy: First. Second. Third. Fourth to sixth. Seventh to ninth. Tenth and later.	760 745 752 2,173 1,319	110 99 99 253 154	144. 7 132. 9 131. 6 116. 4 116. 8	253 250 241 726 698 553	45 41 36 110 90 92	177. 9 164. 0 149. 4 151. 5 128. 9 166. 4		

¹ Includes miscarriages
² The figures and rates for infants of colored mothers are not given separately, since the groups are too small to yield satisfactory comparisons.

^{101351°-23-}

Table 136.—Excess mortality among infants of mothers reporting large numbers of births 1 over mortality expected at average rates when effect of differences in color and nativity and father's earnings is eliminated; live births, all pregnancies.

	146	Live birt	hs, all pre	gnancies.	*
Number of births 1 to mother.		Actual deaths.2		Expected deaths.	
	Total.	Number.	Infant mortal- ity rate.	Number.	Infant mortal- ity rate.
Total	33, 463	3,962	118.4	3,962.1	118.4
to 3	11, 138 10, 996 7, 112 4, 217	1,038 1,182 990 752	93. 2 107. 5 139. 2 178. 3	1, 263. 5 1, 300. 4 866. 4 531. 8	113. 4 118. 3 121. 8 126. 1

¹ Includes miscarriages.
² Births and actual and expected deaths in families where the earnings of the father were "none" or "not reported" are omitted from this comparison.
³ The expected deaths in each number of issues to mother group are the sum of the deaths found by multiplying the live births (to mothers with specified number of issues), classified by color and nativity of mother and by earnings of father, by the average rates of mortality prevailing among all infants in the corresponding color and nativity and earnings groups.

Table 137.—Infant mortality rates, by order of birth and earnings of father; single live births in 1915 and all live births, all pregnancies.

	Live 1	oirths in	families	where f	athers e er birth	arned sp in 1915.	ecified a	mount	during	
	U	nder \$55	0.	\$550-\$849.			\$850 and over.			
Order of birth.1		Infant deaths.			Infant		deaths.		Infant deaths.	
	Live births.	Num- ber.	Infant mortal- ity rate.	Live births.	Num- ber.	Infant mortal- ity rate.		Num- ber.	Infant mortal- ity rate.	
				Single	births i	n 1915.				
Total	2,914	380	130. 4	3,814	356	93, 3	3,393	216	63.7	
First. Second. Third. Fourth Fifth and sixth. Seventh to ninth. Tenth and later	632 578 382 328 451 377 166	81 69 42 43 56 62 27	128. 2 119. 4 109. 9 131. 1 124. 2 164. 5 162. 7	1,079 849 502 394 504 347 139	92 77 45 36 44 34 28	85. 3 90. 7 89. 6 91. 4 87. 3 98. 0 201. 4	1,003 847 495 340 372 234 102	68 47 30 20 22 19 10	67. 8 55. 5 60. 6 58. 8 59. 1 81. 2 98. 0	
				Births,	all preg	nancies.				
Total	10,588	1,549	146.3	12,496	1,504	120. 4	10,379	909	87.6	
First. Second. Third Fourth Fifth and sixth. Seventh to ninth. Tenth and later	2,741 2,132 1,563 1,215 1,562 1,049 326	382 284 205 187 226 195 70	139. 4 133. 2 131. 2 153. 9 144. 7 185. 9 214. 7	3,795 2,707 1,828 1,310 1,597 960 299	460 294 207 163 214 115 51	121. 2 108. 6 113. 2 124. 4 134. 0 119. 8 170. 6	3,385 2,366 1,538 1,029 1,175 665 221	295 154 133 99 122 71 35	65. 1 86. 5 96. 2 103. 8 106. 8	

^{1 &}quot;Order of birth" means order of issue births in 1915 and order of pregnancy for births, all pregnancies.

Table 138.—Infant mortality rates, by order of birth, earnings of father, and color and nativity of mother; single live births in 1915.

			Single liv	e births	of specia	fied order	of birth	.1	
	Fin	rst to th	ird.	For	irth to s	ixth.	Seve	nth and	later.
Earnings of father and color and nativity of mother.		Infant	deaths.		Infant	deaths.		Infant	deaths.
	Live births.	Num- ber.	Infant mor- tality rate.2	Live births.	Num- ber.	Infant mor- tality rate.2	Live births.	Num- ber.	Infant mor- tality rate.2
Native white mothers	4, 567	372	81.5	1,364	128	93. 8	641	85	132, 6
Earnings of father: Under \$550. \$550-\$849. \$850-\$1,249. \$1,250 and over. No earnings. Not reported.	667 1,765 1,247 735 65 88	84 145 72 49 11 11	125. 9 82. 2 57. 7 66. 7	235 557 354 175 15 28	31 55 23 12 5	131. 9 98. 7 65. 0 68. 6	153 249 160 62 8 9	25 36 19 3	163. 4 144. 6 118. 8
Foreign-born white mothers	1,402	119	84. 9	769	65	84. 5	517	65	125.
Earnings of father: Under \$550. \$550-\$849 \$850 and over. No earnings. Not reported	491 529 328 26 28	42 50 17 7 3	85. 5 94. 5 51. 8	306 270 171 11 11	33 20 7 4 1	107. 8 74. 1 40. 9	214 178 108 11 6	34 19 6 2 4	158. 9 106. 7 55. 6
Colored mothers	668	102	152.7	353	48	136.0	256	39	152, 3
Earnings of father: Under \$550. \$550 and over. No earnings. Not reported.	434 171 40 23	66 26 7 3	152, 1 152, 0	238 83 22 10	35 5 6 2	147.1	176 65 7 8	30 8 1	170. 5

¹ Includes miscarriages.

Table 139.—Infant mortality rates, by order of birth, earnings of father (detailed groups); single live births in 1915 to native white mothers.

	-	Single live	births of sp	ecified or	der of birtl	1.1	
	F	irst to sixt	h.	Seventh and later.			
Earnings of father.	./	Infant	deaths.		Infant	deaths.	
	Live births.	Number.	Infant mortality rate.2	Live births.	Number.	Infant mortality rate.2	
Total	5, 931	500	84. 3	641	85	132.6	
Under \$450. \$450-\$549. \$650-\$649. \$650-\$849. \$850-\$1,249. \$1,250-\$1,249. \$1,250 and over. No earnings. Not reported.	364 538 792 1,530 1,601 569 341 80 116	54 61 72 128 95 47 14 16	148. 4 113. 4 90. 9 83. 7 59. 3 82. 6 41. 1	73 80 94 155 160 44 18 8	13 12 13 23 19 3	148. 4	

¹ Includes miscarriages.

² Not shown where base is less than 100.

² Not shown where base is less than 100.

Table 140.—Premature birth, by order of birth; 1 live births in 1915.

,	Liv	e births in	1915.		Live births in 1915.					
Order of birth.1		Prem	ature.	Order of birth.1	Total.	Prem	ature.			
	Total.	Number.	Per cent.2		Total.	Number.	Per cent.2			
Total	10,797	591	5. 5	Sixth	631 440	28 16	4. 4			
First. Second. Third. Fourth.	2,868 2,409 1,481 1,127 818	230 128 69 41 22	8. 0 5. 3 4. 7 3. 6 2. 7	Eighth	337 239 172 90 185	15 13 8 4 17	4. 5 5. 4 4. 7 9. 2			

¹ Includes miscarriages.

Table 141.—Premature birth, by interval since preceding birth; live births in 1915, second and later in order of birth. 1

	Live births in 1915, second and later in order of birth.					
Interval since preceding birth.1	m 1	Prem	ature.			
	Total.	Number.	Per cent.2			
Total	7,929	361	4.6			
1 year 2 years 3 years 3 years 4 years and over	2,072 2,950 1,364 1,496 47	132 105 50 69 5	6. 4 3. 6 3. 7 4. 6			

¹ Includes miscarriages.

Table 142.—Infant mortality (specified causes) and stillbirth rates, by order of birth; single births in 1915.

				Sin	gle birth	s in 1915						
- 1		1			Infant deaths.							
Order of birth.	Total.	Still	births.	Live	· Total.		Early infancy.		All other causes.			
		Num- ber.	Per 1,000 births.	births.	Num- ber.	Infant mor- tality rate.	Num- ber.	Infant mor- tality rate.	Num- ber.	Infant mor- tality rate.		
Total	10, 915	378	34. 6	10, 537	1,023	97.1	357	33. 9	666	63. 2		
First. Second. Third. Fourth. Fifth and sixth. Seventh to ninth. Tenth and later.	2,956 2,432 1,478 1,129 1,441 1,032 447	126 60 43 34 50 42 23	42. 6 24. 7 29. 1 30. 1 34. 7 40. 7 51. 5	2,830 2,372 1,435 1,095 1,391 990 424	259 208 126 104 137 120 69	91. 5 87. 7 87. 8 95. 0 98. 5 121. 2 162. 7	104 85 52 25 37 32 22	36. 7 35. 8 36. 2 22. 8 26. 6 32. 3 51. 9	155 123 74 79 100 88 47	54. 8 51. 9 51. 6 72. 1 71. 9 88. 9 110. 8		

¹ Includes miscarriages.

² Not shown where base is less than 100.

² Not shown where base is less than 50.

Table 143.—Infant mortality rates, by age, color, and nativity of mother; live births in 1915 and live births, all pregnancies.

	W.	Total		I	ive bir	ths to 1	nothers	of spe	cified co	olor and	nativi	ity.
		10001		Na	tive w	hite.	Foreig	gn-born	white.		Colore	i,
Age of mother.			fant aths.			fant aths.			fant aths.			fant aths.
	Live births.	Num- ber.	Infant mor- tality rate.1	Live births.	Num- ber.	Infant mor- tality rate.1	Live births.	Num- ber.	Infant mor- tality rate.1	Live births.	Num- ber.	Infant mor- tality rate.1
			Salah Sa	100		Births	s in 191	5.			1	
Total	10,797	1,117	103.5	6, 739	646	95. 9	2,753	264	95. 9	1,305	207	158.6
Under 20. 20-24 25-29 30-34. 35 and over. 35-39. 40 and over. Not reported.	2,987 1,958 1,618 1,206	120 336 270 187 203 153 50 1	126. 7 102. 3 90. 4 95. 5 125. 5 126. 9 121. 4	666 2, 195 1, 890 1, 132 856 630 226	77 208 154 104 103 77 26	115. 6 94. 8 81. 5 91. 9 120. 3 122. 2 115. 1	111 662 795 608 576 432 144 1	17 50 73 51 72 55 17 1	153. 2 75. 5 91. 8 83. 9 125. 0 127. 3 118. 1	170 426 302 218 186 144 42 3	26 78 43 32 28 21 7	152. 9 183. 1 142. 4 146. 8 150. 5 145. 8
				1	Birt	hs, all p	regnan	cies.				
Total	34, 844	4, 158	119.3	19,696	2,185	110.9	10,744	1,222	113. 7	4,404	751	170. 5
Under 20. 20-24. 25-29. 30-34. 35 and over. 35-39. 40 and over. Not reported.		608 1,492 1,061 614 358 289 69 25	148. 1 118. 6 107. 7 112. 8 127. 5 126. 7 131. 2	2,507 7,370 5,513 2,817 1,472 1,189 283 17	343 812 550 284 185 152 33 11	136. 8 110. 2 99. 8 100. 8 125. 7 127. 8 116. 6	780 3,652 3,281 1,989 1,018 833 185 24	125 406 334 219 126 103 23 12	160. 3 111. 2 101. 8 110. 1 123. 8 123. 6 124. 3	818 1, 561 1, 057 635 317 259 58 16	140 274 177 111 47 34 13 2	171. 1 175. 5 167. 5 174. 8 148. 3 131. 3

¹ Not shown where base is less than 100.

Table 144.—Stillbirth rates, by age, color, and nativity of mother; births in 1915.

		Total			Birt	hs to mo	thers of	specif	ied color	and na	tivity.		
				N	ative w	hite.	Forei	gn-bori	white.	Colored.			
Age of mother.		Still	births.		Still	Stillbirths.		Stillbirths.			Stillbirths.		
	Births.	Num- ber.	Per 1,000 births.1		Num- ber.	Per 1,000 births.1	Births.	Num- ber.	Per 1,000 births.1	Births.	Num- ber.	Per 1,000 births.	
Total	11, 195	398	35. 6	6, 937	198	28. 5	2,837	84	29.6	1, 421	116	81.6	
Under 20	995 3,382 3,087 2,029 1,698 1,259 439 4	48 99 100 71 80 53 27	48. 2 29. 3 32. 4 35. 0 47. 1 42. 1 61. 5	688 2, 251 1, 942 1, 162 894 660 234	22 56 52 30 38 30 8	32. 0 24. 9 26. 8 25. 8 42. 5 45. 5 34. 2	116 676 820 622 602 447 155	5 14 25 14 26 15 11	43. 1 20. 7 30. 5 22. 5 43. 2 33. 6 71. 0	191 455 325 245 202 152 50 3	21 29 23 27 16 8 8	109. 9 63. 7 70. 8 110. 2 79. 2 52. 6	

¹ Not shown where base is less than 100.

Table 145.—Stillbirth rates, by age of mother and earnings of father; single births in 1915 and all births, all pregnancies.

0-10-1	Births i	n familie	es where	fathers e	earned sporth in 191	ecified a	mount d	uring ye	ar after
	U	nder \$55	0.		\$550-\$849		\$850 and over.		
Age of mother.		Stillb	irths.		Stillb	irths.		Stillb	oirths.
	Births.	Num- ber.	Per 1,000 births.1	Births.	Num- ber.	Per 1,000 births.1	Births.	Num- ber.	Per 1,000 births.1
				Single	births in	n 1915.			
Total	3,054	140	45.8	3,936	122	31.0	3, 487	94	27.0
Under 20. 20-24. 25-29. 30-34. 35 and over. Not reported.	379 923 737 494 517 4	24 35 35 28 18	63. 3 37. 9 47. 5 56. 7 34. 8	394 1,302 1,056 653 531	10 33 33 21 25	25. 4 25. 3 31. 3 32. 2 47. 1	172 949 1,101 744 521	10 18 25 19 22	58. 1 19. 0 22. 7 25. 5 42. 2
			THE STATE OF	Births,	all pregn	ancies.		101	
Total	11,052	464	42.0	12, 858	362	28, 2	10,689	310	29.0
Under 20. 20-24. 25-29. 30-34. 35 and over. Not reported.	1,628 3,948 2,858 1,668 908 42	88 161 107 64 36 8	54. 1 40. 8 37. 4 38. 4 39. 6	1,609 4,833 3,552 1,854 997 13	45 117 92 63 41 4	28. 0 24. 2 25. 9 34. 0 41. 1	859 3,680 3,360 1,881 891 18	30 97 96 52 31 4	34. 9 26. 4 28. 6 27. 6 34. 8

¹ Not shown where base is less than 100.

Table 146.—Infant mortality rates, by age of mother and earnings of father; single live births in 1915 and all live births, all pregnancies.

	Live b	irths in	families	where fat after	thers ear birth in	ned spec 1915.	eified am	ount du	ring year	
	τ	Inder \$5	50.		\$550-\$849).	\$850 and over.			
Age of mother.		Infant	deaths.		Infant	deaths.		Infant	deaths.	
	Live births.	Num- ber.	Infant mor- tality rate.1	Live births.	Num- ber.	Infant mor- tality rate.1	Live births.	Num- ber.	Infant mor- tality rate.1	
				Single h	oirths in	1915.				
Total	2,914	380	130. 4	3, 814	356	93.3	3, 393	216	63. 7	
Under 20 20-24 25-29 30-34 35 and over Not reported	355 888 702 466 499 4	52 115 82 56 74 1	146. 5 129. 5 116. 8 120. 2 148. 3	384 1, 269 1, 023 632 506	43 103 90 56 64	112. 0 81. 2 88. 0 88. 6 126. 5	162 931 1,076 725 499	10 68 56 47 35	61. 7 73. 0 52. 0 64. 8 70. 1	
				All birth	s, all pre	egnancie	s.			
Total	10, 588	1,549	146.3	12,496	1,504	120. 4	10,379	909	87.6	
Under 20 20-24 25-29 30-34 35 and over Not reported	1,540 3,787 2,751 1,604 872 34	261 552 371 223 132 10	169. 5 145. 8 134. 9 139. 0 151. 4	1,564 4,716 3,460 1,791 956 9	239 537 392 214 116 6	152. 8 113. 9 113. 3 119. 5 121. 3	829 3,583 3,264 1,829 860 4	80 335 249 149 87 9	96. 5 93. 5 76. 3 81. 5 101. 2	

¹Not shown where base is less than 100.

Table 147.—Infant mortality rates from specified causes, by age of mother; single live births in 1915.

1-2			Single	live births	in 1915.							
		Infant deaths.										
Age of mother.	Total.		Infant	Early i	nfancy.	All other causes.						
8 =	10031.	Total.	mortality	Number.	Infant mortality rate.1	Number.	Infant mortality rate.1					
Total	10, 537	1,023	97.1	357	33. 9	666	63. 2					
Under 20. 20-24. 25-29. 30-34. 35 and over. 35-39. 40 and over. Not reported.	940 3, 224 2, 910 1, 896 1, 563 1, 164 399 4	114 309 242 169 188 141 47	121. 3 95. 8 83. 2 89. 1 120. 3 121. 1 117. 8	45 101 94 54 62 48 14	47. 9 31. 3 32. 3 28. 5 39. 7 41. 2 35. 1	69 208 148 115 126 93 33	73. 4 64. 5 50. 9 60. 7 80. 6 79. 9 82. 7					

¹ Not shown where base is less than 100.

Table 148.—Premature births, by age, color, and nativity of mother; live births in 1915.

		Live bi	irths to	mothers	of specif	ied color	and na	tivity.		
	Na	tive whi	te.	Foreig	gn-born v	white.	Colored.			
Age of mother.	Total	Premature live births.		Total	Premature live births.		Total	Premature liv		
	live births.	Num- ber.	Per- cent.1	live births.	Num- ber.	Per cent.1	live births.	Num- ber.	Per cent.1	
Total	6,739	415	6.2	2,753	97	3.5	1,305	79	6.1	
Under 20. 20-24 25-29 30-34 35 and over 35-39 40 and over Not reported	666 2, 195 1, 890 1, 132 856 630 226	59 147 103 61 45 36 9	8. 9 6. 7 5. 4 5. 4 5. 3 5. 7 4. 0	111 662 795 608 576 432 144	8 21 31 16 21 15 6	7.2 3.2 3.9 2.6 3.6 3.5 4.2	170 426 302 218 186 144 42 3	14 29 15 10 10 6 4	8.2 6.8 5.0 4.6 5.4 4.5	

¹ Not shown where base is less than 100.

Table 149.—Stillbirth rates, by order of birth and age of mother; births in 1915, and births, all pregnancies.

				В	irths of	fspecifie	d order	of birtl	h.1					
		First.		Secor	nd and	third.	Four	rth to s	sixth.	Sever	th and	l later.		
Age of mother.	1	Still	births.		Still	births.		Still	births.		Still	births.		
	Births.	Num- ber.	Per 1,000 births. ²	Births.	Num- ber.	Per 1,000 births. ²	Births.	Num- ber.	Per 1,000 births.2	Births.	Num- ber.	Per 1,000 births.		
*		Births in 1915.												
Total	2,999	131	43.7	3,996	106	26.5	2,667	91	34.1	1,533	70	45.7		
Under 20	741 1,449 561 187 61 54 7	35 53 26 16 1 1	47. 2 36. 6 46. 3 85. 6	246 1,588 1,409 546 207 176 31	12 35 33 14 12 11 1	48. 8 22. 0 23. 4 25. 6 58. 0 62. 5	8 337 966 853 500 408 92 3	1 11 34 23 22 18 4	32.6 35.2 27.0 44.0 44.1	8 151 443 930 621 309 1	7 18 45 23 22	46.4 40.6 48.8 37.0 71.2		
			7		Bir	rths, all	pregnar	ncies.						
Total	10,754	427	39.7	12,977	347	26.7	8,496	267	31.4	3,820	162	42.		
Under 20	3, 181 5, 371 1, 681 414 99 89 10 8	117 197 73 33 5 4 1	36. 8 36. 7 43. 4 79. 7	1, 054 6, 197 4, 153 1, 228 316 277 39 29	51 154 90 29 15 13 2 8	48. 4 24. 9 21. 7 23. 6 47. 5 46. 9	1,367 3,755 2,490 817 709 108 26	3 40 120 74 27 22 5 3	29.3 32.0 29.7 33.0 31.0 46.3	41 571 1,502 1,696 1,293 403 10	2 26 57 74 48 26 3	45.8 37.9 43.6 37.1 64.8		

^{1 &}quot;Order of birth" means order of issue for births in 1915, and order of pregnancy for births, all pregnancies.
2 Not shown where base is less than 100.

Table 150.—Infant mortality rates, by order of birth and age of mother; live births in 1915, and live births, all pregnancies.

						Birt	hs of spe	ecified or	der of bi	rth.1					
	1	First.		Seco	nd and t	third.	Fou	irth to si	xth.	Seventh to ninth.			Ten	th and l	ater.
Age of mother.		Infant	Infant deaths.		Infant deaths.			Infant	deaths.		Infant	deaths.		Infant	deaths.
	Live births.	Num- ber.	Infant mor- tality rate. ²	Live births.	Num- ber.	Infant mor- tality rate.2	Live births.	Num- ber.	Infant mor- tality rate.2	Live births.	Num- ber.	Infant mor- tality rate.2	Live births.	Num- ber.	Infant mor- tality rate.2
						784	Bi	rths in 1	915.						
Total	2,868	272	94.8	3,890	359	92.3	2,576	277	107.5	1,016	129	127.0	447	80	179.
Jnder 20 -0-24 -5-29 -0-34 -5 and over -35-39 -40 and over Not reported	706 1,396 535 171 60 53 7	79 125 44 14 10 8 2	111.9 89.5 82.2 81.9	234 1,553 1,376 532 195 165 30	38 160 95 45 21 18 3	162. 4 103. 0 69. 0 84. 6 107. 7 109. 1	7 326 932 830 478 390 88 3	3 47 102 76 48 41 7	144. 2 109. 4 91. 6 100. 4 105. 1	8 139 350 518 396 122 1	4 29 36 60 45 15	208. 6 102. 9 115. 8 113. 6 123. 0	5 75 367 202 165	16 64 41 23	174. 203. 139.
							Births,	all pregr	nancies.						
Total	10,237	1,196	115.8	12,630	1,342	106.3	8, 229	1,061	128.9	2,775	395	142.3	883	164	185.
Under 20	3,064 5,174 1,608 381 94 85 9 6	414 568 153 39 19 16 3	135. 1 109. 8 95. 1 102. 4	1,003 6,043 4,063 1,199 301 264 37 21	181 686 337 102 32 29 3 4	180. 5 113. 5 82. 9 85. 1 106. 3 109. 8	38 1,327 3,635 2,416 790 687 103 23	13 225 465 262 84 73 11	169. 6 127. 9 108. 4 106. 3 106. 3	37 514 1,207 1,010 848 162 7	11 101 154 123 106 17 6	196. 5 127. 6 121. 8 125. 0 104. 9	2 31 238 612 397 215	2 5 57 100 65 35	239. 163. 163. 162.

 $^{^1\,^{\}prime\prime}$ Order of birth" means order of issue for births in 1915 and order of pregnancy for births, all pregnancies. 2 Not shown where base is less than 100.

Table 151.—Infant mortality rates, by order of birth and age and color of mother; single live births in 1915, and all live births, all pregnancies.

				Live	births	of speci	ified ord	ler of b	oirth.1			
		First.		Secon	d and	third.	Fourt	th and	sixth.	Seven	th and	later.
Age and color of mother.			fant aths.			fant aths.			fant aths.			fant aths.
	Live births.	Num- ber.	Infant mor- tality rate.2	Live births.	Num- ber.	Infant mor- tality rate.2	Live births.	Num- ber.	Infant mor- tality rate. ²	Live births.	Num- ber.	Infant mor- tality rate.2
		1			Sin	ngle bir	ths in 19	915.		,		
White mothers.	2,601	223	85.7	3,368	268	79.6	2, 133	193	90.5	1,158	150	129.
Under 20. 20-24. 25-29. 30-34. 35 and over. 35-39. 40 and over. Not reported.	1,282 504 153 58 51 7	65 96 39 14 9 7 2	107. 6 74. 9 77. 4 91. 5	166 1,303 1,251 475 173 147 26	24 114 76 36 18 15 3	144. 6 87. 5 60. 8 75. 8 104. 0 102. 0	3 220 766 729 414 330 84 1	1 26 68 59 38 32 6 1	118. 2 88. 8 80. 9 91. 8 97. 0	3 93 325 737 496 241	2 18 32 98 68 30	98. 133. 137. 124.
Colored mothers	229	36	157.2	439	66	150.3	353	48	136.0	256	39	152.
Under 20. 20-24. 25-29. 30-34. 35 and over. 35-39. 40 and over. Not reported.	2	11 22 2 2 1 1		66 226 87 38 22 18 4	12 35 12 4 3 3	154.9	3 94 139 77 38 34 4 2	1 13 18 12 4 3 1	129.5	3 49 84 119 86 33 1	1 9 12 17 12 5	142.
			/		Birt	hs, all p	oregnan	cies.				
White mothers.	9, 225	1,035	112.2	11, 131	1,098	98.6	7,080	841	118.8	3,004	433	144.
Under 20. 20–24. 25–29. 30–34. 35 and over 35–39. 40 and over Not reported.	2,523 4,755 1,516 340 87 78 9	336 501 143 35 17 14 3	133. 2 105. 4 94. 3 102. 9	745 5, 245 3, 766 1, 090 270 239 31 15	127 557 293 88 29 26 3 4	170. 5 106. 2 77. 8 80. 7 107. 4 108. 8	19 1,000 3,130 2,187 729 631 98 15	5 152 379 219 76 68 8 10	152. 0 121. 1 100. 1 104. 3 107. 8	22 382 1, 189 1, 404 1, 074 330 7	8 69 161 189 147 42 6	180. 135. 134. 136. 127.
Colored mothers	1,102	161	146.1	1, 499	244	162.8	1,149	220	191.5	654	126	192.
Under 20. 20-24. 25-29. 30-34. 35 and over 35-39. 40 and over Not reported.	541 419 92 41 7 7	78 67 10 4 2 2	144. 2 160. 0	258 798 297 109 31 25 6	54 129 44 14 3 3	209. 3 161. 7 148. 1 128. 4	19 327 505 229 61 56 5	8 73 86 43 8 5 3 2	223. 2 170. 3 187. 8	17 163 256 218 171 47	5 37 50 34 24 10	227. 195. 156. 140.

^{1&#}x27;'Order of birth'' means order of issue for births in 1915 and order of pregnancy for births, all pregnancies.

Not shown where base is less than 100.

Table 152.—Infant mortality rates, by order of birth, age of mother, and earnings of father; live births, all pregnancies.

			Live	births,	all preg	nancies	s, of spe	cified o	order of	pregna	ncy.1		
		First.		Secon	nd and	third.	Four	rth to s	ixth.	Seventh and later			
Age of mother and earnings offather during year after birth in 1915.	1		fant aths.			fant aths.	F		fant aths.			fant aths.	
		Num- ber.	Infant mor- tality rate.2	Live births.	Num- ber.	Infant mor- tality rate.2	Live births.	Num- ber.	Infant mor- tality rate.2	Live births.	Num- ber.	Infant mor- tality rate.2	
Under \$850	6,536	842	128.8	8, 230	990	120.3	5,684	790	139.0	2,634	431	163.6	
Age of mother: Under 20	2,280 3,239 796 168 48 5	332 389 88 18 13 2	145, 6 120, 1 110, 6 107, 1	793 4,216 2,427 647 132 15	156 500 245 72 15 2	196. 7 118. 6 100. 9 111. 3 113. 6	31 1,013 2,572 1,554 497 17	12 188 342 185 56 7	185. 6 133. 0 119. 0 112. 7	35 416 1,026 1,151 6	12 88 162 164 5	211. 5 157. 9 142. 5	
\$850 and over.	3,385	295	87.1	3,904	287	73.5	2,204	221	100.3	886	106	119.6	
Age of mother: Under 20 20-24 25-29 30-34 35 and over Not reported	657 1,738 749 197 43 1	62 155 55 17 5 1	94. 4 89. 2 73. 2 86. 3	166 1,573 1,492 511 156 6	17 149 78 27 14 2	102. 4 94. 7 52. 3 52. 8 89. 7	6 268 907 755 262 6	1 30 99 62 24 5	111. 9 109. 2 82. 1 91. 6	4 116 366 399 1	1 17 43 44 1	146. 6 117. 5 110. 3	

 $^{^1}$ For total rates, all orders of pregnancy combined, see Table 150, page 345. 2 Not shown where base is less than 100.

Table 153.—Infant mortality rates from specified causes, by age of mother and order of birth; single live births in 1915.

	Infan	t morta	lityrat	es 2 fron	n specif	ied caus	es amo	ng birth	s of spe	cified or	der of h	oirth.1
Age of mother.	All births. First.			d and ird.		rth to		nth to	Tenth and later.			
	Early in- fancy.	All other causes.	Early in- fancy.	All other causes.	Early in-	All other causes.	Early in- fancy.	other	Early in-	other	Early in-	other
Total	33. 9	63. 2	36.7	54.8	36.0	51.7	24. 9	72.0	32. 3	88. 9	51.9	110.8
Under 20 20–24.	47. 9 31. 1	73. 4 64. 0	45. 6 28. 4	62. 7 57. 5	56. 0 32. 7	99. 1 64. 7	35.0	89. 2				
25–29	32. 2	50. 7	38. 1	40.0	32. 9	32. 9	23. 2	71.8	65. 7	131. 4		
30-34	28. 5	60. 7	47.6	35. 7	37. 0	40. 9	17. 4	70. 7	26. 3	70. 2	59.7	104. 5
35 and over	39. 4	80. 1	83. 3	83. 3	56. 4	51.3	32 5	58. 4	25. 8	87.3	51.1	113.6
35-39	41.2	79. 9	94.3	56.6	60.6	48.5	32.9	63. 2	28.4	79.9	51.5	144.3
40 and over	34. 2	80.7					34.1	45.5	17. 2	112.1	50.6	75. 9

¹ Includes miscarriages.

² Not shown where base is less than 100.

Table 154.—Stillbirth and infant mortality rates, by interval since preceding birth,¹ earnings of father, and color and nativity of mother; births in 1915, second and later in order of birth.¹

	Births in	1915 (seco fied in	nd and late terval since	r in order preceding	of birth) 1 g birth.1	after speci-
Earnings of father and color and nativity		38	Under 2	2 years.		
of mother.		Still	pirths.		Infant	deaths.
	Births.	Number.	Per 1,000 births. ²	Live births.	Number.	Infant mortality rate.2
All mothers	2, 149	77	35. 8	2,072	304	146. 7
Earnings of father:	714 783 391 176 41 44 1,195 216 507 293 139 16 24	37 25 6 2 6 1 21 21 2 12 3 2 2 2 16 6 6 1 1 6 6 6 1 1 1 1 1 1 1 1	51. 8 31. 9 15. 3 11. 4 17. 6 9. 3 23. 7 10. 2 14. 4	677 758 385 174 35 43 1,174 214 495 290 137 14 24 538	128 101 63 14 10 8 162 44 69 33 33 9 4 4 3	189. 1 133. 2 111. 7 80. 5 138. 0 205. 6 139. 4 113. 8 65. 7
Earnings of father: Under \$550. \$550-\$849 \$850 and over. No earnings. Not reported. Colored mothers.	212 204 118 9 11 400	5 7 3 1 1 40	23. 6 34. 3 25. 4	207 197 115 .8 11	31 24 11 3 5	149. 8 121. 8 95. 7
Earnings of father: Under \$550. \$550 and over. No earnings. Not reported.	286 89 16 9	30 6 3 1	104.9	256 83 13 8	· 53 12 3	207. 0

¹ Includes miscarriages.

² Not shown where base is less than 100.

Table 154.—Stillbirth and infant mortality rates, by interval since preceding birth,¹ earnings of father, and color and nativity of mother; births in 1915, second and later in order of birth¹—Continued.

Births in 1915 (second and later in order of birth) ¹ after specified interval since preceding birth ¹—Continued. 2 years and over. Not reported. Earnings of father and color Infantdeaths and nativity of mother. Stillbirths. Live Infant Births. births. births. deaths. Still-Live Infant Births. Per 1,000 births.² births. Num-Numtality ber. ber. rate.2 All mothers.... 5,999 189 31.5 5,810 536 92.3 48 1 47 5 Earnings of father: 1,660 2,043 1,205 677 112 118.7 95.4 57.3 1,717 2,111 1,236 699 1 15 4 Under \$550... \$550-\$849.... \$850-\$1,249... 57 33. 2 32. 2 25. 1 $\frac{197}{195}$ 16 13 68 13 31 69 14 14 ï \$1,250 and over. No earnings... $\frac{31.5}{42.7}$ 38 23 56. 1 205. 4 3 22 3 5 117 Not reported..... 119 6 50.4 113 14 123.9 1 1 Native white mothers. 3,508 99 28. 2 3,409 302 88.6 23 23 1 Earnings of father: Under \$550.... 134. 1 95. 9 58. 3 62. 6 2 27 562 10 17.8 33.4 22.2 552 \$550-\$849... \$850-\$1,249. 1,303 926 125 54 1.348 45 947 21 12 12 \$1,250 and over. No earnings.... 19 33 546 34.8 527 1 39 1 1 41 Not reported..... 2 Foreign - born white mothers.... 1,740 46 26.4 1,694 134 79.1 17 17 2 Earnings of father: Under \$550.... 89. 1 85. 2 40. 3 2 664 13 19.6 651 58 50 \$550-\$849.... 29. 8 24. 6 54 54 \$850 and over. 407 10 397 16 No earnings. 35 34 8 2 Not reported... 29 4 25 Colored mothers .. 751 58.6 707 100 141.4 8 1 7 2 44 Earnings of father: Under \$550.... \$550 and over... 69.2 142. 2 129. 7 6 5 2 491 34 457 $\frac{65}{24}$ 1 41.5 185 193 8 2 No earnings. 39 i i 3 Not reported..... 26 26

¹ Includes miscarriages.

² Not shown where base is less than 100.

 $\begin{tabular}{ll} \textbf{TABLE 155.--Infant mortality and still birth rates, by interval since preceding birth 1 and period of gestation; births in 1915. \end{tabular}$

Interval since preceding birth ¹ and period	Births.	Stillb	irths.	Live	Infant	Infant mortality
of gestation.	Dirtins.	Number.	Per cent.	births.	deaths.	rate.
Total	11,195	398	3.6	10,797	1,117	103. 5
No previous birth	2,999	131	4.4	2,868	272	94.8
Interval: 1 year. 2 years. 3 years. 4 years and over. Not reported.	2,149 3,045 1,398 1,556 48	77 95 34 60 1	3.6 3.1 2.4 3.9 2.1	2,072 2,950 1,364 1,496 47	304 291 118 127 5	146.7 98.6 86.5 84.9 106.4
Full-term births	10,430	234	2.2	10,196	792	77.7
No previous birth	2,726	90	3.3	2,636	173	65. 6
Interval: 1 year. 2 years. 3 years. 4 years and over. Not reported.	1,979 2,891 1,332 1,459 43	41 49 20 33 1	2.1 1.7 1.5 2.3 2.3	1,938 2,842 1,312 1,426 42	219 219 88 91 2	113. 0 77. 1 67. 1 63. 8 47. 6
Premature births	755	164	21.7	591	322	544.8
No previous birthInterval:	271	41	15.1	230	98	426.
1 year. 2 years. 3 years. 4 years and over. Not reported.	158 151 64 96 5	36 46 14 27	21.4 30.5 21.9 28.7	132 105 50 69 5	85 70 30 36 3	643.9 666.7 600.0 521.7 600.0
Term not reported	10			10	3	300.0
No previous birthInterval:	2			2	1	500.0
1 year. 2 years. 3 years. 4 years and over. Not reported.	2			2 3 2 1	2	666.

¹ Includes miscarriages.

Table 156.—Interval since preceding birth, by earnings of father and color and nativity of mother; live births in 1915, second and later in order of birth.

		ths in 1915 n order of	second and birth.1
Earnings of father and color and nativity of mother	Total.	years	under 2 since pre- birth.1
		Number.	Per cent.2
All mothers.	7,929	2,072	26.1
Native white mothers	4,606	1,174	25. 5
Earnings of father:	768 1,805 1,228 665 54 86 2,249	214 495 290 137 14 24	27. 9 27. 4 23. 6 20. 6
Earnings of father:	866 789 337 179 42 36	207 197 81 34 8 11	23. 9 -25. 0 24. 0 19. 0
Earnings of father: Under \$550 \$550 and over No earnings Not reported	718 269 52 35	256 83 13 8	35.7 30.9

 ¹ Includes miscarriages.
 ² Not shown where base is less than 100.

Table 157.—Number of mother's pregnancies, by duration of mother's married life and earnings of father; live births, all pregnancies.

A STATE OF THE STA	Live birth reportings	s,1 all propertied n	egnancies, umber of p	to mothers regnancies.
Duration of mother's married life and earnings of father during year after 1915 birth.	2 and 3	4-6	7–9	10 and over.
Earnings of father under \$550	2,142	3,508	2,731	1,521
Years married:	1,535 504 74 29 3,209	277 1,801 1,036 394 4,228	7 290 1,080 1,354 2,525	248 1,273 1,429
Years married:	2,251 808 135 15	273 2,247 1,376 332	215 1,172 1,138	
Earnings of father \$850-\$1,249	2,050	2,174	1,271	720
Years married:	1,265 621 138 26	107 1,085 774 208	100 673 498	61 659
Earnings of father \$1,250 and over	1,154	1,111	563	310
Years married: Under 6 years. 6-10 years. 11-15 years 16 and over.	588 466 74 26	31 577 369 134	50 201 312	5 20 285

¹ Omitting those for which earnings of father during year after 1915 birth were "none" or "not reported."

Table 158.—Infant mortality rates, by number of mother's pregnancies, duration of married life and earnings of father; live births, all pregnancies.

	Live	births	, all pre	gnancies	, to m	others r	eporting	speci	ified dur	ation of	marri	ed life.
Number of mother's	The state of	der 6	years.	6-	-10 yea	rs.	11-	-15 ye	ars.	16 ye	ars an	d over
pregnancies, and earnings of father during yea- after 1915 birth.			nfant eaths.			Infant deaths.			nfant eaths.			nfant eaths.
	Live	Num ber.	- mor-	Live births.	Num- ber.	Infant mor- tality rate.1	Live births.	Num ber.		Live births.	Num ber.	Infant mor- tality rate.1
Earnings of father under \$550	2,450	346	141. 2	2,602	330	126.8	2,441	407	166.7	3,050	457	149.8
Number of mother's pregnancies: 1-3	2,166 277 7	286 58 2	132. 0 209. 4	511 1,801 290	36 224 70	70. 5 124. 4 241. 4	77 1,036 1,080 248	14 120 192 81	115. 8 177. 8 326. 6	29 394 1,354 1,273	4 40 164 249	101. 5 121. 1 195. 6
Earnings of father, \$550-\$849	3,597	399	110.9	3,283	398	121.2	2,831	354	125.0	2,771	350	126.3
Number of mother's pregnancies: 1-3. 4-6. 7-9. 10 and over	3,324 273	349 50	105. 0 183. 2	821 2,247 215	73 278 47	88. 9 123. 7 218. 6	140 1,376 1,172 143	13 133 173 35	92. 9 96. 7 147. 6 244. 8	15 332 1,138 1,286	1 30 125 194	90. 4 109. 8 150. 9
Earnings of father, \$850 or over.	2,959	236	79.8	2,951	228	77.3	2;312	204	88. 2	2,150	241	
Number of mother's pregnancies: 1-34-6	2,821	222	78. 7 101. 4	1,134 1,662 150 5	59 136 33	52. 0 81. 8 220. 0	214 1,143 874 81	14 79 100 11	65. 4 69. 1 114. 4	54 342 810 944	5 22 79 135	64.3 97.5 143.0
Earnings of father, none.	167	30	179.6	160	26	162. 5	170	19	111.8	185	32	173.0
Number of mother's pregnancies: 1-3	159	30	188. 7	42 108 10	5 21	194. 4	5 102 63	11 8	107.8	24 64 97	6 13 13	
Earnings of father, not reported	222	31	139.6	120	7	58.3	162	17	104.9	175	29	165.7
Number of mother's pregnancies: 1-34-67-910 and over	198 24	27	136. 4	35 .85	3 - 4 -		12 116 34	1 12 4	103. 4	15 73 87	3 10 16	

¹ Not shown where base is less than 100.

101351°—23——23

Table 159.—Infant mortality rates, by interval between birth in 1915 and preceding birth; live births in 1915, second and later in order of birth, and live births preceding single births in 1915.

	Live birt	hs preceding this in 191	ing single	Live	births in	1915.	
Interval between 1915 birth and preceding birth,		Infant	deaths.		Infant deaths.		
preceding broat.	Total.	Num- ber.	Infant mor- tality rate.3	Total.	Num- ber.	Infant mor- tality rate.3	
Total	7,062	753	106.6	7,929	845	106. 6	
1 year 2 years 3 years 4 years and over Not reported	1,661 2,716 1,257 1,417 11	336 241 72 97 7	202. 3 88. 7 57. 3 68. 5	2,072 2,950 1,364 1,496 47	304 291 118 127 5	146. 7 98. 6 86. 5 84. 9	

¹ Includes miscarriages.

² These figures are approximate only, since if preceding birth resulted in plural live births only the one which lived the longer was included.

8 Not shown where base is less than 100.

Table 160.—Stillbirth rates, by interval between birth in 1915 and preceding birth; births in 1915, second and later in order of birth, and births preceding single births in 1915.

	Births 1 bir	preceding ths in 191	g single 5.2	Bir	ths 1 in 19	15.
Interval between 1915 births and preceding birth. ¹			ths and criages.			ths and riages.
	Total.	Num- ber.	Per 1,000 issues. ³	Total.	Num- ber.	Per 1,000 issues. ³
Total	7,959	897	112.7	8,539	610	71. 4
1 year 2 years 3 years 4 years and over Not reported	2,101 2,953 1,348 1,509 48	440 237 91 92 37	209. 4 80. 3 67. 5 61. 0	2, 268 3, 152 1, 443 1, 624 52	196 202 79 128 5	86. 4 64. 1 54. 7 78. 8

¹ Includes miscarriages.

² These figures are approximate only, since if preceding issue resulted in pluralissues, only the one resulting in a live birth or, if none resulted in a live birth, that one having the longer period of gestation was

8 Not shown where base is less than 100.

Table 161.—Mother reported pregnant within first year after birth, by age of infant when the pregnancy began, by color and nationality of mother; live births in 1915 to mothers reported pregnant within year after the birth in 1915 and infant deaths subsequent to commencement of pregnancy.

		Tota	al.	1	preg	er ne			ther orted	1	fi	ther ed n	ont	h in	l pre first	gnan year	t in a	speci- birth
Color and nationality of mother.						ear.		1 year.			Fir	st. Second.		Third.		Fourth.		
	Live	births.	Infant deaths.	,	births.	Infant	dearns.	Live births.	Infant	deaths.	births.	deaths.	Live births.	Infant deaths.	Live births.	Infant deaths.	Live births.	Infant deaths.
Total	10,7	797	1,11	7 9	, 234	71	1	1, 563	4	06	7	6	16	10	64	29	127	54
White	9,4	192	91	0 8	, 192	58	3	1,300	3	27	4	3	13	9	51	21	106	44
Native Foreign	6, 7		64 26		, 899 , 293	42		840 460		20	1 3	1 2	10 3	6 3	38 13	14 7	74 32	30 14
Jewish Polish Italian All other	4	961 325 112 755	10: 30: 7'	2	871 481 294 647	1	3 1 9 4	90 144 118 108	1	16 . 51 . 17 .	3	2	1 2	1 2	2 6 2 3	1 4 1 1	6 11 9 6	2 5 3 4
Colored	1,3	05	1, 20	7 1	,042	12	8	263	1	79	3	3	3	1	13	8	21	10
Color and nationality of mother.		other		th.	Seen	ev- th.		speci		mor		n fir	1	ear a	T.	birth velftl	no	fant.
	Live births.	Infant deaths.	Live births.	Infant deaths.	Live births.	Infant deaths.	Live births.	Infant deaths.	Live births.	Infant deaths.	Live	Infant	Live	Infant	Live Live	Infant	Live births.	Infant deaths.
Total	205	63	186	44	221	59	174	34	161	24	136	28	112	2 24	1 76	3 13	78	18
	174	49	144	33	182	52	140	27	136	17	121	25	96	22	2 67	11	66	14
White	TIT			-		00	83	17	87	12	79	19	53	17	42	-		
White Native Foreign	116 58	30 19	92 52	17 16	122 60	38 14	57	10	49	5	42	6	43					9 5
Native	116													1 1	3 24	1	24 5 4 7	

Table 162.—Infant deaths, by age at death, relation of infant death to mother's pregnancy after the birth, and color and nativity of mother; live births in 1915 to mothers pregnant within year after birth.

Died in a previous month.	Died in the same	Died in a	
	month.	succeed- ing month.	Month of preg- nancy not reported.1
300	27	74	5
178 19 24 23 19 16 7 5 6 2	3 3 4 3 2 2 5 1	2 1 4 10 7 7 7 9 11 12	1 1 1 1 2 2
160			4
93			
13 14 12 7 5 3 4 1 1	2 2 1 2 1 2 1 2 3 1	1 2 5 4 4 6 6 6 7	2
75	9	22	
47 77 8 1 3 6 1 1	1 1 2 1 1 2	1 1 3 1 2 2 2 4 6 6	
65	3	11	
38 5 3 8 4 4 3 1 1 2	i i	1 2 2 2 1 1 1	
	199 24 23 19 16 7 5 6 2 1 160 93 77 13 14 12 75 3 4 1 1 1 1	19	19

 $^{^1}$ Of the 18 infant deaths for which the month in which the mother became pregnant was not reported, 11 which occurred in the first month and 2 in the second have been classified in this table as "died in a previous month."

Table 163.—Monthly death rates, by month of life and by pregnancy of mother during infant's first year of life; live births in 1915.

	Infants born in 1915.1								
		Total.		Mother pregnant during infant's lifetime.					
	Surviving at begin-	Deathsin	n month.	Surviving at begin-					
	ning of month.	Number.	Per 1,000.	ning of month.2	Number.8	Per 1,000.			
First. Second. Third Fourth. Fifth. Sixth Seventh. Eighth. Ninth. Tenth. Eleventh. Tenth.	10, 192 10, 130 10, 059 9, 983 9, 927 9, 871 9, 820	208 65 63 62 71 76 56 56 51 49 45 45	19. 8 6. 3 6. 1 7. 0 7. 6 5. 6 5. 6 5. 2 5. 0 4. 6 4. 7	12 51 139 298 445 608 746 879 980 1,057 1,108	3 1 4 10 7 6 9 11 12 11	58.8 7.2 13.4 22.2 11.8 8.6 10.2 11.2 11.4			

pregnant.

8 Includes only deaths among infants shown in preceding column.

Table 164.—Computed infant mortality rates, by mother's pregnancy during infant's lifetime; infants born in 1915.

			Computed n per 1,000 i	nortality rate
		Period.	All mothers.	Mothers preg nant during infant's life- time.
Second to twe	lfth month		60.4	154.5

Table 165.—Prevalence of interval under two years between births, by order of birth; single live births in 1915, second and later in order of birth, and all live births, all pregnancies.²

Order of birth.	Single	ive births	in 1915.		Alllive births, all pregnancies.1				
	Total.		under 2 ince pre- birth.1	Number of preg- nancies.	Total.	Average interval under 2 years be- tween pregnancies.			
		Number.	Per cent.			Number.	Percent.		
Second Third Fourth Fifth. Sixth. Seventh Eighth Ninth Tenth to fourteenth Fifteenth or later.	2,372 1,435 1,095 795 596 426 329 235 393 31	703 381 242 174 137 114 81 64 113	29. 6 26. 6 22. 1 21. 9 23. 0 26. 8 24. 6 27. 2 28. 8 54. 8	2 3 4 5 6 7 8 9 10–14 8 15	4,658 4,237 4,218 3,832 3,453 2,899 2,383 2,052 3,861 303	3,378 2,680 1,908 1,670 1,601 1,425 899 947 2,440 303	72. 5 63. 3 45. 2 43. 6 46. 4 49. 2 37. 7 46. 2 63. 2 100. 0		

8 Or more.

Excludes 269 infants who died immediately after birth, not fed.
 Includes infants surviving at the beginning of each month, whose mothers had previously become

¹ Includes miscarriages.
² Omits live births to mothers reporting but a single pregnancy.

Table 166.—Interval between births, by age of mother; single live births in 1915, second and later in order of birth.

	Single live births (second and later in order of birth 1) to mothers of specified ages.										
Interval since pre- ceding birth,1	Total.		Und	er 20.	20-	24.	25-29.				
	Live births.	Per cent distri- bution.	Live births.	Per cent distri- bution.	Live births.	Per cent distri- bution.	Live births.	Per cent distri- bution.			
Total	7,707	100.0	238	100.0	1,849.	100.0	2,385	100.0			
year 2 years 3 years 4 years and over Not reported	2,026 2,867 1,316 1,451 47	26. 3 37. 2 17. 1 18. 8 . 6	142 84 12	59. 7 35. 3 5. 0	703 778 249 114 5	38. 0 42. 1 13. 5 6. 2 . 3	592 941 410 432 10	24. 8 39. 5 17. 2 18. 1			

Single live births	(second and later in order of births 1) to mothers of
	specified ages.

234										
Interval since preceding birth.	30-	-34.	35-	-39.	40 and	Not				
	Live births.	Per cent distri- bution.	Live births.	Per cent distri- bution.	Live births.	Per cent distri- bution.	romouted			
Total	1,728	100.0	1,111	100.0	392	100.0	4			
1 year	356 578 341	20. 6 33. 4 19. 7	187 378 222	16. 8 34. 0 20. 0	45 108 81	11.5 27.6 20.7	1			
4 years and over Not reported	438 15	25.3	313 11	28. 2 1. 0	154 4	39. 2 1. 0	2			

¹ Includes miscarriages.

Table 167.—Infant mortality rates from specified causes and stillbirth rates, by order of birth ¹ and interval since preceding birth; ¹ single births in 1915, second and later in order of birth. ¹

2 1	Single births in 1915 second and later in order of birth.										
7 3/10		Stillbirths.			Infant deaths.						
Interval since preceding birth and order of birth.	Total births.		Per 1,000 births.2	Live		Infant mor- tality rate.2	Early infancy.		All other causes.		
		Num- ber.		births.	Total.		Num- ber.	Infant mor- tality rate.2	Num- ber.	Infant mor- tality rate.2	
Total	7,959	252	31.7	7,707	764	99. 1	253	32.8	511	66. 3	
Second and third births	3,910	103	26. 3	3, 807	334	87.7	137	36.0	197	51.7	
1 year	1, 118 1, 410 572 802 8	34 29 13 27	30. 4 20. 5 22. 7 33. 7	1, 084 1, 381 559 775 8	129 106 40 59	119. 0 76. 8 71. 6 76. 1	49 41 17 30	45. 2 29. 7 30. 4 38. 7	80 65 23 29	73. 8 47. 1 41. 1 37. 4	
Fourth to sixth births	2,570	84	32.7	2, 486	241	96.9	62	24.9	179	72.0	
1 year. 2 years 3 years 4 years and over. Interval not reported	578 972 513 489 18	25 30 9 20	43. 3 30. 9 17. 5 40. 9	553 942 504 469 18	82 85 35 36 3	148. 3 90. 2 69. 4 76. 8	18 19 9 13 3	32. 5 20. 2 17. 9 27. 7	64 66 26 23	115. 7 70. 1 51. 6 49. 0	
Seventh and later births	1,479	65	43.9	1,414	189	133.7	54	38. 2	135	95. 8	
1 year. 2 years 3 years 4 years and over. Interval not reported	405 571 263 218 22	16 27 10 11 1	39. 5 47. 3 38. 0 50. 5	389 544 253 207 21	68 62 35 22 2	174. 8 114. 0 138. 3 106. 3	14 22 10 8	36. 0 40. 4 39. 5 38. 6	54 40 25 14 2	138. 8 73. 8 98. 8 67. 7	

¹ Includes miscarriages.

² Not shown where base is less than 100.

Table 168.—Infant mortality rates from specified causes and stillbirth rates, by age of mother and interval since preceding birth; single births in 1915, second and later in order of birth.

		Sin	gle births	in 1915	second	and lat	er in o	rder of bi	rth.1	
		Still	births.			Infa	ant des	aths.		
Age of mother and interval since preceding birth.	Total births.		Don		Т	otal.		Carly Cancy.		other uses.
		Num- ber.	Per 1,000 births. ²	Live births.	Num- ber.	Infant mor- tality rate.2	Number.	Infant mor- tality rate.2	Num- ber.	Infant mor- tality rate.2
Interval 1 year	2, 101	75	35.7	2,026	279	137.7	81	40.0	198	97.
Under 20. 20-24. 25-29. 30-34. 35 and over. 35-39. 40 and over. Not reported.	152 721 612 369 246 199 47	10 18 20 13 14 12 2	65. 8 25. 0 32. 7 35. 2 56. 9 60. 3	142 703 592 356 232 187 45	24 87 81 45 42 37 5	169. 0 123. 8 136. 8 126. 4 181. 0 197. 9	10 27 26 8 10 9 1	70. 4 38. 4 43. 9 22. 5 43. 1 48. 1	14 60 55 37 32 28 4	98. 6 85. 92. 103. 137. 149.
Interval 2 years	2,953	. 86	29.1	2,867	253	88. 3	82	28.6	171	59.
Under 20. 20-24. 25-29. 30-34. 35 and over. 35-39. 40 and over.	86 794 967 602 504 390 114	2 16 26 24 18 12 6	20. 2 26. 9 39. 9 35. 7 30. 8 52. 6	84 778 941 578 486 378 108	11 72 66 42 62 44 18	92. 5 71. 2 72. 7 127. 6 116. 4 166. 7	3 23 22 17 17 17 14 3	29.6 23.4 29.4 35.0 37.0 27.8	8 49 44 25 45 30 15	63. 46. 43. 92. 79.
Interval 3 years	1,348	32	23.7	1,316	110	83.6	36	27.4	74	56.
Under 20. 20-24. 25-29. 30-34. 35 and over. 35-39. 40 and over. Not reported.	12 254 420 345 316 230 86 1	5 10 4 13 8 5	19.7 23.8 11.6 41.1 34.8	12 249 410 341 303 222 81 1	3 22 25 26 34 23 11	88. 4 61. 0 76. 2 112. 2 103. 6	9 9 7 11 7 4	36. 1 22. 0 20. 5 36. 3 31. 5	3 13 16 19 23 16 7	52. 2 39. 0 55. 75. 9 72. 1
Interval 4 years and over	1,509	58	38.4	1,451	117	80.6	51	35.1	66	45. 8
20-24. 25-29. 30-34. 35 and over. 35-39. 40 and over.	118 447 451 493 330 163	4 15 13 26 17 9	33. 9 33. 6 28. 8 52. 7 51. 5 55. 2	114 432 438 467 313 154	9 29 40 39 28 11	78. 9 67. 1 91. 3 83. 5 89. 5 71. 4	2 17 13 19 13 6	17. 5 39. 4 29. 7 38. 5 41. 5 39. 0	7 12 27 20 15 5	61. 4 27. 8 61. 6 42. 8 47. 9 32. 8
Interval not reported	48	1		47	5		3		2	
20-24. 25-29. 30-34. 35 and over	5 10 16 15 11	i		5 10 15 15 11	1 2 1 1		1		1 1 1 1	
40 and over Not reported	4 2			4 2	····i		····i			

¹ Includes miscarriages. ² Not shown where base is less than 100.

Table 169.—Infant mortality rates from specified causes, by age of mother, order of birth, and interval since preceding birth; single live births in 1915, second and later in order of birth.

	Single	birth	s (seco	nd an	d late	r in or speci	der of fied in	birth ¹ terval.) follow	wing I	recedin	g birt	h¹ by	
	Ti dire		ı year.				2 years and over.					Interval not reported.		
Age of mother and order of	Infant deaths		s.		1	Infant	deaths				fant aths.			
birth.1	Live		rly ncy.		other ises.	Live		rly ney.		other ises.	Live births.			
	births.	Num- ber.	Infant mor- tality rate.2	Num- ber.	Infant mor- tality rate.2	births.	Num- ber.	In- fant mor- tality rate.	Num- ber.	Infant mor- tality rate.2		Early in- fancy.	All other causes	
Second and third births 1	1,084	49	45. 2	80	73.8	2,715	88	32.4	117	43.1	8			
Under 20	137 554 292 83 18	10 22 13 3 1	73.0 39.7 44.5	12 46 17 4 1	87.6 83.0 58.2	95 972 1,042 429 177	3 28 31 16 10	28.8 29.8 37.3 56.5	11 53 27 17 9	54. 5 25. 9 39. 6 50. 8	3 4 1			
Fourth to sixth births 1	553	18	32.5	64	115.7	1,915	41	21.4	115	60.1	18	3		
Under 20	5 144 225 137 41 1	4 8 2 4	27. 8 35. 6 14. 6	2 13 27 18 4	90. 3 120. 0 131. 4	1 168 674 661 410 1	6 13 11 11	35. 7 19. 3 16. 6 26. 8	15 38 39 23	89. 3 56. 4 59. 0 56. 1	2 6 8 1 1	i i i		
Seventh to ninth births 1	259	11	42.5	34	131.3	719	21	29. 2	52	72.3	12		2	
20-24 25-29 30-34 35 and over	5 71 106 77	1 5 2 3	(2) 18.9 (2)	1 11 9 13	84.9	1 66 232 420	4 7 10	30. 2 23. 8	1 7 14 30	60.3	4 7 1]	
Tenthandlater births 1	130	3	23.1	20	153.8	285	19	66.7	27	94.7	9			
25–29 30–34 35 and over	4 30 96	0 1 2		6 14		1 35 249	3 16	64.3	1 26	104.4	2 7			

¹ Includes miscarriages.
² Not shown where base is less than 100.

Table 170.—Prevalence of plural births, by color and nativity of mother; births in 1915 and births, all pregnancies.

	В	irths in 191	5.1	Births, all pregnancies.1			
Color and nativity of mother.	m-+-1	Plural.		m + 1	Plural.		
	Total.	Number.	Per cent.	Total.	Number.	Per cent.	
Total	11,613	296	2.5	38,630	830	2, 1	
Native white Foreign-born white Colored	7, 210 2, 894 1, 509	183 74 39	2. 5 2. 6 2. 6	21, 752 11, 632 5, 246	465 250 115	2. 1 2. 1 2. 2	

¹ Includes miscarriages.

Table 171.—Infant mortality, stillbirth, and miscarriage rates, by color and nativity of mother; single and plural births ¹ in 1915.

			Births	in 1915.1		
Color and nativity of mother.	Miscarri 100 bi	ages per irths. ¹	Stillbirth	ns per 100 ths.	Infant rate (live bir	mortality per 1,000 ths).
Lacing of the same	Single.	Plural.	Single.	Plural.	Single.	Plural.
Total	3.6	5. 4	3, 5	7.1	97.1	361. 5
White Native. Foreign born. Colored	3. 2 3. 8 1. 9 5. 7	4.7 4.9 4.1 10.3	2. 8 2. 8 2. 8 7. 9	5. 3 4. 0 8. 5 20. 0	90. 1 89. 0 92. 6 148. 0	327, 6 365, 3 230, 8 642, 9

¹ Includes miscarriages.

Table 172.—Infant mortality, stillbirth, and miscarriage rates, by color and nativity of mother; single and plural births, all pregnancies.

	Births, all pregnancies. ¹								
Color and nativity of mother.	Miscarri 100 b	ages per irths.	Stillbirth	as per 100 chs.	Infant rate (live bir	mortality per 1,000 ths).			
	Single.	Plural.	Single.	Plural.	Single.	Plural.			
Total	6.6	10.6	3, 3	7.3	113. 5	407.0			
White Native Foreign born. Colored	6. 1 6. 8 4. 9 9. 7	10. 3 11. 0 9. 2 12. 2	2.7 2.7 2.7 6.9	6. 4 5. 8 7. 5 12. 9	106. 5 105. 3 108. 6 162. 4	383. 3 389. 7 371. 4 568. 2			

¹ Includes miscarriages.

Table 173.—Infant mortality, stillbirth, and miscarriage rates, by character of plural birth; plural births in 1915 and all pregnancies.

	Plural births.1											
	Miscarriages		rriages.	ages.		Stillbirths.		Infant deaths.				
Character of plural births.	Total births.1	Num- ber.	Per cent.2	Births.	Num- ber.	Per cent.2	Live births.	Num- ber.	Infant mor- tality rate.2			
Plural births in 1915	296	16	5.4	280	20	7.1	260	94	361. 5			
Twin. Triplet. Plural births, all pregnancies.	281 15 830	³ 15 1 88	5. 3	266 14 742	18 2 54	6.8	248 12 688	86 8 280	346. 8			
TwinTriplet	806 24	83 5	10.3	723 19	52 2	7.2	671 17	270 10	402. 4			

Includes miscarriages.
 Not shown where base is less than 100.
 One twin (miscarriage) was born in 1914 prior to schedule year.

Table 174.—Prevalence of plural births, by age of mother; births in 1915 and births, all pregnancies.

Mark	В	irths in 191	15.	Births, all pregnancies.			
Age of mother.	Total.	Plu	ral		Plural.		
A . 1986	Total.	Number.	Per cent.	Total.	Number.	Per cent.	
Total	11,195	280	2.5	36,047	742	2.1	
Under 20. 20-24. 25-29. 30-34. 35-39. 40 and over. Not reported.	995 3,382 3,087 2,029 1,259 439 4	11 64 80 62 45 18	1.1 1.9 2.6 3.1 3.6 4.1	4,276 12,976 10,160 5,634 2,368 560 73	41 193 228 158 98 24	1. (1. § 2. § 2. § 4.] 4. §	

Table 175.—Prevalence of plural births, by order of birth; births in 1915 and births, all pregnancies.

	В	irths in 191	15.	Births, all pregnancies.			
Order of birth,1		Plu	ral	m . 1	Plu	ral.	
	Total.	Number.	Per cent.	Total.	Number.	Per cent.	
First. Second and third. Fourth to sixth. Seventh and later.	2, 999 3, 996 2, 667 1, 533	43 86 97 54	1.4 2.2 3.6 3.5	10,754 12,977 8,496 3,820	140 211 263 128	1. 3 1. 6 3. 1 3. 4	

1 "Order of birth" means order of issue for births in 1915 and order of pregnancy births, all pregnancies.

Table 176.—Prevalence of plural births, by age of mother and order of birth; births in 1915.

					Bi	irths o	of speci	fied or	der o	f birth.	1					
Age of mother.	First. Second a					third.	Four	Fourth to sixth.			Seventh to ninth.			Tenth and later.		
	Total	Plu		Total	Plu		Total	Plu		Total	Plu		Total	Plu		
	births		Per ct.2	births		Per ct.2	births		Per ct.2	births	Num- ber.	Per ct.2	births		Per ct.2	
Total	2,999	43	1.4	3,996	86	2, 2	2,667	97	3.6	1,058	26	2. 5	475	28	5. 9	
Under 20 20–24 25–29 30–34 35–39 40 and over Not reported	741 1, 449 561 187 54 7	7 23 10 3	.9 1.6 1.8 1.6	246 1,588 1,409 546 176 31	2 27 38 19	.8 1.7 2.7 3.5	8 337 966 853 408 92 3	2 12 30 24 29	3. 6 3. 1 2. 8 7. 1	8 144 363 412 130	2 2 8 8 8 6	(1) 1.4 2.2 1.9 4.6	7 80 209 179	8 8 8 12	10. 0 3. 8 6. 7	

Table 177.—Prevalence of plural births, by occurrence of previous plural births; all pregnancies.

			Pregnancie	s.
	Occurrence of previous plural birth.	Total.	Resultin	g in plural th.1
	ran, Sharana and sall-langually	hink ropi	Number.	Per cent.
Total Subsequ	ent to plural births ¹	38, 211 734	411 27	1.1

¹ Includes miscarriages.

Table 178.—Prevalence of prematurity, by single and plural births; births in 1915.

Single and plural births.	Total	Premature births.		
Single and plurar births.	births.	Number.	Per cent.	
All births: Single Plural Live births:	10, 915 280	690 65	6.3 23.2	
SinglePlural	10, 537 260	534 57	5. 1 21. 9	

¹ Includes miscarriages. ² Not shown where base is less than 50.

Table 179.—Infant mortality rates, by single and plural births and prematurity; births in 1915.

Single and plural live births.	Infant mor	rtality rate.
	Full term.	Premature.
Single. Plural	73. 9 266. 0	528.1 1 701.8

¹ Based on 57 live births.

Table 180.—Type of feeding, by month of life; infants born of plural births in 1915.

		Infant survivors having specified type of feeding.									
Month of life.	Total twins and triplets.	Breast	feeding.	Mixed	feeding.	Artificial feeding.					
		Number.	Per cent.	Number.	Per cent.	Number.	Per cent.				
First	1 237	133	56.1	29	12.2	75	31.6				
Second	218	102	46.8	38	17.4	78	35.8				
Third Fourth	211 203	66 48	31.3 23.6	48 52	22.7 25.6	97 103	46. 0 50. 7				
FourthFifth	194	43	22. 2	50	25. 8	103	52.1				
Sixth	189	38	20. 1	48	25.4	103	54.5				
Seventh	187	36	19.3	41	21.9	110	58.8				
Eighth	184	27	14.7	46	25.0	111	60.3				
Ninth	172	23	13.4	44	25.6	105	61.0				
Tenth	168	17	10.1	46	27.4	105	62.5				

¹ Excludes 23 infants who died immediately after birth, not fed.

Table 181.—Infant mortality and stillbirth rates, by period of gestation; births 1 in 1915.

		Miscarriages and stillbirths.			Infant deaths.					
Period of gestation.	Total births.1			Live births.	Total.					
	on this.	Num- ber.	Per cent of issues.2	on this.	Num- ber.	Infant mortal- ity rate.	Under 1 month.	under 3	months and over.	
Total	11,613	816	7.0	10,797	1,117	103. 5	477	128	512	
Full termPremature	10, 430 1, 173	234 582	2. 2 49. 6	10, 196 591	792 322	77.7 544.8	207 268	108 19	477 35	
Under 7 months	507 664 2	418 164	82. 4 24. 7	89 500 2	86 234 2	468. 0	85 181 2	19	1 34	
Not reported	10			10	3		2	1		

¹ Includes miscarriages.

² Not shown where base is less than 100.

Table 182.—Infant mortality rates, by period of gestation and color and nativity of mother; live births in 1915.

	Full-t	erm live b	irths.	Premature live births.			
Color and nativity of mother.		Infant deaths.			Infant deaths.		
	Total.	Num- ber.	Infant mor- tality rate.1	Total.	Num- ber.	Infant mor- tality rate.1	
Total	10, 196	792	77. 7	591	322	544. 8	
Native white Foreign-born white Colored.	6,322 2,654 1,220	432 209 151	68. 3 78. 7 123. 8	415 97 79	213 55 54	513. 3	

¹ Not shown where base is less than 100.

Table 183.—Infant mortality and stillbirth rates, by sex of infant and color and nativity of mother; births ¹ in 1915.

		Miscan	rriages.		Stillb	oirths.		13	Infant
Sex of infant and color and nativity of mother.	Total births.1	Num- ber.	Per 1,000 births. ²	Births.	Num- ber.	Per 1,000 births. ²	Live births.	Infant deaths.	mor- tality rate.
All mothers	11,613	418	36.0	11,195	398	35. 6	10,797	1,117	103. 5
Male Female Not reported	5,922 5,559 132	199 88 131	33. 6 15. 8 992. 4	5,723 5,471 1	215 182 1	37. 6 33. 3	5, 508 5, 289	634 483	115. 1 91. 3
White mothers	10, 104	330	32.7	9,774	282	28.9	9, 492	910	95. 9
Male Female Not reported	5, 177 4, 802 125	144 62 124	27. 8 12. 9 992. 0	5,033 4,740 1	155 126 1	30. 8 26. 6	4,878 4,614	526 384	107. 8 83. 2
Native	7,210	273	37. 9	6,937	198	28. 5	6, 739	646	95. 9
Male Female Not reported	3,695 3,408 107	116 51 106	31. 4 15. 0 990. 7	3,579 3,357 1	110 87 1	30. 7 25. 9	3,469 3,270	377 269	108. 7 82. 3
Foreign born	2,894	57	19.7	2,837	84	29.6	2,753	264	95. 9
Male Female Not reported	1,482 1,394 18	28 11 18	18. 9 7. 9	1,454 1,383	45 39	30. 9 28. 2	1,409 1,344	149 115	105. 7 85. 6
Colored mothers	1,509	88	58. 3	1,421	116	81.6	1,305	207	158.6
Male Female Not reported	745 757 7	55 26 7	73. 8 34. 3	690 731	60 56	87. 0 76. 6	630 675	108 99	171. 4 146. 7

¹ Includes miscarriages.

² Not shown where base is less than 100.

Table 184.—Masculinity, by color and nationality of mother; births 1 in 1915.

		Total	births.1		I	ive birth	ns.
Color and nationality of mother.	Male.	Female.	Mascu- linity.2	Sex not re- ported.	Male.	Female.	Mascu- linity.2
Total	5, 922	5, 559	1,065.3	132	5, 508	5, 289	1,041.4
White	5, 177	4,802	1,078.1	125	4,878	4,614	1,057.2
Native. Foreign born.	3,695 1,482	3, 408 1, 394	1, 084. 2 1, 063. 1	107 18	3, 469 1, 409	3, 270 1, 344	1,060.9
Jewish	507 337 236 173	497 312 200 158	1,020.1 1080.1 1180.0 1094.9	·7 6 4	481 322 221 167	480 303 191 151	1,002.1 1062.7 1157.1 1106.0
Canadian ³ . Bohemian Lithuanian All other ⁴ .	69 54 55 51	69 58 49 51		i	66 51 53 48	66 56 47 50	
Colored	745	757	984. 1	7	630	675	933. 3
*		Stillt	oirths.		М	iscarriag	es.
Color and nationality of mother.	Male.	Fe-male.	Mascu- linity.2	Sex not re- ported.	Male.	Fe- male.	Sex not re- ported.
					199	00	131
Total	215	182	1, 181. 3	1	199	88	101
Total White	215 155	182	1, 181. 3 1, 230. 2	1	144	62	124
White	155	126	1, 230. 2	1	144	62	106 18
White Native Foreign born Jewish Polish Italian	155 110 45 17 12 6	126 87 39 13 6 8	1, 230. 2	1	144 116 28 9 3 9	62 51 11 4 3 1	124

Includes miscarriages.
 Number of male births per 1,000 female births among those for whom sex is reported; not shown where base is less than 100.
 Includes 101 Irish, 19 English, 8 Scotch, and 10 English-Canadian.
 Includes 24 Russian, 19 Greek, 13 Magyar, 8 Norwegian, 6 Serbian, 5 French, 5 Slovak, 4 Rumanian 4 Ruthenian, 3 French-Canadian, 3 Dutch, 2 Slavic (n. o. s.), 2 Spanish, 2 Swedish, 1 Danish, and 1 Arabian.

Table 185.—Miscarriages, stillbirths, and infant deaths, by interval between confinement and death of mother and by period of gestation; births ¹ in 1915 to mothers who died within year following confinement.

	Births	¹ in 1915	to moth	ers who	died wi nent.	thin yea	ar followi	ng con-
Interval between confinement and death of mother and period of ges-						Infant deaths.		
tation.	Total births.1	Miscar- riages.	Births.	Still- births.	Live births.	Total.	Gastric and in- testi- naldis- eases.	Early infan-cy.
All mothers who died year after confinement	106	13	93	21	72	35	7	18
Period: Full term Premature Under 7 months 7 months and over.	69 37 16 21	13 13	69 24 3 21	14 7 7	55 17 3 14	19 16 3 13	7	3 15 3 12
Mothers who died in month following confinement	47	. 8	39	17	22	15	2	10
Period: Full term Premature Under 7 months. 7 months and over.	24 23 9 14	8 8 8	24 15 1 14	13 4	11 11 1 10	5 10 1 9	2	10 1 1 9
Mothers who died in year but after first month following confinement	59	5	54	4	50	20	5	8
Period: Full term Premature Under 7 months. 7 months and over	45 14 7 7	5 5	45 9 2 7	1 3 3	44 6 2 4	14 6 2 4	5	3 5 2 3

¹ Includes miscarriages.

Table 186.—Death of mother, by period elapsing after confinement and cause of mother's death; births 1 in 1915 to mothers who died within year following confinement.

	Births 1 to mothers who died within year following confinement.									
Cause of mother's death.	Total.		Within 3	3 months.	3 months or after.					
	Number.	Per 1,000 births.1	Number.	Per 1,000 births.1	Number.	Per 1,000 births.1				
All causes	106	9. 1	62	5. 3	44	3.8				
Connected with childbirthAll other causes	50 56	4. 3 4. 8	44 18	3. 8 1. 5	6 38	3.				

¹ Includes miscarriages.

 $\begin{array}{l} \textbf{Table 187.--Stillbirths, miscarriages, and infant deaths, by color and nationality of mother;} \\ births ^1 in 1915 \ and \ births, ^1 all \ pregnancies. \end{array}$

	Bi	rths 1 in 19	15.	Births, all pregnancies.			
Color and nationality of mother.	Births.1	Still- births and mis- carriages.	Infant deaths.	Births.1	Still- births and mis- carriages.	Infant deaths.	
Total	11,613	816	1,117	38,630	3,786	4, 15	
Native white Jewish. Polish. Italian. All other foreign-born white Colored.	7,210 1,011 655 440 788 1,509	471 -50 30 28 33 204	646 49 102 36 77 207	21,752 3,870 2,858 1,883 3,021 5,246	2,056 309 177 182 220 842	2, 183 233 439 189 360 75	

¹ Includes miscarriages.

Table 188.—Stillbirth and miscarriage rates, by color and nationality of mother; births ¹ in 1915 and births, ¹ all pregnancies.

	Miscarria (per		Stillbirth rates (per 100).	
Color and nationality of mother.	Births ¹ in 1915.	Births,1 all preg- nancies.	Births 1 in 1915.	Births,¹ all preg- nancies.
Total	3.6	6.7	3.6	3.3
Native white. Jewish. Polish. Italian All other foreign-born white. Colored.	3.8 2.0 1.8 3.2 1.4 5.8	6. 9 5. 5 3. 8 6. 6 4. 3 9. 7	2.9 3.0 2.8 3.3 2.9 8.2	2.8 2.6 2.5 3.2 3.1 7.0

¹ Includes miscarriages.

Table 189.—Miscarriage rates, by earnings of father and color and nativity of mother; births ¹ in 1915 and births, ¹ all pregnancies.

	Miscarriage rate ² (per 100 births ¹).									
Earnings of father during year after 1915 birth.	Native mot	white hers.	Foreign white n		Colored mothers.					
1 1 2. 2 1	Births 1 in 1915.	Births,1 all preg- nancies.	Births ¹ in 1915.	Births,1 all preg- nancies.	Births 1 in 1915.	Births,1 all preg- nancies.				
Total	3.8	6.9	2, 0	5.0	5.8	9.7				
Under \$450. \$450-\$549. \$550-\$649. \$550-\$649. \$550-\$49. \$550-\$1,049. \$1,050-\$1,249. \$1,250 and over. \$1,250-\$1,449. \$1,450-\$1,349. \$1,850-\$2,249. \$2,250-\$2,349. \$2,250 and over. Not reported.	3.5 3.4 4.2 4.4 5.3 4.7 2.6 3.4	7. 3 6. 2 6. 1 7. 0 6. 7 6. 8 7. 9 8. 5 7. 7 6. 4 9. 5 7. 7	1.8 3.1 1.3 1.8 2.4 1.9 0.9 1.0	5. 4 5. 5 5. 3 4. 1 3. 6 4. 9 5. 4 3. 6 5. 7		10.6 10.2 7.4 10.8 8.4				

¹ Includes miscarriages.

² Not shown where base is less than 100.

Table 190.—Stillbirth and miscarriage rates, by employment of mother away from home and color and nativity; births, ¹ all pregnancies.

	Stillbirt	hs and mis	scarriage
Employment of mother away from home.	Native white mothers.	Foreign- born white mothers.	Colored mothers.
	Miscarriag	erates per	100 births.
Totai	6.9	5.0	9.7
Never employed away. Employed before marriage only Employed after marriage.	6. 9 6. 1 9. 6	5. 4 4. 9 4. 7	13. 1 6. 7 10. 3
	Stillbirth	ates (per 10	00 births).
Total	2.8	2.8	7.0
Never employed away. Employed before marriage only. Employed after marriage.	3. 1 2. 5 3. 4	2. 6 2. 6 3. 3	8.9 5.9 7.1

¹ Includes miscarriages.

Table 191.—Legitimacy of birth¹ and scheduling of illegitimate births,¹ by color of mother; total registered births¹ in 1915.

	Registered births 1 in 1915.											
Legitimacy of birth 1 and	White mothers.			Colored mothers.			Color of mothers not reported.					
scheduling of illegimate births.	Still- births and mis- carri- ages.	Live births.	Infant deaths.	Still- births and mis- carri- ages.	Live births.	Infant deaths.	Still- births and mis- carri- ages.	Live births.	Infant deaths.			
Total registered	755	11, 290	1,136	372	2, 183	414	32	4	1			
Legitimate. Illegitimate. Scheduled Not scheduled Legitimacy not reported.	709 46 29 17	10, 916 374 163 2 211	1,018 118 52 66	249 123 78 45	1,602 581 409 2 172	251 163 120 43	4	4	1			

 $^{^1}$ Includes miscarriages. 2 Includes 133 white live births and 123 colored live births whose condition at 1 year of age was unknown. 101351°-23-24

Table 192.—Employment of mother during pregnancy, by color of mother; scheduled legitimate and illegitimate births and total illegitimate births in 1915.

	Logitimo	te births1		Illegitimate births. ¹							
Employment of mother during pregnancy, and color.		luled).	Tot	tal.2	Scheduled.						
	Number.	Per cent distribu- tion.	Number.	Per cent distribu- tion.	Number.	Per cent distribu- tion.					
All mothers	11,613	100.0	1,124	100.0	679	100.0					
Not employed . Employed at home. Employed away from home. Employment not reported.	8,391 1,819 1,400 3	72. 3 15. 7 12. 1	122 57 716 229	10. 9 5. 1 63. 7 20. 4	119 43 499 18	17. 5 6. 3 73. 5 2. 7					
White mothers	10, 104	100.0	420	100.0	192	100.0					
Not employed . Employed at home. Employed away from home. Employment not reported.	7,934 1,445 723 2	78. 5 14. 3 7. 2	52 14 223 131	12. 4 3. 3 53. 1 31. 2	49 6 126 11	25. 5 3. 1 65. 6 5. 7					
Colored mothers	1,509	100.0	704	100.0	487	100.0					
Not employed . Employed at home. Employed away from home. Employment not reported.	677	30. 3 24. 8 44. 9 . 1	70 43 493 98	9. 9 6. 1 70. 0 13. 9	70 37 373 7	14. 4 7. 6 76. 6 1. 4					

Table 193.—Occupation of mother during pregnancy, by color of mother; illegitimate births in 1915.

		Ille	gitimate b	irths 1 in 19	915.		
Occupation of mother during pregnancy.	To	tal.	White n	nothers.	Colored mothers.		
	Number.	Per cent distribu- tion.	Number.	Per cent dsitribu- tion.	Number.	Per cent distribu- tion.	
Total	1,124	100.0	420	100.0	704	100.0	
Domestic. Factory operative. Textife and clothing. Cannery and food. Other factory and factory n. s. Laundress. Waitress, cook, or kitchen girl. Charwoman. Nursemaid. Stenographer or clerk Seamstress. Chambermaid. Saleswoman. Nurse. School-teacher. Telephone operator. All other 2. Not employed. Schoolgirl Other Other Not reported.	49 94 66 57 21 13 11 10 6 4 3 3 12 122 177 105	29. 4 12. 6 4. 6 3. 6 4. 4 5. 9 1. 1. 9 1. 2 1. 0 9 1. 2 1. 1 1. 1 1. 1 1. 1 1. 1 1. 1 1. 1	66 102 39 39 30 30 33 8 7 7 1 5 13 10 6 6 4 4 3 3 8 8 5 5 5 5 5 7 7 1 1 1 1 1 1 1 1 1 1 1 1 1	15.7 24.3 9.3 7.1 7.9 1.9 1.7 2.2 2.1 2.4 1.0 -7 1.9 1.2 1.2 1.2 1.2 1.2 1.2 1.3 1.3 1.3 1.3 1.3 1.4 1.9 1.9 1.9 1.9 1.9 1.9 1.9 1.9 1.9 1.9	265 40 13 11 16 86 59 56 16 1 9 4 70 12 58 98	37.6 5.7 1.8 1.6 2.3 1.2 2.2 8.4 4.8 0.2 3 1.1 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2	

¹ Includes miscarriages. ² Information about the mothers of the 445 issues for which no schedules were secured is based on the birth certificates.

¹ Includes miscarriages.
² Includes 1 each of the following: Chorus girl, companion, hair-dresser, demonstrator, peddler, florist's helper, proprietor of grocery store, farm worker, maid in hospital, maid in department store, lady's maid, and prostitute.

Table 194.—Occupation of mother during pregnancy, by occupation during year after birth; scheduled illegitimate births ¹ in 1915.

	Illeg	ritimate 1	births 1	to mothe	ers repo fter bir	rtings; thin 19	pecified of	ccupatio	n durin	ig year
Occupation of mother	071				1	Employ	ed.			
during pregnancy.	Total.	Not employed.	Total.	Domes-tic.	Fac- tory oper- ative.	Laun- dress.	Char-woman.	Wait- ress, cook, or kitchen girl.	All others.	Em- ploy- ment not re- port- ed.
All occupations	679	127	522	168	109	90	68	45	42	30
Domestic. Factory operative. Textile and clothing. Cannery and food. Other factory and fac-	190 115 44 38	16 19 5 6	167 96 39 32	128 5 1 3	9 81 36 25	10 3 1 1	7 4 2	6 1 1	7 21	7
tory n. s Laundress Charwoman. Waitress, cook, or kitchen	33 88 56	8 5 3	25 83 53	1 7 8	20 2 1	$\begin{smallmatrix}1\\62\\1\end{smallmatrix}$	2 8 42	3	1 1 1	
girl	42 51 119 14 105 18	2 12 70 10 60	40 34 47 3 44 2	12 12	1 2 13 1 1 12	1 2 10 1 9 1	3 1 3 3	29 5 5	2 25 4 1 3	5 2 1 1 16

¹ Includes miscarriages.

Table 195.—Occupation during pregnancy, by age of mother; illegitimate births 1 in 1915.

		Illegiti	mate births	¹ in 1915.	
Occupation of mother during pregnancy.			Age of 1	nother.	
	Total.	Under 16.	16-20	20 and over.	Not reported.
All occupations	1,124	55	454	610	- E
Domestic. Factory operative Textile and clothing Cannery and food Other factory and factory n. s. Laundress. Waitress, cook, or kitchen girl Charwoman Nursemaid Stenographer or clerk Seamstress. Chambermaid Saleswoman Nurse School-teacher Telephone operator All other ² Not employed Schoolgirl Other. Not reported	331 142 522 411 499 94 666 577 211 113 110 6 6 4 4 3 3 3 12 122 22 17 105 229	22 2 2 6 16	152 65 24 17 24 23 22 13 13 4 5 22	165 76 27 24 25 69 69 43 42 6 6 6 9 7 7 7 3 5 6 9	1

¹ Includes miscarriages.

2 Includes 1 of each of the following: Chorus girl, companion, hair-dresser, demonstrator, peddler, florist's helper, proprietor of grocery store, farm worker, maid in hospital, maid in department store, lady's maid, and prostitute.

Table 196.—Age of mother, by color; illegitimate births 1 in 1915.

		Ille	gitimate b	irths 1 in 1	915.	
Age of mother.	To	tal.	Whiter	nothers.	Colored mothers.	
	Number.	Per cent distribution.	Number.	Per cent distribu- tion.	Number.	Per cent distribution.
Total	1,124	100.0	420	100.0	704	100,0
Under 20 Under 16 2 16-17 18-19. 20-24 25-29 30-34 35-39 40 and over Not reported	274 373 114 62	45.3 4.9 16.0 24.4 33.2 10.1 5.5 4.0 1.4	149 10 44 95 185 48 17 13 6	35.5 2.4 10.5 22.6 44.0 11.4 4.0 3.1 1.4	360 45 136 179 188 66 45 32 10	51.1 6.4 19.3 25.4 26.7 9.4 4.5 1.4

¹ Includes miscarriages.

Table 197.—Marital condition at confinement and one year later, by color of mother; scheduled illegitimate births ¹ in 1915.

				Sc	hedule	d ille	gitima	te bir	ths 1 ir	1915.				
	Tot	al.		Marit	al cond	lition	of mot	ther a	t 1 yea	r afte	r confi	neme	nt.	
Marital condition at	W. Carlot		1				Mari	ried.		H	1017			
confinement and color of mother.	confinement and color of mother. Num- Num- ber. tri- bu- tion.				To father of child.		To another.		re- d to om ied.	Mother died.		Not reported.		
		61011.	Num- ber.	Per ct.2	Num- ber.	Per ct.2	Num- ber.	Per ct.2	Num- ber.	Per ct.2	Num- ber.	Per ct.2	Num- ber.	Per ct.
White mothers	192	100.0	142	74.0	19	9.9	12	6, 3	1	0.5	3	1.6	15	7. 8
Single	149	77.6	117	78.5	16	10.7	9	6.0			1	.7	6	4.0
Widowed, divorced, or separated Married Not reported	29 7 7	15. 1 3. 6 3. 6	20 5		3		3		····i		1 1		2 7	
Colored mothers	487	100.0	406	83.4	37	7.6	16	3.3	1	.2	11	2.3	16	3. 3
Single	426	87.5	351	82.4	37	8.7	16	3.8			10	2.3	12	2.8
Widowed, divorced, or separated Married Not reported	52 5 4	1.0							1		1		4	

¹ Includes miscarriages.

² Sixteen years is the age of consent in Maryland.

² Not shown where base is less than 100.

Table 198.—Order of birth, by color of mother; total and scheduled illegitimate births in 1915.

	Illeg	itimate bi	rths 1 in 19	15.
Order of birth ¹ and color of mother.	To	tal.	Scheo	luled.
	Number.	Per cent distri- bution.	Number.	Per cent distri- bution.
White mothers	420	100.0	192	100.0
First Second. Third. Fourth to sixth. Seventh or later. Not reported.	13 10	82. 1 10. 0 3. 1 2. 4 2. 1	140 26 11 7 8	72. 9 13. 5 5. 7 3. 6 4. 2
Colored mothers	704	100.0	487	100, 0
First Second. Third. Fourth to sixth. Seventh or later. Not reported.	61 43	57. 8 19. 7 7. 1 8. 7 6. 1 . 6	268 95 41 45 38	55. 0 19. 5 8. 4 9. 2 7. 8

¹ Includes miscarriages.

Table 199.—Order of birth, by color of mother and legitimacy; scheduled illegitimates births in 1915, and previous births to mothers of scheduled illegitimate births in 1915.

	Sched-	Previ	ious births illegitim	to mother	ers of sched in 1915.	uled
Order cf birth 1 and color of mother.	uled illegiti- mate births in 1915.	Total.	All previous births 1 illegitimate.	All previous births 1 legitimate.	Previous births 1 divided as to legiti- macy.	Legiti- macy not reported
All mothers	679	792	399	131	189	
First	408					
second	121	121	106	11		
Phird	52	104	82	12	8	
Fourth	17	51	30	12	6	
Cifth	20	80	36	16	24	
ixth	15	75	45	15	15	
eventh	14	84	54	12	18	
lighth	11	77	14	28	28	
inth	9	72		16	40	
enth	. 5	45	9	9	18	
leventh	2	20			20	
welfth	1	11	11			
hirteenth	1 2	24	12		12	
ourteenth	ĩ	13	-			00000000
	î	15				
Sixteenth		10				100
White mothers	192	142	33	33	51	
First	140					
econd	26	26	16	9		
hird	11	22	14	4	2	
Fourth		9	3	6		
Fifth	3 3	12		8	4	
ixth	1	5			5	
seventh	2	12		6	6	
Gighth	2 2	14			14	
Vinth	1	8			8	
inth	1	9				
Penth Phirteenth	1	12			12	22220
hirteenth	1	13			1	
	487	650	366	98	138	
Colored mothers	401	000	500	90	100	
rirst	268					
Second	95	95	90	2		
Phird	41	82	68	8 6	6	
Fourth	14	42	27	6	6	
Fifth	17	68	36	8	20	
Sixth.	14	70	45	15	10	
Seventh	12	72	54	6	12	
Eighth	9	63	14	28	14	1000
Ninth	8	64		. 16		
Vinth	1	36	9	9		
	4 2	20		1	20	
Eleventh	1	11	11		1	
Twelfth	1					
ThirteenthSixteenth	1	15				
						-1

¹ Includes miscarriages.

Table 200.—Legitimacy of previous births, by order of birth, scheduled illegitimate births in 1915.

		Sched	luled illeg	itimate issu	ies in 1915.		
**	in terms			Order of	f birth.1		
Legitimacy of previous births.	Total.			Seco	ond and la	ter.	
		First.	Total.	Second.	Third.	Fourth to sixth.	Seventh and later.
All mothers	679	408	271	121	52	52	46
All previous births ¹ illegitimate. All previous births ¹ legitimate. Previous births ¹ divided. Legitimacy not reported	189 37 32 13		189 37 32 13	106 11 4	41 6 4 1	28 11 11 2	14 9 17 6
White mothers	192	140	52	26	11	7	8
All previous births lillegitimate. All previous births legitimate. Previous births divided Legitimacy not reported	24 16 8 4		24 16 8 4	16 9	7 2 1 1	1 4 2	1 E 2
Colored mothers	487	268	219	95	41	45	38
All previous births 1 illegitimate. All previous births 1 legitimate. Previous births 1 divided Legitimacy not reported	165 21 24 9		165 21 24 9	90 2	34 4 3	27 7 9 2	14 18 12 4

¹ Includes miscarriages.

Table 201.—Occupation of father, by color of mother; illegitimate births 1 in 1915.

	Illegitin	nate birth	s ¹ in 1915.		Illegitin	nate birth	s 1 in 1915.
Occupation of father.	Total.	White mothers.	Colored mothers.	Occupation of father.	Total.	White mothers.	Colored
All occupations	1,124	2 420	3 704	Professional pursuits 4	20 19	13	16
Laborers Teamsters, chauffeurs,	308	31	277	Railway emp byees Proprietors and dealers.	19 12	18	
and deliverymen	110	22	88	Barbers	11	5	
Factory operatives	63 58	34 27	29 31	Janitors and elevator men	10		1
Cooks and waiters	36		36	Public employees 5	9	7	
Servants	34	4	30	Other occupations 6 No occupation	29 21	14	1
Porters	30 26	20	6	Students	6	i	1
Salesmen Skilled mechanics,	26	22	4	Others	3 12	2 4	
building trades Others in mechanical	25	15	10	Not reported	232	149	8
industries	26	20	6				

¹Includes miscarriages.
² Includes 2 issues with colored fathers; 1 occupation not reported; 1 dead.
² Includes 2 issues with white fathers—1 teamster, etc., and-1 clerk—and 15 issues with fathers' color and occupation not reported.
⁴ Includes 4 physicians, 4 musicians, 3 school-teachers, 2 photographers, 2 jockeys, 1 lawyer, 1 dentist, 1 artist, 1 draftsman, and 1 editor.
⁵ Includes 2 soldiers, 1 policeman, 1 postman, 1 detective, 1 officer in a reformatory, and 3 whose occupations are not specified.
⁵ Includes 7 tailors, 7 fishermen or oystermen, 6 hospital orderlies, 5 saloon keepers or bartenders, 2 telephone operators, 1 butcher, and 1 baker.

Table 202.—Age of mother, by age of father and color of mother; illegitimate births ¹ in 1915.

-					Ill	egiti	mate	birth	s¹in	1915.				
	181						1	Age of	fathe	er.				
Age of mother.	Total.		Und	ler 2	0.		00.01	07.00	00.01	05.00	40.41	45.40	50	Notre
		Total.	16	17	18	19	20-24	25-29	30-34	35–39	40-44	45-49	and over.	ported
All mothers	1,124	110	3	17	43	47	408	195	83	76	29	20	12	19
Under 20.	509	101	3	16	40	42	243	67	9	9	5	4		6
12	2						2							
13	4	3		1	2	2								
14	12	4	1 2	1			3	1 2	1			1		
15 16	37 66	13	2	3	4 15	5	14 25	4	1	1				1
17	114	23 29		3 6	9	14	54	10	1	1		1		1
18	144	22		2	7	13	78	23	3	4	2	î		Î
19	130	7			3	4	72	27	4	3	3	1		1
20–24	373	9		1	3	5	139	72	38	22	3	2	2	8
25–29	114						18	35	20	16	4	5	2	1
30–34	62							11	11	16	9	5	1	145.98
35–39 0 and over	45 16						1	8	4	12	7	5 2	3 4	
Not reported	5						1						4	1 3
White mothers	420	19	1	3	4	11	133	84	29	18	7	4	2	12
Under 20.	149	16	1	2	3	10	63	27	2	2				3
12														
13														
14	3	2	1	1										
15	7	******					3		1					
16	15 29	2		i	.1	1	6	1						1
17 18	46	3 5		1	1	2 4	20	3 8	1	2				1
19	49	4			1	3	21	15	1	2				
20–24	185	3		1	î	1	63	34	12	7	2	1		1
25–29	48						6	13	9	4	2 2	2		1
30–34	17							5	9 2 3	4	2			1
35–39	13							4	3	1		1		
10 and over	6							1	1		1		2	W 11-
Not reported	2						1							
Colored mothers	704	91	2	14	39	36	275	111	54	58	22	16	10	6
Under 20	360	85	2	14	37	32	185	40	7	7	5	4		2
12	2 4	3		1		2	2							
14	9	2		1	2	-	3	1				1		1
15	30	13	2	3	4	4	11	2						
16	51	21		3	14	4	19	3 7		1				2
17	85	26		3 5 2	9	12	41		1	1		1		
18	98	17		2	6	9	58	15	2	2	2	1		
19	81	3			2 2	1	51	12	4	3	3	1		
20–24	188	6			2	4	76 12	38	26 11	15 12	1	1	2 2	1
25–29	66 45						12	6	9	12	7	5	1	
30 – 34 35 – 39	32						1	4	1	11	7	4	3	
40 and over	10						1	1	1	1		2	2	
	3							1		1 4		1	1 -	

¹ Includes miscarriages.

Table 203.—Place of confinement, by legitimacy of birth; 1 total and scheduled births 1 in 1915.

	*	Births	in 1915.	
Place of confinement and legitimacy of birth.	To	tal.	Sched	luled.
	Number.	Per cent distri- bution.	Number.	Per cent distri- bution.
Illegitimate 2	1,124	100.0	679	100.0
Hospital. Institution. Private house.	517 56 551	46. 0 5. 0 49. 0	245 10 424	36.1 1.5 62.4
Legitimate	13, 484	100.0	11,613	100.0
Hospital. Other	1,735 11,749	12.9 87.1	1,105 10,508	9. 5 90. 5

Table 204.—Attendant at birth, by color of mother; scheduled legitimate and illegitimate births in 1915.

	Legitima	te births.1	Illegitima	ate births.
Attendant at birth and color of mother.	Number.	Per cent distri- bution.	Number.	Per cent distri- bution.
All mothers	11, 463	100.0	679	100.0
Physician In hospital Outside hospital Midwife Other or none	7,721 1,088 6,633 3,713 29	67. 4 9. 5 57. 9 32. 4	571 245 326 100 8	84.1 36.1 48.0 14.7 1.2
White mothers	9,974	100.0	192	100.0
Physician In hospital Outside hospital Midwife Other or none	6,620 887 5,733 3,328 26	66. 4 8. 9 57. 5 33. 4 . 3	151 76 75 39 2	78.6 39.6 39.1 20.3 1.0
Colored mothers	1,489	100.0	487	100.0
Physician In hospital Outside hospital Midwife Other or none.	1,101 201 900 385 3	73. 9 13. 5 60. 4 25. 9	420 169 251 61 6	86. 2 34. 7 51. 5 12. 5 1. 2

¹ Includes miscarriages.

¹ Includes miscarriages.
² Includes 420 white and 704 colored issues; hospital, 218 white and 299 colored; institution, 54 white and 2 colored; private houses, 148 white and 403 colored. The "private houses" include boarding and lodging houses, one house of prostitution, several homes of midwives, and the wateresses' home connected with a hospital. Maternity homes in Baltimore send all confinement cases to hospitals.

Table 205.—Prenatal care, by color of mother; mothers of scheduled legitimate and illegitimate births 1 in 1915.

		Births in 1915 to mothers having speci- fied prenatal care.						
Legitimacy of birth ¹ and color of mother.	Total mothers.	No	eare.	Care of grades A and B.				
		Number.	Per cent.	Number.	Percent.			
All mothers: Legitimate Illegitimate	11,463 670	5,443 263	47.5 39.3	2,551 199	22.3 29.7			
White mothers: LegitimateIllegitimate	9,974 191	4,806 93	48. 2 48. 7	2,095 37	21.0 19.4			
Colored mothers: Legitimate Illegitimate	1,489 479	637 170	42. 8 35. 5	456 162	30.6 33.8			

¹ Includes miscarriages.

Table 206.—Mother's mode of living during whole or greater part of year after confinement, by color of mother; scheduled illegitimate births ¹ in 1915.

		Schedule	d illegitim	ate births	in 1915.		
Mother's mode of living during whole or greater part of year after confinement.		. To	tal.		White mothers.		
	Number.	Per cent distri- bution.	Still- births, miscar- riages, and infant deaths under 2 weeks.2	Infants surviving 2 weeks. ²	Number.	Per cent distri- bution.	
Total	679	100.0	151	528	192	100.0	
Parental home With other relatives or friends. With father of child. Married. Unmarried. Own establishment or boarding. At service. In institution or hospital. With husband or other man (not father of child). Died. Not reported.	275 68 111 45 66 83 21 19 16 14 72	40. 5 10. 0 16. 3 6. 6 9. 7 12. 2 3. 1 2. 8 2. 4 2. 1 10. 6	57 9 30 (3) (3) 15 3 2 8 6 21	218 59 81 (3) (3) (68 18 17 8 8	79 12 25 17 8 23 6 19 5 3 20	41. 6.5 13.6 8.9 4.5 12.6 3.9 9.	

¹ Includes miscarriages. ² For per cent distribution, see text table, p. 161. ³ Not tabulated.

Table 206.—Mother's mode of living during whole or greater part of year after confinement, by color of mother; scheduled illegitimate births 1 in 1915—Continued.

	Scheduled illegitimate births ¹ in 1915.									
Mother's mode of living during whole or greater part of year after confinement.	White	mothers.	Colored mothers.							
	Still- births, miscar- riages, and infant deaths under 2 weeks.2	Infants surviving 2 weeks. ²	Number.	Per cent distri- bution.	Still- births, miscar- riages, and infant deaths under 2 weeks.2	Infants surviving 2 weeks. ²				
Total	39	153	487	100.0	112	375				
Parental home. With other relatives or friends. With father of child. Married. Unmarried. Own establishment or boarding. At service. In institution or hospital. With husband or other man (not father of child). Died. Not reported.	17 2 6 (3) (3) 4 2 3 2 3	62 10 19 (3) (3) (3) 19 6 17 2 1	196 56 86 28 58 60 15	40. 2 11. 5 17. 7 5. 7 11. 9 12. 3 3. 1	40 7 24 (3) (3) (3) 11 3	156 49 62 (3) (8) 49 12				

¹ Includes miscarriages. ² For per cent distribution, see Text Table III, p. 162. ³ Not tabulated.

Table 207.—Earnings of father or contributions to the support of mother or child during year following birth of infant, and mode of living, by color of mother; scheduled illegitimate births 1 in 1915.

	Scheduled illegitimate births 1 in 1915.									
Earnings of father or contributions to the support of mother or child during year following birth of infant, and mode of	То	tal.	White 1	nothers.	Colored mothers.					
living.	Number.	Per cent distribu- tion.	Number.	Per cent distribu- tion.	Number.	Per cent distribu- tion.				
Total	679	100.0	192	100.0	487	100.0				
Did not live with mother 2	526	77.5	144	75. 0	382	78. 4				
Contributed: Nothing Under \$5. \$5-\$24. \$25-\$49. \$50-\$99. \$100 and over Amount not reported.	49	44. 9 2. 7 3. 4 2. 8 7. 2 8. 5 8. 0	94 1 2 7 19 13 8	49. 0 .5 1. 0 3. 6 9. 9 6. 8 4. 2	211 17 21 12 30 45 46	43. 3 3. 5 4. 3 2. 5 6. 2 9. 2 9. 4				
Lived with mother 2	111	16.3	25	13.0	86	17.7				
Earned: Under \$450. \$450-\$649. \$650-\$849. \$850-\$1,249. \$1,250 and over. A mount not reported. Mode of living not reported.	6	7.5 5.2 1.2 .9 .1 1.5 6.2	4 8 4 5 1 3 23	2.1 4.2 2.1 2.6 .5 1.6 12.0	47 27 4 1	9. 7 5. 5 . 8 . 2 1. 4 3. 9				

¹ Includes miscarriages.

² During entire or greater part of year.

Table 208.—Contribution of father to the support of mother or child during year following birth of infant, by mode of living, and by color of mother; scheduled illegitimate births in 1915.

	Scheduled illegitimate births 1 in 1915.									
Contribution of father to the support of mother or child during year following birth of infant, mode of living, and color	То	tal.	Live	births.	Stillbirths and miscarriages.					
of mother.	Number.	Per cent distribu- tion.	Number.	Per cent distribu- tion.	Number.	Per cent distribu- tion, 2				
All mothers	679	100.0	572	100.0	107	100.0				
Father's mode of living: Did not live with mother— Contributed nothing. Contributed. Lived with mother s. Not reported. White mothers.	305 221 111 42 192	44. 9 32. 5 16. 3 6. 2 100. 0	242 199 92 39 163	42.3 34.8 16.1 6.8 100.0	63 22 19 3	58. 9 20. 6 17. 8 2. 8 100. 0				
Father's mode of living: Did not live with mother— Contributed nothing. Contributed. Lived with mother ^a Not reported. Colored mothers	50 25 23	49. 0 26. 0 13. 0 12. 0	72 48 22 21 409	44. 2 29. 4 13. 5 12. 9	22 2 3 2 78	100.0				
Father's mode of living: Did not live with mother— Contributed nothing. Contributed. Lived with mother*. Not reported.	211	43. 3 35. 1 17. 7 3. 9	170 151 70 18	41. 6 36. 9 17. 1 4. 4	41 20 16 1	52. 6 25. 6 20. 5 1. 3				

Includes miscarriages.
 Not shown where base is less than 50.
 During entire or greater part of year.

Table 209.—Mortality among mothers during year after confinement, by cause of death and color; mothers of scheduled legitimate and illegitimate births ¹ in 1915.

	A Park	Mo	others wh	no died	in year	following	g confir	ement.	
			Car	uses du	e to preg	nancy a	nd con	finemen	it.
Color of mother and legitimacy of birth. ¹		2.71	2	Total.		P	uerper	al septio	emia.
	То		Num- ber.	Per 1,000 live births.	Per 1,000 confin ment:	Nur le- ber	n- 1	Per 1,000 live irths.	Per 1,000 confine- ments.
Mothers of legitimate births 1		2 105	50	4.6	4	.4	18	1.7	1.6
WhiteColored		90 15	45 5	4.7 3.8		. 5	13 5	1.4 3.8	1.3
Mothers of illegitimate births 1	-	14	6	10.5	9	.0	2	3.5	3.0
White		3 11	1 5	6. 1 12. 2	5. 10.	. 2	1 1	6. 1 2. 4	5. 2 2. 1
	Caus		thers wh				confine	ement.	
Color of mother and legitimacy of birth. ¹	Pue	erperal a ia and o sions.	lbumi- convul-		er causes onfineme		All	other c	auses.
	Num- ber.	Per 1,000 live births.	Per 1,000 confine ments.		Per 1,000 live births.	Per 1,000 confinements.	Num- ber.	Per 1,000 live births.	Per 1,000 confinements.
Mothers of legitimate births 1	14	1.3	1.2	18	1.7	1.6	55	5.1	4.8
White Colored	14	1.5	1.4	18	1.9	1.8	45 10	4. 7 7. 7	4.5 6.7
Mothers of illegitimate births 1	1	1.7	1.5	3	5.2	4.5	8	14.0	11.9
White Colored	1	2.4	2.1	3	7.3	6.3	2 6	12.3 14.7	10.5 12.5

¹ Includes miscarriages.
² The number of mothers was 1 less than the number of issues, since 1 birth resulted in plural issues.

Table 210.—Earnings of mother, by period worked during year after confinement and type of remuneration; scheduled illegitimate births ¹ in 1915.

	Illegitima	Illegitimate births ¹ to working mothers receiving specific type of remuneration.									
Earnings of mother and period worked during year after confinement.	Cash a	alone.	Cash plu	s meals.	Room	Not reported.					
	Number.	Per cent distri- bution.2	Number.	Per cent distri- bution. ²	and board only.1						
9 months and over	102	100.0	183	100.0	2	10					
Under \$50. \$50-\$149. \$150-\$249. \$250-\$249. \$350 and over. Room and board only. Not reported.	27 39 22 11	2. 9 26. 5 38, 2 21. 6 10. 8	77 86 15 1	2. 2 42. 1 47. 0 8. 2 0. 5	2						
6 months, under 9 months	48	100.0	47	100.0		3					
Under \$50. \$50-\$149. \$150-\$249. \$250-\$349. \$350 and over. Room and board only. Not reported.	29 11 6		5								
Under 6 months	. 59	100.0	43	100.0	2						
Under \$50. \$50-\$149 \$150-\$249. Room and board only. Not reported.	2	55. 9 40. 7 3. 4	23 20		2						
Period not reported	. 3				1	1					
Under \$50. \$50-\$149. Room and board only. Not reported.						·····i					

Includes miscarriages.
 Rate not shown where base is less than 50.

Table 211.—Mother's and infant's mode of living during year after birth, by color of mother; scheduled illegitimate infants born in 1915 and surviving at least two weeks.

	Illegit	imate i	nfants b	orn dur	ing 1915	and sur	viving	atleast	2 weeks
			Living	during g	greater	part of f	îrst yea	r of life	
Mother's mode of living during entire					Away	from n	other.		
or greater part of year following confinement, and color.	Total.	With moth-		With	With	In in-	Boar	ding.	
		er.	er. Total. mother's rela-		foster par- ents.	stitu- tion or hos- pital.	In board- ing home.	In private home.	With others.
All mothers	528	429	99	13	10	17	39	18	
Parental home With other relatives or friends With father of child. With husband or man other than	218 59 81	201 48 79	17 11 2	3 1	4 1	5	7 7 1	1	
father. At service. In institution or hospital. Dwn establishment or boarded. Died Not reported.	8 18 17 68 8 51	8 6 16 62 4 5	12 1 6 4 46	3 3 3	1 1 3	i i 	3 5	5 1 11	
White mothers	153	120	33		6	16	8	3	
Parental home. With other relatives or friends With father of child. With husband or man other than	62 10 19	52 9 19	10		3 1	5	2		
father. At service. In institution or hospital. Own establishment or boarded.	2 6 17 19	2 3 16 17	3 1 2			1	2 1	1 1	
Died Not reported	17	1	16		2	10	3	1	
Colored mothers	375	309	66	13	4	1	31	15	
Parental home With other relatives or friends With father of child With husband or man other than	156 49 62	149 39 60	7 10 2	3 1	1		5 7 1	1	
father	6 12	6 3	9	3	1		····i	4	
n institution or hospital Own establishment or boarded. Died. Not reported.	49 7 34	45 3 4	4 4 30	3 3	1 1	·····i	13	10	

Table 212.—Infant mortality and stillbirth rates, by employment of mother away from home during pregnancy, and color of mother; scheduled legitimate and illegitimate births 1 and total illegitimate births 1 in 1915.

		Miscari	riages.		Still	oirths.	1	Live births			Infant m	
Legitimacy of birth, employment away from home during pregnancy, and color of mother.	Total births.1			Births.				Condition	at 1 year.	Infant deaths.	Based on live births, "condition known."	Based on total
		Number.	Percent.		Number.	mber. Percent.	Total.	Known.	Un- known.			live births.
All mothers:								40 909		1 118	103, 5	103.
Legitimate births 1 (scheduled)	11,613	418	3.6	11,195	398	3.6	10,797	10,797		1,117	103. 5	105.
Illegitimate births — Total	1,124	61	5.4	1,063	108	10,2	955	699	256	281	402.0	294.5
Scheduled	679	46	6.8	633	61	9.6	572	572		172	300.7	300.
E1d arrow from home during prognancy-				1/1	. 33		1 000	1 000		221	179.8	179.8
Legitimate births (scheduled)	1,400	83	5.9	1,317	88	6.7	1,229	1,229		221	119.0	119.
III AGITIMATE DIFTINS -	716	45	6.3	071	77	11.5	594	458	136	170	371.2	286.5
Total		37	7.4	671 462	52	11.3	410	410	200	129	314.6	314.
White mothers:	100		1	402	-		11000					
Legitimate births 1 (scheduled)	10,104	330	3.3	9,774	282	2.9	9,492	9,492		910	95. 9	95.
Illegitimate births 1—	107.4				00	5,6	374	241	133	118	489.6	315.
Total	420	24	5.7 8.3	396	22 13	7.4	163	163	100	52	319.0	319.
Scheduled	192	16	0.0	176	10	". "	100	200				
Employed away from home during pregnancy— Legitimate births 1 (scheduled)	723	35	4.8	688	29	4.2	659	659		106	160.8	160.
	1	1					404	100	0=		190 =	288.
Total	223	18	8.1	205	14	6.8	191 102	126 102	65	55 36	436.5 352.9	352.
Scheduled	126	14	11.1	112	10	8.9	102	102		30	302. 5	002.
Colored mothers:	1,509	88	5.8	1 401	116	8.2	1,305	1,305		207	158.6	158.
Legitimate births 1 (scheduled)	1,509	00	0.0	1,421	110	0.2	2,000					
Total	704	37	5.3	667	86	12.9	581	458	123	163	355.9	280.
Scheduled		30	6.2	457	48	10.5	409	409		120	293.4	293.
Employed away from home during pregnancy-					70	9.4	570	570	1	115	201.8	201.
Legitimate births 1 (scheduled)	677	48	7.1	629	59	9.4	370	370		110	202.0	204.
Illegitimate births — Total	493	27	5.5	466	63	13.5	403	332	71	115		285.
Scheduled	373			350			308			. 93	301.9	301.

¹ Includes miscarriages.

Table 213.—Age at death, by color of mother; deaths among illegitimate live births in 1915.

A go of Joseph	Deaths	of illegiti fants.	mate in-		Deaths	of illegiti	mate in-
Age at death.	All mothers.	White mothers.	Colored mothers.	Age at death.	All mothers.	White mothers.	Colored mothers.
Total	281	118	163	Under 1 month—Con.			
Under 1 month	102 34 14 5 10 15	33 10 4 1 2 7	69 24 10 4 8 8	2 weeks, under 1 month. 1 month, under 2. 2 months, under 3. 3 months, under 6. 6 months, under 9. 9 months, under 12.	24 43 29 48 33 26	9 25 13 23 14 10	15 18 16 25 19

Table 214.—Deaths per 1,000 live births, by age at death and color of mother; total illegitimate and scheduled legitimate live births in 1915.

	Deaths per 1,000 live births.									
Age at death.	All me	others.	White r	nothers.	Colored mothers.					
	Legiti- mate.	Illegiti- mate.1	Legiti- mate.	Illegiti- mate.1	Legiti- mate.	Illegiti- mate.1				
Total	103.5	294.2	95.9	315.5	158.6	280. 5				
Under 1 month. Under 2 weeks. 2 weeks, under 1 month. 1 month, under 2. 2 months, under 3. 3 months, under 6. 6 months, under 9. 9 months, under 12.	44. 2 37. 1 7. 1 6. 0 5. 8 19. 4 15. 1 13. 0	106. 8 81. 7 25. 1 45. 0 30. 4 50. 3 34. 6 27. 2	41. 5 35. 2 6. 3 5. 4 5. 5 16. 8 14. 5 12. 2	88. 2 64. 1 24. 1 66. 8 34. 8 61. 5 37. 4 26. 7	63.6 50.6 13.0 10.7 8.4 38.3 19.2 18.4	118.8 92.9 25.8 31.0 27.5 43.0 32.7 27.5				

 $^{^1}$ Based on total illegitimate live births (374 white, 581 colored) and probably an understatement of the true rate, since condition at 1 year was not known for 133 white and 123 colored illegitimate infants.

Table 215.—Cause of death, by color of mother; deaths among illegitimate live birth in 1915.

	Deathson	fillegitima	te infants.
Cause of death.	All	White	Colored
	mothers.	mothers.	mothers.
All causes.	281	118	163
Gastric and intestinal diseases.	67	37	30
Malformations Early infancy.	10 104	50	9 54
Premature birth.	39	14	25
Congenital debility Injuries at birth	62	34	28
Respiratory and other communicable dieases	79	26	53
Respiratory	52	17	35
Syphilis Other communicable	17 10	. 5	12 6
All other causes 1	21	4	17

¹ Includes 5 deaths, "cause ill-defined or unknown."

101351°-23-25

Table 216.—Infant mortality rates, by cause of death and color of mother; total illegitimate and scheduled legitimate live births in 1915.

	Infant mortality rates.										
Cause of death.	A mot	ll hers.	Wh		Colored mothers.						
	Legiti- mate.	Illegiti- mate. ¹	Legiti- mate.	Illegiti- mate.1	Legiti- mate.	Illegiti- mate.1					
All causes	103.5	294.2	95.9	315.5	158.6	280.5					
Gastric and intestinal diseases	29.1 3.6 37.7	70. 2 10. 5 108. 9	28. 9 3. 8 36. 0	98.9 2.7 133.7	30.7 2.3 49.8	51.6 15.5 92.9					
Premature birth. Congenital debility. Injuries at birth.	20.8 12.8 4.1	40.8 64.9 3.1	19.3 12.5 4.2	37.4 90.9 5.3	32.2 14.6 3.1	43.0 48.2 1.7					
Respiratory and other communicable diseases.	26.4	82.7	21.0	69.6	65.9	91.2					
Respiratory Syphilis Other communicable.	19.7 1.3 5.4	54.5 17.8 10.5	15.7 .4 4.9	45. 5 13. 4 10. 7	49.0 7.7 9.2	60.2 20.7 10.3					
All other causes	6.6	22.0	6.1	10.7	10.0	29.3					

¹ Based on total illegitimate live births (374 white, 581 colored) and probably an understatement of the rue rate, since condition at 1 year was not known for 133 white and 123 colored infants.

Table 217.—Cause of death, by age at death; infant deaths among illegitimate live births in 1915.

			Dea	ths a	moi	ng ill	egiti	mate	infa	nts l	orn	in 19	15.		
					Occi	ırrin	gin	speci	fied	mon	th of	age.			
			First												
Cause of death.	Total.	Total.	Under 2 weeks.	2 weeks, under 1 month.	Second.	Third.	Third. Fourth.	Fifth.	Sixth.	Seventh.	Eight.	Ninth.	Tenth.	Eleventh.	Twelfth.
All causes	281	102	78	24	43	29	17	12	19	6	16	11	11	9	6
Gastric and intestinal diseases	67 10 104 52 27 3 5 13	6 6 70 9 6	2 6 57 5 4	13 4 2 	9 1 16 6 4 3 2 2	10 2 4 8 3 2	4 2 7 4 	5 2 3 1 	8 2 6 2 	2 2 1	9 5 1	4 2 4 1	6 3 2	3 4 1 1	2 3

Table 218.—Age of infant when mother began work, by color of mother; scheduled legitimate and illegitimate infants born in 1915.

	14	Legitima	te infants.		Tilouis		
Age of infant when mother began work, and color of mother.		nothers oyed.		employed om home.	Illegitimate infants of mothers employed.		
	Number.	Per cent distri- bution.	Number.	Per cent distri- bution.	Number.	Per cent distri- bution.	
All mothers employed	2,784	100.0	855	100.0	371	100.0	
Under 1 month. 1 month, under 2. 2 months, under 3. 3 months, under 6. 6 months and over Not reported.	202	27. 1 19. 3 10. 5 19. 8 22. 8	60 132 99 255 308 1	7. 0 15. 4 11. 6 29. 8 36. 0	41 95 70 78 83 4	11. 1 25. 6 18. 9 21. 0 22. 4 1. 1	
White mothers employed	1,999	100.0	435	100.0	.91	100.0	
Under 1 month. 1 month, under 2. 2 months, under 3. 3 months, under 6. 6 months and over Not reported.	686 351 171 329 449 13	34.3 17.6 8.6 16.5 22.5 .7	34 46 30 119 205 1	7.8 10.6 6.9 27.4 47.1	18 15 15 22 19 2	19.8 16.5 16.5 24.2 20.9 2.2	
Colored mothers employed	785	100.0	420	100.0	280	100.0	
Under 1 month. 1 month, under 2. 2 months, under 3. 3 months, under 6. 6 months and over. Not reported.	69 186 122 223 185	8. 8 23. 7 15. 5 28. 4 23. 6	26 86 69 136 103	6. 2 20. 5 16. 4 32. 4 24. 5	23 80 55 56 64 2	8. 2 28. 6 19. 6 20. 0 22. 9	

Table 219.—Per cent of premature births and stillbirths and infant mortality rates among full-term births, by employment of mother during pregnancy; scheduled legitimate and illegitimate births ¹ in 1915.

		Births 1 in 1915.										
		Premature.			Full term.							
Employment of mother during preg- nancy and legitimacy of birth. ¹				la dia	Still	oirths.	Infant deaths.					
	Total.2	Num- ber.	Per cent of total issues. ³	Births.	Num- ber.	Rate per 100 births.3	Num- ber.	Rate per 1,000 live births.3				
Allillegitimate births 1	679	138	20.3	517	26	5.0	119	242. 4				
Mother employed	542 119 18	115 21 2	21. 2 17. 6	417 96 4	24 2	5.8 2.1	97 19 3	246. 8 202. 1				
All single legitimate births 1	11, 316	1,092	9.7	10, 215	222	2.2	738	73.9				
Mother employed away from home Mother not employed away from home Employment not reported	1, 375 9, 933 8	188 903 1	13.7 9.1	1, 184 9, 026 5	43 179	3.6 2.0	162 575 1	142. 0 65. 0				

¹ Includes miscarriages. 2 For 24 illegitimate births and 9 legitimate births the period of gestation was not reported. 8 Not shown where base is less than 50.

Table 220.—Infant mortality and stillbirth rates, by literacy and color of mother; scheduled illegitimate births 1 in 1915.

			Schedi	ıled illeg	itimate	births 1 i	n 1915.		
Literacy and color of		Miscarriages.			Stillb	irths.		Infant deaths	
mother.	Total births.1	Num- ber.	Per cent of total.2	Births.	Num- ber.	Per cent of total.2		Num- ber.	Infant mor- tality rate.2
All mothers	679	46	6.8	633	61	9.6	572	172	300. 7
Literate	553 100 26	29 17	5. 2 17. 0	524 83 26	52 9	9.9	472 74 26	128 28 16	271.2
White mothers	192	16	8.3	176	13	7.4	163	52	319. (
Literate Illiterate Not reported	155 21 16	12 4	7.7	143 17 16	12 1	8.4	131 16 16	38 8, 6	290. 1
Colored mothers	487	30	6.2	457	48	10.5	409	120	293. 4
Literate	398 79 10	17 13	4.3	381 66 10	40 8	10.5	341 58 10	90 20 10	263. 9

¹ Includes miscarriages.

Table 221.—Infant mortality rates, by mode of living and earnings of father or contributions to the support of mother or child during year following birth of infant; scheduled illegitimate live births in 1915.

an assuranted to the control to the care of the control to the con	Schedul	ed illegitin irths in 19	mate live
Earnings of father or contributions to the support of mother or child during year following birth of infant, and mode of living.	20 - 50	Infant	deaths.
2000 - 0000 	Total.	Number.	Infant mortality rate.2
Total	572	172	300.7
Father did not live with mother 1	441	121	274.
Contributed to her support. Under \$50. \$50-899. \$100 and over. Amount not reported. Did not contribute to her support	199 56 46 54 43 242	46 10 5 14 17 75	231. 2 178. 6 259. 3
Father lived with mother 1	92	32	347.8
Earned: Under \$650 \$650 and over. Amount not reported.	69 13 10	26 4 2	376.
No report on father's mode of living	39	19	

¹ During entire or greater part of year.

² Not shown where base is less than 100.

² Not shown where base is less than 50.

Table 222.—Per cent of infant deaths, by separation of infant from mother, and color of mother; illegitimate infants born in 1915 and surviving at 3 months and at 6 months of age.

	Illegitimate infants born in 1915 and surviving at—										
Separation of infant from mother and color	3 1	nonths of a	age.	6 months of age.							
of mother.	Infants.	Subseque	ent deaths.		Subsequent deaths						
	imanos.	Number.	Per cent.	Infants.	Number.	Per cent.					
Total	475	75	15. 8	448	. 48	10.7					
With mother	383 92	46 29	12.0 31.5	365 83	28 20	7.7 24.1					
Colored	337	48	14.2	319	30	9.4					
With mother	273 64	28 20	10.3 31.3	262 57	17 13	6. 5 22. 8					

Table 223.—Infant mortality rates, by place of confinement; total and scheduled illegitimate live births in 1915.

	Illegitimate live births in 1915.										
		Live birth	S.	Infant deaths.							
Place of confinement and nature of group.		Conditio	n at 1 year.	7	Infant	Under 2					
	Total.	Known.	Un- known.	Number.							
Total registered	955	699	256	281	294.3	78					
Hospital. Institution. Private house.	460 56 439	269 47 383	191 9 56	106 35 140	230. 4 625. 0 318. 9	(2) (2) (2)					
Total scheduled	572	572		172	300.7	44					
Hospital	216 10 346	216 10 346		64 2 106	296. 3 200. 0 306. 4	11 2 31					

 $^{^{\}rm 1}$ Rate in total group is a minimum rate, based on known infant deaths and total live births. $^{\rm 2}$ Not tabulated.

Table 224.—Infant mortality rates, by infant's place of residence and color of mother; scheduled illegitimate live births in 1915.

	Scheduled illegitimate live births in 1915.												
		Total.		Whi	te mot	hers.	Colored mothers.						
Infant's place of residence.		Infant deaths.			Infant deaths.			Infant deaths.					
	Live births.	Num- ber.	Infant mor- tality rate.1	Live births.	Num- ber.	Infant mor- tality rate.1	Live births.	Num- ber.	In- fant mor- tality rate.1				
Total	572	172	300.7	163	52	319.0	409	120	293.4				
Institution or boarded at sometime during first year of life. Institution only	124 33 7 54 26 4 447	45 15 25 5	362.9 463.0 284.1	54 29 6 15 3 1 108 1	18 12 5 1 34	333.3	70 4 1 39 23 3 339	27 3 20 4 93	385.7 274.3				

¹ Not shown where base is less than 50.

Table 225.—Death rate per 1,000 infants, by removals of infant; scheduled illegitimate infants born in 1915 and surviving at 3 months and at 6 months of age.

	Ille	gitimate in	fants born i	n 1915 and	I surviving	at—	
	31	nonths of a	age.	6 months of age.			
Removals of infant.1		Subseque	ent deaths.		Subsequent deaths.		
	Total.	Number.	Per 1,000.2	Total.	Number.	Per 1,000.2	
Total	475	75	157.9	448	48	107.1	
NoremovalsOne or more removals ! Removals not reported	201 253 21	28 42 5	139.3 166.0	186 241 21	13 30 5	69.9 124.5	

 ¹ Exclusive of removal from hospital after birth or visits to hospital of under 1 month's duration.
 2 Not shown where base is less than 50.
 3 Includes in survivors at 6 months of age 139 infants who moved once, 65 infants who moved twice,
 25 infants who moved 3 times, and 12 infants who moved 4 times or more during year.

Table 226.—Type of feeding, by month of life, and by color of mother; scheduled legitimate and illegitimate infants born in 1915.

	Infants born in 1915 and surviving at specified ages.									
Month of life and color of mother.	Breas	st fed.	Mixe	d fed.	Artificially fed.					
	Illegiti- mate.	Legiti- mate.	Illegiti- mate.	Legiti- mate.	Illegiti- mate.	Legiti- mate.				
All mothers:			-	11-11	100					
First month	78.6	88.2	2.5	2.7	19.0	9.1				
Second month	54.7	79.3	14.6	2.7 5.9	30.7	14.8				
Third month	43.8	72.2	18.6	8.2	37.6	19.6				
Sixth month	25.4	53.2	25.6	19.7	49.0	27. 1				
Ninth month	11.6	28.6	35.4	39.4	53.0	32. (
White mothers: First month	65, 3	0.70	0.0	0.0	00 =	10.1				
Second month	47.9	87. 9 79. 4	2.0 9.0	2.6 5.3	32.7	9.4				
Third month	42.2	72.6	10.4	7.2	43. 1 47. 4	15.2				
Sixth month	24.2	54.1	17.2	18.3	58.6	20. 1 27. 7				
Ninth month	11.4	29.6	25.4	38.1	63.2	32.3				
Colored mothers:		20.0	20. 1	00.1	00.2	04.6				
First month	83.8	90.2	2.7	2.8	13.5	6.9				
Second month	57.5	78.0	16.9	10.1	25, 6	11.9				
Third month	44.4	68.9	21.9	15.7	33.7	15.6				
Sixth month	25.9	46.8	29.0	30.4	45.2	22.8				
Ninth month	11.7	21.1	39.1	49.8	49.2	29,				

Table 227.—Computed mortality rates for first 10 months of life, by type of feeding and color of mother; scheduled legitimate and illegitimate live births in 1915.

Type of infant feeding and color of mother.	Scheduled live births in 1915.							
	Legitimate.				Illegitimate.			
	Survivors at beginning of specified month.		Total months of feed-	Computed rate (for 10 months)	Survivors at beginning of specified month.		Total months of feed-	
	First.	Tenth.	ing.1	per 1,000 fed. ²	First.	Tenth.	ing.1	per 1,000 fed. ²
White mothers: Infant feeding— Not fed, died at birth Breast feeding. Mixed feeding. Artificial feeding Not reported. Colored mothers:	234 8,137 245 870 6	(3) 1,904 3,816 2,975 3	(3) 49,397 17,650 22,238 47	24. 7 34. 1 72. 3 158. 6 (4)	6 98 3 49 7	(3) 10 31 71 5	(8) 404 196 692 54	36. 8 68. 6 108. 7 419. 7 (4)
Infant feeding— Not fed, died at birth. Breast feeding. Mixed feeding. Artificial feeding Not reported.	35 1,146 36 88	(8) 152 617 353	(8) 5,880 3,436 2,455	26.8 74.6 138.6 333.7	22 316 10 51 10	(3) 20 126 155 2	(8) 1,134 881 1,272 50	53. 8 145. 3 182. 4 353. 4 (4)

¹ Number of infants fed in specified way times number of months so fed during first 10 months of life.

² Rate is per 1,000 fed, except for "not fed, died at birth," which is based on total live births in group.

For method of computation see Appendix V, p. 199.

³ Inapplicable.

⁴ Not shown where base is less than 100.

INDEX.

Age at death:

Analysis of infant mortality by, 58-59.

Causes of death reflected by, 59-67.

Comparison with-

Cities of birth-registration area, 58-59, 67. Death-registration area of the United

States, 58. Illegitimate infants, 170.

Infant mortality by, in relation to mother's employment, 120.

Age of mother:

At time of beginning work, infant mortality by,

128-130.

Illegitimate births by, 156-157.

Infant mortality by, 137-139,146,179.

Interval between births by, 144.

Premature birth prevalence by, 138.

Stillbirth prevalence by, 138. Agencies, infant-welfare, 218.

Albemarle Street district, description of, 24.

Alleys, description of, 26, 27.

Artificial feeding. See Feeding, artificial.

Attendant during confinement:

By earnings of father, 104, 212.

By nationality of mother, 213.

By place of confinement, 211.

Excluded group, 190.

Babies' Milk Fund Association:

Care given by-

Infant, 218.

Prenatal, 203-204.

Cooperation-

With Children's Bureau, 186.

With city health department, 187.

White and colored population served by, 33. Baltimore health department:

Babies' Milk Fund Association in cooperation

with, 187.

Children's Bureau in cooperation with, 187.

Definition of term "stillbirth" as used by, 194.

See also Baltimore Department of Public Safety.

Birth registration, 185-187, 193.

Birth-registration area:

Cities in-

Infant mortality rates compared with

Baltimore, 59, 67.

By age of death, 58-59, 67.

From causes peculiar to early infancy,

From communicable diseases, 64.

From gastric and intestinal diseases,

61-62.

From malformations, 60.

Maryland not included in, at time of study (Ad-

mitted 1916), 185.

Birth-registration law of Maryland, 185.

Enforcement, 186.

Births:

Average number to mother, by nationality.

According to economic status, 47.

By earnings of father, 34-35, 37, 39, 55.

By interval between-

By nationality, 47, 80.

Infant mortality, 81, 82, 139-145, 178, 179-180.

By length of mother's residence in the United

States, 29. By nationality of mother, 29,

By nativity of mother, 28.

Excluded from study, 20, 189-192.

Illegitimate, 155-176.

Conditions during year after birth, 160-167.

Feeding, 174-175.

Incomplete information concerning, 20, 155.

Mortality, 20, 168-175, 181.

Age at death, 170.

Cause of death, 179, 181.

Order of birth, 157-158.

Place of birth and attendant, 159.

Premature births, 171, 176.

Prenatal care, 159-160.

Prevalence, by color, 155, 168, 181,

See also Illegitimacy.

Legitimate-

Specified, excluded from study, 20, 189-192.

Number in study, 20.

Live

By earnings of father, 34-35.

Registered, comparison with births occur-

ring in Baltimore in 1915, 193, 194.

Number in study, 20.

Order of-

Illegitimate births by, 157-158.

Infant mortality by, 133-136, 145-146, 179.

Plural, 146-148.

Premature-

Infant mortality from, 59-60, 136, 149.

Prevalence-

By age of mother, 138, 150.

By employment of mother, 117, 130,

150, 178.

By legitimacy, 171, 176.

By order of birth, 134, 149-150, 179.

See also Early infancy, causes of death peculiar to.

Registration, 185-187, 193.

Still, 118-120, 127-128, 130-131, 153-154.

See also Stillbirths.

Bohemian group, 24, 29, 30, 31, 77, 78. Economic status, 31.

Home ownership, 31.

See also Nationality of mother.

Bronchitis. See Respiratory diseases.

Broncho-pneumonia. See Respiratory diseases.

393

Campaign, clean-up, 27.

Canvasses by Children's Bureau, 20, 186, 187.

Children's Aid Society, white and colored population served by, 33.

Children's Bureau:

Canvasses made by, 20, 186, 187.

Cooperation with city health department, 187.

Civil condition of mother:

At confinement, 157.

Year after birth, 162-164.

Clinic nurses, work of, 203-204, 218, 219.

Clinics, prenatal, 203-208.

Colored families. See Negroes.

Communicable diseases:

Infant mortality from, 64-66.

By nativity of mother, 65-66, 78.

Comparison with cities of birth-registration area, 64–65, 67.

Comparison with cities studied by the Children's Bureau, 68.

Preventive measures for, 66.

See also Gastric and intestinal diseases and Respiratory diseases.

Confinement:

Care during-

By economic status, 104, 106.

By type of care, 211-216.

Relation to infant mortality from-

Causes peculiar to early infancy, 60-61,

Syphilis, 64.

Rest intervals before and after, relation to infant mortality, 118-120, 130.

Congenital debility, 60. See also Early infancy, causes of death peculiar to.

Cooperation:

Babies' Milk Fund Association with Children's Bureau, 186.

Householders in regard to garbage collection, 27. Negroes with Federated Charities, 33.

Death:

Age at-

Cause of death reflected by, 59-67.

Compared with cities of birth-registration area, 58-59, 67.

Compared with death-registration area, 58. Infant mortality analysis by, 58-59.

See also Mortality.

Death rate. See Mortality rate.

Death registration, 193.

Death-registration area of the United States, infant mortality by age at death, as compared with, 58.

Defects, prevalence of, at birth, 59.

Definitions:

Artificial feeding, 69.

Breast feeding, 69.

Expected deaths, 201-202.

Expected rates, 201-202.

Infant-welfare work, 219.

Median earnings, 197.

Median rentals, 197.

Miscarriage, 153.

Mixed feeding, 53, 69.

Stillbirth, 153.

Health department (city), 194.

Department of Public Safety, Baltimore:

Birth and death certificates filed with, 20. Birth registration, methods used to secure

enforcement, 186.

Description of Baltimore by wards, 23-27.

Diarrhea, infant mortality from, 61-62.

See also Gastric and intestinal diseases. Diphtheria, infant mortality from, 64.

See also Communicable diseases.

Diseases:

Communicable, infant mortality rate from, 64-66, 67, 68.

Syphilis, 64, 65, 84, 85, 170. Tuberculosis, 64, 65–66.

Whooping cough, 64, 65.

Gastric and intestinal, infant mortality rate from, 57, 61-63, 67, 68.

By type of feeding, 72.

Respiratory diseases, infant mortality rate from 57, 63-64, 78.

Dysentery, infant mortality from, 64. See also Communicable diseases.

Early infancy, causes of death peculiar to:

Mortality from-

Analysis of, 59-61.

By employment of mother during pregnancy, 115-117, 130.

By nativity of mother, 60, 78.

Comparison with cities of birth-registration area, 59, 60, 67.

Comparison with cities studied by the Children's Bureau, 68.

Preventive measures for, 60-61.

Earnings:

Father-

By class of occupation, 36.

By duration of nonemployment and nativity of mother, 41.

By mother's nationality and ability to speak English, 30-31.

By nativity groups, 34, 36, 37-38, 55.

By wards, 24.

Distribution of births by, 34-35, 37, 39, 55. Earnings of family supplementing, 35-36,

Economic status of family determined by, 35.

Employment of mother influenced by, 47-49, 121-122.

Home ownership as affected by, 27.

Infant mortality rates by, 81–82, 85–88, 94–97, 103–104, 178.

Prevalence of prenatal care by, 104-106, 205.

Median, method by which computed, 197. Mother—

Negligible contribution to family income, 36. Economic status:

By interval between births, 47, 86.

By nativity, 36, 37-39, 55, 180, 181.

By wards, 24.

Care during pregnancy by, 104-106, 205.

Distribution of births by, 34-35, 55.

Earnings of father index to, 35.

Feeding, type of, in relation to, 53, 55.

By mortality, 97-100.

Mother of illegitimate child, 164-165.

Economic status-Continued.

Residence of mother in the United States, length of, as effecting, 30-31.

Economic and social factors in infant mortality, 77-132.

Employment:

Father-

By class of occupation and earnings,

By earnings and by nativity of mother, 34,

Irregularity, by cause and by nativity of mother, 39-40.

Mother (gainful employment)-

At home-

During pregnancy, 50-52, 114, 116-117. Following childbirth, 52-53, 114, 121, 123.

Away from home-

During lifetime, 49, 114, 127-130.

During pregnancy, 50-51, 52, 56, 115-120, 130, 178, 180, 181.

Factor in infant mortality, 21, 53, 55, 56, 81, 83, 103, 114-131.

Factor in type of infant feeding, 54, 55,

Following childbirth, 49, 50, 51, 52-53, 56, 114, 120-127, 130, 178-179.

By nationality, 50-53.

Earnings of father as related to, 47-49, 121-122

Earnings negligible contribution to family income, 36.

Illegitimate births by, 156, 170-171.

English, ability of mother to speak:

By length of residence in the United States, 30-32.

By nationality and by earnings of father,

Feeding customs as affected by, 34, 54, 55. Infant mortality in relation to, 131-132. Literacy in relation to, 32. Poverty in relation to, 32, 131-132.

English group, 28, 29, 77, 78.

See also Nationality of mother.

Environmental conditions as affecting infant mortality, 106-114.

Erysipelas, infant mortality from, 64. See also Communicable diseases.

Exclusions from study: Births, 20, 189-192. Deaths, 190-192. Stillbirths, 191.

"Expected deaths": Explanation of term, 201-202.

"Expected rates":

Explanation of term, 201-202.

Factors in infant mortality:

Physical, 133-152. Social and economic, 77-132.

Family, size of 46-47. Family income. See Earnings.

Earnings and occupations, 34-42. See also Earnings of father. Illegitimate children, 158-159. Contribution toward support, 164. Favored groups, infant mortality rate in, 103-104. Federated Charities, cooperation of negroes with, 33. Feeding:

Advice concerning, by welfare agencies, 218. Artificial-

By nativity, 53-55.

Definition in study, 69.

Employment of mother away from home as responsible for, 54, 124, 174.

Factor in infant mortality, 21, 55, 63, 69,

Monthly death rates for infants receiving, 69-75, 177.

Prevalence in illegitimate group, 174.

Breast-

By nativity of mother, 53-54.

Definition in study, 69.

Monthly death rates for infants receiving, 69-75, 177.

Preventative for disease, 63, 64, 66.

Mixed-

By nativity of mother, 53-54, 124. Definition of term, 53, 69.

Monthly death rates for infants receiving, 69-75.

Type

Ability of mother to speak English in relation to, 34, 54, 55.

By economic status, 53, 55, 97-100, 177. By nativity, 53-55, 88, 124, 177.

Employment of mother by, 54, 124-127. Illegitimate group, 174-175.

Literacy of mother in relation to, 54. Method by which mortality rate is com-

puted, 199-202. Mortality by, 21, 55, 63, 69, 88.

Earnings groups, 97-100. Illegitimate group, 174-175. Plural births, 147. Rates, 69-75.

Plural births by, 147.

Foreign born:

Ability of mother to speak English, by length of residence in the United States, 30-32. Distribution of births by nationality, 29.

Earnings (median) as compared with native white and negro groups, 38-39.

Economic status by nationality and ability of mother to speak English, 30-31.

Housing conditions, 24-25.

Infant mortality. See under Mortality, infant. Isolated groups, physical welfare of babies, 34. Wards inhabited by, 23-25.

Garbage, campaign for more efficient handling of, 27.

Gastric and intestinal diseases:

Infant mortality rate from, 57, 61-63, 67, 68. Comparison between artificially- and breastfed infants, 72.

Comparison with cities of birth-registration area, 61-62, 67.

Comparison with cities studied by the Children's Bureau, 68.

Preventive measures for, 62, 63.

German group, 29, 77, 78.

See also Nationality of mother.

Harriet Lane Hospital:

Sick children referred to, by welfare agencies, 218, 219,

Health department, Baltimore:

Babies' Milk Fund Association in cooperation with, 187.

Children's Bureau in cooperation with, 187. Definition of term "stillbirth" as used by, 194. See also Baltimore Department of Public Safety.

Home conditions, 42-47. See also Housing.

Home ownership:

By earnings of father, 27.

By nationality groups, 31. By wards, 27.

Extent of, 26-27, 31. Negroes, 33.

"Home work," by nationality, 51-52.

Hospitals:

Harriet Lane Hospital, sick children referred to, by welfare agencies, 218, 219.

Johns Hopkins Hospital, care given by, 203-204, 218.

White and colored population served by, 33. Provision for maternity cases, 19, 203, 211.

Housing:

Alley dwellings, 26, 27.

Congestion-

Lot, 24, 25, 26.

Room, 21, 45-46, 55, 81, 111-113, 178, 179, 180, 181.

Home ownership-

Economic status as affecting, 27.

Extent of, 26-27, 31, 33.

Infant mortality in relation to, 21, 55, 88, 178, 179. Rentals, 33, 42-44.

Sanitation, 24, 25, 26, 27, 43-44, 81, 113-114, 178, 179.

Sections by wards-

Colored, 23, 25-27.

Foreign born and poorest native white, 23, 24, 25.

Well-to-do,26.

Toilet facilities, 24, 26, 27.

Type of houses, 24-26.

By economic status of family and nativity of mother, 43, 81.

"Housing Conditions in Baltimore" (a study), Baltimore, 1907, 24.

Illegitimate births, 155-176.

Births, 159-160.

Feeding, 174-175.

Incomplete information concerning, 20, 155.

Mortality, 20, 168-175, 181. Age at death, 170.

Cause of death, 181.

Order of birth, 157-158.

Place of birth and attendant, 159.

Place of residence, 165-167, 181. Premature births, 171, 176.

Prenatal care, 159-160.

Prevalence, by color, 168, 181.

Illegitimate births-Continued.

Conditions during year after birth, 160-167.

Civil condition of mother, 162-164.

Economic status of mother, 164-165.

Maternal deaths, 164.

Relation of mothers and fathers, 160-161.

Residence of babies, 165-167, 181.

Residence of mothers, 161-162.

Conditions peculiar to, 171-174.

Fathers-

Age, 159.

Color, 158.

Contributions toward support of child, 164. Occupation, 158-159.

Age, 156-157.

Civil condition-

At confinement, 157. Year after birth, 162-164.

Economic status, 164-165.

Employment, 156, 165.

Infant mortality in relation to, 170-171.

Literacy, 158. Mortality, 164.

Nativity and color, 155-156.

Previous births, 157-158.

Relation to father during year following child's birth, 160-161.

Residence during year after infant's birth, 161-162.

Social background, summary of, 167-168. Stillbirths and miscarriages, 175-176.

Illiteracy. See Literacy.

Income. See Earnings.

Industries, 19. See also Occupations.

Infant mortality. See Mortality, infant.

Infant-welfare work, 19, 84, 104, 109-110, 203-222.

Definition of term in study, 219. Extent of, 219-222.

Influenza, infant mortality from, 64.

See also Communicable diseases. Injuries at birth. See Early infancy, causes of death peculiar to.

Institutional care for illegitimate infants, 165-167. Infant mortality in relation to, 181.

Instruction of mothers in maternal and infant hygiene, 93, 204, 205, 218, 219.

Instructive Visiting Nurse Association, cooperation in supplementing clinic nurses, 203.

Intermarriage of white and negro, 21.

Interval between births, 139-146.

By age of mother, 144-145.

By cause of death, 144-145.

By economic status and nationality, 47, 86.

Infant mortality by, 81, 82, 139-145.

Native white and colored compared, 80, 81, 82.

Irish group, 28, 29, 77, 78.

See also Nationality of mother.

Italian group:

Births, 29, 30.

Infant mortality, 77, 78.

By cause of death, 79.

Factors in, 89, 92 (footnote 19), 95. Ward of residence, 24, 31 (footnote 27).

See also Nationality of mother.

Jewish, foreign-born:

Births, 29, 30.

Infant mortality-

By cause of death, 78-79, 181.

Factors in, 181.

Comparison with Polish group, 88-93.

Rate, 77, 177.

Prenatal and postnatal care, 181.

Ward of residence, 24.

See also Nationality of mother.

Johns Hopkins Hospital:

Care given by-

Infant, 218.

Prenatal, 203-204.

Lawrence House, Mothers' Relief Society clinic held at, 203.

Literacy:

Ability to speak English in relation to, 32.

Feeding customs as affected by, 54.

Infant mortality in relation to, 103, 131–132. Negroes, 33.

Poverty in relation to, 32, 101, 131.

Lithuanian group, 25, 29, 30, 77, 78.

See also Nationality of mother.

Locust Point district (Polish colony), 25.

Lodgers, father's earnings supplemented by, 51-52.

Malformations, mortality from, 59-60.

Marital status of mother having illegitimate birth:

At confinement, 157.

Year after birth, 162-164.

Marriage between white and negro, 21.

Maternal mortality. See Mortality, maternal.

Maternity care, hospital provision for, 19, 203, 211.

Measles, infant mortality from, 64.

See also Communicable diseases.

Median earnings and rentals, method by which computed, 197.

See also Earnings; Rentals.

Medicalattendance.

See Attendant during confinement.

Method by which infant mortality rate is computed for infants having a specified type of feeding, 69, 199-202.

Method by which median earnings and rentals are estimated from data available in present study, 197.

Method and purpose of study, 20-21, 155, 186. Midwife:

Attendant during confinement, 211-213.

Registration of births by, 185, 186.

Miscarriages:

Among illegitimate births, 175-176.

Definition of term, 153.

From all pregnancies, 153.

Inclusion among registered births, 20. See also Stillbirths.

Mixed feeding. See Feeding, mixed. Mortality:

Tefort

Ability of mother to speak English in relation to, 131-132.

Baltimore, 20, 177.

As compared with other American, and European cities, 19. Mortality-Continued.

Infant-Continued.

By age at death, 57, 58-59, 67, 177.

In relation to employment of mother 120-121.

By age of infant when mother began work, 122-124, 130.

By age of mother when beginning work, 128-130.

By age of mother and order of birth, 137-139, 145, 179.

By cause of death, 57, 59-67, 79, 177.

Comparison with cities of birth-registration area, 59-65, 67.

Comparison with cities studied by the Children's Bureau, 68.

Economic status and nativity and color. of mother, 85-88.

Nationality and color of mother, 77-79.

By earnings of father, 81–82, 94–97, 103, 178 And cause of death, 85–88, 95–97.

By employment of mother, 114-131. See also Employment of mother.

By nationality and color, 77-78.

By order of birth, 133-136, 145-146, 179.

By rest interval before confinement, 118-120, 130.

By sex of infant, 150.

By type of feeding, 21, 55, 63, 69-75, 88, 105. In earnings groups, 97-100, 177. In illegitimate group, 174-175.

By wards, 106-110.

Causes-

Communicable diseases, 64-66.

Early infancy (Congenital debility—Injuries at birth—Premature birth), 57, 59-61, 115-117.

Gastric and intestinal diseases, 57, 61-63, 67, 68.

Malformations, 59-60.

Other than those discussed, 57.

Reflected by age at death, 59-67.

Respiratory diseases, 57, 63-64.

Compared with birth-registration area of the United States, 19, 177.

Employment of mother in relation to, 21, 53, 55, 56, 81, 83, 103, 114–131, 170–171, 178, 179.

See also Employment of mother.

Excluded group, 190-192.

"Expected deaths," explanation of term, 201-202.

"Expected rates," explanation of term, 201-202.

Illegitimate births, 20, 168-175, 181.

Illiteracy of mother as affecting, 103, 131-132.

In comparison with Baltimore City as a whole, 193-195.

Institutional care factor in, 181.

Interval between births in relation to, 81, 82, 139-145, 178, 179-180.

Maternal mortality as affecting, 150-152, 180.

Method by which computed, for infants having a specified type of feeding, 69, 199-202.

Mortality-Continued.

Infant-Continued.

Plural births, 146-148.

Poverty factor in, 21, 33, 55, 81-82, 88, 89, 94-106, 178.

Premature births, 59-60, 136, 149-150.

Room crowding in relation to, 21, 111-113,

Social factors in, 21, 33-34, 55-56, 77-132.

Differences between-

Native white and colored, 80-85. Native white and foreign born, 85-

Polish and foreign-born Jewish, 88-

Stillbirths in relation to, 153-154.

Maternal-

Causes, 150-152, 164.

Following illegitimate births, 164.

Infant mortality as affected by, 150-152, 180.

Mothers:

Ability to speak English, 30-32, 34, 54, 55, 131-132.

Employment. See Employment of mother. Illegitimate births, 155-158, 160-165, 170-171. Literacy, 32, 33, 54, 101, 103, 131-132.

Mortality, 150-152, 164.

See also under separate subjects.

Mother's Relief Society:

Care given by-

Infant, 218. Prenatal, 203-204.

Nationality of mother:

By ability to speak English, and earnings of father, 30-31.

By type offeeding, 54.

Causes of infant death by, 78-79.

Infant mortality rate and cause of death by, 78-79.

Population by, 28.

Prevalence of prenatal care by, 206, 207.

Room crowding by, 45-46, 55, 81, 180, 181.

Social and economic factors in infant mortality by, 33-34, 55-56, 77-132.

Wards of Baltimore City by, 24-25. Nationality groups:

Predominating, analysis of, 29, 54.

Nativity of mother:

Cause of infant's death by, 60, 61, 63-64, 65-66. Employment of mother, gainful, by, 34, 49,

50-53.

Feeding, type of, by, 53-55, 88, 124. In earnings groups, 97-100, 177.

Illegitimate births by, 155-156. Nonemployment of father by, 40.

Social and economic factors in infant mortality

by, 33-34, 55-56, 77-132. Native white and colored, 80-85.

Native white and foreign born, 85-88. Polish and foreign-born Jewish, 88-93.

Wards of Baltimore City by, 23-26.

Cooperation with Federated Charities for civic betterment, 33.

Discrimination not made against, by specified agencies, 33.

Negroes-Continued.

Economic status, 36, 37-39, 55, 180.

Employment. See under Employment.

Home ownership, 33.

Houses, type of, 26-27, 43, 44.

Housing conditions, 25-26, 27, 180.

Illegitimate births, 155, 181.

See also Illegitimacy.

Illiteracy among, 33.

Industrial school, need for, 33.

Infant mortality, 19, 67, 77, 79, 82-85, 93, 177.

By cause of death, 60, 61, 63-64, 65-66, 79, 180. Factors in, 80-85, 180.

Mental defectives, lack of provision for, 33. Playgrounds, 33.

Political representation, 33.

Population in Baltimore (1910), 32.

Prenatal and postnatal care, 84, 160, 180.

Rentals, excess in, 33, 43-44, 55.

Schools, 33.

Segregation ordinance (decision reversed, 1917), 32-33.

Wards inhabited by, 23, 25-27.

Neighborhood conditions in relation to infant mortality, 106-114.

Nonemployment:

By cause, and nativity of mother, 40.

By duration, and nativity of mother, 40-41.

By earnings groups, duration of nonemployment, and nativity, 41.

Nonresident mothers:

Infants of, excluded from study, 20, 189.

Nursing care:

Through welfare agencies, 203-204, 218, 219. Type of, 213-216.

Occupations:

Father-

By median earnings, 36-39.

Mother-

At home, by nationality, 51-53.

Away from home, by nationality, 50, 53,

See also Employment; Industries.

One-dwelling buildings, prevalence of, 26.

Order of birth:

Illegitimate births by, 157-158.

Infant mortality by, 133-136, 145-146, 179.

Milk inspection (1917), p. 69 (footnote 96).

Negro segregation (passed, 1913; decision reversed, 1917), 32, 33.

Overcrowding. See Housing, congestion.

Ownership of homes:

By earnings of father, 27.

By nationality groups, 31.

By wards, 27.

Extent of, 26-27, 31.

Negroes, 33.

Persons per room. See Room crowding. Physical factors in infant mortality, 133-152.

Age of mother, 137-139.

Interval between births, 139-145.

Maternal deaths, 150-152.

Order of birth, 133-136.

Plural births, 146-148.

Physical factors in infant mortality-Continued. Premature births, 149-150.

Sex of infant, 150.

See also Social factors.

Playgrounds, separate, for white and colored, 33. Plural births:

Mortality among, 146-148.

Prevalence-

By age of mother, 146.

By order of birth, 146.

Pneumonia. See Respiratory diseases.

Polish:

Births, 29, 30.

Colonies, 24-25.

Infant mortality, 77-79, 177.

By cause of death, 78-79, 180.

Factors in, 180.

Comparison with Jewish group, 88-93. Rate, 77-79, 93.

See also Nationality of mother.

Population of Baltimore:

Negro, in comparison with other cities, 32. Total, 19.

Poverty:

Employment of mother caused by, 47-49, 88. Illegitimate births, 171.

Illiteracy as related to, 32, 101.

Inability to speak English as related to, 32.

Infant mortality as affected by, 21, 33, 55, 81-82, 88, 89, 94-106, 178. Prenatal care in relation to, 104-106, 205-206.

See also Earnings.

Pregnancy:

Care during-

Illegitimate births, 159-160.

Grades, 208-210.

Prevalence, 203-222.

By grade of care and earnings offather.

By economic status, 104-106, 205-206.

By nationality, 206.

By ward of residence, 207, 208.

Relation to infant mortality from-

Causes peculiar to early infancy, 60-61,

Other causes than those discussed, 67. Syphilis, 64.

Employment during, 49,51,

Relation to infant mortality, 56, 114-120,

Influence of succeeding pregnancy upon infant mortality, 140-141.

Premature births:

Infant mortality from, 59-60, 136, 149.

Prevalence-

By age of mother, 138, 150.

By employment of mother, 117, 130, 150, 178. By legitimacy, 171, 176.

By order of birth, 134, 149-150, 179.

See also Early infancy, causes of death peculiar

Prenatal care:

Grades, 208-210.

Illegitimate births, 159-160.

Prenatal care-Continued.

Prevalence, 203-222.

By grade of care and earnings of father, 209-210.

By economic status, 104-106, 205-206.

By nationality, 206.

By ward of residence, 207, 208.

Relation to infant mortality from-

Causes peculiar to early infancy, 60-61, 115. Other causes than those discussed, 67. Syphilis, 64.

Purpose and method of study, 20-21,

Refuse, campaign for more efficient handling of, 27. Registration:

Births, 185-187, 193. Deaths, 193.

Registration areas:

Birth, infant mortality compared with, 58-64, 67. Death, infant mortality by age of death compared with, 58.

Registration law of Maryland, 185.

Enforcement, 186.

Rentals, median:

By nationality, 42-44, 55.

Method by which computed, 197.

Residence:

Illegitimate infant during year following birth, 165-167, 181.

Mother having illegitimate birth, during year after confinement, 161-162.

Length of residence of mother in the United States-

Ability of mother to speak English by, 30-32 Distribution of births by, 29.

Economic status of family as affected by, 30-31.

Respiratory diseases:

Infant mortality rate from, 57, 63-64.

By nativity of mother, 63-64, 78.

Comparison with cities of birth-registration area, 63, 67.

Comparison with cities studied by the Children's Bureau, 68.

Preventive measures for, 64.

Room crowding:

By nationality of mother, 45-46, 55, 81, 180, 181. Infant mortality as affected by, 21, 111-113, 178, 179.

Sanitation, 24, 25, 26, 27, 43-44, 81, 113-114, 178. Scarlet fever:

Infant mortality from, 64.

See also Communicable diseases.

Schools, separate, for white and colored, 33.

Segregation of negroes, 32-33.

Sewer connection in homes, 24, 25, 26, 27, 43, 44, 55-56, 179.

Sewerage system, 24, 27.

Sex of infant, mortality by, 150.

Size of family:

Average number of births, 46-47.

See also Room crowding.

Social background of illegitimate births, summary of, 167-168.

Social and economic factors in infant mortality, 21, 33-34, 55, 77-132.

Employment of mother away from home, 21, 53, 55, 56, 81, 83, 101.

Feeding, artificial, 21, 55, 63, 69, 81, 83.

Housing, poor, 21, 55, 81.

Intervals, short, between births, 81, 82, 103, 139-145.

Large families, 80, 81, 101, 103. Poverty, 21, 33, 55, 81-82, 94-106. See also Physical factors.

Stillbirth:

Definition-

Children's Bureau, 153. Health department (city), 194.

Stillbirth rate, 153-154.

Among illegitimate births, 175-176.

By age of mother, 138,154.

By employment of mother, 118-120, 127-128, 130-131, 154.

By order of birth, 134, 136. Excluded group, 191.

In comparison with Baltimore City as a whole, 193-195.

Stillbirths, 153-154.

Infant mortality in relation to, 154. Registration of, as births and deaths, 185.

Supplementary income to father's earnings, 35-36, 51-52.

Syphilis:

Infant mortality from, 64, 65, 84, 85, 170. See also Communicable diseases.

Tenements:

"One-family dwellings," 24-25. Toilet facilities, 24, 26, 27, 43, 44, 113-114, 179. Tuberculosis, infant mortality from, 64, 65-66. See also Communicable diseases.

Twins:

Mortality among, 146-148. Prevalence-

By age of mother, 146.

By order of birth, 146.

Unemployment. See Nonemployment.

Venereal disease, infant mortality from, 64, 65, 84, 85. See also Communicable diseases.

Visiting Nurse Association, cooperation in supplementing clinic nurses, 203.

Wards:

Description of city by, 23-27.

Environmental conditions as affecting infant mortality by, 106-110.

Home ownership by, 27.

Infant mortality rate by, 106-110.

Infant-welfare work by, 109-110. Nationality of mother by, 24-25.

Prenatal care by, 207, 208.

Waste, campaign for more efficient handling of, 27. Weaning:

By ability of mother to speak English, 54, 55. By literacy and nationality of mother, 54.

Employment of mother in relation to, 54, 124-

Infant mortality rate by month of, 71-75, 125,

Nationality of mother by month of, 53-54. See also Feeding, artificial.

Welfare work, infant, 19, 84, 104, 109-110, 203-222 Definition of term in study, 219. Extent of, 219-222.

Well-to-do section, 26.

Whooping cough, infant mortality from, 64, 65. See also Communicable diseases.

Women's Civic League, clean-up campaign inaugurated by, 27.

Women's Cooperative Civic League, clean-up campaign inaugurated by, 27.

