VITAL STATISTICS PLATES 396-412

723°-24†-29

(445)

PLATE NO.

PLATE No.

396


TITLE.

- 1. Annual birth rates per 1,000 population, by months, in the registration area: 1918-1922.
- 2. Births, by color, and for white children by parent nativity, in the registration area: 1922.
- 3. Births in the registration area of white children of known parentage having at least one parent foreign born: 1922.
- 397 Growth of the registration area for births: 1915–1922 (map).
- 398 Growth of the registration area for deaths: 1880-1922 (map).
 - 1. Per cent which the population and land area of the registration area formed of the total population and land area of the United States for the years 1880, 1890, and 1900 to 1922, inclusive.
- 2. Per cent of deaths in the registration area (exclusive of Hawaii) by color, by nativity of white persons, and by parent nativity of the native white: 1922.
 - Number of deaths in the registration area (exclusive of Hawaii) at all ages, under 1 year of age, and from 1 to 4 years of age, for each of the years 1900 to 1922.
 - 4. Per cent of deaths in the registration area (exclusive of Hawaii) under 1 year of age, from 1 to 4 years, and 5 years and over, for each of the years 1900 to 1922.
- 400 General death rates of the United States (registration area) and certain foreign countries for each of the years from 1900 to 1922.
- 401 Death rates from certain important causes of death in the registration area of the United States for the years 1900 and 1910 to 1922.
 - 1. Death rates from all causes per 1,000 population in the registration states of 1910: 1910 and 1920.
- 402 and 1920.
 2. Death rates from typhoid fever per 100,000 population in the registration states of 1910: 1910 and 1920.
 - 1. Death rates from measles per 100,000 population in the registration states of 1910: 1910 and 1920.
- 403 2. Death rates from scarlet fever per 100,000 population in the registration states of 1910: 1910 and 1920.
- 1. Death rates from whooping cough per 100,000 population in the registration states of 1910: 1910 and 1920.
- 2. Death rates from diphtheria and croup per 100,000 population in the registration states of 1910: 1910 and 1920.

TITLE.


- 1. Death rates from influenza per 100,000 population in the registration states of 1910: 1910 and 1920.
- 405
 2. Death rates from tuberculosis of the lungs per 100,000 population in the registration states of 1910: 1910 and 1920.
 - 1. Death rates from all other forms of tuberculosis per 100,000 population in the registration states of 1910: 1910 and 1920.
- 406
 2. Death rates from cancer and other malignant tumors per 100,000 population in the registration states of 1910: 1910 and 1920.
 - 1. Death rates from diabetes per 100,000 population in the registration states of 1910: 1910 and 1920.
- 407 2. Death rates from cerebral hemorrhage and softening per 100,000 population in the registration states of 1910: 1910 and 1920.
 - 1. Death rates from organic diseases of the heart per 100,000 population in the registration states of 1910: 1910 and 1920.
- 408
 2. Death rates from pneumonia (all forms) per 100,000 population in the registration states of 1910: 1910 and 1920.
 - 1. Death rates from diarrhea and enteritis per 100,000 population in the registration states of 1910: 1910 and 1920.
- 2. Death rates from acute nephritis and Bright's disease per 100,000 population in the registration states of 1910: 1910 and 1920.
 - 1. Death rates from puerperal septicemia per 100,000 female population in the registration states of 1910: 1910 and 1920.
- 2. Death rates from all other puerperal causes per 100,000
 female population in the registration states of 1910: 1910 and 1920.
 - 3. Death rates from violent deaths (suicide excepted) per 100,000 population in the registration states of 1910: 1910 and 1920.
- 411 Infant mortality, by country of birth of mother, in the registration area: 1922.
- 412 Infant mortality, by country of birth of mother, in the registration area: 1922.


(446)




1. ANNUAL BIRTH RATES PER 1,000 POPULATION, BY MONTHS, IN THE REGISTRATION AREA: 1918-1922.

2. BIRTHS, BY COLOR, AND FOR WHITE CHILDREN BY PARENT NA-






3. BIRTHS IN THE REGISTRATION AREA OF WHITE CHILDREN OF KNOWN PARENTAGE HAVING AT LEAST ONE PARENT FOREIGN BORN: 1922.



(447)


GROWTH OF THE REGISTRATION AREA FOR BIRTHS: 1915–1922.



STATES ADDED SINCE 1915

STATES NOT IN REGISTRATION AREA

ORIGINAL REGISTRATION STATES, 1915



GROWTH OF THE REGISTRATION AREA FOR DEATHS: 1880-1922.


ORIGINAL REGISTRATION STATES, 1900

STATES ADDED SINCE 1900




PLATE No. 399


1. PER CENT WHICH THE POPULATION AND LAND AREA OF THE REGISTRATION AREA FORMED OF THE TOTAL POPULATION AND LAND AREA OF THE UNITED STATES FOR THE YEARS 1880, 1890, AND 1900 TO 1922, INCLUSIVE.




 NUMBER OF DEATHS IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AT ALL AGES, UNDER 1 YEAR OF AGE, AND FROM 1 TO 4 YEARS OF AGE, FOR EACH OF THE YEARS 1900 TO 1922.




2. PER CENT OF DEATHS IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) BY COLOR, BY NATIVITY OF WHITE PERSONS, AND BY PARENT NATIVITY OF THE NATIVE WHITE: 1922.



4. PER CENT OF DEATHS IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) UNDER 1 YEAR OF AGE, FROM 1 TO 4 YEARS, AND 5 YEARS AND OVER, FOR EACH OF THE YEARS 1900 TO 1922.




(450)



GENERAL DEATH RATES OF THE UNITED STATES (REGISTRATION AREA) AND CERTAIN FOREIGN COUNTRIES FOR EACH OF THE YEARS FROM 1900 TO 1922.

(451)




÷ .

DEATH RATES FROM CERTAIN IMPORTANT CAUSES OF DEATH IN THE REGISTRATION AREA OF THE UNITED STATES FOR THE YEARS 1900 AND 1910 TO 1922.


(452)

PLATE No. 401




1. DEATH RATES FROM ALL CAUSES PER 1,000 POPULATION IN THE REGISTRATION STATES OF 1910: 1910 AND 1920.

2. DEATH RATES FROM TYPHOID FEVER PER 100,000 POPULATION IN THE REGISTRATION STATES OF 1910: 1910 AND 1920.




(453)




1. DEATH RATES FROM MEASLES PER 100,000 POPULATION IN THE REGISTRATION STATES OF 1910: 1910 AND 1920.

2. DEATH RATES FROM SCARLET FEVER PER 100,000 POPULATION IN THE REGISTRATION STATES OF 1910: 1910 AND 1920.





(454)



1. DEATH RATES FROM WHOOPING COUGH PER 100,000 POPULATION IN THE REGISTRATION STATES OF 1910: 1910 AND 1920.


2. DEATH RATES FROM DIPHTHERIA AND CROUP PER 100,000 POPULATION IN THE REGISTRATION STATES OF 1910: 1910 AND 1920.






1. DEATH RATES FROM INFLUENZA PER 100,000 POPULATION IN THE REGISTRATION STATES OF 1910: 1910 AND 1920.


2. DEATH RATES FROM TUBERCULOSIS OF THE LUNGS PER 100,000 POPULATION IN THE REGISTRATION STATES OF 1910: 1910 AND 1920.






1. DEATH RATES FROM ALL OTHER FORMS OF TUBERCULOSIS PER 100,000 POPULATION IN THE REGISTRATION STATES OF 1910: 1910 AND 1920.

2. DEATH RATES FROM CANCER AND OTHER MALIGNANT TUMORS PER 100,000 POPULATION IN THE REGISTRATION STATES OF 1910: 1910 AND 1920.




(457)




1. DEATH RATES FROM DIABETES PER 100,000 POPULATION IN THE REGISTRATION STATES OF 1910: 1910 AND 1920.

2. DEATH RATES FROM CEREBRAL HEMORRHAGE AND SOFTENING PER 100,000 POPULATION IN THE REGISTRATION STATES OF 1910: 1910 AND 1920.





(458)



1. DEATH RATES FROM ORGANIC DISEASES OF THE HEART PER 100,000 POPULATION IN THE REGISTRATION STATES OF 1910: 1910 AND 1920.


2. DEATH RATES FROM PNEUMONIA (ALL FORMS) PER 100,000 POPULATION IN THE REGISTRATION STATES OF 1910: 1910 AND 1920.







1. DEATH RATES FROM DIARRHEA AND ENTERITIS PER 100,000 POPULATION IN THE REGISTRATION STATES OF 1910: 1910 AND 1920.


2. DEATH RATES FROM ACUTE NEPHRITIS AND BRIGHT'S DISEASE PER 100,000 POPULATION IN THE REGISTRATION STATES OF 1910: 1910 AND 1920.






1. DEATH RATES FROM PUERPERAL SEPTICEMIA PER 100,000 FEMALE POPULATION IN THE REGISTRATION STATES OF 1910: 1910 AND 1920.






3. DEATH RATES FROM VIOLENT DEATHS (SUICIDE EXCEPTED) PER 100.000 POPULATION IN THE REGISTRATION STATES OF 1910: 19:0 AND 1920.



723 24* 30


(461)

INFANT MORTALITY, BY COUNTRY OF BIRTH OF MOTHER, IN THE REGISTRATION AREA: 1922.



(462)

INFANT MORTALITY, BY COUNTRY OF BIRTH OF MOTHER, IN THE REGISTRATION AREA: 1922.



(463)